## Alex McConnachie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5871120/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Primary care-led weight management for remission of type 2 diabetes (DiRECT): an open-label, cluster-randomised trial. Lancet, The, 2018, 391, 541-551.	13.7	1,282
2	Smoke-free Legislation and Hospitalizations for Acute Coronary Syndrome. New England Journal of Medicine, 2008, 359, 482-491.	27.0	640
3	Durability of a primary care-led weight-management intervention for remission of type 2 diabetes: 2-year results of the DiRECT open-label, cluster-randomised trial. Lancet Diabetes and Endocrinology,the, 2019, 7, 344-355.	11.4	569
4	Stratified Medical Therapy Using Invasive Coronary Function Testing in Angina. Journal of the American College of Cardiology, 2018, 72, 2841-2855.	2.8	436
5	Can metabolic syndrome usefully predict cardiovascular disease and diabetes? Outcome data from two prospective studies. Lancet, The, 2008, 371, 1927-1935.	13.7	416
6	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	7.7	398
7	Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. New England Journal of Medicine, 2017, 376, 2534-2544.	27.0	366
8	European Society of Cardiology: cardiovascular disease statistics 2021. European Heart Journal, 2022, 43, 716-799.	2.2	343
9	Human neural stem cells in patients with chronic ischaemic stroke (PISCES): a phase 1, first-in-man study. Lancet, The, 2016, 388, 787-796.	13.7	322
10	Vaginal progesterone prophylaxis for preterm birth (the OPPTIMUM study): a multicentre, randomised, double-blind trial. Lancet, The, 2016, 387, 2106-2116.	13.7	319
11	First year medical student stress and coping in a problem-based learning medical curriculum. Medical Education, 2004, 38, 482-491.	2.1	308
12	Fractional flow reserve vs. angiography in guiding management to optimize outcomes in non-ST-segment elevation myocardial infarction: the British Heart Foundation FAMOUS-NSTEMI randomized trial. European Heart Journal, 2015, 36, 100-111.	2.2	241
13	Effect of Empagliflozin on Left Ventricular Volumes in Patients With Type 2 Diabetes, or Prediabetes, and Heart Failure With Reduced Ejection Fraction (SUGAR-DM-HF). Circulation, 2021, 143, 516-525.	1.6	237
14	Relevance and practical use of the Consultation and Relational Empathy (CARE) Measure in general practice. Family Practice, 2005, 22, 328-334.	1.9	216
15	Cardiac Troponin T and Troponin I in the General Population. Circulation, 2019, 139, 2754-2764.	1.6	200
16	Socio-economic status is associated with epigenetic differences in the pSoBid cohort. International Journal of Epidemiology, 2012, 41, 151-160.	1.9	169
17	Targeting ultrasound remission in early rheumatoid arthritis: the results of the TaSER study, a randomised clinical trial. Annals of the Rheumatic Diseases, 2016, 75, 1043-1050.	0.9	167
18	Morbidity, mortality and missed appointments in healthcare: a national retrospective data linkage study. BMC Medicine, 2019, 17, 2.	5.5	135

#	Article	IF	CITATIONS
19	Incidence and predictors of mental ill-health in adults with intellectual disabilities. British Journal of Psychiatry, 2007, 191, 313-319.	2.8	121
20	Accelerated Telomere Attrition Is Associated with Relative Household Income, Diet and Inflammation in the pSoBid Cohort. PLoS ONE, 2011, 6, e22521.	2.5	120
21	C-Reactive Protein and Prediction of Coronary Heart Disease and Global Vascular Events in the Prospective Study of Pravastatin in the Elderly at Risk (PROSPER). Circulation, 2007, 115, 981-989.	1.6	112
22	Serial Metabolic Measurements and Conversion to Type 2 Diabetes in the West of Scotland Coronary Prevention Study. Diabetes, 2007, 56, 984-991.	0.6	109
23	DECISION MAKING USING FRACTIONAL FLOW RESERVE IS ASSOCIATED WITH LOWER RATES OF INCOMPLETE REVASCULARIZATION COMPARED WITH ANGIOGRAPHIC GUIDED DECISION MAKING AMONGST PATIENTS WITH NSTEMI. Journal of the American College of Cardiology, 2017, 69, 1057.	2.8	107
24	Ischemia and No Obstructive Coronary Artery Disease. Circulation: Cardiovascular Interventions, 2019, 12, e008126.	3.9	107
25	Effect of Smoking on Blood Pressure and Resting Heart Rate. Circulation: Cardiovascular Genetics, 2015, 8, 832-841.	5.1	105
26	Genetic variation at the SLC23A1 locus is associated with circulating concentrations of l-ascorbic acid (vitamin C): evidence from 5 independent studies with >15,000 participants. American Journal of Clinical Nutrition, 2010, 92, 375-382.	4.7	102
27	HLA-A alleles and infectious mononucleosis suggest a critical role for cytotoxic T-cell response in EBV-related Hodgkin lymphoma. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 6400-6405.	7.1	102
28	Demographic and practice factors predicting repeated non-attendance in primary care: a national retrospective cohort analysis. Lancet Public Health, The, 2017, 2, e551-e559.	10.0	102
29	Comparison between High-Sensitivity Cardiac Troponin T and Cardiac Troponin I in a Large General Population Cohort. Clinical Chemistry, 2018, 64, 1607-1616.	3.2	101
30	Separating in-utero and postnatal influences on later disease. Lancet, The, 1999, 354, 1526-1527.	13.7	100
31	Prolonged release melatonin in the treatment of primary insomnia: evaluation of the age cut-off for short- and long-term response. Current Medical Research and Opinion, 2011, 27, 87-98.	1.9	100
32	Inverse Association Between Birth Weight and C-Reactive Protein Concentrations in the MIDSPAN Family Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 583-587.	2.4	94
33	Increasing older adults' walking through primary care: results of a pilot randomized controlled trial. Family Practice, 2012, 29, 633-642.	1.9	93
34	Pharmacist intervention in primary care to improve outcomes in patients with left ventricular systolic dysfunction. European Heart Journal, 2012, 33, 314-324.	2.2	93
35	The accuracy of the Framingham risk-score in different socioeconomic groups: a prospective study. British Journal of General Practice, 2005, 55, 838-45.	1.4	93
36	Effect of Low-Dose Intracoronary Alteplase During Primary Percutaneous Coronary Intervention on Microvascular Obstruction in Patients With Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2019, 321, 56.	7.4	88

#	Article	IF	CITATIONS
37	More time for complex consultations in a high-deprivation practice is associated with increased patient enablement. British Journal of General Practice, 2007, 57, 960-966.	1.4	87
38	The impact of three years' ethics teaching, in an integrated medical curriculum, on students′ proposed behaviour on meeting ethical dilemmas. Medical Education, 2002, 36, 489-497.	2.1	86
39	Maternal and Personal Cigarette Smoking Synergize to Increase Airflow Limitation in Adults. American Journal of Respiratory and Critical Care Medicine, 2004, 169, 479-487.	5.6	83
40	Long-term impact on healthcare resource utilization of statin treatment, and its cost effectiveness in the primary prevention of cardiovascular disease: a record linkage study. European Heart Journal, 2014, 35, 290-298.	2.2	81
41	The Y Chromosome Effect on Blood Pressure in Two European Populations. Hypertension, 2002, 39, 353-356.	2.7	78
42	2-year remission of type 2 diabetes and pancreas morphology: a post-hoc analysis of the DiRECT open-label, cluster-randomised trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 939-948.	11.4	74
43	Five-year follow-up of participants in a randomised controlled trial showing benefits from exercise for breast cancer survivors during adjuvant treatment. Are there lasting effects?. Journal of Cancer Survivorship, 2012, 6, 420-430.	2.9	70
44	Inhibition of complement in Guillainâ€Barré syndrome: the <scp>ICAâ€GBS</scp> study. Journal of the Peripheral Nervous System, 2017, 22, 4-12.	3.1	70
45	Students' attitudes and potential behaviour with regard to whistle blowing as they pass through a modern medical curriculum. Medical Education, 2003, 37, 368-375.	2.1	68
46	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. British Journal of Sports Medicine, 2019, 53, 812-812.	6.7	67
47	Study protocol for the â€~HelpMeDolt!' randomised controlled feasibility trial: an app, web and social support-based weight loss intervention for adults with obesity. BMJ Open, 2017, 7, e017159.	1.9	65
48	External validation of nomogram for the decline in serum anti-Müllerian hormone in women: a population study of 15,834 infertility patients. Reproductive BioMedicine Online, 2011, 23, 204-206.	2.4	64
49	Genetic variation in the 15q25 nicotinic acetylcholine receptor gene cluster (CHRNA5–CHRNA3–CHRNB4) interacts with maternal self-reported smoking status during pregnancy to influence birth weight. Human Molecular Genetics, 2012, 21, 5344-5358.	2.9	62
50	The effect of a programme to improve men's sedentary time and physical activity: The European Fans in Training (EuroFIT) randomised controlled trial. PLoS Medicine, 2019, 16, e1002736.	8.4	61
51	Groin Hernia Repair: Postherniorrhaphy Pain. World Journal of Surgery, 2005, 29, 1062-1065.	1.6	60
52	Which patients with heart failure should receive specialist palliative care?. European Journal of Heart Failure, 2018, 20, 1338-1347.	7.1	60
53	Soluble ST2 Associates with Diabetes but Not Established Cardiovascular Risk Factors: A New Inflammatory Pathway of Relevance to Diabetes?. PLoS ONE, 2012, 7, e47830.	2.5	56
54	The incremental prognostic and clinical value of multiple novel biomarkers in heart failure. European Journal of Heart Failure, 2016, 18, 1491-1498.	7.1	54

#	Article	IF	CITATIONS
55	Circulating 250HD, Dietary Vitamin D, PTH, and Calcium Associations with Incident Cardiovascular Disease and Mortality: The MIDSPAN Family Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 4578-4587.	3.6	53
56	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium: TableÂ1. BMJ Open, 2015, 5, e008808.	1.9	53
57	Tightening Up? Impact of Musculoskeletal Ultrasound Disease Activity Assessment on Early Rheumatoid Arthritis Patients Treated Using a Treat to Target Strategy. Arthritis Care and Research, 2014, 66, 19-26.	3.4	52
58	Comparison of behavioural activation with guided self-help for treatment of depression in adults with intellectual disabilities: a randomised controlled trial. Lancet Psychiatry,the, 2017, 4, 909-919.	7.4	52
59	Impact of a new course on students' potential behaviour on encountering ethical dilemmas. Medical Education, 2001, 35, 295-302.	2.1	52
60	Guided Self-Help Cognitive Behavioural Therapy for Depression in Primary Care: A Randomised Controlled Trial. PLoS ONE, 2013, 8, e52735.	2.5	48
61	Effect of Transmission Setting and Mixed Species Infections on Clinical Measures of Malaria in Malawi. PLoS ONE, 2008, 3, e2775.	2.5	47
62	A Randomized, Single-Blind, Crossover Trial of Recovery Time in High-Flux Hemodialysis and Hemodiafiltration. American Journal of Kidney Diseases, 2017, 69, 762-770.	1.9	47
63	Nuclear magnetic resonanceâ€based metabolomics identifies phenylalanine as a novel predictor of incident heart failure hospitalisation: results from PROSPER and FINRISK 1997. European Journal of Heart Failure, 2018, 20, 663-673.	7.1	47
64	The impact of a modern medical curriculum on students' proposed behaviour on meeting ethical dilemmas. Medical Education, 2004, 38, 942-949.	2.1	46
65	Understanding repeated non-attendance in health services: a pilot analysis of administrative data and full study protocol for a national retrospective cohort. BMJ Open, 2017, 7, e014120.	1.9	46
66	Clinical and metabolic features of the randomised controlled Diabetes Remission Clinical Trial (DiRECT) cohort. Diabetologia, 2018, 61, 589-598.	6.3	46
67	Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. PLoS Genetics, 2014, 10, e1004799.	3.5	45
68	Socioeconomic Deprivation and Cortical Morphology. Psychosomatic Medicine, 2013, 75, 616-623.	2.0	44
69	Misoprostol for small bowel ulcers in patients with obscure bleeding taking aspirin and non-steroidal anti-inflammatory drugs (MASTERS): a randomised, double-blind, placebo-controlled, phase 3 trial. The Lancet Gastroenterology and Hepatology, 2018, 3, 469-476.	8.1	42
70	Time Course of Normalization of Functional β-Cell Capacity in the Diabetes Remission Clinical Trial After Weight Loss in Type 2 Diabetes. Diabetes Care, 2020, 43, 813-820.	8.6	42
71	Measuring perceptions of safety climate in primary care: a crossâ€sectional study. Journal of Evaluation in Clinical Practice, 2012, 18, 135-142.	1.8	41
72	Coronary microvascular dysfunction in patients with stable coronary artery disease: The CE-MARC 2 coronary physiology sub-study. International Journal of Cardiology, 2018, 266, 7-14.	1.7	41

#	Article	IF	CITATIONS
73	Effect of Neprilysin Inhibition on Left Ventricular Remodeling in Patients With Asymptomatic Left Ventricular Systolic Dysfunction Late After Myocardial Infarction. Circulation, 2021, 144, 199-209.	1.6	40
74	A multisystem, cardio-renal investigation of post-COVID-19 illness. Nature Medicine, 2022, 28, 1303-1313.	30.7	39
75	A randomized controlled trial to investigate the effects of intra-dialytic cycling on left ventricular mass. Kidney International, 2021, 99, 1478-1486.	5.2	38
76	Urinary peptides in heart failure: a link to molecular pathophysiology. European Journal of Heart Failure, 2021, 23, 1875-1887.	7.1	37
77	Personality, Socio-Economic Status and Inflammation: Cross-Sectional, Population-Based Study. PLoS ONE, 2013, 8, e58256.	2.5	37
78	Practice nurse health checks for adults with intellectual disabilities: a cluster-design, randomised controlled trial. Lancet Psychiatry,the, 2014, 1, 511-521.	7.4	36
79	A Cluster Randomised Controlled Trial of a Pharmacist-Led Collaborative Intervention to Improve Statin Prescribing and Attainment of Cholesterol Targets in Primary Care. PLoS ONE, 2014, 9, e113370.	2.5	35
80	The Glasgow †Deep End' Links Worker Study Protocol: A Quasi-Experimental Evaluation of a Social Prescribing Intervention for Patients with Complex Needs in Areas of High Socioeconomic Deprivation. Journal of Comorbidity, 2017, 7, 1-10.	3.9	34
81	Prediction of Cardiovascular Disease Risk by Cardiac Biomarkers in 2 United Kingdom Cohort Studies. Hypertension, 2016, 67, 309-315.	2.7	33
82	Risk factors in the Midspan family study by social class in childhood and adulthood. International Journal of Epidemiology, 2008, 37, 604-614.	1.9	32
83	Problem behaviours and symptom dimensions of psychiatric disorders in adults with intellectual disabilities: An exploratory and confirmatory factor analysis. Research in Developmental Disabilities, 2016, 55, 1-13.	2.2	31
84	Study protocol of European Fans in Training (EuroFIT): a four-country randomised controlled trial of a lifestyle program for men delivered in elite football clubs. BMC Public Health, 2016, 16, 598.	2.9	31
85	Web-based physiotherapy for people affected by multiple sclerosis: a single blind, randomized controlled feasibility study. Clinical Rehabilitation, 2019, 33, 473-484.	2.2	31
86	The Chief Scientist Office Cardiovascular and Pulmonary Imaging in SARS Coronavirus disease-19 (CISCO-19) study. Cardiovascular Research, 2020, 116, 2185-2196.	3.8	31
87	Long-term weight loss trajectories following participation in a randomised controlled trial of a weight management programme for men delivered through professional football clubs: a longitudinal cohort study and economic evaluation. International Journal of Behavioral Nutrition and Physical Activity. 2018. 15. 60.	4.6	30
88	The Midspan studies. International Journal of Epidemiology, 2005, 34, 28-34.	1.9	29
89	European Society of Cardiology: cardiovascular disease statistics 2021: Executive Summary. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 377-382.	4.0	29
90	Intergenerational change and familial aggregation of body mass index. European Journal of Epidemiology, 2012, 27, 53-61.	5.7	28

#	Article	IF	CITATIONS
91	Comparing uptake across breast, cervical and bowel screening at an individual level: a retrospective cohort study. British Journal of Cancer, 2019, 121, 710-714.	6.4	28
92	Socioeconomic Status and the Cerebellar Grey Matter Volume. Data from a Well-Characterised Population Sample. Cerebellum, 2013, 12, 882-891.	2.5	27
93	Cardio-metabolic risk factors and cortical thickness in a neurologically healthy male population: Results from the psychological, social and biological determinants of ill health (pSoBid) study. NeuroImage: Clinical, 2013, 2, 646-657.	2.7	27
94	Identification of Molecular Markers of Delayed Graft Function Based on the Regulation of Biological Ageing. PLoS ONE, 2016, 11, e0146378.	2.5	27
95	Rationale and design of the British Heart Foundation (BHF) Coronary Microvascular Function and CT Coronary Angiogram (CorCTCA) study. American Heart Journal, 2020, 221, 48-59.	2.7	27
96	Association between GDF-15 levels and changes in vascular and physical function in older patients with hypertension. Aging Clinical and Experimental Research, 2017, 29, 1055-1059.	2.9	26
97	Xanthine oxidase inhibition for the improvement of long-term outcomes following ischaemic stroke and transient ischaemic attack (XILO-FIST) – Protocol for a randomised double blind placebo-controlled clinical trial. European Stroke Journal, 2018, 3, 281-290.	5.5	26
98	Long-term weight loss following a randomised controlled trial of a weight management programme for men delivered through professional football clubs: the Football Fans in Training follow-up study. Public Health Research, 2018, 6, 1-114.	1.3	24
99	Rationale and design of the British Heart Foundation (BHF) Coronary Microvascular Angina (CorMicA) stratified medicine clinical trial. American Heart Journal, 2018, 201, 86-94.	2.7	22
100	Can we evaluate population screening strategies in UK general practice? A pilot randomised controlled trial comparing postal and opportunistic screening for genital chlamydial infection. Journal of Epidemiology and Community Health, 2005, 59, 198-204.	3.7	21
101	Socioeconomic status and diabetes-related hospital admissions: a cross-sectional study of people with diagnosed diabetes. Journal of Epidemiology and Community Health, 2010, 64, 1022-1024.	3.7	21
102	25-Hydroxyvitamin D is lower in deprived groups, but is not associated with carotid intima media thickness or plaques: Results from pSoBid. Atherosclerosis, 2012, 223, 437-441.	0.8	21
103	Impact of Scotland's Comprehensive, Smoke-Free Legislation on Stroke. PLoS ONE, 2013, 8, e62597.	2.5	21
104	Does progesterone prophylaxis to prevent preterm labour improve outcome? A randomised double-blind placebo-controlled trial (OPPTIMUM). Health Technology Assessment, 2018, 22, 1-304.	2.8	21
105	Parental height in relation to offspring coronary heart disease: examining transgenerational influences on health using the west of Scotland Midspan Family Study. International Journal of Epidemiology, 2012, 41, 1776-1785.	1.9	20
106	Early life socioeconomic status, chronic physiological stress and hippocampal N-acetyl aspartate concentrations. Behavioural Brain Research, 2012, 235, 225-230.	2.2	20
107	Safety of guidewire-based measurement of fractional flow reserve and the index of microvascular resistance using intravenous adenosine in patients with acute or recent myocardial infarction. International Journal of Cardiology, 2016, 202, 305-310.	1.7	20
108	Feasibility of the Manchester Acute Coronary Syndromes (MACS) decision rule to safely reduce unnecessary hospital admissions: a pilot randomised controlled trial. Emergency Medicine Journal, 2017, 34, 586-592.	1.0	20

#	Article	IF	CITATIONS
109	L-Thyroxine Therapy for Older Adults With Subclinical Hypothyroidism and Hypothyroid Symptoms. Annals of Internal Medicine, 2020, 172, 709-716.	3.9	20
110	Post-discharge survival following pre-hospital cardiopulmonary arrest due to cardiac aetiology: temporal trends and impact of changes in clinical management. European Heart Journal, 2006, 27, 406-412.	2.2	19
111	General practice recording of adverse childhood experiences: a retrospective cohort study of GP records. BJGP Open, 2020, 4, bjgpopen20X101011.	1.8	19
112	Combined Free Light Chains Are Novel Predictors of Prognosis in Heart Failure. JACC: Heart Failure, 2015, 3, 618-625.	4.1	18
113	A first-in-human, randomized, controlled, subject- and reviewer-blinded multicenter study of Actamaxâ,,¢ Adhesion Barrier. Archives of Gynecology and Obstetrics, 2017, 295, 383-395.	1.7	18
114	Invasive Versus Medical Management in Patients With Prior Coronary Artery Bypass Surgery With a Non-ST Segment Elevation Acute Coronary Syndrome. Circulation: Cardiovascular Interventions, 2019, 12, e007830.	3.9	17
115	Drug-Eluting Stents Versus Bare-Metal Stents for Off-Label Indications. Circulation: Cardiovascular Interventions, 2008, 1, 45-52.	3.9	16
116	Healthcare disparities for women hospitalized with myocardial infarction and angina. European Heart Journal Quality of Care & Clinical Outcomes, 2020, 6, 156-165.	4.0	16
117	Low-Dose Alteplase During Primary Percutaneous Coronary Intervention According to Ischemic Time. Journal of the American College of Cardiology, 2020, 75, 1406-1421.	2.8	16
118	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. British Journal of General Practice, 2014, 64, e649-e656.	1.4	15
119	Toward onset prevention of cognitive decline in adults with Down syndrome (the TOP-COG study): study protocol for a randomized controlled trial. Trials, 2014, 15, 202.	1.6	15
120	The novel urinary proteomic classifier HF1 has similar diagnostic and prognostic utility to BNP in heart failure. ESC Heart Failure, 2020, 7, 1595-1604.	3.1	15
121	Can students' reasons for choosing set answers to ethical vignettes be reliably rated? Development and testing of a method. Medical Teacher, 2004, 26, 713-718.	1.8	14
122	Drug-eluting stents: A study of international practice. American Heart Journal, 2009, 158, 576-584.	2.7	14
123	Which Circulating Antioxidant Vitamins Are Confounded by Socioeconomic Deprivation? The MIDSPAN Family Study. PLoS ONE, 2010, 5, e11312.	2.5	14
124	BEAT-IT: Comparing a behavioural activation treatment for depression in adults with intellectual disabilities with an attention control: study protocol for a randomised controlled trial. Trials, 2015, 16, 595.	1.6	14
125	Mortality from Head Injury over Four Decades in Scotland. Journal of Neurotrauma, 2015, 32, 689-703.	3.4	14
126	Gaining an advantage by sitting an OSCE after your peers: A retrospective study. Medical Teacher, 2018, 40, 1136-1142.	1.8	14

#	Article	IF	CITATIONS
127	Demographic, multi-morbidity and genetic impact on myocardial involvement and its recovery from COVID-19: protocol design of COVID-HEART—a UK, multicentre, observational study. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 77.	3.3	14
128	Phase 3 diagnostic evaluation of a smart tablet serious game to identify autism in 760 children 3–5 years old in Sweden and the United Kingdom. BMJ Open, 2019, 9, e026226.	1.9	14
129	Variation in the SLC23A1 gene does not influence cardiometabolic outcomes to the extent expected given its association with l-ascorbic acid. American Journal of Clinical Nutrition, 2015, 101, 202-209.	4.7	13
130	Motor activity at age one year does not predict ADHD at seven years. International Journal of Methods in Psychiatric Research, 2014, 23, 9-18.	2.1	12
131	Community-based group guided self-help intervention for low mood and stress: randomised controlled trial. British Journal of Psychiatry, 2018, 212, 88-95.	2.8	12
132	Rationale and design of the Coronary Microvascular Angina Cardiac Magnetic Resonance Imaging (CorCMR) diagnostic study: the CorMicA CMR sub-study. Open Heart, 2018, 5, e000924.	2.3	12
133	Consultation computer use to improve management of chronic disease in general practice: a before and after study. Journal of Innovation in Health Informatics, 2003, 11, 61-68.	0.9	12
134	The Heart failure and Optimal Outcomes from Pharmacy Study (HOOPS): rationale, design, and baseline characteristics. European Journal of Heart Failure, 2011, 13, 917-924.	7.1	11
135	The feasibility of a randomised controlled trial to compare the cost-effectiveness of palliative cardiology or usual care in people with advanced heart failure: Two exploratory prospective cohorts. Palliative Medicine, 2018, 32, 1133-1141.	3.1	11
136	Effects of Intracoronary Alteplase on Microvascular Function in Acute Myocardial Infarction. Journal of the American Heart Association, 2020, 9, e014066.	3.7	11
137	Variation in thromboxane B2 concentrations in serum and plasma in patients taking regular aspirin before and after clopidogrel therapy. Platelets, 2015, 26, 17-24.	2.3	10
138	SAFETEL randomised controlled feasibility trial of a safety planning intervention with follow-up telephone contact to reduce suicidal behaviour: study protocol. BMJ Open, 2019, 9, e025591.	1.9	10
139	Brief formula lowâ€energyâ€diet for relapse management during weight loss maintenance in the Diabetes Remission Clinical Trial (DiRECT). Journal of Human Nutrition and Dietetics, 2021, 34, 472-479.	2.5	10
140	Linking hospital patient records for suspected or established acute coronary syndrome in a complex secondary care system: a proof-of-concept e-registry in National Health Service Scotland. European Heart Journal Quality of Care & Clinical Outcomes, 2018, 4, 155-167.	4.0	9
141	Rationale and methods of a randomized trial evaluating the effect of neprilysin inhibition on left ventricular remodelling. ESC Heart Failure, 2021, 8, 129-138.	3.1	9
142	â€~Missingness' in health care: Associations between hospital utilization and missed appointments in general practice. A retrospective cohort study. PLoS ONE, 2021, 16, e0253163.	2.5	9
143	An Investigation of Two-Dimensional Ultrasound Carotid Plaque Presence and Intima Media Thickness in Middle-Aged South Asian and European Men Living in the United Kingdom. PLoS ONE, 2015, 10, e0123317.	2.5	9
144	Behavioural activation versus guided self-help for depression in adults with learning disabilities: the Beatlt RCT. Health Technology Assessment, 2018, 22, 1-130.	2.8	9

#	Article	IF	CITATIONS
145	Experiences of augmented arm rehabilitation including supported self-management after stroke: a qualitative investigation. Clinical Rehabilitation, 2021, 35, 288-301.	2.2	8
146	Risk Stratification Guided by the Index of Microcirculatory Resistance and Left Ventricular End-Diastolic Pressure in Acute Myocardial Infarction. Circulation: Cardiovascular Interventions, 2021, 14, e009529.	3.9	8
147	An app-, web- and social support-based weight loss intervention for adults with obesity: the HelpMeDolt! feasibility RCT. Public Health Research, 2020, 8, 1-270.	1.3	8
148	The role of the staff MFF in distributing NHS funding: taking account of differences in local labour market conditions. Health Economics (United Kingdom), 2010, 19, 532-548.	1.7	7
149	An app-, web- and social support-based weight loss intervention for adults with obesity: the â€~HelpMeDolt!' feasibility randomised controlled trial. Pilot and Feasibility Studies, 2020, 6, 133.	1.2	7
150	Rationale and Design of the Genotype-Blinded Trial of Torasemide for the Treatment of Hypertension (BHF UMOD). American Journal of Hypertension, 2021, 34, 92-99.	2.0	7
151	Modelling consultation rates in infancy: influence of maternal and infant characteristics, feeding type and consultation history. British Journal of General Practice, 2004, 54, 598-603.	1.4	7
152	Inexpensive video cameras used by parents to record social communication in epidemiological investigations in early childhood—A feasibility study. , 2011, 34, 63-71.		6
153	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. RMD Open, 2019, 5, e000810.	3.8	6
154	Autism and attachment disorder symptoms in the general population: Prevalence, overlap, and burden. Developmental Child Welfare, 2020, 2, 37-51.	1.1	6
155	Effect of coronary flow on intracoronary alteplase: a prespecified analysis from a randomised trial. Heart, 2021, 107, 299-312.	2.9	6
156	Outcomes of adults with repaired tetralogy of Fallot from the national Scottish Cohort. Cardiology in the Young, 2021, 31, 1306-1314.	0.8	6
157	FAST INdiCATE Trial Protocol. Clinical Efficacy of Functional Strength Training for Upper Limb Motor Recovery Early after Stroke: Neural Correlates and Prognostic Indicators. International Journal of Stroke, 2014, 9, 240-245.	5.9	5
158	Risk factors associated with biochemically detected and hospitalised acute kidney injury in patients prescribed renin angiotensin system inhibitors. British Journal of Clinical Pharmacology, 2020, 86, 121-131.	2.4	5
159	One-Year Outcomes After Low-Dose Intracoronary Alteplase During Primary Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2020, 13, e008855.	3.9	5
160	Multimorbidity and the risk of major adverse kidney events: findings from the UK Biobank cohort. CKJ: Clinical Kidney Journal, 2021, 14, 2409-2419.	2.9	5
161	Anaesthesia Choice for Creation of Arteriovenous Fistula (ACCess) study protocol : a randomised controlled trial comparing primary unassisted patency at 1 year of primary arteriovenous fistulae created under regional compared to local anaesthesia. BMJ Open, 2021, 11, e052188.	1.9	5
162	Financial incentives for smoking cessation during pregnancy: a randomised controlled trial. Lancet, The, 2014, 384, S4.	13.7	4

#	Article	IF	CITATIONS
163	Dual antiplatelet response during PCI: VerifyNow P2Y12 predicts myocardial necrosis and thromboxane B2 generation confirms wide variation in aspirin response. Thrombosis Research, 2015, 135, 1140-1146.	1.7	3
164	Cost-utility of maintained physical activity and physiotherapy in the management of distal arm pain: an economic evaluation of data from a randomized controlled trial. Family Practice, 2019, 36, 179-186.	1.9	3
165	Contributions of changes in physical activity, sedentary time, diet and body weight to changes in cardiometabolic risk. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 166.	4.6	3
166	Patient reported outcome data following influenza A (H1N1p) vaccination in the 2009–2010 season: web-based and telephone evaluation. Therapeutics and Clinical Risk Management, 2011, 7, 409.	2.0	2
167	P2.06-038 An RCT of the Detection of Autoantibodies to Tumor Antigens in Lung Cancer Using the EarlyCDT-Lung Test in Scotland (ECLS) in 12 208 Study Subjects. Journal of Thoracic Oncology, 2017, 12, S1095.	1.1	2
168	Dietary consumption of tea and the risk of prostate cancer in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. British Journal of Nutrition, 2022, 128, 653-658.	2.3	2
169	Invasive versus medically managed acute coronary syndromes with prior bypass (CABG-ACS): insights into the registry versus randomised trial populations. Open Heart, 2021, 8, e001453.	2.3	2
170	<u>S</u> aeboGlove therapy for <u>u</u> pper limb disability and <u>s</u> evere <u>h</u> and <u>i</u> mpairment after stroke (SUSHI): Study protocol for a randomised controlled trial. European Stroke Journal, 2021, 6, 302-310.	5.5	1
171	Mothers' use of and attitudes to BabyCheck. British Journal of General Practice, 2002, 52, 314-6.	1.4	1
172	Invasive versus medically managed acute coronary syndromes with prior bypass (CABG-ACS): insights into the registry versus randomised trial populations. Open Heart, 2021, 8, .	2.3	1
173	Vaginal Progesterone Prophylaxis for Preterm Birth (the OPPTIMUM Study). Obstetrical and Gynecological Survey, 2016, 71, 517-518.	0.4	0
174	Non-attending patients in general practice. Lancet Public Health, The, 2018, 3, e113.	10.0	0
175	Response to: Response to: Gaining an advantage by sitting an OSCE after your peers: A retrospective study. Medical Teacher, 2018, 40, 1194-1195.	1.8	0
176	TCT CONNECT-16 Implications of Impaired Coronary Flow on the Effects of Intracoronary Alteplase During Primary Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2020, 76, B7-B8.	2.8	0
177	A Randomized Trial Comparing The Effect Of Sacubitril/Valsartan To Valsartan On Left Ventricular Remodeling In Patients With Asymptomatic Left Ventricular Systolic Dysfunction After Myocardial Infarction. Journal of Cardiac Failure, 2020, 26, 1110.	1.7	0
178	Risk of EBV-Positive Hodgkin Lymphoma Varies Over 30-Fold by HLA Class I Genotype and History of Infectious Mononucleosis Blood, 2009, 114, 269-269.	1.4	0
179	Low-dose intracoronary alteplase during primary percutaneous coronary intervention in patients with acute myocardial infarction: the T-TIME three-arm RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-86.	0.7	0