

# Joost R Duflou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5872655/publications.pdf>

Version: 2024-02-01

248  
papers

6,782  
citations

71102

41  
h-index

82547

72  
g-index

256  
all docs

256  
docs citations

256  
times ranked

4533  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Thin patient-specific clavicle fracture fixation plates can mechanically outperform commercial plates: An in silico approach. <i>Journal of Orthopaedic Research</i> , 2022, 40, 1695-1706.          | 2.3  | 3         |
| 2  | Forecasting global aluminium flows to demonstrate the need for improved sorting and recycling methods. <i>Waste Management</i> , 2022, 137, 231-240.   | 7.4  | 25        |
| 3  | Implementation of circularity indicators in a household product manufacturing company. <i>Procedia CIRP</i> , 2022, 105, 660-665.  | 1.9  | 1         |
| 4  | Remote diagnosis for large household appliances: A case study into repair facilitating strategies. <i>Procedia CIRP</i> , 2022, 105, 872-877.  | 1.9  | 2         |
| 5  | On melt flow visualization in high-power fiber laser cutting. , 2022, , .  |      | 2         |
| 6  | Tool segment repositioning minimization for bending operations. <i>CIRP Annals - Manufacturing Technology</i> , 2022, , .  | 3.6  | 0         |
| 7  | Systematic Quantification of Waste Compositions: A Case Study for Waste of Electric and Electronic Equipment Plastics in the European Union. <i>Sustainability</i> , 2022, 14, 7054.                 | 3.2  | 1         |
| 8  | Analysis of evaluation systems for product reparability: A case study for washing machines. <i>Journal of Cleaner Production</i> , 2021, 281, 125122.  | 9.3  | 29        |
| 9  | The influence of end-of-life regulation on vehicle material circularity: A comparison of Europe, Japan, Australia and the US. <i>Resources, Conservation and Recycling</i> , 2021, 168, 105294.      | 10.8 | 32        |
| 10 | Coaxial camera-based monitoring of fiber laser cutting of thick plates. <i>Optics and Laser Technology</i> , 2021, 136, 106743.  | 4.6  | 22        |
| 11 | Hyperspectral imaging and trim-cut visualization of laser cutting. <i>CIRP Annals - Manufacturing Technology</i> , 2021, 70, 207-210.  | 3.6  | 12        |
| 12 | Roughness prediction of laser cut edges by image processing and artificial neural networks. <i>Procedia Manufacturing</i> , 2021, 54, 257-262.   | 1.9  | 5         |
| 13 | Quantifying the environmental impact of clustering strategies in waste management: A case study for plastic recycling from large household appliances. <i>Waste Management</i> , 2021, 126, 497-507. | 7.4  | 8         |
| 14 | METRICS FOR BIO-INSPIRATION BASED ON TAXONOMIES. <i>Proceedings of the Design Society</i> , 2021, 1, 2087-2096.  | 0.8  | 1         |
| 15 | Reprint of: Where and how to find bio-inspiration?. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2021, 34, 171-177.   | 4.5  | 3         |
| 16 | The energy saving potential of retrofitting a smart heating system: A residence hall pilot study. <i>Sustainable Computing: Informatics and Systems</i> , 2021, 31, 100585.                          | 2.2  | 2         |
| 17 | Monitoring Opportunities in Fiber Laser Flame Cutting. <i>Lasers in Manufacturing and Materials Processing</i> , 2021, 8, 491-510.   | 2.2  | 8         |
| 18 | On multi-sensor monitoring of fiber laser fusion cutting. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1135, 012014.  | 0.6  | 6         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Combined manual and automatic landmark detection for enhanced surface registration of anatomical structures: an extensive parameter study for femur and clavicle. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2020, 8, 94-102. | 1.9  | 2         |
| 20 | Measuring the performance of more circular complex product supply chains. <i>Resources, Conservation and Recycling</i> , 2020, 154, 104608.  | 10.8 | 48        |
| 21 | Techno-economic potential of recycling Tantalum containing capacitors by automated selective dismantling. <i>Procedia CIRP</i> , 2020, 90, 421-425.  | 1.9  | 19        |
| 22 | Forecasting the EU recycling potential for batteries from electric vehicles. <i>Procedia CIRP</i> , 2020, 90, 432-436.   | 1.9  | 17        |
| 23 | Sustainability impact assessment of an intelligent control system for residential heating. <i>Procedia CIRP</i> , 2020, 90, 232-237.   | 1.9  | 2         |
| 24 | Where and how to find bio-inspiration?. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2020, 31, 61-67.   | 4.5  | 17        |
| 25 | Real-time monitoring of fiber laser cutting of thick plates by means of photodiodes. <i>Procedia CIRP</i> , 2020, 94, 499-504.   | 1.9  | 23        |
| 26 | Product clustering as a strategy for enhanced plastics recycling from WEEE. <i>CIRP Annals - Manufacturing Technology</i> , 2020, 69, 29-32.   | 3.6  | 2         |
| 27 | Nonparametric user activity modelling and prediction. <i>User Modeling and User-Adapted Interaction</i> , 2020, 30, 803-831.   | 3.8  | 4         |
| 28 | Bending Parameters in Heat Assisted Air Bending of High Strength Steels. <i>Procedia Manufacturing</i> , 2020, 47, 1314-1318.  | 1.9  | 4         |
| 29 | Anticipating heat accumulation in laser oxygen cutting of thick metal plates. <i>Journal of Laser Applications</i> , 2020, 32, .   | 1.7  | 21        |
| 30 | Quality assessment of mixed plastic flakes from Waste Electrical and Electronic Equipment (WEEE) by spectroscopic techniques. <i>Resources, Conservation and Recycling</i> , 2020, 158, 104801.  | 10.8 | 5         |
| 31 | Trim-cut technique for analysis of melt flow dynamics in industrial laser cutting machine. <i>Procedia CIRP</i> , 2020, 95, 858-863.   | 1.9  | 6         |
| 32 | Finite element modeling of large radius bending operation. <i>International Journal of Manufacturing Research</i> , 2020, 15, 1.   | 0.2  | 0         |
| 33 | Two regression approaches for prediction of large radius air bending. <i>International Journal of Material Forming</i> , 2019, 12, 379-390.  | 2.0  | 7         |
| 34 | Waste stream characterisation for industrial symbiosis matchmaking: A case study for ferro metals. <i>AIP Conference Proceedings</i> , 2019, , .   | 0.4  | 0         |
| 35 | A modified Swift law for high strength steels. <i>AIP Conference Proceedings</i> , 2019, , .   | 0.4  | 0         |
| 36 | Physics of large radius air bending. <i>Procedia Manufacturing</i> , 2019, 29, 161-168.  | 1.9  | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Data-driven prediction of air bending. <i>Procedia Manufacturing</i> , 2019, 29, 177-184.   | 1.9 | 4         |
| 38 | Repairability evaluation for energy related products. <i>Procedia CIRP</i> , 2019, 80, 536-541.   | 1.9 | 17        |
| 39 | Multi-step incremental forming using local feature based toolpaths. <i>Procedia Manufacturing</i> , 2019, 29, 28-35.  | 1.9 | 3         |
| 40 | An explorative study on, the influence of an elliptical tool on incremental forming. <i>Procedia Manufacturing</i> , 2019, 29, 74-79.   | 1.9 | 8         |
| 41 | Springback prediction and elasticity modulus variation. <i>Procedia Manufacturing</i> , 2019, 29, 185-192.  | 1.9 | 11        |
| 42 | Thickness validation of modeling tools for laser cutting applications. <i>Procedia Manufacturing</i> , 2019, 29, 383-389.   | 1.9 | 2         |
| 43 | Energy Demand Reduction Of Aluminum Alloys Recycling Through Friction Stir Extrusion Processes Implementation. <i>Procedia Manufacturing</i> , 2019, 33, 632-638.                     | 1.9 | 8         |
| 44 | Economic and Environmental Evaluation of Aluminium Recycling based on a Belgian Case Study. <i>Procedia Manufacturing</i> , 2019, 33, 639-646.  | 1.9 | 22        |
| 45 | Anatomical Variation of the Tibia – a Principal Component Analysis. <i>Scientific Reports</i> , 2019, 9, 7649.  | 3.3 | 28        |
| 46 | Diversified recycling strategies for high-end plastics: Technical feasibility and impact assessment. <i>CIRP Annals - Manufacturing Technology</i> , 2019, 68, 29-32.                 | 3.6 | 2         |
| 47 | Quality Assessment of Plastic Recyclates from Waste Electrical and Electronic Equipment (WEEE): A Case Study for Desktop Computers, Laptops, and Tablets. , 2019, , 139-154.          |     | 4         |
| 48 | Evaluating the material resource efficiency of secondary aluminium production: A Monte Carlo-based decision-support tool. <i>Journal of Cleaner Production</i> , 2019, 215, 488-496.  | 9.3 | 12        |
| 49 | Why off-the-shelf clavicle plates rarely fit: anatomic analysis of the clavicle through statistical shape modeling. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 631-638. | 2.6 | 27        |
| 50 | Theoretical and experimental aspects of laser cutting with elliptically polarized laser beams. <i>Journal of Materials Processing Technology</i> , 2019, 264, 448-453.                | 6.3 | 12        |
| 51 | Bending (Sheets). , 2019, , 125-131.  |     | 0         |
| 52 | Cleaner Production. , 2019, , 272-275.  |     | 1         |
| 53 | Disassembly. , 2019, , 506-511.   |     | 1         |
| 54 | A life cycle energy analysis integrated process planning approach to foster the sustainability of discrete part manufacturing. <i>Energy</i> , 2018, 153, 604-617.                    | 8.8 | 10        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Sustainable aluminium recycling of end-of-life products: A joining techniques perspective. Journal of Cleaner Production, 2018, 178, 119-132.  | 9.3  | 61        |
| 56 | Single point incremental forming: state-of-the-art and prospects. International Journal of Material Forming, 2018, 11, 743-773.  | 2.0  | 160       |
| 57 | Into the development of a model to assess beam shaping and polarization control effects on laser cutting. Journal Physics D: Applied Physics, 2018, 51, 065601.                                  | 2.8  | 6         |
| 58 | Demufacturing photovoltaic panels: Comparison of end-of-life treatment strategies for improved resource recovery. CIRP Annals - Manufacturing Technology, 2018, 67, 29-32.                       | 3.6  | 38        |
| 59 | Ease of disassembly of products to support circular economy strategies. Resources, Conservation and Recycling, 2018, 135, 323-334.   | 10.8 | 174       |
| 60 | Generating flat patterns for folded structures: Search space reduction. Packaging Technology and Science, 2018, 31, 97-110.  | 2.8  | 2         |
| 61 | Forecasting the recycling potential based on waste analysis: A case study for recycling Nd-Fe-B magnets from hard disk drives. Journal of Cleaner Production, 2018, 175, 96-108.                 | 9.3  | 28        |
| 62 | Optimal laser beam configurations for laser cutting of metal sheets. Procedia CIRP, 2018, 74, 714-718.   | 1.9  | 12        |
| 63 | Improving Cluster-based Methods for Usage Anticipation by the Application of Data Transformations. Procedia Manufacturing, 2018, 24, 166-172.  | 1.9  | 0         |
| 64 | Taking Evolution into Account in a Parametric LCA Model for PV Panels. Procedia CIRP, 2018, 69, 389-394.   | 1.9  | 19        |
| 65 | Analytical Prediction of Large Radius Bending by Circular Approximation. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2018, 140, .                                | 2.2  | 10        |
| 66 | Advances in macro-scale laser processing. CIRP Annals - Manufacturing Technology, 2018, 67, 719-742.   | 3.6  | 23        |
| 67 | Influence of radiant heating on air bending. International Journal of Advanced Manufacturing Technology, 2018, 97, 1421-1429.  | 3.0  | 2         |
| 68 | Reducing workpieces to their base geometry for multi-step incremental forming using manifold harmonics. AIP Conference Proceedings, 2018, , .  | 0.4  | 0         |
| 69 | Complex deformation routes for direct recycling aluminium alloy scrap via industrial hot extrusion. AIP Conference Proceedings, 2018, , .  | 0.4  | 2         |
| 70 | Disassembly. , 2018, , 1-6.  |      | 0         |
| 71 | Bending (Sheets). , 2018, , 1-7.   |      | 0         |
| 72 | Forecasting the composition of emerging waste streams with sensitivity analysis: A case study for photovoltaic (PV) panels in Flanders. Resources, Conservation and Recycling, 2017, 120, 14-26. | 10.8 | 62        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of Laser Transformation Hardening on the Accuracy of SPIF Formed Parts. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2017, 139, . | 2.2 | 12        |
| 74 | Production of thin Shell Clavicle Implants through Single Point Incremental Forming. Procedia Engineering, 2017, 183, 174-179.  | 1.2 | 36        |
| 75 | Opportunities in laser cutting with direct diode laser configurations. CIRP Annals - Manufacturing Technology, 2017, 66, 245-248.                                       | 3.6 | 15        |
| 76 | Experimental investigation of large radius air bending. International Journal of Advanced Manufacturing Technology, 2017, 92, 3553-3569.                                | 3.0 | 18        |
| 77 | Considerations on Assist Gas Jet Optimization in Laser Cutting with Direct Diode Laser. Procedia Engineering, 2017, 183, 37-44.   | 1.2 | 7         |
| 78 | Comparative Study of End-of-Life Vehicle Recycling in Australia and Belgium. Procedia CIRP, 2017, 61, 269-274.  | 1.9 | 44        |
| 79 | Environmental Impact of Additive Manufacturing Processes: Does AM Contribute to a More Sustainable Way of Part Manufacturing?. Procedia CIRP, 2017, 61, 582-587.        | 1.9 | 167       |
| 80 | Influence of Global Forced-air Warming on the Bulge Formation in Shallow Sloped SPIF Parts. Procedia Engineering, 2017, 183, 149-154.                                   | 1.2 | 4         |
| 81 | Complications of skull reconstruction after decompressive craniectomy. Acta Chirurgica Belgica, 2017, 117, 149-156.   | 0.4 | 7         |
| 82 | Automated feature extraction from social media for systematic lead user identification. Technology Analysis and Strategic Management, 2017, 29, 642-654.                | 3.5 | 11        |
| 83 | Charting the Environmental Dimensions of Additive Manufacturing and 3D Printing. Journal of Industrial Ecology, 2017, 21, S9.   | 5.5 | 48        |
| 84 | Design, management and control of demanufacturing and remanufacturing systems. CIRP Annals - Manufacturing Technology, 2017, 66, 585-609.                               | 3.6 | 156       |
| 85 | Design for reduced resource consumption during the use phase of products. CIRP Annals - Manufacturing Technology, 2017, 66, 635-658.                                    | 3.6 | 29        |
| 86 | Environmental Dimensions of Additive Manufacturing: Mapping Application Domains and Their Environmental Implications. Journal of Industrial Ecology, 2017, 21, S49.     | 5.5 | 184       |
| 87 | Improvement potential of today's WEEE recycling performance: The case of LCD TVs in Belgium. Frontiers of Environmental Science and Engineering, 2017, 11, 1.           | 6.0 | 19        |
| 88 | Economic and environmental evaluation of design for active disassembly. Journal of Cleaner Production, 2017, 140, 1182-1193.  | 9.3 | 37        |
| 89 | Accurate prediction of large radius air bending using regression. Procedia Engineering, 2017, 207, 1623-1628.   | 1.2 | 4         |
| 90 | Solid state recycling of aluminium alloys via a porthole die hot extrusion process: Scaling up to production. AIP Conference Proceedings, 2017, , .                     | 0.4 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | An ECMS-based powertrain control of a parallel hybrid electric forklift. , 2017, , .   |     | 3         |
| 92  | Intelligent occupancy-driven thermostat by dynamic user profiling. , 2016, , .   |     | 2         |
| 93  | Incremental forming of aluminium alloys in cryogenic environment. AIP Conference Proceedings, 2016, , .  | 0.4 | 4         |
| 94  | Into polarization control in laser cutting with direct diode lasers. Journal of Laser Applications, 2016, 28, 022207.  | 1.7 | 6         |
| 95  | SEABIRD: Scalable search for systematic biologically inspired design. Artificial Intelligence for Engineering Design, Analysis and Manufacturing: AIEDAM, 2016, 30, 78-95.             | 1.1 | 27        |
| 96  | Impact reduction potential by usage anticipation under comfort trade-off conditions. CIRP Annals - Manufacturing Technology, 2016, 65, 33-36.  | 3.6 | 5         |
| 97  | Current Status, Future Expectations and Mitigation Potential Scenarios for China's Primary Aluminium Industry. Procedia CIRP, 2016, 48, 295-300.                                       | 1.9 | 13        |
| 98  | Tool Design for Electronic Product Dismantling. Procedia CIRP, 2016, 48, 466-471.  | 1.9 | 9         |
| 99  | Solid state recycling of pure Mg and AZ31 Mg machining chips via spark plasma sintering. Materials and Design, 2016, 109, 520-529.   | 7.0 | 30        |
| 100 | Combining Occupancy User Profiles in a Multi-user Environment: An Academic Office Case Study. , 2016, , .  |     | 1         |
| 101 | Face split interpretations in sheet metal design. AIP Conference Proceedings, 2016, , .  | 0.4 | 1         |
| 102 | Single Point Incremental Forming of an Aged AL-Cu-Mg Alloy: Influence of Pre-heat Treatment and Warm Forming. Journal of Materials Engineering and Performance, 2016, 25, 2478-2488.   | 2.5 | 26        |
| 103 | Life cycle assessment of flax-fibre reinforced epoxidized linseed oil composite with a flame retardant for electronic applications. Journal of Cleaner Production, 2016, 133, 427-438. | 9.3 | 61        |
| 104 | Environmental Impact Analysis of Primary Aluminium Production at Country Level. Procedia CIRP, 2016, 40, 209-213.  | 1.9 | 49        |
| 105 | Towards accuracy improvement in single point incremental forming of shallow parts formed under laser assisted conditions. International Journal of Material Forming, 2016, 9, 339-351. | 2.0 | 51        |
| 106 | Simulation of a two-slope pyramid made by SPIF using an adaptive remeshing method with solid-shell finite element. International Journal of Material Forming, 2016, 9, 383-394.        | 2.0 | 22        |
| 107 | Pressure-sensitive fasteners for active disassembly. International Journal of Advanced Manufacturing Technology, 2016, 87, 1519-1529.  | 3.0 | 2         |
| 108 | Cleaner Production. , 2016, , 1-4.   |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Environmental Comparison of Metal Coating Processes. <i>Procedia CIRP</i> , 2015, 29, 420-425.   | 1.9 | 4         |
| 110 | Towards Automatic and Accurate Lead User Identification. <i>Procedia Engineering</i> , 2015, 131, 509-513.   | 1.2 | 5         |
| 111 | Fast Lead User Identification Framework. <i>Procedia Engineering</i> , 2015, 131, 1140-1145.   | 1.2 | 10        |
| 112 | A Variety Metric Accounting for Unbalanced Idea Space Distributions. <i>Procedia Engineering</i> , 2015, 131, 175-183.   | 1.2 | 3         |
| 113 | Single point incremental forming of shape memory polymer foam. <i>MATEC Web of Conferences</i> , 2015, 21, 04007.  | 0.2 | 7         |
| 114 | Economic and Environmental Evaluation of Fasteners for Active Disassembly: A Case Study for Payment Terminals. <i>Procedia CIRP</i> , 2015, 29, 704-709.   | 1.9 | 6         |
| 115 | Influence of a Single Bend in the Bumping Process of Large Radius Air Bending. <i>Key Engineering Materials</i> , 2015, 651-653, 1090-1095.  | 0.4 | 3         |
| 116 | An operation-mode based simulation approach to enhance the energy conservation of machine tools. <i>Journal of Cleaner Production</i> , 2015, 101, 348-359.  | 9.3 | 42        |
| 117 | Environmental assessment of solid state recycling routes for aluminium alloys: Can solid state processes significantly reduce the environmental impact of aluminium recycling?. <i>CIRP Annals - Manufacturing Technology</i> , 2015, 64, 37-40. | 3.6 | 90        |
| 118 | Improving Resource Efficiency through Recycling Modelling: A Case Study for LCD TVs. <i>Procedia CIRP</i> , 2015, 26, 601-606.   | 1.9 | 12        |
| 119 | Negative Bulge Formation in High Speed Incremental Forming. <i>Key Engineering Materials</i> , 2015, 639, 173-178.   | 0.4 | 2         |
| 120 | Elastomer-based fastener development to facilitate rapid disassembly for consumer products. <i>Journal of Cleaner Production</i> , 2015, 94, 177-186.  | 9.3 | 18        |
| 121 | The Use of Spark Plasma Sintering to Fabricate a Two-phase Material from Blended Aluminium Alloy Scrap and Gas Atomized Powder. <i>Procedia CIRP</i> , 2015, 26, 455-460.  | 1.9 | 12        |
| 122 | A scalable approach for ideation in biologically inspired design. <i>Artificial Intelligence for Engineering Design, Analysis and Manufacturing: AIEDAM</i> , 2015, 29, 19-31.   | 1.1 | 16        |
| 123 | Forecasting waste compositions: A case study on plastic waste of electronic display housings. <i>Waste Management</i> , 2015, 46, 28-39.   | 7.4 | 31        |
| 124 | Environmental modelling of aluminium recycling: a Life Cycle Assessment tool for sustainable metal management. <i>Journal of Cleaner Production</i> , 2015, 105, 357-370.  | 9.3 | 101       |
| 125 | Tool path generation for single point incremental forming using intelligent sequencing and multi-step mesh morphing techniques. <i>International Journal of Material Forming</i> , 2015, 8, 517-532.   | 2.0 | 25        |
| 126 | Energy-based optimization of the material stock allowance for turning-grinding process sequence. <i>International Journal of Advanced Manufacturing Technology</i> , 2014, 75, 503-513.  | 3.0 | 10        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Environmental impact modeling of selective laser sintering processes. Rapid Prototyping Journal, 2014, 20, 459-470.  | 3.2  | 93        |
| 128 | High-Speed Single Point Incremental Forming of an Automotive Aluminium Alloy. Key Engineering Materials, 2014, 622-623, 433-439.   | 0.4  | 17        |
| 129 | Spark Plasma Sintering As a Solid-State Recycling Technique: The Case of Aluminum Alloy Scrap Consolidation. Materials, 2014, 7, 5664-5687.  | 2.9  | 49        |
| 130 | Energy and Resource Efficiency of Laser Cutting Processes. Physics Procedia, 2014, 56, 854-864.  | 1.2  | 44        |
| 131 | The Multi-Breakage Phenomenon in Air Bending Process. Key Engineering Materials, 2014, 611-612, 1047-1053.   | 0.4  | 9         |
| 132 | A comprehensive analysis of electric energy consumption of single point incremental forming processes. Journal of Cleaner Production, 2014, 67, 173-186.   | 9.3  | 38        |
| 133 | Tool path generation framework for accurate manufacture of complex 3D sheet metal parts using single point incremental forming. Computers in Industry, 2014, 65, 563-584.  | 9.9  | 49        |
| 134 | Closed loop recycling of plastics containing Flame Retardants. Resources, Conservation and Recycling, 2014, 84, 35-43.   | 10.8 | 76        |
| 135 | Comparative impact assessment for flax fibre versus conventional glass fibre reinforced composites: Are bio-based reinforcement materials the way to go?. CIRP Annals - Manufacturing Technology, 2014, 63, 45-48. | 3.6  | 46        |
| 136 | Springback Prediction of High-strength Steels in Large Radius Air Bending Using Finite Element Modeling Approach. Procedia Engineering, 2014, 81, 1005-1010.   | 1.2  | 19        |
| 137 | A Comparison of Classifiers for Intelligent Machine Usage Prediction. , 2014, , .  |      | 8         |
| 138 | Second Generation of Pressure Sensitive Fasteners for Active Disassembly. Procedia CIRP, 2014, 15, 228-233.  | 1.9  | 1         |
| 139 | Economic and Environmental Aware Maintenance Optimization. Procedia CIRP, 2014, 15, 343-348.   | 1.9  | 15        |
| 140 | Proof of Concept of an Elastomer based Fastener Enabling Rapid Disassembly. Procedia CIRP, 2014, 15, 234-238.  | 1.9  | 4         |
| 141 | Synergizing Industrialized and Developing Countries to Improve Resource Recovery for e-waste: Case Study Belgium-Kenya. Procedia CIRP, 2014, 15, 283-288.  | 1.9  | 8         |
| 142 | Bending (Sheets). , 2014, , 86-92.   |      | 0         |
| 143 | Cleaner Production. , 2014, , 205-208.   |      | 1         |
| 144 | Enhanced Formability of Age-Hardenable Aluminium Alloys by Incremental Forming of Solution-Treated Blanks. Key Engineering Materials, 2013, 549, 164-171.  | 0.4  | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Plasma detection and control requirements for CO 2 laser cutting. CIRP Annals - Manufacturing Technology, 2013, 62, 215-218.   | 3.6 | 13        |
| 146 | A PSS Model for Diamond Gemstone Processing: Economic Feasibility Analysis. Procedia CIRP, 2013, 7, 395-400.   | 1.9 | 2         |
| 147 | Quantifying the added value of an imperfectly performing condition monitoring system Application to a wind turbine gearbox. Reliability Engineering and System Safety, 2013, 111, 45-57. | 8.9 | 35        |
| 148 | Environmental Impact Reduction in Discrete Manufacturing: Examples for Non-Conventional Processes. Procedia CIRP, 2013, 6, 27-34.  | 1.9 | 15        |
| 149 | Effects of boundary conditions on the end-of-life treatment of LCD TVs. CIRP Annals - Manufacturing Technology, 2013, 62, 35-38.   | 3.6 | 42        |
| 150 | A refined typology of product-service systems based on functional hierarchy modeling. Journal of Cleaner Production, 2013, 51, 261-276.  | 9.3 | 123       |
| 151 | Refinements to the variety metric for idea evaluation. Design Studies, 2013, 34, 243-263.  | 3.1 | 55        |
| 152 | Life cycle assessment of wheat gluten powder and derived packaging film. Biofuels, Bioproducts and Biorefining, 2013, 7, 429-458.  | 3.7 | 36        |
| 153 | Tool path compensation strategies for single point incremental sheet forming using multivariate adaptive regression splines. CAD Computer Aided Design, 2013, 45, 575-590.               | 2.7 | 98        |
| 154 | Influence of laser assisted single point incremental forming on the accuracy of shallow sloped parts. , 2013, , .  |     | 4         |
| 155 | Finding Days-of-week Representation for Intelligent Machine Usage Profiling. Journal of Industrial and Intelligent Information, 2013, 1, 148-154.  | 0.1 | 4         |
| 156 | Second Thoughts on Preferred End-of-Life Treatment Strategies for Consumer Products. , 2013, , 19-29.  |     | 0         |
| 157 | Do fiber-reinforced polymer composites provide environmentally benign alternatives? A life-cycle-assessment-based study. MRS Bulletin, 2012, 37, 374-382.                                | 3.5 | 136       |
| 158 | An Integrated Approach to Accurate Part Manufacture in Single Point Incremental Forming Using Feature Based Graph Topology. Key Engineering Materials, 2012, 504-506, 869-876.           | 0.4 | 10        |
| 159 | Active Disassembly for the End-of-Life Treatment of Flat Screen Televisions: Challenges and Opportunities. , 2012, , 535-540.  |     | 8         |
| 160 | In-Process Hardening in Laser Supported Incremental Sheet Metal Forming. Key Engineering Materials, 2012, 504-506, 827-832.  | 0.4 | 5         |
| 161 | Automatically Populating the Biomimicry Taxonomy for Scalable Systematic Biologically-Inspired Design. , 2012, , .   |     | 8         |
| 162 | Towards energy and resource efficient manufacturing: A processes and systems approach. CIRP Annals - Manufacturing Technology, 2012, 61, 587-609.  | 3.6 | 865       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Toward integrated product and process life cycle planning—An environmental perspective. CIRP Annals - Manufacturing Technology, 2012, 61, 681-702.   | 3.6 | 155       |
| 164 | Study of the geometrical inaccuracy on a SPIF two-slope pyramid by finite element simulations. International Journal of Solids and Structures, 2012, 49, 3594-3604.  | 2.7 | 39        |
| 165 | Advanced feature detection algorithms for incrementally formed sheet metal parts. Transactions of Nonferrous Metals Society of China, 2012, 22, s315-s322.   | 4.2 | 15        |
| 166 | Influence of Material Properties on Accuracy Response Surfaces in Single Point Incremental Forming. Key Engineering Materials, 2012, 504-506, 919-924.   | 0.4 | 13        |
| 167 | Optimization of Energy Consumption and Surface Quality in Finish Turning. Procedia CIRP, 2012, 1, 512-517.   | 1.9 | 92        |
| 168 | Bending Properties of Locally Laser Heat Treated AA2024-T3 Aluminium Alloy. Physics Procedia, 2012, 39, 257-264.   | 1.2 | 10        |
| 169 | Critical comparison of methods to determine the energy input for discrete manufacturing processes. CIRP Annals - Manufacturing Technology, 2012, 61, 63-66.  | 3.6 | 63        |
| 170 | Methodology for systematic analysis and improvement of manufacturing unit process life-cycle inventory (UPLCI)—CO2PE! initiative (cooperative effort on process emissions in manufacturing). Part 1: Methodology description. International Journal of Life Cycle Assessment, 2012, 17, 69-78. | 4.7 | 193       |
| 171 | Methodology for systematic analysis and improvement of manufacturing unit process life cycle inventory (UPLCI) CO2PE! initiative (cooperative effort on process emissions in manufacturing). Part 2: case studies. International Journal of Life Cycle Assessment, 2012, 17, 242-251.          | 4.7 | 125       |
| 172 | Environmental Impact Modeling of Discrete Part Manufacturing Processes. , 2012, , 557-562.   |     | 3         |
| 173 | Environmental Analysis of the Air Bending Process. AIP Conference Proceedings, 2011, , .   | 0.4 | 11        |
| 174 | Preliminary Environmental Assessment of Electrical Discharge Machining. , 2011, , 377-382.   |     | 27        |
| 175 | Unit process impact assessment for discrete part manufacturing: A state of the art. CIRP Journal of Manufacturing Science and Technology, 2011, 4, 129-135.  | 4.5 | 59        |
| 176 | Topic identification based on document coherence and spectral analysis. Information Sciences, 2011, 181, 3783-3797.  | 6.9 | 9         |
| 177 | Strain evolution in the single point incremental forming process: digital image correlation measurement and finite element prediction. International Journal of Material Forming, 2011, 4, 55-71.  | 2.0 | 80        |
| 178 | Identifying candidates for design-by-analogy. Computers in Industry, 2011, 62, 446-459.  | 9.9 | 64        |
| 179 | Experimental and numerical study of an AlMgSc sheet formed by an incremental process. Journal of Materials Processing Technology, 2011, 211, 1684-1693.  | 6.3 | 21        |
| 180 | Effectiveness of the PANDA ideation tool. Procedia Engineering, 2011, 9, 63-76.  | 1.2 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Quantifying and formalizing product aspects through patent mining. <i>Procedia Engineering</i> , 2011, 9, 323-336.   | 1.2 | 7         |
| 182 | Applying TRIZ for systematic manufacturing process innovation: the single point incremental forming case. <i>Procedia Engineering</i> , 2011, 9, 528-537.                                      | 1.2 | 18        |
| 183 | On the complementarity of TRIZ and axiomatic design: from decoupling objective to contradiction identification. <i>Procedia Engineering</i> , 2011, 9, 633-639.                                | 1.2 | 20        |
| 184 | Towards more visible scientific findings in TRIZ communities through ETRIA. <i>Procedia Engineering</i> , 2011, 9, 1-2.  | 1.2 | 0         |
| 185 | Deviations between FE Simulation and Experiments in the SPIF Process. <i>Key Engineering Materials</i> , 2011, 473, 937-946.   | 0.4 | 0         |
| 186 | Accuracy Improvement in Single Point Incremental Forming through Systematic Study of Feature Interactions. <i>Key Engineering Materials</i> , 2011, 473, 881-888.                              | 0.4 | 25        |
| 187 | Multivariate Adaptive Regression Splines as a Tool to Improve the Accuracy of Parts Produced by FSPIF. <i>Key Engineering Materials</i> , 2011, 473, 841-846.                                  | 0.4 | 21        |
| 188 | Environmental Performance of Sheet Metal Working Processes. <i>Key Engineering Materials</i> , 2011, 473, 21-26.   | 0.4 | 20        |
| 189 | Tool Directionality in Contour-Based Incremental Sheet Forming: an Experimental Study on Product Properties and Formability. <i>Key Engineering Materials</i> , 2011, 473, 897-904.            | 0.4 | 4         |
| 190 | A Predictive Model for Tolerance Verification of Bent Sheet Metal Parts. <i>Key Engineering Materials</i> , 2011, 473, 516-523.  | 0.4 | 0         |
| 191 | Environmental Assessment of Printed Circuit Boards from Biobased Materials. , 2011, , 605-610.   |     | 4         |
| 192 | Exergy Efficiency Definitions for Manufacturing Processes. , 2011, , 329-334.  |     | 13        |
| 193 | Energy related environmental impact reduction opportunities in machine design: case study of a laser cutting machine. <i>International Journal of Sustainable Manufacturing</i> , 2010, 2, 80. | 0.3 | 19        |
| 194 | Force prediction for single point incremental forming deduced from experimental and FEM observations. <i>International Journal of Advanced Manufacturing Technology</i> , 2010, 46, 969-982.   | 3.0 | 150       |
| 195 | Pairwise-adaptive dissimilarity measure for document clustering. <i>Information Sciences</i> , 2010, 180, 2341-2358.   | 6.9 | 29        |
| 196 | The eco-efficiency of reuse centres critically explored &ndash; the washing machine case. <i>International Journal of Sustainable Manufacturing</i> , 2009, 1, 265.                            | 0.3 | 31        |
| 197 | MK modelling of sheet formability in the incremental sheet forming process, taking into account through-thickness shear. <i>International Journal of Material Forming</i> , 2009, 2, 379-382.  | 2.0 | 29        |
| 198 | Advances in force modelling for SPIF. <i>International Journal of Material Forming</i> , 2009, 2, 25-28.   | 2.0 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Small-scale Finite Element Modelling of the Plastic Deformation Zone in the Incremental Forming Process. International Journal of Material Forming, 2008, 1, 1159-1162. | 2.0 | 19        |
| 200 | Multiple-vector user profiles in support of knowledge sharing. Information Sciences, 2008, 178, 3333-3346.  | 6.9 | 11        |
| 201 | A method for force reduction in heavy duty bending. International Journal of Materials and Product Technology, 2008, 32, 460.   | 0.2 | 0         |
| 202 | Validation of a New Finite Element for Incremental Forming Simulation Using a Dynamic Explicit Approach. Key Engineering Materials, 2007, 344, 495-502.                 | 0.4 | 15        |
| 203 | Pressure-triggered active fasteners: Design results using topology optimization. Electronics and the Environment, IEEE International Symposium on, 2007, , .            | 0.0 | 4         |
| 204 | Determination of Strain in Incremental Sheet Forming Process. Key Engineering Materials, 2007, 344, 503-510.  | 0.4 | 11        |
| 205 | Feature Based Approach for Increasing the Accuracy of the SPIF Process. Key Engineering Materials, 2007, 344, 527-534.  | 0.4 | 46        |
| 206 | Modeling Sheet Metal Integrated Production Planning for Laser Cutting and Air Bending. Key Engineering Materials, 2007, 344, 913-920.                                   | 0.4 | 3         |
| 207 | Force Analysis for Single Point Incremental Forming. Key Engineering Materials, 2007, 344, 543-550.   | 0.4 | 17        |
| 208 | Experimental study on force measurements for single point incremental forming. Journal of Materials Processing Technology, 2007, 189, 65-72.                            | 6.3 | 168       |
| 209 | An Application of Iso-Gum in the Method for Estimating the Dimensional Errors of Bent Parts. , 2007, , 299-308.   |     | 1         |
| 210 | Improvement Potential for Energy Consumption in Discrete Part Production Machines. , 2007, , 311-316.   |     | 60        |
| 211 | A Quantified Approach to Tacit Knowledge Management in R&D-Environments through the Use of Document-Based User Profiles. , 2007, , 409-416.                             |     | 0         |
| 212 | Computer aided process planning for sheet metal bending: A state of the art. Computers in Industry, 2005, 56, 747-771.  | 9.9 | 61        |
| 213 | Custom Manufacture of a Solar Cooker – A Case Study. Advanced Materials Research, 2005, 6-8, 487-492.   | 0.3 | 11        |
| 214 | The Integration of CAPP and Production Planning for Bent Sheet Metal Parts. Advanced Materials Research, 2005, 6-8, 263-270.  | 0.3 | 1         |
| 215 | Laserforming of 3D Features. Advanced Materials Research, 2005, 6-8, 425-432.   | 0.3 | 2         |
| 216 | A Framework for Automatic Tool Selection in Integrated CAPP for Sheet Metal Bending. Advanced Materials Research, 2005, 6-8, 287-294.                                   | 0.3 | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Finite Element Modeling of Incremental Forming of Aluminum Sheets. <i>Advanced Materials Research</i> , 2005, 6-8, 525-532.   | 0.3  | 23        |
| 218 | Comparison of FEM Simulations for the Incremental Forming Process. <i>Advanced Materials Research</i> , 2005, 6-8, 533-542.   | 0.3  | 12        |
| 219 | Methods for Monitoring of Laser Cutting by Means of Acoustic and Photodiode Sensors. <i>Advanced Materials Research</i> , 2005, 6-8, 809-816.   | 0.3  | 3         |
| 220 | Forces in Single Point and Two Point Incremental Forming. <i>Advanced Materials Research</i> , 2005, 6-8, 449-456.  | 0.3  | 47        |
| 221 | Force Measurements for Single Point Incremental Forming: An Experimental Study. <i>Advanced Materials Research</i> , 2005, 6-8, 441-448.  | 0.3  | 29        |
| 222 | Concepts for Pro-Active Life Cycle Design Support Tools. , 2000, , .  |      | 0         |
| 223 | A geometric modeling and five-axis machining algorithm for centrifugal impellers. <i>Journal of Manufacturing Systems</i> , 1997, 16, 422-436.  | 13.9 | 72        |
| 224 | Acoustic and Optical Monitoring of High-Power CO <sub>2</sub> Laser Cutting. <i>Key Engineering Materials</i> , 0, 344, 161-168.  | 0.4  | 4         |
| 225 | Investigation of Deformation Phenomena in SPIF Using an In-Process DIC Technique. <i>Key Engineering Materials</i> , 0, 410-411, 401-409.   | 0.4  | 8         |
| 226 | Monitoring of CO <sub>2</sub> Laser Cutting of Thick Steel Plates by Means of a NIR Camera Based System. <i>Key Engineering Materials</i> , 0, 410-411, 207-216.                          | 0.4  | 1         |
| 227 | Obtainable Accuracies and Compensation Strategies for Robot Supported SPIF. <i>Key Engineering Materials</i> , 0, 410-411, 679-687.   | 0.4  | 9         |
| 228 | Numerical Simulation of a Pyramid Steel Sheet Formed by Single Point Incremental Forming Using Solid-Shell Finite Elements. <i>Key Engineering Materials</i> , 0, 549, 180-188.           | 0.4  | 12        |
| 229 | Manufacture of Accurate Titanium Cranio-Facial Implants with High Forming Angle Using Single Point Incremental Forming. <i>Key Engineering Materials</i> , 0, 549, 223-230.               | 0.4  | 50        |
| 230 | Adjustable Tooling System for Air Bending. <i>Key Engineering Materials</i> , 0, 549, 270-276.  | 0.4  | 0         |
| 231 | Tool Path Generation for Single Point Incremental Forming Using Intelligent Sequencing and Multi-Step Mesh Morphing Techniques. <i>Key Engineering Materials</i> , 0, 554-557, 1408-1418. | 0.4  | 7         |
| 232 | Electric Energy Consumption Analysis of SPIF Processes. <i>Key Engineering Materials</i> , 0, 549, 547-554.   | 0.4  | 5         |
| 233 | On the Geometric Accuracy in Shallow Sloped Parts in Single Point Incremental Forming. <i>Key Engineering Materials</i> , 0, 554-557, 1443-1450.  | 0.4  | 4         |
| 234 | On the Identification of a Loading Scheme in Large Radius Air Bending. <i>Key Engineering Materials</i> , 0, 639, 155-162.  | 0.4  | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Solid State Recycling of Aluminium Sheet Scrap by Means of Spark Plasma Sintering. Key Engineering Materials, 0, 639, 493-498.   | 0.4 | 9         |
| 236 | Formability Enhancement in Incremental Forming for an Automotive Aluminium Alloy Using Laser Assisted Incremental Forming. Key Engineering Materials, 0, 639, 195-202. | 0.4 | 6         |
| 237 | Multistep Incremental Forming beyond 100Â°. Key Engineering Materials, 0, 883, 195-200.  | 0.4 | 0         |
| 238 | Geometry Compensation Methods for Increasing the Accuracy of the SPIF Process. Key Engineering Materials, 0, 883, 217-224.   | 0.4 | 2         |
| 239 | Towards Automatic Part Identification in Sheet Metal Workshops. Key Engineering Materials, 0, 883, 167-174.  | 0.4 | 2         |
| 240 | Acoustic and Optical Monitoring of High-Power CO <sub>2</sub> Laser Cutting. Key Engineering Materials, 0, , 161-168.  | 0.4 | 1         |
| 241 | Laser Forming Oriented CAD/CAM for Developable Surfaces. Key Engineering Materials, 0, , 905-912.  | 0.4 | 1         |
| 242 | Modeling Sheet Metal Integrated Production Planning for Laser Cutting and Air Bending. Key Engineering Materials, 0, , 913-920.  | 0.4 | 2         |
| 243 | A Framework for Automatic Tool Selection in Integrated CAPP for Sheet Metal Bending. Advanced Materials Research, 0, , 287-294.  | 0.3 | 6         |
| 244 | Force Measurements for Single Point Incremental Forming: An Experimental Study. Advanced Materials Research, 0, , 441-448.   | 0.3 | 13        |
| 245 | Finite Element Modeling of Incremental Forming of Aluminum Sheets. Advanced Materials Research, 0, , 525-532.  | 0.3 | 6         |
| 246 | Comparison of FEM Simulations for the Incremental Forming Process. Advanced Materials Research, 0, , 533-542.  | 0.3 | 7         |
| 247 | Methods for Monitoring of Laser Cutting by Means of Acoustic and Photodiode Sensors. Advanced Materials Research, 0, , 809-816.  | 0.3 | 3         |
| 248 | A virtual sensing approach for quality and productivity optimization in laser flame cutting. International Journal of Advanced Manufacturing Technology, 0, , .        | 3.0 | 1         |