Gian Marco Leggio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5879682/publications.pdf

Version: 2024-02-01

69 2,917 32 49 papers citations h-index g-index

70 70 70 4236

times ranked

citing authors

docs citations

all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Polyphenols and neuroprotection: Therapeutic implications for cognitive decline. , 2022, 232, 108013. | | 71 |
| 2 | Long-lasting rescue of schizophrenia-relevant cognitive impairments via risperidone-loaded microPlates. Drug Delivery and Translational Research, 2022, 12, 1829-1842. | 5.8 | 5 |
| 3 | Dopamine D3 Receptor, Cognition and Cognitive Dysfunctions in Neuropsychiatric Disorders: From the Bench to the Bedside. Current Topics in Behavioral Neurosciences, 2022, , . | 1.7 | 1 |
| 4 | Imputed expression of schizophreniaâ€associated genes and cognitive measures in patients with schizophrenia. Molecular Genetics & Enomic Medicine, 2022, 10, e1942. | 1.2 | 6 |
| 5 | Molecular Effects of Chronic Exposure to Palmitate in Intestinal Organoids: A New Model to Study Obesity and Diabetes. International Journal of Molecular Sciences, 2022, 23, 7751. | 4.1 | 2 |
| 6 | The epistatic interaction between the dopamine D3 receptor and dysbindin-1 modulates higher-order cognitive functions in mice and humans. Molecular Psychiatry, 2021, 26, 1272-1285. | 7.9 | 37 |
| 7 | Pharmacological and Genetic Evidence of Dopamine Receptor 3-Mediated Vasoconstriction in Isolated Mouse Aorta. Biomolecules, 2021, 11, 418. | 4.0 | 2 |
| 8 | A novel arousal-based individual screening reveals susceptibility and resilience to PTSD-like phenotypes in mice. Neurobiology of Stress, 2021, 14, 100286. | 4.0 | 42 |
| 9 | Dysregulation of miR-15a-5p, miR-497a-5p and miR-511-5p Is Associated with Modulation of BDNF and FKBP5 in Brain Areas of PTSD-Related Susceptible and Resilient Mice. International Journal of Molecular Sciences, 2021, 22, 5157. | 4.1 | 25 |
| 10 | High Glucose Exposure Impairs L-Cell Differentiation in Intestinal Organoids: Molecular Mechanisms and Clinical Implications. International Journal of Molecular Sciences, 2021, 22, 6660. | 4.1 | 17 |
| 11 | PharmacoSTORM nanoscale pharmacology reveals cariprazine binding on Islands of Calleja granule cells. Nature Communications, 2021, 12, 6505. | 12.8 | 24 |
| 12 | Antioxidant Activity of Fluoxetine and Vortioxetine in a Non-Transgenic Animal Model of Alzheimer's Disease. Frontiers in Pharmacology, 2021, 12, 809541. | 3.5 | 22 |
| 13 | Dopamine, Cognitive Impairments and Second-Generation Antipsychotics: From Mechanistic Advances to More Personalized Treatments. Pharmaceuticals, 2020, 13, 365. | 3.8 | 27 |
| 14 | Retinal biomarkers and pharmacological targets for Hermansky-Pudlak syndrome 7. Scientific Reports, 2020, 10, 3972. | 3.3 | 7 |
| 15 | A New Human Blood–Retinal Barrier Model Based on Endothelial Cells, Pericytes, and Astrocytes. International Journal of Molecular Sciences, 2020, 21, 1636. | 4.1 | 54 |
| 16 | Dopamine: an immune transmitter. Neural Regeneration Research, 2020, 15, 2173. | 3.0 | 64 |
| 17 | Dopamine outside the brain: The eye, cardiovascular system and endocrine pancreas., 2019, 203, 107392. | | 86 |
| 18 | Fluoxetine and Vortioxetine Reverse Depressive-Like Phenotype and Memory Deficits Induced by $\hat{Al^2}$ 1-42 Oligomers in Mice: A Key Role of Transforming Growth Factor- $\hat{l^2}$ 1. Frontiers in Pharmacology, 2019, 10, 693. | 3.5 | 60 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 19 | Blood-retinal barrier protection against high glucose damage: The role of P2X7 receptor. Biochemical Pharmacology, 2019, 168, 249-258. | 4.4 | 39 |
| 20 | Aflibercept regulates retinal inflammation elicited by high glucose via the PIGF/ERK pathway. Biochemical Pharmacology, 2019, 168, 341-351. | 4.4 | 57 |
| 21 | Dopaminergic-GABAergic interplay and alcohol binge drinking. Pharmacological Research, 2019, 141, 384-391. | 7.1 | 18 |
| 22 | Therapeutic Challenges of Post-traumatic Stress Disorder: Focus on the Dopaminergic System. Frontiers in Pharmacology, 2019, 10, 404. | 3.5 | 32 |
| 23 | Neurobiological links between depression and AD: The role of TGF- \hat{l}^21 signaling as a new pharmacological target. Pharmacological Research, 2018, 130, 374-384. | 7.1 | 126 |
| 24 | Identification of Dysregulated microRNA Networks in Schwann Cell-Like Cultures Exposed to Immune Challenge: Potential Crosstalk with the Protective VIP/PACAP Neuropeptide System. International Journal of Molecular Sciences, 2018, 19, 981. | 4.1 | 9 |
| 25 | Computational systems biology approach to identify novel pharmacological targets for diabetic retinopathy. Biochemical Pharmacology, 2018, 158, 13-26. | 4.4 | 43 |
| 26 | Retinal Protection and Distribution of Curcumin in Vitro and in Vivo. Frontiers in Pharmacology, 2018, 9, 670. | 3 . 5 | 34 |
| 27 | Tackling dipeptidyl peptidase IV in neurological disorders. Neural Regeneration Research, 2018, 13, 26. | 3.0 | 19 |
| 28 | Sulodexide prevents activation of the PLA2/COX-2/VEGF inflammatory pathway in human retinal endothelial cells by blocking the effect of AGE/RAGE. Biochemical Pharmacology, 2017, 142, 145-154. | 4.4 | 42 |
| 29 | Topical Ocular Delivery of TGF- \hat{l}^21 to the Back of the Eye: Implications in Age-Related Neurodegenerative Diseases. International Journal of Molecular Sciences, 2017, 18, 2076. | 4.1 | 34 |
| 30 | Buspirone Counteracts MK-801-Induced Schizophrenia-Like Phenotypes through Dopamine D3 Receptor Blockade. Frontiers in Pharmacology, 2017, 8, 710. | 3 . 5 | 24 |
| 31 | New drugs in psychiatry: focus on new pharmacological targets. F1000Research, 2017, 6, 397. | 1.6 | 23 |
| 32 | P2X7 receptor antagonism: Implications in diabetic retinopathy. Biochemical Pharmacology, 2017, 138, 130-139. | 4.4 | 71 |
| 33 | Fluoxetine Prevents AÎ 2 1-42-Induced Toxicity via a Paracrine Signaling Mediated by Transforming-Growth-Factor-Î 2 1. Frontiers in Pharmacology, 2016, 7, 389. | 3.5 | 42 |
| 34 | Nanosystems based on siRNA silencing HuR expression counteract diabetic retinopathy in rat. Pharmacological Research, 2016, 111, 713-720. | 7.1 | 84 |
| 35 | Current drug treatments targeting dopamine D3 receptor. , 2016, 165, 164-177. | | 87 |
| 36 | The antineoplastic drug flavopiridol reverses memory impairment induced by Amyloid-ß 1-42 oligomers in mice. Pharmacological Research, 2016, 106, 10-20. | 7.1 | 32 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | TGF- \hat{l}^21 prevents rat retinal insult induced by amyloid- \hat{l}^2 ($1\hat{a}$ €"42) oligomers. European Journal of Pharmacology, 2016, 787, 72-77. | 3.5 | 39 |
| 38 | Effects of Topical Fucosyl-Lactose, a Milk Oligosaccharide, on Dry Eye Model: An Example of Nutraceutical Candidate. Frontiers in Pharmacology, 2015, 6, 280. | 3.5 | 18 |
| 39 | Dopamine D3 receptor-dependent changes in alpha6 GABAA subunit expression in striatum modulate anxiety-like behaviour: Responsiveness and tolerance to diazepam. European Neuropsychopharmacology, 2015, 25, 1427-1436. | 0.7 | 28 |
| 40 | Dopamine D3 Receptor Is Necessary for Ethanol Consumption: An Approach with Buspirone. Neuropsychopharmacology, 2014, 39, 2017-2028. | 5.4 | 52 |
| 41 | The dual blocker of FAAH/TRPV1 N-arachidonoylserotonin reverses the behavioral despair induced by stress in rats and modulates the HPA-axis. Pharmacological Research, 2014, 87, 151-159. | 7.1 | 66 |
| 42 | Hippocampal Neurofibromin and Amyloid Precursor Protein Expression in Dopamine D3 Receptor Knock-out Mice Following Passive Avoidance Conditioning. Neurochemical Research, 2013, 38, 564-572. | 3.3 | 9 |
| 43 | Dopamine D3 receptor as a new pharmacological target for the treatment of depression. European Journal of Pharmacology, 2013, 719, 25-33. | 3.5 | 115 |
| 44 | Regulation of intraocular pressure in mice: Structural analysis of dopaminergic and serotonergic systems in response to cabergoline. Biochemical Pharmacology, 2013, 86, 1347-1356. | 4.4 | 16 |
| 45 | Increased Hippocampal CREB Phosphorylation in Dopamine D3 Receptor Knockout Mice Following Passive Avoidance Conditioning. Neurochemical Research, 2013, 38, 2516-2523. | 3.3 | 6 |
| 46 | Behavioural and neurochemical changes induced by stress-related conditions are counteracted by the neurokinin-2 receptor antagonist saredutant. International Journal of Neuropsychopharmacology, 2013, 16, 813-823. | 2.1 | 14 |
| 47 | Fortified Extract of Red Berry, <i>Ginkgo biloba </i> , and White Willow Bark in Experimental Early Diabetic Retinopathy. Journal of Diabetes Research, 2013, 2013, 1-6. | 2.3 | 39 |
| 48 | Epigenetic drugs for <scp>A</scp> lzheimer's disease: hopes and challenges. British Journal of Clinical Pharmacology, 2013, 75, 1154-1155. | 2.4 | 12 |
| 49 | Clinical Pharmacology of Novel Anti-Alzheimer Disease Modifying Medications. Current Topics in Medicinal Chemistry, 2013, 13, 1853-1863. | 2.1 | 12 |
| 50 | New pharmacological strategies for treatment of Alzheimer's disease: focus on disease modifying drugs. British Journal of Clinical Pharmacology, 2012, 73, 504-517. | 2.4 | 253 |
| 51 | Dopamine-3 receptor modulates intraocular pressure: Implications for glaucoma. Biochemical Pharmacology, 2012, 83, 680-686. | 4.4 | 28 |
| 52 | Eriodictyol prevents early retinal and plasma abnormalities in streptozotocin-induced diabetic rats. Biochemical Pharmacology, 2012, 84, 88-92. | 4.4 | 126 |
| 53 | Homology Modeling of Dopamine D2 and D3 Receptors: Molecular Dynamics Refinement and Docking Evaluation. PLoS ONE, 2012, 7, e44316. | 2.5 | 62 |
| 54 | Tin chloride enhances parvalbumin-positive interneuron survival by modulating heme metabolism in a model of cerebral ischemia. Neuroscience Letters, 2011, 492, 33-38. | 2.1 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Dopamine D3 receptor knock-out mice exhibit increased behavioral sensitivity to the anxiolytic drug diazepam. European Neuropsychopharmacology, 2011, 21, 325-332. | 0.7 | 26 |
| 56 | Neurofibromin and Amyloid Precursor Protein Expression in Dopamine D3 Receptor Knock-Out Mice Brains. Neurochemical Research, 2011, 36, 426-434. | 3.3 | 17 |
| 57 | Enhanced cognitive performance of dopamine D3 receptor "knock-out―mice in the step-through passive-avoidance test: Assessing the role of the endocannabinoid/endovanilloid systems. Pharmacological Research, 2010, 61, 531-536. | 7.1 | 52 |
| 58 | The $\hat{1}^2$ 3 adrenoceptor agonist, amibegron (SR58611A) counteracts stress-induced behavioral and neurochemical changes. European Neuropsychopharmacology, 2010, 20, 704-713. | 0.7 | 30 |
| 59 | Altered responses of dopamine D3 receptor null mice to excitotoxic or anxiogenic stimuli: Possible involvement of the endocannabinoid and endovanilloid systems. Neurobiology of Disease, 2009, 36, 70-80. | 4.4 | 40 |
| 60 | Parkin Expression Profile in Dopamine D3 Receptor Knock-Out Mice Brains. Neurochemical Research, 2009, 34, 327-332. | 3.3 | 4 |
| 61 | <i>In vivo</i> evidence that constitutive activity of serotonin _{2C} receptors in the medial prefrontal cortex participates in the control of dopamine release in the rat nucleus accumbens: differential effects of inverse agonist versus antagonist. Journal of Neurochemistry, 2009, 111, 614-623. | 3.9 | 43 |
| 62 | Serotonin2C receptors in the medial prefrontal cortex facilitate cocaine-induced dopamine release in the rat nucleus accumbens. Neuropharmacology, 2009, 56, 507-513. | 4.1 | 46 |
| 63 | Anxiolytic Effects in Mice of a Dual Blocker of Fatty Acid Amide Hydrolase and Transient Receptor Potential Vanilloid Type-1 Channels. Neuropsychopharmacology, 2009, 34, 593-606. | 5.4 | 182 |
| 64 | Behavioral effects of saredutant, a tachykinin NK2 receptor antagonist, in experimental models of mood disorders under basal and stress-related conditions. Pharmacology Biochemistry and Behavior, 2008, 90, 463-469. | 2.9 | 39 |
| 65 | Increased sensitivity to antidepressants of D3 dopamine receptor-deficient mice in the forced swim test (FST). European Neuropsychopharmacology, 2008, 18, 271-277. | 0.7 | 37 |
| 66 | Behavioral effects of the \hat{I}^23 adrenoceptor agonist SR58611A: Is it the putative prototype of a new class of antidepressant/anxiolytic drugs?. European Journal of Pharmacology, 2007, 573, 139-147. | 3.5 | 51 |
| 67 | Oral Echinacea purpurea Extract in Low-Grade, Steroid-Dependent, Autoimmune Idiopathic Uveitis: A Pilot Study. Journal of Ocular Pharmacology and Therapeutics, 2006, 22, 431-436. | 1.4 | 10 |
| 68 | Effects of the COOH-terminal tripeptide α-MSH11–13 on corneal epithelial wound healing: Role of nitric oxide. Experimental Eye Research, 2006, 83, 1366-1372. | 2.6 | 31 |
| 69 | Cognitive effects of SL65.0155, a serotonin 5-HT4 receptor partial agonist, in animal models of amnesia. Brain Research, 2006, 1121, 207-215. | 2.2 | 37 |