
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5882289/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Ferroptosis resistance determines high susceptibility of murine <i>A/J</i> strain to ironâ€induced renal carcinogenesis. Cancer Science, 2022, 113, 65-78.	3.9	14
2	Brachial artery transposition versus catheters as tertiary vascular access for maintenance hemodialysis: a single-center retrospective study. Scientific Reports, 2022, 12, 306.	3.3	1
3	Chrysanthemum morifolium Extract Ameliorates Doxorubicin-Induced Cardiotoxicity by Decreasing Apoptosis. Cancers, 2022, 14, 683.	3.7	1
4	Ecklonia stolonifera Okamura Extract Suppresses Myocardial Infarction-Induced Left Ventricular Systolic Dysfunction by Inhibiting p300-HAT Activity. Nutrients, 2022, 14, 580.	4.1	7
5	Determinants of the Pathological Features of Renal Adverse Effects Due to Vascular Endothelial Growth Factor Signaling Inhibition. Internal Medicine, 2022, , .	0.7	Ο
6	Pyrazole-Curcumin Suppresses Cardiomyocyte Hypertrophy by Disrupting the CDK9/CyclinT1 Complex. Pharmaceutics, 2022, 14, 1269.	4.5	3
7	Impairment of Proteasome Function in Podocytes Leads to CKD. Journal of the American Society of Nephrology: JASN, 2021, 32, 597-613.	6.1	11
8	Histone Acetylation Domains Are Differentially Induced during Development of Heart Failure in Dahl Salt-Sensitive Rats. International Journal of Molecular Sciences, 2021, 22, 1771.	4.1	16
9	Real-World Evidence of the Incidence of and Risk Factors for Type 1 Diabetes Mellitus and Hypothyroidism as Immune-Related Adverse Events Associated With Programmed Cell Death-1 Inhibitors. Endocrine Practice, 2021, 27, 586-593.	2.1	10
10	Multicentre Study on the Efficacy of Brachial Artery Transposition Among Haemodialysis Patients. European Journal of Vascular and Endovascular Surgery, 2021, 61, 998-1006.	1.5	3
11	Cilastatin Ameliorates Rhabdomyolysis-induced AKI in Mice. Journal of the American Society of Nephrology: JASN, 2021, 32, 2579-2594.	6.1	22
12	Pregnancy and delivery in women receiving maintenance hemodialysis in Japan: analysis of potential risk factors for neonatal and maternal complications. Journal of Nephrology, 2021, 34, 1599-1609.	2.0	2
13	Zerumbone prevents pressure overload-induced left ventricular systolic dysfunction by inhibiting cardiac hypertrophy and fibrosis. Phytomedicine, 2021, 92, 153744.	5.3	7
14	Proteolytic cleavage of Podocin by Matriptase exacerbates podocyte injury. Journal of Biological Chemistry, 2020, 295, 16002-16012.	3.4	4
15	Ablation of Myeloid Cell MRP8 Ameliorates Nephrotoxic Serum-induced Glomerulonephritis by Affecting Macrophage Characterization through Intraglomerular Crosstalk. Scientific Reports, 2020, 10, 3056.	3.3	7
16	Diagnosis of AKI: Clinical Assessment, Novel Biomarkers, History, and Perspectives. , 2020, , 47-58.		3
17	Low-dose atrial natriuretic peptide for prevention or treatment of acute kidney injury: a systematic review andÂmeta-analysis. Critical Care, 2019, 23, 41.	5.8	25
18	Renal-limited thrombotic microangiopathy after switching from bevacizumab to ramucirumab: a case report. BMC Nephrology, 2019, 20, 14.	1.8	23

#	Article	IF	CITATIONS
19	One-stage operation for superficialization of native radio-cephalic fistula in obese patients. Journal of Vascular Access, 2019, 20, 45-49.	0.9	4
20	Deletion of connective tissue growth factor ameliorates peritoneal fibrosis by inhibiting angiogenesis and inflammation. Nephrology Dialysis Transplantation, 2018, 33, 943-953.	0.7	24
21	An Exploratory Study of Dapagliflozin for the Attenuation of Albuminuria in Patients with Heart Failure and Type 2 Diabetes Mellitus (DAPPER). Cardiovascular Drugs and Therapy, 2018, 32, 183-190.	2.6	7
22	Decline in estimated glomerular filtration rate is associated with risk of end-stage renal disease in type 2 diabetes with macroalbuminuria: an observational study from JDNCS. Clinical and Experimental Nephrology, 2018, 22, 377-387.	1.6	14
23	SuO009EFFICACY OF BRACHIAL ARTERY SUPERFICIALIZATION AS AN ALTERNATIVE WAY FOR VASCULAR ACCESS IN PATIENTS WITH MAINTENANCE HEMODIALYSIS. Nephrology Dialysis Transplantation, 2018, 33, i620-i620.	0.7	0
24	FP018A SERIN PROTEASE INHIBITOR AMERIOLATES PODOCYTE INJURY IN MOUSE ADRIAMYCIN NEPHROPATHY. Nephrology Dialysis Transplantation, 2018, 33, i55-i55.	0.7	0
25	AKIã®äº^é~2・治ç™,è−¬ã®ã,¢ãƒƒãƒ—デーãƒ^ãë展望. Nihon Toseki Igakkai Zasshi, 2018, 51, 135-139.	0.1	1
26	Circulating NGAL accelerates diet-induced obesity through local inhibition of thermogenic beta3 adrenergic nerve/brown adipose tissue axis. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, OR29-3.	0.0	0
27	Increase of Total Nephron Albumin Filtration and Reabsorption in Diabetic Nephropathy. Journal of the American Society of Nephrology: JASN, 2017, 28, 278-289.	6.1	55
28	Crucial Role of Mesangial Cell-derived Connective Tissue Growth Factor in a Mouse Model of Anti-Glomerular Basement Membrane Glomerulonephritis. Scientific Reports, 2017, 7, 42114.	3.3	30
29	Natriuretic peptide receptor guanylyl cyclase-A pathway counteracts glomerular injury evoked by aldosterone through p38 mitogen-activated protein kinase inhibition. Scientific Reports, 2017, 7, 46624.	3.3	16
30	Glomerulosclerosis Induced by Deficiency of Membrane-Associated Guanylate Kinase Inverted 2 in Kidney Podocytes. Journal of the American Society of Nephrology: JASN, 2017, 28, 2654-2669.	6.1	29
31	Kidney allograft pyelonephritis caused by Salmonella enterica serovar Schwarzengrund. Journal of Infection and Chemotherapy, 2017, 23, 481-484.	1.7	1
32	Obesity-promoting and anti-thermogenic effects of neutrophil gelatinase-associated lipocalin in mice. Scientific Reports, 2017, 7, 15501.	3.3	25
33	A protease-activated receptor-1 antagonist protects against podocyte injury in a mouse model of nephropathy. Journal of Pharmacological Sciences, 2017, 135, 81-88.	2.5	22
34	Production and Analysis of Conditional KO Mice of CCN2 in Kidney. Methods in Molecular Biology, 2017, 1489, 377-390.	0.9	1
35	Establishment of Nephrin Reporter Mice and Use for Chemical Screening. PLoS ONE, 2016, 11, e0157497.	2.5	6
36	Glycolysis, but not Mitochondria, responsible for intracellular ATP distribution in cortical area of podocytes. Scientific Reports, 2016, 5, 18575.	3.3	53

#	Article	IF	CITATIONS
37	Lipocalin 2 prevents intestinal inflammation by enhancing phagocytic bacterial clearance in macrophages. Scientific Reports, 2016, 6, 35014.	3.3	49
38	Ablation of the N-type calcium channel ameliorates diabetic nephropathy with improved glycemic control and reduced blood pressure. Scientific Reports, 2016, 6, 27192.	3.3	15
39	Urinary Albumin Levels Predict Development of Acute Kidney Injury After Pediatric Cardiac Surgery: A Prospective Observational Study. Journal of Cardiothoracic and Vascular Anesthesia, 2016, 30, 64-68.	1.3	15
40	Reduction of Tubular Flow Rate as a Mechanism of Oliguria in the Early Phase of Endotoxemia Revealed by Intravital Imaging. Journal of the American Society of Nephrology: JASN, 2015, 26, 3035-3044.	6.1	38
41	The urinary levels of prostanoid metabolites predict acute kidney injury in heterogeneous adult Japanese ICU patients: a prospective observational study. Clinical and Experimental Nephrology, 2015, 19, 1024-1036.	1.6	5
42	ENOS deficiency causes podocyte injury with mitochondrial abnormality. Free Radical Biology and Medicine, 2015, 87, 181-192.	2.9	21
43	MicroRNA-26a inhibits TGF-β-induced extracellular matrix protein expression in podocytes by targeting CTGF and is downregulated in diabetic nephropathy. Diabetologia, 2015, 58, 2169-2180.	6.3	93
44	An AKI biomarker lipocalin 2 in the blood derives from the kidney in renal injury but from neutrophils in normal and infected conditions. Clinical and Experimental Nephrology, 2015, 19, 99-106.	1.6	24
45	Low Serum Neutrophil Gelatinase-associated Lipocalin Level as a Marker of Malnutrition in Maintenance Hemodialysis Patients. PLoS ONE, 2015, 10, e0132539.	2.5	12
46	Predictive Significance of Kidney Myeloid-Related Protein 8 Expression in Patients with Obesity- or Type 2 Diabetes-Associated Kidney Diseases. PLoS ONE, 2014, 9, e88942.	2.5	9
47	Fatty acid binding protein 3 as a potential mediator for diabetic nephropathy in eNOS deficient mouse. Biochemical and Biophysical Research Communications, 2014, 454, 531-536.	2.1	10
48	Adrenomedullin-RAMP2 System Suppresses ER Stress-Induced Tubule Cell Death and Is Involved in Kidney Protection. PLoS ONE, 2014, 9, e87667.	2.5	15
49	Do statins play a role in renoprotection?. Clinical and Experimental Nephrology, 2014, 18, 282-285.	1.6	12
50	Macrophage-mediated glucolipotoxicity via myeloid-related protein 8/toll-like receptor 4 signaling in diabetic nephropathy. Clinical and Experimental Nephrology, 2014, 18, 584-592.	1.6	21
51	Neutrophil gelatinase-associated lipocalin in idiopathic pulmonary fibrosis. European Respiratory Journal, 2014, 43, 1807-1809.	6.7	13
52	Renal redox dysregulation in AKI: application for oxidative stress marker of AKI. American Journal of Physiology - Renal Physiology, 2014, 307, F1342-F1351.	2.7	30
53	α–Intercalated cells defend the urinary system from bacterial infection. Journal of Clinical Investigation, 2014, 124, 2963-2976.	8.2	127
54	α–Intercalated cells defend the urinary system from bacterial infection. Journal of Clinical Investigation, 2014, 124, 5521-5521.	8.2	4

#	Article	IF	CITATIONS
55	The utility of urinary NGAL (neutrophil gelatinase-associated lipocalin) as a prognostic marker for initiating acute hemoperfusion therapy. Nihon Toseki Igakkai Zasshi, 2014, 47, 487-491.	0.1	0
56	Japan Diabetic Nephropathy Cohort Study: study design, methods, and implementation. Clinical and Experimental Nephrology, 2013, 17, 819-826.	1.6	8
57	Secreted protein lipocalinâ€⊋ promotes microglial M1 polarization. FASEB Journal, 2013, 27, 1176-1190.	0.5	159
58	Peritoneal Fibrosis and High Transport are Induced in Mildly Pre-Injured Peritoneum by 3,4-Dideoxyglucosone-3-Ene in Mice. Peritoneal Dialysis International, 2013, 33, 143-154.	2.3	12
59	Association between Plasma Neutrophil Gelatinase Associated Lipocalin Level and Obstructive Sleep Apnea or Nocturnal Intermittent Hypoxia. PLoS ONE, 2013, 8, e54184.	2.5	22
60	Pleiotrophin triggers inflammation and increased peritoneal permeability leading to peritoneal fibrosis. Kidney International, 2012, 81, 160-169.	5.2	54
61	NGAL (Lcn2) monomer is associated with tubulointerstitial damage in chronic kidney disease. Kidney International, 2012, 82, 718-722.	5.2	111
62	Natriuretic Peptide Receptor Guanylyl Cyclase-A Protects Podocytes from Aldosterone-Induced Glomerular Injury. Journal of the American Society of Nephrology: JASN, 2012, 23, 1198-1209.	6.1	57
63	Exacerbation of diabetic nephropathy by hyperlipidaemia is mediated by Toll-like receptor 4 in mice. Diabetologia, 2012, 55, 2256-2266.	6.3	97
64	Regulation by lipocalinâ€⊋ of neuronal cell death, migration, and morphology. Journal of Neuroscience Research, 2012, 90, 540-550.	2.9	73
65	PPAR-α transcriptional activity is required to combat doxorubicin-induced podocyte injury in mice. Kidney International, 2011, 79, 1274-1276.	5.2	14
66	The Ngal reporter mouse detects the response of the kidney to injury in real time. Nature Medicine, 2011, 17, 216-222.	30.7	359
67	Lipocalin-2 Is a Chemokine Inducer in the Central Nervous System. Journal of Biological Chemistry, 2011, 286, 43855-43870.	3.4	149
68	3. Iron Metabolism in Pathogenic Bacteria and Biological Defense Mechanisms The Journal of the Japanese Society of Internal Medicine, 2010, 99, 1188-1193.	0.0	0
69	Searching for novel intercellular signal-transducing molecules in the kidney and their clinical application. Clinical and Experimental Nephrology, 2010, 14, 523-527.	1.6	3
70	Iron traffics in circulation bound to a siderocalin (Ngal)–catechol complex. Nature Chemical Biology, 2010, 6, 602-609.	8.0	270
71	Podocyte-specific expression of tamoxifen-inducible Cre recombinase in mice. Nephrology Dialysis Transplantation, 2010, 25, 2120-2124.	0.7	17
72	Suppression of SLC11A2 Expression Is Essential to Maintain Duodenal Integrity During Dietary Iron Overload. American Journal of Pathology, 2010, 177, 677-685.	3.8	17

#	Article	IF	CITATIONS
73	Lipocalin 2 is essential for chronic kidney disease progression in mice and humans. Journal of Clinical Investigation, 2010, 120, 4065-4076.	8.2	310
74	Lipocalin-2 Is an Autocrine Mediator of Reactive Astrocytosis. Journal of Neuroscience, 2009, 29, 234-249.	3.6	232
75	Urinary neutrophil gelatinase-associated lipocalin levels reflect damage to glomeruli, proximal tubules, and distal nephrons. Kidney International, 2009, 75, 285-294.	5.2	254
76	Reduction in urinary excretion of neutrophil gelatinase-associated lipocalin by angiotensin receptor blockers in hypertensive patients. Nephrology Dialysis Transplantation, 2009, 24, 2608-2609.	0.7	17
77	Downâ€regulation of lipocalin 2 contributes to chemoresistance in glioblastoma cells. Journal of Neurochemistry, 2009, 111, 1238-1251.	3.9	33
78	Sensitivity and Specificity of a Single Emergency Department Measurement of Urinary Neutrophil Gelatinase–Associated Lipocalin for Diagnosing Acute Kidney Injury. Annals of Internal Medicine, 2008, 148, 810.	3.9	597
79	Overexpression of connective tissue growth factor in podocytes worsens diabetic nephropathy in mice. Kidney International, 2008, 73, 446-455.	5.2	117
80	Adrenomedullin inhibits connective tissue growth factor expression, extracellular signal-regulated kinase activation and renal fibrosis. Kidney International, 2008, 74, 70-80.	5.2	21
81	Expression of CCN1 (CYR61) in developing, normal, and diseased human kidney. American Journal of Physiology - Renal Physiology, 2007, 293, F1363-F1372.	2.7	25
82	A Dual Role of Lipocalin 2 in the Apoptosis and Deramification of Activated Microglia. Journal of Immunology, 2007, 179, 3231-3241.	0.8	151
83	Dual Action of Neutrophil Gelatinase–Associated Lipocalin. Journal of the American Society of Nephrology: JASN, 2007, 18, 407-413.	6.1	654
84	Neutrophil gelatinase-associated lipocalin as the real-time indicator of active kidney damage. Kidney International, 2007, 71, 967-970.	5.2	347
85	Association between Increases in Urinary Neutrophil Gelatinase–associated Lipocalin and Acute Renal Dysfunction after Adult Cardiac Surgery. Anesthesiology, 2006, 105, 485-491.	2.5	499
86	Neutrophil gelatinase-associated lipocalin-mediated iron traffic in kidney epithelia. Current Opinion in Nephrology and Hypertension, 2006, 15, 442-449.	2.0	203
87	Kidney NGAL is a novel early marker of acute injury following transplantation. Pediatric Nephrology, 2006, 21, 856-863.	1.7	848
88	Transgenic overexpression of brain natriuretic peptide prevents the progression of diabetic nephropathy in mice. Diabetologia, 2006, 49, 2514-2524.	6.3	43
89	Redistribution of connexin43 expression in glomerular podocytes predicts poor renal prognosis in patients with type 2 diabetes and overt nephropathy. Nephrology Dialysis Transplantation, 2006, 21, 2472-2477.	0.7	50
90	Altered Gene Expression Related to Glomerulogenesis and Podocyte Structure in Early Diabetic Nephropathy of <i>db/db</i> Mice and Its Restoration by Pioglitazone. Diabetes, 2006, 55, 2747-2756.	0.6	92

#	Article	IF	CITATIONS
91	Lipocalin 2 Diminishes Invasiveness and Metastasis of Ras-transformed Cells. Journal of Biological Chemistry, 2005, 280, 13641-13647.	3.4	107
92	Role of p38 Mitogen-Activated Protein Kinase Activation in Podocyte Injury and Proteinuria in Experimental Nephrotic Syndrome. Journal of the American Society of Nephrology: JASN, 2005, 16, 2690-2701.	6.1	151
93	Novel Regulators of Kidney Development from the Tips of the Ureteric Bud. Journal of the American Society of Nephrology: JASN, 2005, 16, 1993-2002.	6.1	118
94	Prevention and reversal of renal injury by leptin in a new mouse model of diabetic nephropathy. FASEB Journal, 2005, 19, 127-129.	0.5	57
95	Neutrophil gelatinase-associated lipocalin (NGAL) as a biomarker for acute renal injury after cardiac surgery. Lancet, The, 2005, 365, 1231-1238.	13.7	2,695
96	Ptf1a, a bHLH Transcriptional Gene, Defines GABAergic Neuronal Fates in Cerebellum. Neuron, 2005, 47, 201-213.	8.1	489
97	Endocytic delivery of lipocalin-siderophore-iron complex rescues the kidney from ischemia-reperfusion injury. Journal of Clinical Investigation, 2005, 115, 610-621.	8.2	96
98	Endocytic delivery of lipocalin-siderophore-iron complex rescues the kidney from ischemia-reperfusion injury. Journal of Clinical Investigation, 2005, 115, 610-621.	8.2	796
99	Reduction in Connective Tissue Growth Factor by Antisense Treatment Ameliorates Renal Tubulointerstitial Fibrosis. Journal of the American Society of Nephrology: JASN, 2004, 15, 1430-1440.	6.1	229
100	Amelioration of Ischemic Acute Renal Injury by Neutrophil Gelatinase-Associated Lipocalin. Journal of the American Society of Nephrology: JASN, 2004, 15, 3073-3082.	6.1	494
101	Detection of intracellular iron by its regulatory effect. American Journal of Physiology - Cell Physiology, 2004, 287, C1547-C1559.	4.6	40
102	Neutrophil Gelatinase-Associated Lipocalin: A Novel Early Urinary Biomarker for Cisplatin Nephrotoxicity. American Journal of Nephrology, 2004, 24, 307-315.	3.1	481
103	Iron thievery. Nature, 2004, 432, 811-812.	27.8	57
104	Roles of connective tissue growth factor and prostanoids in early streptozotocin-induced diabetic rat kidney: the effect of aspirin treatment. Clinical and Experimental Nephrology, 2003, 7, 33-40.	1.6	32
105	Regulation of stanniocalcin 1 and 2 expression in the kidney by klotho gene. Biochemical and Biophysical Research Communications, 2003, 310, 128-134.	2.1	26
106	Ureteric bud controls multiple steps in the conversion of mesenchyme to epithelia. Seminars in Cell and Developmental Biology, 2003, 14, 209-216.	5.0	30
107	Role of Prostaglandin E Receptor EP 1 Subtype in the Development of Renal Injury in Genetically Hypertensive Rats. Hypertension, 2003, 42, 1183-1190.	2.7	54
108	Iron, lipocalin, and kidney epithelia. American Journal of Physiology - Renal Physiology, 2003, 285, F9-F18.	2.7	118

#	Article	IF	CITATIONS
109	Angiogenic Protein Cyr61 is Expressed by Podocytes in Anti-Thy-1 Glomerulonephritis. Journal of the American Society of Nephrology: JASN, 2003, 14, 1154-1163.	6.1	33
110	Prevention of Diabetic Nephropathy in Rats by Prostaglandin E Receptor EP1-Selective Antagonist. Journal of the American Society of Nephrology: JASN, 2002, 13, 1757-1765.	6.1	105
111	Plasma Ghrelin and Desacyl Ghrelin Concentrations in Renal Failure. Journal of the American Society of Nephrology: JASN, 2002, 13, 2748-2752.	6.1	248
112	Role of connective tissue growth factor in fibronectin expression and tubulointerstitial fibrosis. American Journal of Physiology - Renal Physiology, 2002, 282, F933-F942.	2.7	148
113	Delayed Short-Term Secretory Regulation of Ghrelin in Obese Animals: Evidenced by a Specific RIA for the Active Form of Ghrelin. Endocrinology, 2002, 143, 3341-3350.	2.8	209
114	An Iron Delivery Pathway Mediated by a Lipocalin. Molecular Cell, 2002, 10, 1045-1056.	9.7	562
115	Role of adrenomedullin and its receptor system in renal pathophysiology. Peptides, 2001, 22, 1925-1931.	2.4	20
116	Altered growth response to prostaglandin E2 and its receptor signaling in mesangial cells from stroke-prone spontaneously hypertensive rats. Journal of Hypertension, 2001, 19, 1095-1103.	0.5	9
117	Role of connective tissue growth factor in profibrotic action of transforming growth factor-β: A potential target for preventing renal fibrosis. American Journal of Kidney Diseases, 2001, 38, S134-S138.	1.9	142
118	Overexpression of Brain Natriuretic Peptide in Mice Ameliorates Immune-Mediated Renal Injury. Journal of the American Society of Nephrology: JASN, 2001, 12, 2652-2663.	6.1	69
119	Molecular cloning and expression of a novel klotho-related protein. Journal of Molecular Medicine, 2000, 78, 389-394.	3.9	49
120	Ghrelin Strongly Stimulates Growth Hormone Release in Humans. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4908-4911.	3.6	737
121	Rat Receptor-Activity-Modifying Proteins (RAMPs) for Adrenomedullin/CGRP Receptor: Cloning and Upregulation in Obstructive Nephropathy. Biochemical and Biophysical Research Communications, 2000, 270, 89-93.	2.1	113
122	Disruption of klotho Gene Causes an Abnormal Energy Homeostasis in Mice. Biochemical and Biophysical Research Communications, 2000, 278, 665-670.	2.1	61
123	Kidney produces a novel acylated peptide, ghrelin. FEBS Letters, 2000, 486, 213-216.	2.8	276
124	Ghrelin Strongly Stimulates Growth Hormone Release in Humans. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4908-4911.	3.6	261
125	Isolation and Characterization of CA XIV, a Novel Membrane-bound Carbonic Anhydrase from Mouse Kidney. Journal of Biological Chemistry, 1999, 274, 15701-15705.	3.4	106
126	Cloning of follistatin-related protein as a novel autoantigen in systemic rheumatic diseases. International Immunology, 1998, 10, 1305-1314.	4.0	70

#	Article	IF	CITATIONS
127	Natriuretic Peptide Regulation of Endochondral Ossification. Journal of Biological Chemistry, 1998, 273, 11695-11700.	3.4	182
128	Identification of the Human Leptin 5â€2-Flanking Sequences Involved in the Trophoblast-Specific Transcription. Biochemical and Biophysical Research Communications, 1997, 241, 658-663.	2.1	35
129	Structural Organization of the Human Prostaglandin EP3Receptor Subtype Gene (PTGER3). Genomics, 1997, 40, 425-434.	2.9	93
130	Molecular cloning of a novel mouse aspartic protease-like protein that is expressed abundantly in the kidney. FEBS Letters, 1997, 401, 218-222.	2.8	33
131	Kidney-specific expression of a novel mouse organic cation transporter-like protein. FEBS Letters, 1997, 417, 371-374.	2.8	73
132	Augmented expression of obese (ob ) gene during the process of obesity in genetically obese-hyperglycemic Wistar fatty (falfa ) rats. FEBS Letters, 1996, 378, 267-271.	2.8	28
133	Genomic Organization, Expression, and Chromosomal Mapping of the Mouse Adrenomedullin Gene. Genomics, 1996, 37, 395-399.	2.9	40
134	Molecular Cloning of Rat Leptin Receptor Isoform Complementary DNAs—Identification of a Missense Mutation in Zucker Fatty (fa/fa) Rats. Biochemical and Biophysical Research Communications, 1996, 225, 75-83.	2.1	244
135	Gene expression of the human prostaglandin E receptor EP 4 subtype: differential regulation in monocytoid and lymphoid lineage cells by phorbol ester. Journal of Molecular Medicine, 1996, 74, 333-336.	3.9	12
136	Adipose Tissue-specific Expression of the Obese (ob) Gene in Rats and Its Marked Augmentation in Genetically Obese-hyperglycemic Wistar Fatty Rats Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 1995, 71, 148-152.	3.8	10
137	GENE EXPRESSION OF PROSTACYCLIN RECEPTOR IN THE HYPERTROPHIED HEART OF SPONTANEOUSLY HYPERTENSIVE RATS. Clinical and Experimental Pharmacology and Physiology, 1995, 22, S270-S272.	1.9	3
138	Human Obese Gene Expression: Adipocyte-Specific Expression and Regional Differences in the Adipose Tissue. Diabetes, 1995, 44, 855-858.	0.6	433
139	Structural Organization and Chromosomal Assignment of the Human obese Gene. Journal of Biological Chemistry, 1995, 270, 27728-27733.	3.4	142
140	Molecular cloning of rat obese cDNA and augmented gene expression in genetically obese Zucker fatty (fa/fa) rats Journal of Clinical Investigation, 1995, 96, 1647-1652.	8.2	196
141	Molecular Cloning and Expression of Rat Prostaglandin E Receptor EP2 Subtype. Biochemical and Biophysical Research Communications, 1994, 200, 1329-1333.	2.1	63
142	A FULMINANT CASE OF SEPTICEMIA CAUSED BY VIBRIO VULNIFICUS. The Journal of the Japanese Practical Surgeon Society, 1993, 54, 1493-1496.	0.0	1
143	SURGICAL DECISION FOR SMALL BOWEL OBSTRUCTION. The Journal of the Japanese Practical Surgeon Society, 1992, 53, 1798-1803.	0.0	0