## **Giuseppe Pignataro**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5884500/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Competition among coalitions in a cournot industry: a validation of the porter hypothesis. Japanese Economic Review, 2022, 73, 679-713.	1.3	1
2	Ischemic Preconditioning Modulates the Peripheral Innate Immune System to Promote Anti-Inflammatory and Protective Responses in Mice Subjected to Focal Cerebral Ischemia. Frontiers in Immunology, 2022, 13, 825834.	4.8	8
3	Enhanced fluorescence detection of miRNAs using one-dimensional photonic crystal-based biochips. , 2022, , .		0
4	IN BRAIN POST-ISCHEMIC PLASTICITY, Na+/Ca2+ EXCHANGER 1 AND Ascl1 INTERVENE IN MICROGLIA-DEPENDENT CONVERSION OF ASTROCYTES INTO NEURONAL LINEAGE. Cell Calcium, 2022, 105, 102608.	2.4	4
5	K+-Dependent Na+/Ca2+ Exchanger Isoform 2, Nckx2, Takes Part in the Neuroprotection Elicited by Ischemic Preconditioning in Brain Ischemia. International Journal of Molecular Sciences, 2022, 23, 7128.	4.1	4
6	Preconditioning in hypoxic-ischemic neonate mice triggers Na+-Ca2+ exchanger-dependent neurogenesis. Cell Death Discovery, 2022, 8, .	4.7	4
7	In vivo imaging of CNS microglial activation/macrophage infiltration with combined [18F]DPA-714-PET and SPIO-MRI in a mouse model of relapsing remitting experimental autoimmune encephalomyelitis. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 40-52.	6.4	17
8	miR-16-5p, miR-103-3p, and miR-27b-3p as Early Peripheral Biomarkers of Fetal Growth Restriction. Frontiers in Pediatrics, 2021, 9, 611112.	1.9	13
9	Neurological risks and benefits of cytokineâ€based treatments in coronavirus disease 2019: from preclinical to clinical evidence. British Journal of Pharmacology, 2021, , .	5.4	2
10	The hypoxia sensitive metal transcription factor MTF-1 activates NCX1 brain promoter and participates in remote postconditioning neuroprotection in stroke. Cell Death and Disease, 2021, 12, 423.	6.3	9
11	Synthesis and Characterization of Novel Mono- and Bis-Guanyl Hydrazones as Potent and Selective ASIC1 Inhibitors Able to Reduce Brain Ischemic Insult. Journal of Medicinal Chemistry, 2021, 64, 8333-8353.	6.4	3
12	Prolonged NCX activation prevents SOD1 accumulation, reduces neuroinflammation, ameliorates motor behavior and prolongs survival in a ALS mouse model. Neurobiology of Disease, 2021, 159, 105480.	4.4	8
13	Use of CMOS Image Sensor for early detection of ischemic and haemorrhagic stroke. , 2021, , .		0
14	Hemorrhagic Stroke Induces a Time-Dependent Upregulation of miR-150-5p and miR-181b-5p in the Bloodstream. Frontiers in Neurology, 2021, 12, 736474.	2.4	7
15	Emerging Role of microRNAs in Stroke Protection Elicited by Remote Postconditioning. Frontiers in Neurology, 2021, 12, 748709.	2.4	7
16	GATA3 (GATA-Binding Protein 3)/KMT2A (Lysine-Methyltransferase-2A) Complex by Increasing H3K4-3me (Trimethylated Lysine-4 of Histone-3) Upregulates NCX3 (Na <sup>+</sup> -Ca <sup>2+</sup> Exchanger) Tj ET 3680-3691.	Qq000r	gBŢ /Overloc
17	New Insights into the Structure–Activity Relationship and Neuroprotective Profile of Benzodiazepinone Derivatives of <b>Neurounina-1</b> as Modulators of the Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger Isoforms. Journal of Medicinal Chemistry, 2021, 64, 17901-17919.	6.4	6

18 Na+/Ca2+ Exchangers. , 2021, , 1037-1047.

#	Article	IF	CITATIONS
19	HDAC4 and HDAC5 form a complex with DREAM that epigenetically down-regulates NCX3 gene and its pharmacological inhibition reduces neuronal stroke damage. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 2081-2097.	4.3	12
20	The effects of environmental quality misperception on investments and regulation. International Journal of Production Economics, 2020, 225, 107579.	8.9	9
21	Remote postconditioning ameliorates stroke damage by preventing let-7a and miR-143 up-regulation. Theranostics, 2020, 10, 12174-12188.	10.0	18
22	Sumoylation of sodium/calcium exchanger in brain ischemia and ischemic preconditioning. Cell Calcium, 2020, 87, 102195.	2.4	3
23	Learning, proximity and voting: theory and empirical evidence from nuclear referenda. Social Choice and Welfare, 2020, 55, 117-147.	0.8	1
24	Sodium/calcium exchanger as main effector of endogenous neuroprotection elicited by ischemic tolerance. Cell Calcium, 2020, 87, 102183.	2.4	9
25	Neurobiology of coronaviruses: Potential relevance for COVID-19. Neurobiology of Disease, 2020, 143, 105007.	4.4	42
26	New perspectives for selective NCX activators in neurodegenerative diseases. Cell Calcium, 2020, 87, 102170.	2.4	11
27	miR-206 Reduces the Severity of Motor Neuron Degeneration in the Facial Nuclei of the Brainstem in a Mouse Model of SMA. Molecular Therapy, 2020, 28, 1154-1166. Multicentre translational Trial of Remote Ischaemic Conditioning in Acute Ischaemic Stroke (TRICS):	8.2	21
28	protocol of multicentre, parallel group, randomised, preclinical trial in female and male rat and mouse from the Italian Stroke Organization (ISO) Basic Science networkMulticentre translational Trial of Remote Ischaemic Conditioning in Acute Ischaemic Stroke (TRICS): protocol of multicentre, parallel group, randomised, preclinical trial in female and male rat and mouse from. BMJ Open Science,	1.7	7
29	2020, 44, e100063. Na+/Ca2+ Exchangers. , 2020, , 1-11.		0
30	On the social (sub)optimality of divisionalization under product differentiation. Journal of Economics/ Zeitschrift Fur Nationalokonomie, 2019, 128, 225-238.	0.7	2
31	Development, Validation of LC-MS/MS Method and Determination of Pharmacokinetic Parameters of the Stroke Neuroprotectant Neurounina-1 in Beagle Dog Plasma After Intravenous Administration. Frontiers in Pharmacology, 2019, 10, 432.	3.5	5
32	ORAI1/STIM1 Interaction Intervenes in Stroke and in Neuroprotection Induced by Ischemic Preconditioning Through Store-Operated Calcium Entry. Stroke, 2019, 50, 1240-1249.	2.0	47
33	Anti-miR-223-5p Ameliorates Ischemic Damage and Improves Neurological Function by Preventing NCKX2 Downregulation after Ischemia in Rats. Molecular Therapy - Nucleic Acids, 2019, 18, 1063-1071.	5.1	23
34	Preconditioning, induced by sub-toxic dose of the neurotoxin L-BMAA, delays ALS progression in mice and prevents Na+/Ca2+ exchanger 3 downregulation. Cell Death and Disease, 2018, 9, 206.	6.3	26
35	Acute and long-term NCX activation reduces brain injury and restores behavioral functions in mice subjected to neonatal brain ischemia. Neuropharmacology, 2018, 135, 180-191.	4.1	23
36	Models and methods for conditioning the ischemic brain. Journal of Neuroscience Methods, 2018, 310, 63-74.	2.5	16

#	Article	IF	CITATIONS
37	Synergistic Association of Valproate and Resveratrol Reduces Brain Injury in Ischemic Stroke. International Journal of Molecular Sciences, 2018, 19, 172.	4.1	26
38	lonic Homeostasis Maintenance in ALS: Focus on New Therapeutic Targets. Frontiers in Neuroscience, 2018, 12, 510.	2.8	40
39	Pool size and the sustainability of optimal risk-sharing agreements. Theory and Decision, 2017, 82, 273-303.	1.0	2
40	Urokinase-type plasminogen activator receptor (uPAR) expression enhances invasion and metastasis in RAS mutated tumors. Scientific Reports, 2017, 7, 9388.	3.3	56
41	Editorial: Mechanisms of Innate Neuroprotection. Frontiers in Neurology, 2016, 7, 80.	2.4	1
42	Sumoylation of LYS590 of NCX3 f-Loop by SUMO1 Participates in Brain Neuroprotection Induced by Ischemic Preconditioning. Stroke, 2016, 47, 1085-1093.	2.0	27
43	A graph-based approach to inequality assessment. Physica A: Statistical Mechanics and Its Applications, 2016, 455, 65-78.	2.6	5
44	Glial Na <sup>+</sup> â€dependent ion transporters in pathophysiological conditions. Glia, 2016, 64, 1677-1697.	4.9	43
45	Neuronal NCX1 overexpression induces stroke resistance while knockout induces vulnerability via Akt. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 1790-1803.	4.3	31
46	NCX1 Exchanger Cooperates with Calretinin to Confer Preconditioning-Induced Tolerance Against Cerebral Ischemia in the Striatum. Molecular Neurobiology, 2016, 53, 1365-1376.	4.0	21
47	Imaging of brain TSPO expression in a mouse model of amyotrophic lateral sclerosis with 18F-DPA-714 and micro-PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1348-1359.	6.4	33
48	Neuroprotective coordination of cell mitophagy by the ATPase Inhibitory Factor 1. Pharmacological Research, 2016, 103, 56-68.	7.1	23
49	Effects of bone marrow mesenchymal stem cells (BM-MSCs) on rat pial microvascular remodeling after transient middle cerebral artery occlusion. Frontiers in Cellular Neuroscience, 2015, 9, 329.	3.7	5
50	Ionic homeostasis in brain conditioning. Frontiers in Neuroscience, 2015, 9, 277.	2.8	28
51	Pharmacological Characterization of the Newly Synthesized 5-Amino- <i>N</i> -butyl-2-(4-ethoxyphenoxy)-benzamide Hydrochloride (BED) as a Potent NCX3 Inhibitor That Worsens Anoxic Injury in Cortical Neurons, Organotypic Hippocampal Cultures, and Ischemic Brain, ACS Chemical Neuroscience. 2015, 6, 1361-1370.	3.5	16
52	Genetic ablation of homeodomain-interacting protein kinase 2 selectively induces apoptosis of cerebellar Purkinje cells during adulthood and generates an ataxic-like phenotype. Cell Death and Disease, 2015, 6, e2004-e2004.	6.3	21
53	Sp3/REST/HDAC1/HDAC2 Complex Represses and Sp1/HIF-1/p300 Complex Activates ncx1 Gene Transcription, in Brain Ischemia and in Ischemic Brain Preconditioning, by Epigenetic Mechanism. Journal of Neuroscience, 2015, 35, 7332-7348.	3.6	78
54	Neuroprotective Effect of VEGF-Mimetic Peptide QK in Experimental Brain Ischemia Induced in Rat by Middle Cerebral Artery Occlusion. ACS Chemical Neuroscience, 2015, 6, 1517-1525.	3.5	24

#	Article	IF	CITATIONS
55	Ischemic tolerance modulates TRAIL expression and its receptors and generates a neuroprotected phenotype. Cell Death and Disease, 2014, 5, e1331-e1331.	6.3	27
56	MicroRNA-103-1 Selectively Downregulates Brain NCX1 and Its Inhibition by Anti-miRNA Ameliorates Stroke Damage and Neurological Deficits. Molecular Therapy, 2014, 22, 1829-1838.	8.2	63
57	Does Na+/Ca2+ Exchanger, NCX, Represent a New Druggable Target in Stroke Intervention?. Translational Stroke Research, 2014, 5, 145-155.	4.2	32
58	microRNA 103â€1 exerts a neuroprotective effect in stroke by enhancing ncx1 expression in the brain (654.1). FASEB Journal, 2014, 28, 654.1.	0.5	0
59	Unfair credit allocations. Small Business Economics, 2013, 41, 241-251.	6.7	10
60	Conjunctival instillation of plasminogen eliminates ocular lesion in B6.129P2-Plgtm1Jld transgenic mice, a model of ligneous conjunctivitis. Pharmacological Research, 2013, 74, 45-48.	7.1	4
61	nNOS and p-ERK involvement in the neuroprotection exerted by remote postconditioning in rats subjected to transient middle cerebral artery occlusion. Neurobiology of Disease, 2013, 54, 105-114.	4.4	47
62	Transcriptional Regulation of ncx1 Gene in the Brain. Advances in Experimental Medicine and Biology, 2013, 961, 137-145.	1.6	14
63	Genetically Modified Mice as a Strategy to Unravel the Role Played by the Na+/Ca2+ Exchanger in Brain Ischemia and in Spatial Learning and Memory Deficits. Advances in Experimental Medicine and Biology, 2013, 961, 213-222.	1.6	19
64	NCX as a Key Player in the Neuroprotection Exerted by Ischemic Preconditioning and Postconditioning. Advances in Experimental Medicine and Biology, 2013, 961, 223-240.	1.6	38
65	Targeted acetylation of NF-kappaB/RelA and histones by epigenetic drugs reduces post-ischemic brain injury in mice with an extended therapeutic window. Neurobiology of Disease, 2013, 49, 177-189.	4.4	83
66	NCX1 is a new rest target gene: Role in cerebral ischemia. Neurobiology of Disease, 2013, 50, 76-85.	4.4	39
67	Ionic Transporter Activity in Astrocytes, Microglia, and Oligodendrocytes During Brain Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 969-982.	4.3	79
68	Rhythm-specific modulation of the sensorimotor network in drug-naÃ⁻ve patients with Parkinson's disease by levodopa. Brain, 2013, 136, 710-725.	7.6	178
69	Neurounina-1, a Novel Compound That Increases Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger Activity, Effectively Protects against Stroke Damage. Molecular Pharmacology, 2013, 83, 142-156.	2.3	39
70	Surgical Methods to Induce Brain Preconditioning. , 2013, , 225-240.		0
71	NCX1 and NCX3: Two new effectors of delayed preconditioning in brain ischemia. Neurobiology of Disease, 2012, 45, 616-623.	4.4	56
72	Protective effects of quercetin on rat pial microvascular changes during transient bilateral common carotid artery occlusion and reperfusion. Frontiers in Physiology, 2012, 3, 32.	2.8	25

#	Article	IF	CITATIONS
73	Rat Pial Microvascular Responses to Transient Bilateral Common Carotid Artery Occlusion and Reperfusion: Quercetin's Mechanism of Action. Frontiers in Physiology, 2012, 3, 99.	2.8	20
74	Neuroprotective, immunosuppressant and antineoplastic properties of mTOR inhibitors: current and emerging therapeutic options. Current Opinion in Pharmacology, 2011, 11, 378-394.	3.5	73
75	The NCX3 Isoform of the Na+/Ca2+ Exchanger Contributes to Neuroprotection Elicited by Ischemic Postconditioning. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 362-370.	4.3	52
76	NCX1 Is a Novel Target Gene for Hypoxia-Inducible Factor-1 in Ischemic Brain Preconditioning. Stroke, 2011, 42, 754-763.	2.0	67
77	ASIC1a contributes to neuroprotection elicited by ischemic preconditioning and postconditioning. International Journal of Physiology, Pathophysiology and Pharmacology, 2011, 3, 1-8.	0.8	31
78	lschemic Preconditioning Regulates Expression of microRNAs and a Predicted Target, MeCP2, in Mouse Cortex. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 744-756.	4.3	151
79	Alcohol increases spontaneous BOLD signal fluctuations in the visual network. NeuroImage, 2010, 53, 534-543.	4.2	59
80	S.25.02 Ion channels and exhangers as potential targets for stroke therapy. European Neuropsychopharmacology, 2010, 20, S201.	0.7	0
81	Defective Neuropeptide Processing and Ischemic Brain Injury: A Study on Proprotein Convertase 2 and its Substrate Neuropeptide in Ischemic Brains. Journal of Cerebral Blood Flow and Metabolism, 2009, 29, 698-706.	4.3	9
82	Postâ€ischemic brain damage: effect of ischemic preconditioning and postconditioning and identification of potential candidates for stroke therapy. FEBS Journal, 2009, 276, 46-57.	4.7	90
83	Clinical Trials with Drugs Targeting Ionic Channels, Antiporters, and Pumps in Ischemic Stroke. , 2009, , 225-249.		1
84	The Na + /Ca 2+ Exchanger: A Target for Therapeutic Intervention in Cerebral Ischemia. , 2009, , 65-87.		3
85	Acid-Sensing Ion Channels (ASICs): New Targets in Stroke Treatment. , 2009, , 153-173.		1
86	Why have Ionotropic and Metabotropic Glutamate Antagonists Failed in Stroke Therapy?. , 2009, , 13-25.		1
87	Downregulation of Hippocampal Adenosine Kinase after Focal Ischemia as Potential Endogenous Neuroprotective Mechanism. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 17-23.	4.3	80
88	<i>In Vivo</i> and <i>In Vitro</i> Characterization of a Novel Neuroprotective Strategy for Stroke: Ischemic Postconditioning. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 232-241.	4.3	195
89	Acid-sensing ion channels (ASICs) as pharmacological targets for neurodegenerative diseases. Current Opinion in Pharmacology, 2008, 8, 25-32.	3.5	214
90	A Critical Role for the Potassium-Dependent Sodium–Calcium Exchanger NCKX2 in Protection against Focal Ischemic Brain Damage. Journal of Neuroscience, 2008, 28, 2053-2063.	3.6	37

#	Article	IF	CITATIONS
91	Targeted Disruption of Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger 3 (NCX3) Gene Leads to a Worsening of Ischemic Brain Damage. Journal of Neuroscience, 2008, 28, 1179-1184.	3.6	125
92	Antithrombin Reduces Ischemic Volume, Ameliorates Neurologic Deficits, and Prolongs Animal Survival in Both Transient and Permanent Focal Ischemia. Stroke, 2007, 38, 3272-3279.	2.0	22
93	Glutamate-Independent Calcium Toxicity. Stroke, 2007, 38, 661-664.	2.0	27
94	Transgenic Overexpression of Adenosine Kinase Aggravates Cell Death in Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1-5.	4.3	101
95	Neuroprotection in Ischemic Mouse Brain Induced by Stem Cell-Derived Brain Implants. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 919-927.	4.3	43
96	ncx1, ncx2, and ncx3 Gene Product Expression and Function in Neuronal Anoxia and Brain Ischemia. Annals of the New York Academy of Sciences, 2007, 1099, 413-426.	3.8	41
97	Involvement of the Potassium-Dependent Sodium/Calcium Exchanger Gene Product NCKX2 in the Brain Insult Induced by Permanent Focal Cerebral Ischemia. Annals of the New York Academy of Sciences, 2007, 1099, 486-489.	3.8	7
98	NKCC-1 Sodium-Potassium-Chloride Co-Transporter 1. , 2007, , 1.		0
99	NKCC-X Sodium-Potassium-Chloride Co-Transporter X. , 2007, , 1.		0
100	Permanent Focal Brain Ischemia Induces Isoform-Dependent Changes in the Pattern of Na+/Ca2+ Exchanger Gene Expression in the Ischemic Core, Periinfarct Area, and Intact Brain Regions. Journal of Cerebral Blood Flow and Metabolism, 2006, 26, 502-517.	4.3	83
101	Prolonged activation of ASIC1a and the time window for neuroprotection in cerebral ischaemia. Brain, 2006, 130, 151-158.	7.6	246
102	Divergent modulation of iron regulatory proteins and ferritin biosynthesis by hypoxia/reoxygenation in neurones and glial cells. Journal of Neurochemistry, 2005, 95, 1321-1331.	3.9	35
103	Pharmacology of Brain Na+/Ca2+ Exchanger: From Molecular Biology to Therapeutic Perspectives. Pharmacological Reviews, 2004, 56, 633-654.	16.0	283
104	Two Sodium/Calcium Exchanger Gene Products, NCX1 and NCX3, Play a Major Role in the Development of Permanent Focal Cerebral Ischemia. Stroke, 2004, 35, 2566-2570.	2.0	155
105	HIFâ€lα reveals a binding activity to the promoter of iNOS gene after permanent middle cerebral artery occlusion. Journal of Neurochemistry, 2004, 90, 368-378.	3.9	72
106	Evidence for a protective role played by the Na+/Ca2+ exchanger in cerebral ischemia induced by middle cerebral artery occlusion in male rats. Neuropharmacology, 2004, 46, 439-448.	4.1	94
107	Apoptosis induced in neuronal cells by oxidative stress: role played by caspases and intracellular calcium ions. Toxicology Letters, 2003, 139, 125-133.	0.8	236
108	The 2-oxopyrrolidinacetamide piracetam reduces infarct brain volume induced by permanent middle cerebral artery occlusion in male rats. Neuropharmacology, 2002, 43, 427-433.	4.1	24

#	Article	IF	CITATIONS
109	Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger in Na <sup>+</sup> Efflux a <sup>2+</sup> Influx Mode of Operation Exerts a Neuroprotective Role in Cellular Models of <i>in Vitro</i> Anoxia and <i>in Vivo</i> Cerebral Ischemia. Annals of the New York Academy of Sciences, 2002, 976, 408-412.	3.8	18
110	Is coeliac disease a confounding factor in the diagnosis of NASH? Reply. Gut, 2001, 49, 596-596.	12.1	24
111	Inequality assessment in a dynamic framework with heterogenous agents. Economia Politica, 0, , .	2.2	Ο