Amanda Heslegrave

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5884611/publications.pdf

Version: 2024-02-01

136950 182427 3,012 77 32 51 citations h-index g-index papers 85 85 85 5185 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Increased cerebrospinal fluid soluble TREM2 concentration in Alzheimer's disease. Molecular Neurodegeneration, 2016, 11, 3. | 10.8 | 236 |
| 2 | Gâ€quadruplexâ€binding small molecules ameliorate <i>C9orf72</i> <scp>FTD</scp> / <scp>ALS</scp> pathology <i>inÂvitro</i> and <i>inÂvivo</i> . EMBO Molecular Medicine, 2018, 10, 22-31. | 6.9 | 178 |
| 3 | The <i>MS4A</i> gene cluster is a key modulator of soluble TREM2 and Alzheimer's disease risk. Science Translational Medicine, 2019, 11, . | 12.4 | 170 |
| 4 | Molecular biomarkers of Alzheimer's disease: progress and prospects. DMM Disease Models and Mechanisms, $2018,11,.$ | 2.4 | 163 |
| 5 | Evaluation of mutant huntingtin and neurofilament proteins as potential markers in Huntington's disease. Science Translational Medicine, 2018, 10, . | 12.4 | 134 |
| 6 | Identification of novel CSF biomarkers for neurodegeneration and their validation by a high-throughput multiplexed targeted proteomic assay. Molecular Neurodegeneration, 2015, 10, 64. | 10.8 | 121 |
| 7 | Familial Alzheimer's disease patient-derived neurons reveal distinct mutation-specific effects on amyloid beta. Molecular Psychiatry, 2020, 25, 2919-2931. | 7.9 | 99 |
| 8 | Cerebrospinal fluid tau, $\hat{Al^2}$, and sTREM2 in Former National Football League Players: Modeling the relationship between repetitive head impacts, microglial activation, and neurodegeneration. Alzheimer's and Dementia, 2018, 14, 1159-1170. | 0.8 | 96 |
| 9 | Activation of AMP-activated Protein Kinase by Vascular Endothelial Growth Factor Mediates Endothelial Angiogenesis Independently of Nitric-oxide Synthase. Journal of Biological Chemistry, 2010, 285, 10638-10652. | 3.4 | 74 |
| 10 | Axonal marker neurofilament light predicts long-term outcomes and progressive neurodegeneration after traumatic brain injury. Science Translational Medicine, 2021, 13, eabg9922. | 12.4 | 74 |
| 11 | Soluble TREM-2 in cerebrospinal fluid from patients with multiple sclerosis treated with natalizumab or mitoxantrone. Multiple Sclerosis Journal, 2016, 22, 1587-1595. | 3.0 | 73 |
| 12 | Exercise as a potential modulator of inflammation in patients with Alzheimer's disease measured in cerebrospinal fluid and plasma. Experimental Gerontology, 2019, 121, 91-98. | 2.8 | 72 |
| 13 | Longitudinal measurement of serum neurofilament light in presymptomatic familial Alzheimer's disease. Alzheimer's Research and Therapy, 2019, 11, 19. | 6.2 | 65 |
| 14 | The prognostic value of neurofilament levels in patients with sepsis-associated encephalopathy – A prospective, pilot observational study. PLoS ONE, 2019, 14, e0211184. | 2.5 | 64 |
| 15 | Mutant huntingtin and neurofilament light have distinct longitudinal dynamics in Huntington's disease. Science Translational Medicine, 2020, 12, . | 12.4 | 64 |
| 16 | Sense and antisense RNA are not toxic in Drosophila models of C9orf72-associated ALS/FTD. Acta Neuropathologica, 2018, 135, 445-457. | 7.7 | 59 |
| 17 | In vivo detection of cerebral tau pathology in long-term survivors of traumatic brain injury. Science Translational Medicine, 2019, 11 , . | 12.4 | 56 |
| 18 | Nitric oxide-dependent damage to neuronal mitochondria involves the NMDA receptor. European Journal of Neuroscience, 2002, 15, 458-464. | 2.6 | 54 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Serum neurofilament light levels correlate with severity measures and neurodegeneration markers in autosomal dominant Alzheimer's disease. Alzheimer's Research and Therapy, 2018, 10, 113. | 6.2 | 54 |
| 20 | <i>PDXK</i> mutations cause polyneuropathy responsive to pyridoxal 5′â€phosphate supplementation. Annals of Neurology, 2019, 86, 225-240. | 5.3 | 54 |
| 21 | Transitioning from cerebrospinal fluid to blood tests to facilitate diagnosis and disease monitoring in Alzheimer's disease. Journal of Internal Medicine, 2021, 290, 583-601. | 6.0 | 54 |
| 22 | OUP accepted manuscript. Brain, 2021, 144, 434-449. | 7.6 | 54 |
| 23 | CSF concentrations of soluble TREM2 as a marker of microglial activation in HIV-1 infection. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e512. | 6.0 | 50 |
| 24 | Stability of bloodâ€based biomarkers of Alzheimer's disease over multiple freezeâ€thaw cycles. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 448-451. | 2.4 | 49 |
| 25 | Deletion of $\langle i \rangle$ Lkb1 $\langle i \rangle$ in Pro-Opiomelanocortin Neurons Impairs Peripheral Glucose Homeostasis in Mice. Diabetes, 2011, 60, 735-745. | 0.6 | 48 |
| 26 | A targeted proteomic multiplex CSF assay identifies increased malate dehydrogenase and other neurodegenerative biomarkers in individuals with Alzheimer's disease pathology. Translational Psychiatry, 2016, 6, e952-e952. | 4.8 | 46 |
| 27 | Plasma neurofilament light chain concentration is increased and correlates with the severity of neuropathy in hereditary transthyretin amyloidosis. Journal of the Peripheral Nervous System, 2019, 24, 314-319. | 3.1 | 46 |
| 28 | Increased serum neurofilament light chain concentration indicates poor outcome in Guillain-Barré syndrome. Journal of Neuroinflammation, 2020, 17, 86. | 7.2 | 44 |
| 29 | Neurofilament light as a blood biomarker for neurodegeneration in Down syndrome. Alzheimer's Research and Therapy, 2018, 10, 39. | 6.2 | 43 |
| 30 | Cerebrospinal fluid soluble TREM2 levels in frontotemporal dementia differ by genetic and pathological subgroup. Alzheimer's Research and Therapy, 2018, 10, 79. | 6.2 | 43 |
| 31 | Plasma tau is increased in frontotemporal dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 804-807. | 1.9 | 41 |
| 32 | Cerebrospinal Fluid Biomarkers in Cerebral Amyloid Angiopathy. Journal of Alzheimer's Disease, 2020, 74, 1189-1201. | 2.6 | 38 |
| 33 | Combined tissue and fluid proteomics with Tandem Mass Tags to identify low-abundance protein biomarkers of disease in peripheral body fluid: An Alzheimer's Disease case study. Rapid Communications in Mass Spectrometry, 2017, 31, 153-159. | 1.5 | 35 |
| 34 | Blood Biomarkers for Alzheimer's Disease: Much Promise, Cautious Progress. Molecular Diagnosis and Therapy, 2017, 21, 13-22. | 3.8 | 29 |
| 35 | Gene replacement therapy after neuropathy onset provides therapeutic benefit in a model of CMT1X. Human Molecular Genetics, 2019, 28, 3528-3542. | 2.9 | 29 |
| 36 | White matter hyperintensities in progranulin-associated frontotemporal dementia: A longitudinal GENFI study. NeuroImage: Clinical, 2019, 24, 102077. | 2.7 | 27 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Cerebrospinal Fluid YKL-40 and Chitotriosidase Levels in Frontotemporal Dementia Vary by Clinical, Genetic and Pathological Subtype. Dementia and Geriatric Cognitive Disorders, 2020, 49, 56-76. | 1.5 | 27 |
| 38 | Cerebrospinal fluid neurogranin and TREM2 in Huntington's disease. Scientific Reports, 2018, 8, 4260. | 3.3 | 25 |
| 39 | Tau and neurofilament lightâ€chain as fluid biomarkers in spinocerebellar ataxia type 3. European Journal of Neurology, 2022, 29, 2439-2452. | 3.3 | 25 |
| 40 | Congenital Hyperinsulinism due to mutations in HNF4A and HADH. Reviews in Endocrine and Metabolic Disorders, 2010, 11, 185-191. | 5.7 | 21 |
| 41 | Amyloid \hat{l}^2 peptides are differentially vulnerable to preanalytical surface exposure, an effect incompletely mitigated by the use of ratios. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 311-321. | 2.4 | 21 |
| 42 | Plasma levels of soluble TREM2 and neurofilament light chain in TREM2 rare variant carriers. Alzheimer's Research and Therapy, 2019, 11, 94. | 6.2 | 20 |
| 43 | A translatable RNAi-driven gene therapy silences PMP22/Pmp22 genes and improves neuropathy in CMT1A mice. Journal of Clinical Investigation, 2022, 132, . | 8.2 | 18 |
| 44 | A longitudinal and crossâ€sectional study of plasma neurofilament light chain concentration in <scp>Charcotâ€Marieâ€Tooth</scp> disease. Journal of the Peripheral Nervous System, 2022, 27, 50-57. | 3.1 | 16 |
| 45 | A multi-center study of neurofilament assay reliability and inter-laboratory variability. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2020, 21, 452-458. | 1.7 | 15 |
| 46 | Plasma Neurofilament Light as a Biomarker of Neurological Involvement in Wilson's Disease. Movement Disorders, 2021, 36, 503-508. | 3.9 | 15 |
| 47 | Assessing Neurofilaments as Biomarkers of Neuroprotection in Progressive Multiple Sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2022, 9, . | 6.0 | 14 |
| 48 | Breaking the cycle. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e562. | 6.0 | 12 |
| 49 | Brain-derived neurotrophic factor in cerebrospinal fluid and plasma is not a biomarker for Huntington's disease. Scientific Reports, 2021, 11, 3481. | 3.3 | 12 |
| 50 | Plasma neurofilament light chain protein as a predictor of days in delirium and deep sedation, mortality and length of stay in critically ill patients. EBioMedicine, 2022, 80, 104043. | 6.1 | 12 |
| 51 | Multicentre longitudinal study of fluid and neuroimaging BIOmarkers of AXonal injury after traumatic brain injury: the BIO-AX-TBI study protocol. BMJ Open, 2020, 10, e042093. | 1.9 | 11 |
| 52 | Inflammatory markers of CHMP2B-mediated frontotemporal dementia. Journal of Neuroimmunology, 2018, 324, 136-142. | 2.3 | 10 |
| 53 | Evidence of upregulation of the cholinergic anti-inflammatory pathway in late-life depression. Journal of Affective Disorders, 2021, 286, 275-281. | 4.1 | 9 |
| 54 | Combining biomarkers for prognostic modelling of Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 707-715. | 1.9 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Leveraging large multi-center cohorts of Alzheimer disease endophenotypes to understand the role of Klotho heterozygosity on disease risk. PLoS ONE, 2022, 17, e0267298. | 2.5 | 9 |
| 56 | Neurofilament Light in CSF and Plasma Is a Marker of Neuronal Damage in HTLV- $1\hat{a}$ e"Associated Myelopathy and Correlates With Neuroinflammation. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, . | 6.0 | 8 |
| 57 | Interlaboratory validation of cerebrospinal fluid αâ€synuclein quantification in the diagnosis of sporadic Creutzfeldtâ€jakob disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 461-470. | 2.4 | 7 |
| 58 | Association of plasma neurofilament light chain with disease activity in chronic inflammatory demyelinating polyradiculoneuropathy. European Journal of Neurology, 2022, 29, 3347-3357. | 3.3 | 7 |
| 59 | Effect of Spinal Manometers on Cerebrospinal Fluid Amyloid- \hat{l}^2 Concentration. Journal of Alzheimer's Disease, 2017, 56, 885-891. | 2.6 | 6 |
| 60 | Neurofilament light plasma concentration positively associates with age and negatively associates with weight and height in the dog. Neuroscience Letters, 2021, 744, 135593. | 2.1 | 6 |
| 61 | A populationâ€based study of head injury, cognitive function and pathological markers. Annals of Clinical and Translational Neurology, 2021, 8, 842-856. | 3.7 | 5 |
| 62 | Cerebrospinal fluid metallomics in cerebral amyloid angiopathy: an exploratory analysis. Journal of Neurology, 2022, 269, 1470-1475. | 3.6 | 5 |
| 63 | Association of CSF sTREM2, a marker of microglia activation, with cholinergic basal forebrain volume in major depressive disorder. Journal of Affective Disorders, 2021, 293, 429-434. | 4.1 | 5 |
| 64 | Serum neurofilament light concentration does not increase following exposure to low velocity football heading. Science and Medicine in Football, 2021, 5, 1-7. | 2.0 | 4 |
| 65 | Cerebrospinal fluid neurofilament light levels in CLN2 disease patients treated with enzyme replacement therapy normalise after two years on treatment. F1000Research, 2021, 10, 614. | 1.6 | 4 |
| 66 | Genetic Variants and Related Biomarkers in Sporadic Alzheimer's Disease. Current Genetic Medicine Reports, 2015, 3, 19-25. | 1.9 | 3 |
| 67 | Cerebrospinal fluid neurofilament light chain levels in CLN2 disease patients treated with enzyme replacement therapy normalise after two years on treatment. F1000Research, 0, 10, 614. | 1.6 | 2 |
| 68 | Plasma Neurofilament Light and p-tau181 and Risk of Psychosis in Parkinson's Disease. Journal of Parkinson's Disease, 2022, , 1-12. | 2.8 | 2 |
| 69 | Haem oxygenase/nitric oxide synthase interaction: a role in neurodegeneration?. Biochemical Society Transactions, 2002, 30, A84-A84. | 3.4 | O |
| 70 | P2-105: IDENTIFYING MARKERS OF MICROGLIA ACTIVATION IN CSF FROM PATIENTS WITH ALZHEIMER'S DISEASE USING A NOVEL MASS SPECTROMETRY APPROACH. , 2014, 10, P509-P509. | | 0 |
| 71 | P1â€188: MODELLING AMYLOID BETA PROFILES IN IPSCâ€DERIVED CORTICAL NEURONS OF MULTIPLE FAMILIAL ALZHEIMER'S DISEASE GENOTYPES, INCLUDING A CASE STUDY OF SAME DONOR CULTURE MEDIA, CSF AND BRAIN TISSUE. Alzheimer's and Dementia, 2018, 14, P350. | 0.8 | O |
| 72 | O2â€04â€04: LONGITUDINAL MEASUREMENT OF SERUM NEUROFILAMENT LIGHT CONCENTRATION IN FAMILIAL ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P623. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | P1â€026: CEREBROSPINAL FLUID TAU, Aβ, AND STREM2 IN FORMER NATIONAL FOOTBALL LEAGUE PLAYERS: MODELING THE RELATIONSHIP BETWEEN REPETITIVE HEAD IMPACTS, MICROGLIAL ACTIVATION, AND NEURODEGENERATION. Alzheimer's and Dementia, 2018, 14, P275. | 0.8 | 0 |
| 74 | D09â€Parallel evaluation of mutant huntingtin and neurofilament light as biomarkers for huntington's disease: the hd-csf study. , 2018, , . | | 0 |
| 75 | O3â€09â€03: SERUM NEUROFILAMENT LIGHT LEVELS CORRELATE WITH SEVERITY MEASURES AND NEURODEGENERATION MARKERS IN AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1037. | 0.8 | 0 |
| 76 | F05â€Biological and clinical characteristics of gene carriers far from predicted onset in the hd-yas study: a cross-sectional analysis. , 2021, , . | | 0 |
| 77 | 308â€Increased acute exposure to soccer ball heading shows no response from biochemical markers for axonal injury. , 2021, , . | | 0 |