

Tim Coleman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5890757/publications.pdf>

Version: 2024-02-01

168
papers

5,202
citations

94433

37
h-index

128289

60
g-index

172
all docs

172
docs citations

172
times ranked

5155
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychosocial interventions for supporting women to stop smoking in pregnancy. The Cochrane Library, 2020, 2020, CD001055.	2.8	314
2	Prevalence of maternal smoking and environmental tobacco smoke exposure during pregnancy and impact on birth weight: retrospective study using Millennium Cohort. BMC Public Health, 2007, 7, 81.	2.9	191
3	A Randomized Trial of Nicotine-Replacement Therapy Patches in Pregnancy. New England Journal of Medicine, 2012, 366, 808-818.	27.0	177
4	Pharmacological interventions for promoting smoking cessation during pregnancy. The Cochrane Library, 2015, , CD010078.	2.8	167
5	Financial incentives for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h134-h134.	6.0	154
6	Maternal smoking and the risk of still birth: systematic review and meta-analysis. BMC Public Health, 2015, 15, 239.	2.9	154
7	The cost-effectiveness of the English smoking treatment services: evidence from practice. Addiction, 2005, 100, 70-83.	3.3	132
8	A systematic review of the effectiveness of smoking relapse prevention interventions for abstinent smokers. Addiction, 2010, 105, 1362-1380.	3.3	131
9	Predictors of Children's Secondhand Smoke Exposure at Home: A Systematic Review and Narrative Synthesis of the Evidence. PLoS ONE, 2014, 9, e112690.	2.5	115
10	Accuracy of methods for detecting an irregular pulse and suspected atrial fibrillation: A systematic review and meta-analysis. European Journal of Preventive Cardiology, 2016, 23, 1330-1338.	1.8	94
11	Pharmacological interventions for promoting smoking cessation during pregnancy. , 2012, , CD010078.		90
12	The SNAP trial: a randomised placebo-controlled trial of nicotine replacement therapy in pregnancy â€œ clinical effectiveness and safety until 2 years after delivery, with economic evaluation. Health Technology Assessment, 2014, 18, 1-128.	2.8	90
13	Efficacy and safety of nicotine replacement therapy for smoking cessation in pregnancy: systematic review and meta-analysis. Addiction, 2011, 106, 52-61.	3.3	84
14	Re-starting smoking in the postpartum period after receiving a smoking cessation intervention: a systematic review. Addiction, 2016, 111, 981-990.	3.3	73
15	â€œI give up smoking when you get me betterâ€ patientsâ€™ resistance to attempts to problematise smoking in general practice (GP) consultations. Social Science and Medicine, 2003, 57, 135-145.	3.8	72
16	Changes in the rate of nicotine metabolism across pregnancy: a longitudinal study. Addiction, 2015, 110, 1827-1832.	3.3	69
17	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. Lancet Diabetes and Endocrinology, the, 2015, 3, 423-430.	11.4	67
18	Large multi-centre pilot randomized controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). Addiction, 2017, 112, 1238-1249.	3.3	66

#	ARTICLE	IF	CITATIONS
19	Pharmacological interventions for promoting smoking cessation during pregnancy. The Cochrane Library, 2020, 2020, CD010078.	2.8	63
20	Use of simple advice and behavioural support. BMJ: British Medical Journal, 2004, 328, 397-399.	2.3	61
21	The impact of the Quality and Outcomes Framework (QOF) on the recording of smoking targets in primary care medical records: cross-sectional analyses from The Health Improvement Network (THIN) database. BMC Public Health, 2012, 12, 329.	2.9	61
22	Effect of nicotine patches in pregnancy on infant and maternal outcomes at 2 years: follow-up from the randomised, double-blind, placebo-controlled SNAP trial. Lancet Respiratory Medicine, the, 2014, 2, 728-737.	10.7	61
23	Smoking and quit attempts during pregnancy and postpartum: a longitudinal UK cohort. BMJ Open, 2017, 7, e018746.	1.9	58
24	Delivering the English smoking treatment services. Addiction, 2005, 100, 19-27.	3.3	57
25	Evaluating Long-term Outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. Health Technology Assessment, 2015, 19, 1-156.	2.8	56
26	Predictors of Postpartum Return to Smoking: A Systematic Review. Nicotine and Tobacco Research, 2018, 20, 665-673.	2.6	53
27	Views on and experiences of electronic cigarettes: a qualitative study of women who are pregnant or have recently given birth. BMC Pregnancy and Childbirth, 2018, 18, 233.	2.4	51
28	The Motivators and Barriers to a Smoke-Free Home Among Disadvantaged Caregivers: Identifying the Positive Levers for Change. Nicotine and Tobacco Research, 2011, 13, 479-486.	2.6	50
29	Impact of contractual financial incentives on the ascertainment and management of smoking in primary care. Addiction, 2007, 102, 803-808.	3.3	48
30	Effect of offering different levels of support and free nicotine replacement therapy via an English national telephone quitline: randomised controlled trial. BMJ: British Medical Journal, 2012, 344, e1696-e1696.	2.3	46
31	Can data from primary care medical records be used to monitor national smoking prevalence?. Journal of Epidemiology and Community Health, 2012, 66, 791-795.	3.7	43
32	Physical activity for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h2145-h2145.	6.0	43
33	Improving Behavioral Support for Smoking Cessation in Pregnancy: What Are the Barriers to Stopping and Which Behavior Change Techniques Can Influence Them? Application of Theoretical Domains Framework. International Journal of Environmental Research and Public Health, 2018, 15, 359.	2.6	43
34	Nicotine replacement therapy in pregnancy. BMJ: British Medical Journal, 2004, 328, 965-966.	2.3	41
35	Protocol for the Smoking, Nicotine and Pregnancy (SNAP) trial: double-blind, placebo-randomised, controlled trial of nicotine replacement therapy in pregnancy. BMC Health Services Research, 2007, 7, 2.	2.2	40
36	Nicotine Replacement Therapy in Pregnancy and Major Congenital Anomalies in Offspring. Pediatrics, 2015, 135, 859-867.	2.1	40

#	ARTICLE	IF	CITATIONS
37	“Opt-out” referrals after identifying pregnant smokers using exhaled air carbon monoxide: impact on engagement with smoking cessation support. <i>Tobacco Control</i> , 2017, 26, 300-306.	3.2	40
38	Implementing a national treatment service for dependant smokers: initial challenges and solutions. <i>Addiction</i> , 2005, 100, 12-18.	3.3	38
39	Recommendations for the Use of Pharmacological Smoking Cessation Strategies in Pregnant Women. <i>CNS Drugs</i> , 2007, 21, 983-993.	5.9	38
40	Accuracy of methods for diagnosing atrial fibrillation using 12-lead ECG: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2015, 184, 175-183.	1.7	38
41	Understanding Pregnant Smokers’ Adherence to Nicotine Replacement Therapy During a Quit Attempt: A Qualitative Study. <i>Nicotine and Tobacco Research</i> , 2016, 18, 906-912.	2.6	38
42	Implementation of routine biochemical validation and an “opt out” referral pathway for smoking cessation in pregnancy. <i>Addiction</i> , 2012, 107, 53-60.	3.3	36
43	Do financial incentives for delivering health promotion counselling work? Analysis of smoking cessation activities stimulated by the quality and outcomes framework. <i>BMC Public Health</i> , 2010, 10, 167.	2.9	35
44	Qualitative study investigating the process of giving anti-smoking advice in general practice. <i>Patient Education and Counseling</i> , 2004, 52, 159-163.	2.2	34
45	Systematic Review and Meta-Analysis to Assess the Safety of Bupropion and Varenicline in Pregnancy. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1001-1010.	2.6	34
46	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 586-590.	1.9	32
47	Provision of smoking cessation support for pregnant women in England: results from an online survey of NHS stop smoking services for pregnant women. <i>BMC Health Services Research</i> , 2014, 14, 107.	2.2	32
48	Prescribing of nicotine replacement therapy in and around pregnancy: a population-based study using primary care data. <i>British Journal of General Practice</i> , 2014, 64, e554-e560.	1.4	31
49	English Stop-Smoking Services: One-Year Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1175.	2.6	31
50	Going smoke-free: the medical case for clean air in the home, at work and in public places. <i>Clinical Medicine</i> , 2005, 5, 548-550.	1.9	30
51	Do cravings predict smoking cessation in smokers calling a national quit line: secondary analyses from a randomised trial for the utility of “urges to smoke” measures. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2015, 10, 15.	2.2	30
52	Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. <i>Addiction</i> , 2016, 111, 1656-1665.	3.3	30
53	The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-136.	2.8	30
54	Intervention study to evaluate pilot health promotion payment aimed at increasing general practitioners' antismoking advice to smokers. <i>BMJ: British Medical Journal</i> , 2001, 323, 435-436.	2.3	29

#	ARTICLE	IF	CITATIONS
55	Special groups of smokers. <i>BMJ: British Medical Journal</i> , 2004, 328, 575-577.	2.3	29
56	Lessons from the English smoking treatment services. <i>Addiction</i> , 2005, 100, 84-91.	3.3	29
57	U.K. general practitioners' beliefs, attitudes, and reported prescribing of nicotine replacement therapy in pregnancy. <i>Nicotine and Tobacco Research</i> , 2005, 7, 541-546.	2.6	29
58	Targeting smokers in priority groups: the influence of government targets and policy statements. <i>Addiction</i> , 2005, 100, 28-35.	3.3	28
59	Characteristics and prevalence of hardcore smokers attending UK general practitioners. <i>BMC Family Practice</i> , 2006, 7, 24.	2.9	28
60	Physical activity as an aid to smoking cessation during pregnancy (LEAP) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 186.	1.6	28
61	Using Trial Sequential Analysis for estimating the sample sizes of further trials: example using smoking cessation intervention. <i>BMC Medical Research Methodology</i> , 2020, 20, 284.	3.1	28
62	Physical activity as an aid to smoking cessation during pregnancy: Two feasibility studies. <i>BMC Public Health</i> , 2008, 8, 328.	2.9	27
63	Abstinence and relapse among smokers who use varenicline in a quit attempt—a pooled analysis of randomized controlled trials. <i>Addiction</i> , 2015, 110, 1182-1193.	3.3	27
64	Identifying Effective Behavior Change Techniques for Alcohol and Illicit Substance Use During Pregnancy: A Systematic Review. <i>Annals of Behavioral Medicine</i> , 2019, 53, 769-781.	2.9	27
65	Reducing harm from tobacco smoke exposure during pregnancy. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2008, 84, 73-79.	3.6	26
66	Factors Associated With Smoking Cessation in Early and Late Pregnancy in the Smoking, Nicotine, and Pregnancy Trial: A Trial of Nicotine Replacement Therapy. <i>Nicotine and Tobacco Research</i> , 2014, 16, 381-389.	2.6	26
67	Cost effectiveness of interventions to reduce relapse to smoking following smoking cessation. <i>Addiction</i> , 2011, 106, 1819-1826.	3.3	25
68	Qualitative study of pilot payment aimed at increasing general practitioners' antismoking advice to smokers. <i>BMJ: British Medical Journal</i> , 2001, 323, 432-432.	2.3	24
69	Sampling for qualitative research using quantitative methods. 2. Characteristics of GPs who agree to videotaping of consultations. <i>Family Practice</i> , 1996, 13, 531-535.	1.9	23
70	The potential to improve ascertainment and intervention to reduce smoking in Primary Care: a cross sectional survey. <i>BMC Health Services Research</i> , 2008, 8, 6.	2.2	23
71	Longitudinal cohort survey of women's smoking behaviour and attitudes in pregnancy: study methods and baseline data. <i>BMJ Open</i> , 2014, 4, e004915.	1.9	23
72	The Nicotine Metabolite Ratio in Pregnancy Measured by <i>trans</i> -3-Hydroxycotinine to Cotinine Ratio: Characteristics and Relationship With Smoking Cessation: Table 1.. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1318-1323.	2.6	23

#	ARTICLE	IF	CITATIONS
73	Prescribing of smoking cessation medication in England since the introduction of varenicline. <i>Addiction</i> , 2011, 106, 1319-1324.	3.3	22
74	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records. <i>BMC Public Health</i> , 2011, 11, 291.	2.9	22
75	Smoking Cessation Support by Text Message During Pregnancy: A Qualitative Study of Views and Experiences of the MiQuit Intervention. <i>Nicotine and Tobacco Research</i> , 2017, 19, 572-577.	2.6	22
76	Comparison of the smoking behaviour and attitudes of smokers who attribute respiratory symptoms to smoking with those who do not. <i>British Journal of General Practice</i> , 2002, 52, 132-4.	1.4	22
77	Cessation interventions in routine health care. <i>BMJ: British Medical Journal</i> , 2004, 328, 631-633.	2.3	21
78	Comparison of nicotine exposure during pregnancy when smoking and abstinent with nicotine replacement therapy: systematic review and meta-analysis. <i>Addiction</i> , 2019, 114, 406-424.	3.3	21
79	Antenatal Clinic and Stop Smoking Services Staff Views on "Opt-Out" Referrals for Smoking Cessation in Pregnancy: A Framework Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1004.	2.6	20
80	The Association Between Treatment Adherence to Nicotine Patches and Smoking Cessation in Pregnancy: A Secondary Analysis of a Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1952-1959.	2.6	20
81	Fetal safety of nicotine replacement therapy in pregnancy: systematic review and meta-analysis. <i>Addiction</i> , 2021, 116, 239-277.	3.3	20
82	The Cessation in Pregnancy Incentives Trial (CPIT): study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 113.	1.6	19
83	Pregnant Women's Experiences and Views on an "Opt-Out" Referral Pathway to Specialist Smoking Cessation Support: A Qualitative Evaluation: Table 1.. <i>Nicotine and Tobacco Research</i> , 2016, 18, 900-905.	2.6	19
84	Screening for Atrial Fibrillation " A Cross-Sectional Survey of Healthcare Professionals in Primary Care. <i>PLoS ONE</i> , 2016, 11, e0152086.	2.5	19
85	Electronic cigarettes versus nicotine patches for smoking cessation in pregnancy: a randomized controlled trial. <i>Nature Medicine</i> , 2022, 28, 958-964.	30.7	19
86	Discussion of NRT and other antismoking interventions in UK general practitioners' routine consultations. <i>Nicotine and Tobacco Research</i> , 2003, 5, 163-168.	2.6	18
87	Attitudes to E-Cigarettes and Cessation Support for Pregnant Women from English Stop Smoking Services: A Mixed Methods Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 110.	2.6	18
88	Interest in and Use of Smoking Cessation Support Across Pregnancy and Postpartum. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1178-1186.	2.6	18
89	Recruiting pregnant smokers for a placebo-randomised controlled trial of nicotine replacement therapy. <i>BMC Health Services Research</i> , 2004, 4, 29.	2.2	17
90	Death, depression and "defensive expansion": Closing down smoking as an issue for discussion in GP consultations. <i>Social Science and Medicine</i> , 2006, 62, 2500-2512.	3.8	17

#	ARTICLE	IF	CITATIONS
91	Tobacco withdrawal symptoms and urges to smoke in pregnant versus non-pregnant smokers. <i>Addictive Behaviors</i> , 2012, 37, 1353-1357.	3.0	17
92	Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 29.	1.6	17
93	Using content analysis of video-recorded consultations to identify smokers' readiness and resistance towards stopping smoking. <i>Patient Education and Counseling</i> , 2000, 41, 305-311.	2.2	16
94	"Do your best for me": The difficulties of finding a clinically effective endpoint in smoking cessation consultations in primary care. <i>Health (United Kingdom)</i> , 2010, 14, 57-74.	1.5	16
95	Completeness of Maternal Smoking Status Recording during Pregnancy in United Kingdom Primary Care Data. <i>PLoS ONE</i> , 2013, 8, e72218.	2.5	16
96	Adaptation and uptake evaluation of an SMS text message smoking cessation programme (MiQuit) for use in antenatal care. <i>BMJ Open</i> , 2015, 5, e008871.	1.9	16
97	Systematic critical review of previous economic evaluations of smoking cessation during pregnancy. <i>BMJ Open</i> , 2015, 5, e008998-e008998.	1.9	16
98	Sampling for qualitative research using quantitative methods. 1. Measuring GPs' attitudes towards discussing smoking with patients. <i>Family Practice</i> , 1996, 13, 526-530.	1.9	15
99	Nicotine Dependence and Biochemical Exposure Measures in the Second Trimester of Pregnancy. <i>Nicotine and Tobacco Research</i> , 2014, 16, 145-154.	2.6	15
100	A dynamic, modifiable model for estimating cost-effectiveness of smoking cessation interventions in pregnancy: application to an RCT of self-help delivered by text message. <i>Addiction</i> , 2019, 114, 353-365.	3.3	15
101	Stillbirth Among Women Prescribed Nicotine Replacement Therapy in Pregnancy: Analysis of a Large UK Pregnancy Cohort. <i>Nicotine and Tobacco Research</i> , 2019, 21, 409-415.	2.6	15
102	The impact of the introduction of smoke-free legislation on prescribing of stop-smoking medications in England. <i>Addiction</i> , 2011, 106, 1827-1834.	3.3	14
103	Comparison of Cotinine Levels in Pregnant Women While Smoking and When Using Nicotine Replacement Therapy. <i>Nicotine and Tobacco Research</i> , 2014, 16, 895-898.	2.6	14
104	Nicotine patch preloading for smoking cessation (the preloading trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 296.	1.6	14
105	Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 156.	2.4	13
106	Comparison of the smoking behaviour and attitudes of smokers who believe they have smoking-related problems with those who do not. <i>Family Practice</i> , 2003, 20, 520-523.	1.9	12
107	Knowledge and Education as Barriers and Facilitators to Nicotine Replacement Therapy Use for Smoking Cessation in Pregnancy: A Qualitative Study with Health Care Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1814.	2.6	12
108	Addressing and Overcoming Barriers to E-Cigarette Use for Smoking Cessation in Pregnancy: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4823.	2.6	12

#	ARTICLE	IF	CITATIONS
109	National survey of the new smoking cessation services in England. <i>Health Education Journal</i> , 2003, 62, 246-255.	1.2	11
110	Estimating the health care costs of children born to pregnant smokers in England: cohort study using primary and secondary health care data. <i>Addiction</i> , 2018, 113, 1305-1316.	3.3	11
111	Pregnant Smokers'™ Experiences and Opinions of Techniques Aimed to Address Barriers and Facilitators to Smoking Cessation: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2772.	2.6	11
112	“œl Was a Full Time Proper Smoker” A Qualitative Exploration of Smoking in the Home after Childbirth among Women Who Relapse Postpartum. <i>PLoS ONE</i> , 2016, 11, e0157525.	2.5	11
113	Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e146.	4.3	11
114	A comparison of UK primary care data with other national data sources for monitoring the prevalence of smoking during pregnancy. <i>Journal of Public Health</i> , 2015, 37, 547-554.	1.8	10
115	Protecting children from secondhand smoke: a mixed-methods feasibility study of a novel smoke-free home intervention. <i>Pilot and Feasibility Studies</i> , 2016, 2, 53.	1.2	10
116	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. <i>Trials</i> , 2019, 20, 280.	1.6	10
117	Factors influencing the uptake and use of nicotine replacement therapy and e-cigarettes in pregnant women who smoke: a qualitative evidence synthesis. <i>The Cochrane Library</i> , 2020, 5, CD013629.	2.8	10
118	Understanding pregnant women's adherence-related beliefs about Nicotine Replacement Therapy for smoking cessation: A qualitative study. <i>British Journal of Health Psychology</i> , 2021, 26, 179-197.	3.5	10
119	Factors associated with the provision of anti-smoking advice in general practice consultations. <i>British Journal of General Practice</i> , 2002, 52, 997-9.	1.4	10
120	Protocol for the Proactive Or Reactive Telephone Smoking CeSsation Support (PORTSSS) trial. <i>Trials</i> , 2009, 10, 26.	1.6	9
121	Smoking cessation advice recorded during pregnancy in United Kingdom primary care. <i>BMC Family Practice</i> , 2014, 15, 21.	2.9	9
122	Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 659.	1.6	9
123	Predicting default from smoking cessation treatment following enrolment. <i>Health Education Journal</i> , 2007, 66, 32-43.	1.2	8
124	Motivation, physical activity and smoking cessation. <i>Patient Education and Counseling</i> , 2010, 79, 141-142.	2.2	8
125	Management of smokers motivated to quit: a qualitative study of smokers and GPs. <i>Family Practice</i> , 2010, 27, 404-409.	1.9	8
126	The role of nicotine replacement therapy for temporary abstinence in the home to protect children from environmental tobacco smoke exposure: a qualitative study with disadvantaged smokers. <i>BMC Public Health</i> , 2013, 13, 262.	2.9	8

#	ARTICLE	IF	CITATIONS
127	Feasibility of offering nicotine replacement therapy as a relapse prevention treatment in routine smoking cessation services. <i>BMC Health Services Research</i> , 2013, 13, 38.	2.2	8
128	Small area synthetic estimates of smoking prevalence during pregnancy in England. <i>Population Health Metrics</i> , 2015, 13, 34.	2.7	8
129	Cost-Effectiveness of Nicotine Patches for Smoking Cessation in Pregnancy: A Placebo Randomized Controlled Trial (SNAP). <i>Nicotine and Tobacco Research</i> , 2015, 17, 636-642.	2.6	8
130	Saliva cotinine concentrations in pregnant women who smoke and use nicotine patches. <i>Addiction</i> , 2019, 114, 1651-1658.	3.3	8
131	A Qualitative Study of Factors Influencing Adherence among Pregnant Women Taking Part in a Trial of E-Cigarettes for Smoking Cessation. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 430.	2.6	8
132	Nicotine preloading for smoking cessation: the Preloading RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-84.	2.8	8
133	Effectiveness of offering tailored text message, self-help smoking cessation support to pregnant women who want information on stopping smoking: MiQuit3 randomised controlled trial and meta-analysis. <i>Addiction</i> , 2022, 117, 1079-1094.	3.3	8
134	A new method for describing smokers' consulting behaviours which indicate their motivation to stop smoking: an exploration of validity and reliability. <i>Family Practice</i> , 2002, 19, 154-160.	1.9	7
135	Distributing questionnaires about smoking to patients: impact on general practitioners' recording of smoking advice. <i>BMC Health Services Research</i> , 2007, 7, 153.	2.2	7
136	Comparison of saliva cotinine and exhaled carbon monoxide concentrations when smoking and after being offered dual nicotine replacement therapy in pregnancy. <i>Addiction</i> , 2022, 117, 751-759.	3.3	7
137	Feasibility and Acceptability of "Opt-In" Referrals for Stop Smoking Support in Pregnancy. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1358.	2.6	6
138	Tailored digital behaviour change intervention with e-referral system to increase attendance at NHS stop smoking services (the MyWay project): study protocol for a randomised controlled feasibility trial. <i>BMJ Open</i> , 2019, 9, e028721.	1.9	6
139	Stop smoking practitioner consensus on barriers and facilitators to smoking cessation in pregnancy and how to address these: A modified Delphi survey. <i>Addictive Behaviors Reports</i> , 2019, 9, 100164.	1.9	6
140	Practitioners' Views on Nicotine Replacement Therapy in Pregnancy during Lapse and for Harm Reduction: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4791.	2.6	6
141	Trends in Prescribing of Nicotine Replacement Therapy to Pregnant Women in Primary Care in England. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1607-1610.	2.6	6
142	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. <i>BMJ Open</i> , 2021, 11, e048204.	1.9	6
143	The old and familiar meets the new and unknown: patient and clinician perceptions on e-cigarettes for smoking reduction in UK general practice, a qualitative interview study. <i>Addiction</i> , 2022, 117, 1427-1437.	3.3	6
144	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England. <i>Addiction</i> , 2012, 107, 1341-1348.	3.3	5

#	ARTICLE	IF	CITATIONS
145	Mediators of the effect of nicotine pre-treatment on quitting smoking. <i>Addiction</i> , 2018, 113, 2280-2289.	3.3	5
146	Is the apparently protective effect of maternal nicotine replacement therapy (NRT) used in pregnancy on infant development explained by smoking cessation?: secondary analyses of a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e024923.	1.9	5
147	Safety of Electronic Cigarette Use During Breastfeeding: Qualitative Study Using Online Forum Discussions. <i>Journal of Medical Internet Research</i> , 2019, 21, e11506.	4.3	5
148	The development and acceptability testing of an app-based smart survey system to record smoking behaviour, use of nicotine replacement therapy (NRT) and e-cigarettes. <i>BMC Research Notes</i> , 2022, 15, 100.	1.4	5
149	Smoking in the home after childbirth: prevalence and determinants in an English cohort. <i>BMJ Open</i> , 2015, 5, e008856.	1.9	4
150	Screening for atrial fibrillation in primary care: From recommendation to implementation. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1880-1882.	1.8	3
151	Agreement and Disparities between Women and Stop-Smoking Specialists about How to Promote Adherence to Nicotine Replacement Therapy in Pregnancy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4673.	2.6	3
152	Smoking and vaping patterns during pregnancy and the postpartum: A longitudinal UK cohort survey. <i>Addictive Behaviors</i> , 2021, 123, 107050.	3.0	3
153	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17160.	1.0	3
154	Smoking Cessation Support for Pregnant Women Provided by English Stop Smoking Services and National Health Service Trusts: A Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1634.	2.6	3
155	Adding live, reactive telephone counselling to self-help literature does not increase smoking cessation. <i>Evidence-Based Medicine</i> , 2010, 15, 53-54.	0.6	2
156	2-year infant and maternal outcomes investigating nicotine-replacement therapy for smoking cessation in pregnancy from the SNAP trial: a randomised controlled trial. <i>Lancet, The</i> , 2013, 382, S7.	13.7	2
157	Barriers and Facilitators to Staying Smoke-Free after Having a Baby, a Qualitative Study: Women's Views on Support Needed to Prevent Returning to Smoking Postpartum. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11358.	2.6	2
158	In smokers who lapse during nicotine patch treatment, continued patch use increases the likelihood of recovering abstinence. <i>Evidence-based Nursing</i> , 2013, 16, 53-54.	0.2	1
159	Authors' reply to Brailon and Bewley. <i>BMJ, The</i> , 2015, 350, h3555-h3555.	6.0	1
160	Supporting smokers' quit attempts reduces national smoking prevalence. <i>Thorax</i> , 2019, 74, 829-830.	5.6	1
161	Experts' Views on Behaviour Change Techniques for Smoking Cessation in Pregnancy: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7729.	2.6	1
162	Investigating the cost-effectiveness of three cessation interventions on a national scale using the Economics of Smoking in Pregnancy (ESIP) decision analytical model. <i>Addiction</i> , 0, , .	3.3	1

#	ARTICLE	IF	CITATIONS
163	RESPONSE TO KOTZ <i>et al</i> . (2011): ESTIMATING THE RATE OF USAGE OF VARENICLINE AND OTHER MEDICATION FOR SMOKING CESSATION. <i>Addiction</i> , 2011, 106, 1869-1869.	3.3	0
164	Does use of "non-trial" cessation support help explain the lack of effect from offering NRT to quitline callers in a RCT?: Table A1. <i>Tobacco Control</i> , 2014, 23, 524-525.	3.2	0
165	Commentary on Taghavi <i>et al</i> . (2018): Accurate measurement of tobacco smoke exposure and smoking behaviour matters. <i>Addiction</i> , 2018, 113, 2097-2098.	3.3	0
166	Tobacco Smoking in Pregnancy. , 2020, , 177-183.		0
167	A digital behaviour change intervention to increase booking and attendance at Stop Smoking Services: the MyWay feasibility RCT. <i>Public Health Research</i> , 2021, 9, 1-62.	1.3	0
168	Are E-cigarettes associated with postpartum return to smoking? Secondary analyses of a UK pregnancy longitudinal cohort. <i>BMJ Open</i> , 2022, 12, e061028.	1.9	0