Tim Coleman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5890757/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of saliva cotinine and exhaled carbon monoxide concentrations when smoking and after being offered dual nicotine replacement therapy in pregnancy. Addiction, 2022, 117, 751-759.	3.3	7
2	Effectiveness of offering tailored text message, selfâ€help smoking cessation support to pregnant women who want information on stopping smoking: MiQuit3 randomised controlled trial and metaâ€analysis. Addiction, 2022, 117, 1079-1094.	3.3	8
3	Smoking Cessation Support for Pregnant Women Provided by English Stop Smoking Services and National Health Service Trusts: A Survey. International Journal of Environmental Research and Public Health, 2022, 19, 1634.	2.6	3
4	The development and acceptability testing of an app-based smart survey system to record smoking behaviour, use of nicotine replacement therapy (NRT) and e-cigarettes. BMC Research Notes, 2022, 15, 100.	1.4	5
5	The old and familiar meets the new and unknown: patient and clinician perceptions on eâ€eigarettes for smoking reduction in UK general practice, a qualitative interview study. Addiction, 2022, 117, 1427-1437.	3.3	6
6	Are E-cigarettes associated with postpartum return to smoking? Secondary analyses of a UK pregnancy longitudinal cohort. BMJ Open, 2022, 12, e061028.	1.9	0
7	Electronic cigarettes versus nicotine patches for smoking cessation in pregnancy: a randomized controlled trial. Nature Medicine, 2022, 28, 958-964.	30.7	19
8	Fetal safety of nicotine replacement therapy in pregnancy: systematic review and metaâ€analysis. Addiction, 2021, 116, 239-277.	3.3	20
9	Understanding pregnant women's adherenceâ€related beliefs about Nicotine Replacement Therapy for smoking cessation: A qualitative study. British Journal of Health Psychology, 2021, 26, 179-197.	3.5	10
10	A Qualitative Study of Factors Influencing Adherence among Pregnant Women Taking Part in a Trial of E-Cigarettes for Smoking Cessation. International Journal of Environmental Research and Public Health, 2021, 18, 430.	2.6	8
11	Trends in Prescribing of Nicotine Replacement Therapy to Pregnant Women in Primary Care in England. Nicotine and Tobacco Research, 2021, 23, 1607-1610.	2.6	6
12	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. BMJ Open, 2021, 11, e048204.	1.9	6
13	Agreement and Disparities between Women and Stop-Smoking Specialists about How to Promote Adherence to Nicotine Replacement Therapy in Pregnancy. International Journal of Environmental Research and Public Health, 2021, 18, 4673.	2.6	3
14	A digital behaviour change intervention to increase booking and attendance at Stop Smoking Services: the MyWay feasibility RCT. Public Health Research, 2021, 9, 1-62.	1.3	0
15	Smoking and vaping patterns during pregnancy and the postpartum: A longitudinal UK cohort survey. Addictive Behaviors, 2021, 123, 107050.	3.0	3
16	Barriers and Facilitators to Staying Smoke-Free after Having a Baby, a Qualitative Study: Women's Views on Support Needed to Prevent Returning to Smoking Postpartum. International Journal of Environmental Research and Public Health, 2021, 18, 11358.	2.6	2
17	Psychosocial interventions for supporting women to stop smoking in pregnancy. The Cochrane Library, 2020, 2020, CD001055.	2.8	314
18	Interest in and Use of Smoking Cessation Support Across Pregnancy and Postpartum. Nicotine and Tobacco Research, 2020, 22, 1178-1186.	2.6	18

#	Article	IF	CITATIONS
19	Addressing and Overcoming Barriers to E-Cigarette Use for Smoking Cessation in Pregnancy: A Qualitative Study. International Journal of Environmental Research and Public Health, 2020, 17, 4823.	2.6	12
20	Experts' Views on Behaviour Change Techniques for Smoking Cessation in Pregnancy: A Qualitative Study. International Journal of Environmental Research and Public Health, 2020, 17, 7729.	2.6	1
21	Using Trial Sequential Analysis for estimating the sample sizes of further trials: example using smoking cessation intervention. BMC Medical Research Methodology, 2020, 20, 284.	3.1	28
22	Factors influencing the uptake and use of nicotine replacement therapy and e-cigarettes in pregnant women who smoke: a qualitative evidence synthesis. The Cochrane Library, 2020, 5, CD013629.	2.8	10
23	Pharmacological interventions for promoting smoking cessation during pregnancy. The Cochrane Library, 2020, 2020, CD010078.	2.8	63
24	Tobacco Smoking in Pregnancy. , 2020, , 177-183.		0
25	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17160.	1.0	3
26	Pregnant Smokers' Experiences and Opinions of Techniques Aimed to Address Barriers and Facilitators to Smoking Cessation: A Qualitative Study. International Journal of Environmental Research and Public Health, 2019, 16, 2772.	2.6	11
27	Knowledge and Education as Barriers and Facilitators to Nicotine Replacement Therapy Use for Smoking Cessation in Pregnancy: A Qualitative Study with Health Care Professionals. International Journal of Environmental Research and Public Health, 2019, 16, 1814.	2.6	12
28	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. Trials, 2019, 20, 280.	1.6	10
29	Feasibility and Acceptability of â€~Opt-In' Referrals for Stop Smoking Support in Pregnancy. International Journal of Environmental Research and Public Health, 2019, 16, 1358.	2.6	6
30	Saliva cotinine concentrations in pregnant women who smoke and use nicotine patches. Addiction, 2019, 114, 1651-1658.	3.3	8
31	Tailored digital behaviour change intervention with e-referral system to increase attendance at NHS stop smoking services (the MyWay project): study protocol for a randomised controlled feasibility trial. BMJ Open, 2019, 9, e028721.	1.9	6
32	Stop smoking practitioner consensus on barriers and facilitators to smoking cessation in pregnancy and how to address these: A modified Delphi survey. Addictive Behaviors Reports, 2019, 9, 100164.	1.9	6
33	Is the apparently protective effect of maternal nicotine replacement therapy (NRT) used in pregnancy on infant development explained by smoking cessation?: secondary analyses of a randomised controlled trial. BMJ Open, 2019, 9, e024923.	1.9	5
34	Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. Trials, 2019, 20, 659.	1.6	9
35	Practitioners' Views on Nicotine Replacement Therapy in Pregnancy during Lapse and for Harm Reduction: A Qualitative Study. International Journal of Environmental Research and Public Health, 2019, 16, 4791.	2.6	6
36	Supporting smokers' quit attempts reduces national smoking prevalence. Thorax, 2019, 74, 829-830.	5.6	1

#	Article	IF	CITATIONS
37	Attitudes to E-Cigarettes and Cessation Support for Pregnant Women from English Stop Smoking Services: A Mixed Methods Study. International Journal of Environmental Research and Public Health, 2019, 16, 110.	2.6	18
38	A dynamic, modifiable model for estimating costâ€effectiveness of smoking cessation interventions in pregnancy: application to an RCT of selfâ€help delivered by text message. Addiction, 2019, 114, 353-365.	3.3	15
39	Identifying Effective Behavior Change Techniques for Alcohol and Illicit Substance Use During Pregnancy: A Systematic Review. Annals of Behavioral Medicine, 2019, 53, 769-781.	2.9	27
40	Comparison of nicotine exposure during pregnancy when smoking and abstinent with nicotine replacement therapy: systematic review and metaâ€analysis. Addiction, 2019, 114, 406-424.	3.3	21
41	Systematic Review and Meta-Analysis to Assess the Safety of Bupropion and Varenicline in Pregnancy. Nicotine and Tobacco Research, 2019, 21, 1001-1010.	2.6	34
42	Stillbirth Among Women Prescribed Nicotine Replacement Therapy in Pregnancy: Analysis of a Large UK Pregnancy Cohort. Nicotine and Tobacco Research, 2019, 21, 409-415.	2.6	15
43	Safety of Electronic Cigarette Use During Breastfeeding: Qualitative Study Using Online Forum Discussions. Journal of Medical Internet Research, 2019, 21, e11506.	4.3	5
44	Estimating the healthâ€care costs of children born to pregnant smokers in England: cohort study using primary and secondary healthâ€care data. Addiction, 2018, 113, 1305-1316.	3.3	11
45	Predictors of Postpartum Return to Smoking: A Systematic Review. Nicotine and Tobacco Research, 2018, 20, 665-673.	2.6	53
46	Improving Behavioral Support for Smoking Cessation in Pregnancy: What Are the Barriers to Stopping and Which Behavior Change Techniques Can Influence Them? Application of Theoretical Domains Framework. International Journal of Environmental Research and Public Health, 2018, 15, 359.	2.6	43
47	Mediators of the effect of nicotine preâ€treatment on quitting smoking. Addiction, 2018, 113, 2280-2289.	3.3	5
48	Views on and experiences of electronic cigarettes: a qualitative study of women who are pregnant or have recently given birth. BMC Pregnancy and Childbirth, 2018, 18, 233.	2.4	51
49	Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. BMC Pregnancy and Childbirth, 2018, 18, 156.	2.4	13
50	Commentary on Taghavi <i>et al</i> . (2018): Accurate measurement of tobacco smoke exposure and smoking behaviour matters. Addiction, 2018, 113, 2097-2098.	3.3	0
51	Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. Journal of Medical Internet Research, 2018, 20, e146.	4.3	11
52	Nicotine preloading for smoking cessation: the Preloading RCT. Health Technology Assessment, 2018, 22, 1-84.	2.8	8
53	Large multi-centre pilot randomized controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). Addiction, 2017, 112, 1238-1249.	3.3	66
54	Smoking Cessation Support by Text Message During Pregnancy: A Qualitative Study of Views and Experiences of the MiQuit Intervention. Nicotine and Tobacco Research, 2017, 19, 572-577.	2.6	22

#	Article	IF	CITATIONS
55	â€~Opt-out' referrals after identifying pregnant smokers using exhaled air carbon monoxide: impact on engagement with smoking cessation support. Tobacco Control, 2017, 26, 300-306.	3.2	40
56	Smoking and quit attempts during pregnancy and postpartum: a longitudinal UK cohort. BMJ Open, 2017, 7, e018746.	1.9	58
57	Antenatal Clinic and Stop Smoking Services Staff Views on "Opt-Out―Referrals for Smoking Cessation in Pregnancy: A Framework Analysis. International Journal of Environmental Research and Public Health, 2016, 13, 1004.	2.6	20
58	English Stop-Smoking Services: One-Year Outcomes. International Journal of Environmental Research and Public Health, 2016, 13, 1175.	2.6	31
59	The Association Between Treatment Adherence to Nicotine Patches and Smoking Cessation in Pregnancy: A Secondary Analysis of a Randomized Controlled Trial. Nicotine and Tobacco Research, 2016, 18, 1952-1959.	2.6	20
60	Pregnant Women's Experiences and Views on an "Opt-Out―Referral Pathway to Specialist Smoking Cessation Support: A Qualitative Evaluation: Table 1 Nicotine and Tobacco Research, 2016, 18, 900-905.	2.6	19
61	Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. Addiction, 2016, 111, 1656-1665.	3.3	30
62	Protecting children from secondhand smoke: a mixed-methods feasibility study of a novel smoke-free home intervention. Pilot and Feasibility Studies, 2016, 2, 53.	1.2	10
63	Screening for atrial fibrillation in primary care: From recommendation to implementation. European Journal of Preventive Cardiology, 2016, 23, 1880-1882.	1.8	3
64	Understanding Pregnant Smokers' Adherence to Nicotine Replacement Therapy During a Quit Attempt: A Qualitative Study. Nicotine and Tobacco Research, 2016, 18, 906-912.	2.6	38
65	Re-starting smoking in the postpartum period after receiving a smoking cessation intervention: a systematic review. Addiction, 2016, 111, 981-990.	3.3	73
66	Accuracy of methods for detecting an irregular pulse and suspected atrial fibrillation: A systematic review and meta-analysis. European Journal of Preventive Cardiology, 2016, 23, 1330-1338.	1.8	94
67	Screening for Atrial Fibrillation – A Cross-Sectional Survey of Healthcare Professionals in Primary Care. PLoS ONE, 2016, 11, e0152086.	2.5	19
68	"l Was a Full Time Proper Smoker― A Qualitative Exploration of Smoking in the Home after Childbirth among Women Who Relapse Postpartum. PLoS ONE, 2016, 11, e0157525.	2.5	11
69	Pharmacological interventions for promoting smoking cessation during pregnancy. The Cochrane Library, 2015, , CD010078.	2.8	167
70	Smoking in the home after childbirth: prevalence and determinants in an English cohort. BMJ Open, 2015, 5, e008856.	1.9	4
71	Adaptation and uptake evaluation of an SMS text message smoking cessation programme (MiQuit) for use in antenatal care. BMJ Open, 2015, 5, e008871.	1.9	16
72	Systematic critical review of previous economic evaluations of smoking cessation during pregnancy. BMJ Open, 2015, 5, e008998-e008998.	1.9	16

#	Article	IF	CITATIONS
73	Small area synthetic estimates of smoking prevalence during pregnancy in England. Population Health Metrics, 2015, 13, 34.	2.7	8
74	Abstinence and relapse among smokers who use varenicline in a quit attempt—a pooled analysis of randomized controlled trials. Addiction, 2015, 110, 1182-1193.	3.3	27
75	Changes in the rate of nicotine metabolism across pregnancy: a longitudinal study. Addiction, 2015, 110, 1827-1832.	3.3	69
76	A comparison of UK primary care data with other national data sources for monitoring the prevalence of smoking during pregnancy. Journal of Public Health, 2015, 37, 547-554.	1.8	10
77	Accuracy of methods for diagnosing atrial fibrillation using 12-lead ECG: A systematic review and meta-analysis. International Journal of Cardiology, 2015, 184, 175-183.	1.7	38
78	The Nicotine Metabolite Ratio in Pregnancy Measured by <i>trans</i> -3′-Hydroxycotinine to Cotinine Ratio: Characteristics and Relationship With Smoking Cessation: Table 1 Nicotine and Tobacco Research, 2015, 17, 1318-1323.	2.6	23
79	Authors' reply to Braillon and Bewley. BMJ, The, 2015, 350, h3555-h3555.	6.0	1
80	Financial incentives for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h134-h134.	6.0	154
81	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. Lancet Diabetes and Endocrinology,the, 2015, 3, 423-430.	11.4	67
82	Cost-Effectiveness of Nicotine Patches for Smoking Cessation in Pregnancy: A Placebo Randomized Controlled Trial (SNAP). Nicotine and Tobacco Research, 2015, 17, 636-642.	2.6	8
83	Maternal smoking and the risk of still birth: systematic review and meta-analysis. BMC Public Health, 2015, 15, 239.	2.9	154
84	Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. Trials, 2015, 16, 29.	1.6	17
85	Nicotine Replacement Therapy in Pregnancy and Major Congenital Anomalies in Offspring. Pediatrics, 2015, 135, 859-867.	2.1	40
86	Do cravings predict smoking cessation in smokers calling a national quit line: secondary analyses from a randomised trial for the utility of â€̃urges to smoke' measures. Substance Abuse Treatment, Prevention, and Policy, 2015, 10, 15.	2.2	30
87	Physical activity for smoking cessation in pregnancy: randomised controlled trial. BMJ, The, 2015, 350, h2145-h2145.	6.0	43
88	The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. Health Technology Assessment, 2015, 19, 1-136.	2.8	30
89	Evaluating Long-term Outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. Health Technology Assessment, 2015, 19, 1-156.	2.8	56
90	Predictors of Children's Secondhand Smoke Exposure at Home: A Systematic Review and Narrative Synthesis of the Evidence. PLoS ONE, 2014, 9, e112690.	2.5	115

#	Article	IF	CITATIONS
91	Does use of â€~non-trial' cessation support help explain the lack of effect from offering NRT to quitline callers in a RCT?: TableÂ1. Tobacco Control, 2014, 23, 524-525.	3.2	0
92	Longitudinal cohort survey of women's smoking behaviour and attitudes in pregnancy: study methods and baseline data. BMJ Open, 2014, 4, e004915.	1.9	23
93	Effect of nicotine patches in pregnancy on infant and maternal outcomes at 2 years: follow-up from the randomised, double-blind, placebo-controlled SNAP trial. Lancet Respiratory Medicine,the, 2014, 2, 728-737.	10.7	61
94	Comparison of Cotinine Levels in Pregnant Women While Smoking and When Using Nicotine Replacement Therapy. Nicotine and Tobacco Research, 2014, 16, 895-898.	2.6	14
95	Nicotine Dependence and Biochemical Exposure Measures in the Second Trimester of Pregnancy. Nicotine and Tobacco Research, 2014, 16, 145-154.	2.6	15
96	Factors Associated With Smoking Cessation in Early and Late Pregnancy in the Smoking, Nicotine, and Pregnancy Trial: A Trial of Nicotine Replacement Therapy. Nicotine and Tobacco Research, 2014, 16, 381-389.	2.6	26
97	Smoking cessation advice recorded during pregnancy in United Kingdom primary care. BMC Family Practice, 2014, 15, 21.	2.9	9
98	Nicotine patch preloading for smoking cessation (the preloading trial): study protocol for a randomized controlled trial. Trials, 2014, 15, 296.	1.6	14
99	Provision of smoking cessation support for pregnant women in England: results from an online survey of NHS stop smoking services for pregnant women. BMC Health Services Research, 2014, 14, 107.	2.2	32
100	Prescribing of nicotine replacement therapy in and around pregnancy: a population-based study using primary care data. British Journal of General Practice, 2014, 64, e554-e560.	1.4	31
101	The SNAP trial: a randomised placebo-controlled trial of nicotine replacement therapy in pregnancy – clinical effectiveness and safety until 2 years after delivery, with economic evaluation. Health Technology Assessment, 2014, 18, 1-128.	2.8	90
102	The role of nicotine replacement therapy for temporary abstinence in the home to protect children from environmental tobacco smoke exposure: a qualitative study with disadvantaged smokers. BMC Public Health, 2013, 13, 262.	2.9	8
103	Feasibility of offering nicotine replacement therapy as a relapse prevention treatment in routine smoking cessation services. BMC Health Services Research, 2013, 13, 38.	2.2	8
104	2-year infant and maternal outcomes investigating nicotine-replacement therapy for smoking cessation in pregnancy from the SNAP trial: a randomised controlled trial. Lancet, The, 2013, 382, S7.	13.7	2
105	In smokers who lapse during nicotine patch treatment, continued patch use increases the likelihood of recovering abstinence. Evidence-based Nursing, 2013, 16, 53-54.	0.2	1
106	Completeness of Maternal Smoking Status Recording during Pregnancy in United Kingdom Primary Care Data. PLoS ONE, 2013, 8, e72218.	2.5	16
107	Effect of offering different levels of support and free nicotine replacement therapy via an English national telephone quitline: randomised controlled trial. BMJ: British Medical Journal, 2012, 344, e1696-e1696.	2.3	46
108	A Randomized Trial of Nicotine-Replacement Therapy Patches in Pregnancy. New England Journal of Medicine, 2012, 366, 808-818.	27.0	177

#	Article	IF	CITATIONS
109	Can data from primary care medical records be used to monitor national smoking prevalence?. Journal of Epidemiology and Community Health, 2012, 66, 791-795.	3.7	43
110	The impact of the Quality and Outcomes Framework (QOF) on the recording of smoking targets in primary care medical records: cross-sectional analyses from The Health Improvement Network (THIN) database. BMC Public Health, 2012, 12, 329.	2.9	61
111	The Cessation in Pregnancy Incentives Trial (CPIT): study protocol for a randomized controlled trial. Trials, 2012, 13, 113.	1.6	19
112	Physical activity as an aid to smoking cessation during pregnancy (LEAP) trial: study protocol for a randomized controlled trial. Trials, 2012, 13, 186.	1.6	28
113	Prescribing of nicotine replacement therapy to cardiovascular disease patients in England. Addiction, 2012, 107, 1341-1348.	3.3	5
114	Implementation of routine biochemical validation and an â€~opt out' referral pathway for smoking cessation in pregnancy. Addiction, 2012, 107, 53-60.	3.3	36
115	Tobacco withdrawal symptoms and urges to smoke in pregnant versus non-pregnant smokers. Addictive Behaviors, 2012, 37, 1353-1357.	3.0	17
116	Pharmacological interventions for promoting smoking cessation during pregnancy. , 2012, , CD010078.		90
117	Efficacy and safety of nicotine replacement therapy for smoking cessation in pregnancy: systematic review and meta-analysis. Addiction, 2011, 106, 52-61.	3.3	84
118	Prescribing of smoking cessation medication in England since the introduction of varenicline. Addiction, 2011, 106, 1319-1324.	3.3	22
119	Cost effectiveness of interventions to reduce relapse to smoking following smoking cessation. Addiction, 2011, 106, 1819-1826.	3.3	25
120	The impact of the introduction of smokeâ€free legislation on prescribing of stopâ€smoking medications in England. Addiction, 2011, 106, 1827-1834.	3.3	14
121	RESPONSE TO KOTZ <i>ET AL</i> . (2011): ESTIMATING THE RATE OF USAGE OF VARENICLINE AND OTHER MEDICATION FOR SMOKING CESSATION. Addiction, 2011, 106, 1869-1869.	3.3	Ο
122	A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records. BMC Public Health, 2011, 11, 291.	2.9	22
123	The Motivators and Barriers to a Smoke-Free Home Among Disadvantaged Caregivers: Identifying the Positive Levers for Change. Nicotine and Tobacco Research, 2011, 13, 479-486.	2.6	50
124	Do financial incentives for delivering health promotion counselling work? Analysis of smoking cessation activities stimulated by the quality and outcomes framework. BMC Public Health, 2010, 10, 167.	2.9	35
125	Motivation, physical activity and smoking cessation. Patient Education and Counseling, 2010, 79, 141-142.	2.2	8
126	Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications. Pharmacoepidemiology and Drug Safety, 2010, 19, 586-590.	1.9	32

#	Article	IF	CITATIONS
127	A systematic review of the effectiveness of smoking relapse prevention interventions for abstinent smokers. Addiction, 2010, 105, 1362-1380.	3.3	131
128	Adding live, reactive telephone counselling to self-help literature does not increase smoking cessation. Evidence-Based Medicine, 2010, 15, 53-54.	0.6	2
129	†Do your best for me': The difficulties of finding a clinically effective endpoint in smoking cessation consultations in primary care. Health (United Kingdom), 2010, 14, 57-74.	1.5	16
130	Management of smokers motivated to quit: a qualitative study of smokers and GPs. Family Practice, 2010, 27, 404-409.	1.9	8
131	Protocol for the Proactive Or Reactive Telephone Smoking CeSsation Support (PORTSSS) trial. Trials, 2009, 10, 26.	1.6	9
132	Reducing harm from tobacco smoke exposure during pregnancy. Birth Defects Research Part C: Embryo Today Reviews, 2008, 84, 73-79.	3.6	26
133	Physical activity as an aid to smoking cessation during pregnancy: Two feasibility studies. BMC Public Health, 2008, 8, 328.	2.9	27
134	The potential to improve ascertainment and intervention to reduce smoking in Primary Care: a cross sectional survey. BMC Health Services Research, 2008, 8, 6.	2.2	23
135	Predicting default from smoking cessation treatment following enrolment. Health Education Journal, 2007, 66, 32-43.	1.2	8
136	Recommendations for the Use of Pharmacological Smoking Cessation Strategies in Pregnant Women. CNS Drugs, 2007, 21, 983-993.	5.9	38
137	Impact of contractual financial incentives on the ascertainment and management of smoking in primary care. Addiction, 2007, 102, 803-808.	3.3	48
138	Prevalence of maternal smoking and environmental tobacco smoke exposure during pregnancy and impact on birth weight: retrospective study using Millennium Cohort. BMC Public Health, 2007, 7, 81.	2.9	191
139	Distributing questionnaires about smoking to patients: impact on general practitioners' recording of smoking advice. BMC Health Services Research, 2007, 7, 153.	2.2	7
140	Protocol for the Smoking, Nicotine and Pregnancy (SNAP) trial: double-blind, placebo-randomised, controlled trial of nicotine replacement therapy in pregnancy. BMC Health Services Research, 2007, 7, 2.	2.2	40
141	Characteristics and prevalence of hardcore smokers attending UK general practitioners. BMC Family Practice, 2006, 7, 24.	2.9	28
142	Death, depression and â€~defensive expansion': Closing down smoking as an issue for discussion in GP consultations. Social Science and Medicine, 2006, 62, 2500-2512.	3.8	17
143	Going smoke-free: the medical case for clean air in the home, at work and in public places. Clinical Medicine, 2005, 5, 548-550.	1.9	30
144	Implementing a national treatment service for dependant smokers: initial challenges and solutions. Addiction, 2005, 100, 12-18.	3.3	38

#	Article	IF	CITATIONS
145	Delivering the English smoking treatment services. Addiction, 2005, 100, 19-27.	3.3	57
146	Targeting smokers in priority groups: the influence of government targets and policy statements. Addiction, 2005, 100, 28-35.	3.3	28
147	Lessons from the English smoking treatment services. Addiction, 2005, 100, 84-91.	3.3	29
148	The cost-effectiveness of the English smoking treatment services: evidence from practice. Addiction, 2005, 100, 70-83.	3.3	132
149	U.K. general practitioners' beliefs, attitudes, and reported prescribing of nicotine replacement therapy in pregnancy. Nicotine and Tobacco Research, 2005, 7, 541-546.	2.6	29
150	Use of simple advice and behavioural support. BMJ: British Medical Journal, 2004, 328, 397-399.	2.3	61
151	Special groups of smokers. BMJ: British Medical Journal, 2004, 328, 575-577.	2.3	29
152	Cessation interventions in routine health care. BMJ: British Medical Journal, 2004, 328, 631-633.	2.3	21
153	Recruiting pregnant smokers for a placebo-randomised controlled trial of nicotine replacement therapy. BMC Health Services Research, 2004, 4, 29.	2.2	17
154	Qualitative study investigating the process of giving anti-smoking advice in general practice. Patient Education and Counseling, 2004, 52, 159-163.	2.2	34
155	Nicotine replacement therapy in pregnancy. BMJ: British Medical Journal, 2004, 328, 965-966.	2.3	41
156	"l'll give up smoking when you get me better― patients' resistance to attempts to problematise smo in general practice (GP) consultations. Social Science and Medicine, 2003, 57, 135-145.	king 3.8	72
157	National survey of the new smoking cessation services in England. Health Education Journal, 2003, 62, 246-255.	1.2	11
158	Discussion of NRT and other antismoking interventions in UK general practitioners' routine consultations. Nicotine and Tobacco Research, 2003, 5, 163-168.	2.6	18
159	Comparison of the smoking behaviour and attitudes of smokers who believe they have smoking-related problems with those who do not. Family Practice, 2003, 20, 520-523.	1.9	12
160	A new method for describing smokers' consulting behaviours which indicate their motivation to stop smoking: an exploration of validity and reliability. Family Practice, 2002, 19, 154-160.	1.9	7
161	Comparison of the smoking behaviour and attitudes of smokers who attribute respiratory symptoms to smoking with those who do not. British Journal of General Practice, 2002, 52, 132-4.	1.4	22
162	Factors associated with the provision of anti-smoking advice in general practice consultations. British Journal of General Practice, 2002, 52, 997-9.	1.4	10

#	Article	IF	CITATIONS
163	Intervention study to evaluate pilot health promotion payment aimed at increasing general practitioners' antismoking advice to smokers. BMJ: British Medical Journal, 2001, 323, 435-436.	2.3	29
164	Qualitative study of pilot payment aimed at increasing general practitioners' antismoking advice to smokers. BMJ: British Medical Journal, 2001, 323, 432-432.	2.3	24
165	Using content analysis of video-recorded consultations to identify smokers' "readiness―and "resistance―towards stopping smoking. Patient Education and Counseling, 2000, 41, 305-311.	2.2	16
166	Sampling for qualitative research using quantitative methods. 2. Characteristics of GPs who agree to videotaping of consultations. Family Practice, 1996, 13, 531-535.	1.9	23
167	Sampling for qualitative research using quantitative methods. 1. Measuring GPs' attitudes towards discussing smoking with patients. Family Practice, 1996, 13, 526-530.	1.9	15
168	Investigating the costâ€effectiveness of three cessation interventions on a national scale using the Economics of Smoking in Pregnancy (ESIP) decision analytical model. Addiction, 0, , .	3.3	1