

Suguru Noda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5891726/publications.pdf>

Version: 2024-02-01

165
papers

6,862
citations

76326

40
h-index

74163

75
g-index

166
all docs

166
docs citations

166
times ranked

7119
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Fast and stable hydrogen storage in the porous composite of MgH ₂ with Nb ₂ O ₅ catalyst and carbon nanotube. <i>Journal of Alloys and Compounds</i> , 2022, 893, 162206. | 5.5 | 32 |
| 2 | Systematic investigation of anode catalysts for liquid ammonia electrolysis. <i>Journal of Catalysis</i> , 2022, 406, 222-230. | 6.2 | 5 |
| 3 | Worrisome Exaggeration of Activity of Electrocatalysts Destined for Steady-State Water Electrolysis by Polarization Curves from Transient Techniques. <i>Journal of the Electrochemical Society</i> , 2022, 169, 014508. | 2.9 | 35 |
| 4 | <i>iR</i> drop correction in electrocatalysis: everything one needs to know!. <i>Journal of Materials Chemistry A</i> , 2022, 10, 9348-9354. | 10.3 | 46 |
| 5 | Layered 2D PtX ₂ (X = S, Se, Te) for the electrocatalytic HER in comparison with Mo/WX ₂ and Pt/C: are we missing the bigger picture?. <i>Energy and Environmental Science</i> , 2022, 15, 1461-1478. | 30.8 | 37 |
| 6 | Efficient Methanol Electrooxidation Catalyzed by Potentiostatically Grown Cu ⁺ /OH(Ni) Nanowires: Role of Inherent Ni Impurity. <i>ACS Applied Energy Materials</i> , 2022, 5, 419-429. | 5.1 | 10 |
| 7 | Dos and donâ€™ts in screening water splitting electrocatalysts. <i>Energy Advances</i> , 2022, 1, 511-523. | 3.3 | 23 |
| 8 | Layered 2D transition metal (W, Mo, and Pt) chalcogenides for hydrogen evolution reaction. , 2022, , 495-525. | | 2 |
| 9 | (Invited) Production and Functionalization of Carbon Nanotubes for Electrochemical Energy Storage Devices. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 768-768. | 0.0 | 0 |
| 10 | â€œThe Fe Effectâ€ A review unveiling the critical roles of Fe in enhancing OER activity of Ni and Co based catalysts. <i>Nano Energy</i> , 2021, 80, 105514. | 16.0 | 437 |
| 11 | Surface amorphized nickel hydroxy sulphide for efficient hydrogen evolution reaction in alkaline medium. <i>Chemical Engineering Journal</i> , 2021, 408, 127275. | 12.7 | 64 |
| 12 | A review on recent developments in electrochemical hydrogen peroxide synthesis with a critical assessment of perspectives and strategies. <i>Advances in Colloid and Interface Science</i> , 2021, 287, 102331. | 14.7 | 53 |
| 13 | Performance enhancement of carbon nanotube/silicon solar cell by solution processable MoO ₃ . <i>Applied Surface Science</i> , 2021, 542, 148682. | 6.1 | 11 |
| 14 | Ultra-long carbon nanotube forest via in situ supplements of iron and aluminum vapor sources. <i>Carbon</i> , 2021, 172, 772-780. | 10.3 | 36 |
| 15 | Pushing the Limits of Rapid Anodic Growth of CuO/Cu(OH) ₂ Nanoneedles on Cu for the Methanol Oxidation Reaction: Anodization pH Is the Game Changer. <i>ACS Applied Energy Materials</i> , 2021, 4, 899-912. | 5.1 | 26 |
| 16 | Strategies and Perspectives to Catch the Missing Pieces in Energyâ€Efficient Hydrogen Evolution Reaction in Alkaline Media. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 18981-19006. | 13.8 | 239 |
| 17 | Strategies and Perspectives to Catch the Missing Pieces in Energyâ€Efficient Hydrogen Evolution Reaction in Alkaline Media. <i>Angewandte Chemie</i> , 2021, 133, 19129-19154. | 2.0 | 13 |
| 18 | Twoâ€Dimensional Polydopamine Positive Electrodes for Highâ€Capacity Alkali Metalâ€Ion Storage. <i>ChemElectroChem</i> , 2021, 8, 1070-1077. | 3.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | High-performance solution-based silicon heterojunction solar cells using carbon nanotube with polymeric acid doping. Carbon, 2021, 175, 519-524. | 10.3 | 7 |
| 20 | Thermal properties of single-walled carbon nanotube forests with various volume fractions. International Journal of Heat and Mass Transfer, 2021, 171, 121076. | 4.8 | 6 |
| 21 | The Significance of Properly Reporting Turnover Frequency in Electrocatalysis Research. Angewandte Chemie, 2021, 133, 23235. | 2.0 | 1 |
| 22 | Fluidized-bed production of 0.3Åmm-long single-wall carbon nanotubes at 28% carbon yield with 0.1 mass% catalyst impurities using ethylene and carbon dioxide. Carbon, 2021, 182, 23-31. | 10.3 | 8 |
| 23 | The Significance of Properly Reporting Turnover Frequency in Electrocatalysis Research. Angewandte Chemie - International Edition, 2021, 60, 23051-23067. | 13.8 | 180 |
| 24 | High-energy-density Liâ€S battery with positive electrode of lithium polysulfides held by carbon nanotube sponge. Carbon, 2021, 182, 32-41. | 10.3 | 17 |
| 25 | Controllable pore structures of pure and sub-millimeter-long carbon nanotubes. Applied Surface Science, 2021, 566, 150751. | 6.1 | 9 |
| 26 | Carbon nanotube/silicon heterojunction solar cell with an active area of 4Åcm ² realized using a multifunctional molybdenum oxide layer. Carbon, 2021, 185, 215-223. | 10.3 | 7 |
| 27 | Enhanced CO ₂ -assisted growth of single-wall carbon nanotube arrays using Fe/AlO catalyst annealed without CO ₂ . Carbon, 2021, 185, 264-271. | 10.3 | 7 |
| 28 | Outstanding Lowâ€Temperature Performance of Structureâ€Controlled Graphene Anode Based on Surfaceâ€Controlled Charge Storage Mechanism. Advanced Functional Materials, 2021, 31, 2009397. | 14.9 | 34 |
| 29 | Why shouldnâ€™t double-layer capacitance (C _{dl}) be always trusted to justify Faradaic electrocatalytic activity differences?. Journal of Electroanalytical Chemistry, 2021, 903, 115842. | 3.8 | 42 |
| 30 | Amorphous Catalysts and Electrochemical Water Splitting: An Untold Story of Harmony. Small, 2020, 16, e1905779. | 10.0 | 424 |
| 31 | Boosting the oxygen evolution activity of copper foam containing trace Ni by intentionally supplementing Fe and forming nanowires in anodization. Electrochimica Acta, 2020, 364, 137170. | 5.2 | 16 |
| 32 | Chemical Leaching of Inactive Cr and Subsequent Electrochemical Resurfacing of Catalytically Active Sites in Stainless Steel for High-Rate Alkaline Hydrogen Evolution Reaction. ACS Applied Energy Materials, 2020, 3, 12596-12606. | 5.1 | 21 |
| 33 | All-Soft Supercapacitors Based on Liquid Metal Electrodes with Integrated Functionalized Carbon Nanotubes. ACS Nano, 2020, 14, 5659-5667. | 14.6 | 57 |
| 34 | Appropriate Use of Electrochemical Impedance Spectroscopy in Water Splitting Electrocatalysis. ChemElectroChem, 2020, 7, 2297-2308. | 3.4 | 154 |
| 35 | Ultrafast Growth of a Cu(OH) ₂ â€CuO Nanoneedle Array on Cu Foil for Methanol Oxidation Electrocatalysis. ACS Applied Materials & Interfaces, 2020, 12, 27327-27338. | 8.0 | 95 |
| 36 | Nanotubes make battery lighter and safer. Carbon, 2020, 167, 596-600. | 10.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Facile catalyst deposition using mists for fluidized-bed production of sub-millimeter-long carbon nanotubes. Carbon, 2020, 167, 256-263. | 10.3 | 12 |
| 38 | Electrolysis of ammonia in aqueous solution by platinum nanoparticles supported on carbon nanotube film electrode. Electrochimica Acta, 2020, 341, 136027. | 5.2 | 25 |
| 39 | Life Cycle Greenhouse Gas Emissions of Long and Pure Carbon Nanotubes Synthesized via On-Substrate and Fluidized-Bed Chemical Vapor Deposition. ACS Sustainable Chemistry and Engineering, 2020, 8, 1730-1740. | 6.7 | 24 |
| 40 | High-energy density Li Si-S full cell based on 3D current collector of few-wall carbon nanotube sponge. Carbon, 2020, 161, 612-621. | 10.3 | 9 |
| 41 | Dispersing and doping carbon nanotubes by poly(p-styrene-sulfonic acid) for high-performance and stable transparent conductive films. Carbon, 2020, 164, 150-156. | 10.3 | 18 |
| 42 | Achieving Increased Electrochemical Accessibility and Lowered Oxygen Evolution Reaction Activation Energy for Co ²⁺ Sites with a Simple Anion Preoxidation. Journal of Physical Chemistry C, 2020, 124, 9673-9684. | 3.1 | 33 |
| 43 | Enhanced Lithium Storage of an Organic Cathode via the Bipolar Mechanism. ACS Applied Energy Materials, 2020, 3, 3728-3735. | 5.1 | 18 |
| 44 | Nickel selenides as pre-catalysts for electrochemical oxygen evolution reaction: A review. International Journal of Hydrogen Energy, 2020, 45, 15763-15784. | 7.1 | 116 |
| 45 | Progress in nickel chalcogenide electrocatalyzed hydrogen evolution reaction. Journal of Materials Chemistry A, 2020, 8, 4174-4192. | 10.3 | 189 |
| 46 | Enhancing the photovoltaic performance of hybrid heterojunction solar cells by passivation of silicon surface via a simple 1-min annealing process. Scientific Reports, 2019, 9, 12051. | 3.3 | 19 |
| 47 | Stability of Chemically Doped Nanotube-Silicon Heterojunction Solar Cells: Role of Oxides at the Carbon-Silicon Interface. ACS Applied Energy Materials, 2019, 2, 5925-5932. | 5.1 | 12 |
| 48 | Effective Heat Transfer Pathways of Thermally Conductive Networks Formed by One-Dimensional Carbon Materials with Different Sizes. Polymers, 2019, 11, 1661. | 4.5 | 11 |
| 49 | Gd-Enhanced Growth of Multi-Millimeter-Tall Forests of Single-Wall Carbon Nanotubes. ACS Nano, 2019, 13, 13208-13216. | 14.6 | 15 |
| 50 | Volumetric Discharge Capacity 1 A h cm ⁻³ Realized by Sulfur in Carbon Nanotube Sponge Cathodes. Journal of Physical Chemistry C, 2019, 123, 3951-3958. | 3.1 | 13 |
| 51 | 1.5 Minute-synthesis of continuous graphene films by chemical vapor deposition on Cu foils rolled in three dimensions. Chemical Engineering Science, 2019, 201, 319-324. | 3.8 | 10 |
| 52 | A Semitransparent Nitride Photoanode Responsive up to $\lambda = 600$ nm Based on a Carbon Nanotube Thin Film Electrode. ChemPhotoChem, 2019, 3, 521-524. | 3.0 | 13 |
| 53 | Direct formation of continuous multilayer graphene films with controllable thickness on dielectric substrates. Thin Solid Films, 2019, 675, 136-142. | 1.8 | 5 |
| 54 | Critical effect of nanometer-size surface roughness of a porous Si seed layer on the defect density of epitaxial Si films for solar cells by rapid vapor deposition. CrystEngComm, 2018, 20, 1774-1778. | 2.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Millimeter-tall carbon nanotube arrays grown on aluminum substrates. <i>Carbon</i> , 2018, 130, 834-842. | 10.3 | 32 |
| 56 | Improved capacity of redox-active functional carbon cathodes by dimension reduction for hybrid supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3367-3375. | 10.3 | 28 |
| 57 | Carbon Nanotube Web with Carboxylated Polythiophene –Assist–for High-Performance Battery Electrodes. <i>ACS Nano</i> , 2018, 12, 3126-3139. | 14.6 | 51 |
| 58 | Self-supporting S@GO–FWCNTs composite films as positive electrodes for high-performance lithium–sulfur batteries. <i>RSC Advances</i> , 2018, 8, 2260-2266. | 3.6 | 11 |
| 59 | Carbon Nanotubes and Related Nanomaterials: Critical Advances and Challenges for Synthesis toward Mainstream Commercial Applications. <i>ACS Nano</i> , 2018, 12, 11756-11784. | 14.6 | 388 |
| 60 | Resettable Heterogeneous Catalyst: (Re)Generation and (Re)Adsorption of Ni Nanoparticles for Repeated Synthesis of Carbon Nanotubes on Ni–Al–O Thin Films. <i>ACS Applied Nano Materials</i> , 2018, 1, 5483-5492. | 5.0 | 3 |
| 61 | CO ₂ -assisted growth of millimeter-tall single-wall carbon nanotube arrays and its advantage against H ₂ O for large-scale and uniform synthesis. <i>Carbon</i> , 2018, 136, 143-149. | 10.3 | 32 |
| 62 | Flame-assisted chemical vapor deposition for continuous gas-phase synthesis of 1-nm-diameter single-wall carbon nanotubes. <i>Carbon</i> , 2018, 138, 1-7. | 10.3 | 23 |
| 63 | An interdigitated electrode with dense carbon nanotube forests on conductive supports for electrochemical biosensors. <i>Analyst, The</i> , 2018, 143, 3635-3642. | 3.5 | 12 |
| 64 | Self-Supporting Hybrid Supercapacitor Electrodes Based on Carbon Nanotube and Activated Carbons. <i>Eurasian Chemico-Technological Journal</i> , 2018, 20, 169. | 0.6 | 3 |
| 65 | Highly air- and moisture-stable hole-doped carbon nanotube films achieved using boron-based oxidant. <i>Applied Physics Express</i> , 2017, 10, 035101. | 2.4 | 13 |
| 66 | Nano-Scale Smoothing of Double Layer Porous Si Substrates for Detaching and Fabricating Low Cost, High Efficiency Monocrystalline Thin Film Si Solar Cell by Zone Heating Recrystallization. <i>ECS Transactions</i> , 2017, 75, 11-23. | 0.5 | 2 |
| 67 | Catalyst nucleation and carbon nanotube growth from flame-synthesized Co-Al-O nanopowders at ten-second time scale. <i>Carbon</i> , 2017, 114, 31-38. | 10.3 | 7 |
| 68 | A-few-second synthesis of silicon nanoparticles by gas-evaporation and their self-supporting electrodes based on carbon nanotube matrix for lithium secondary battery anodes. <i>Journal of Power Sources</i> , 2017, 363, 450-459. | 7.8 | 21 |
| 69 | Ten-Second Epitaxy of Cu on Repeatedly Used Sapphire for Practical Production of High-Quality Graphene. <i>ACS Omega</i> , 2017, 2, 3354-3362. | 3.5 | 2 |
| 70 | Self-polymerized dopamine as an organic cathode for Li- and Na-ion batteries. <i>Energy and Environmental Science</i> , 2017, 10, 205-215. | 30.8 | 253 |
| 71 | Lithium ion batteries made of electrodes with 99Åwt% active materials and 1Åwt% carbon nanotubes without binder or metal foils. <i>Journal of Power Sources</i> , 2016, 321, 155-162. | 7.8 | 33 |
| 72 | 50–100 Åm-thick pseudocapacitive electrodes of MnO ₂ nanoparticles uniformly electrodeposited in carbon nanotube papers. <i>RSC Advances</i> , 2016, 6, 41496-41505. | 3.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Rapid vapour deposition and in situ melt crystallization for 1 min fabrication of 10 μm -thick crystalline silicon films with a lateral grain size of over 100 μm . <i>CrystEngComm</i> , 2016, 18, 3404-3410. | 2.6 | 6 |
| 74 | Carbon nanotube-silicon heterojunction solar cells with surface-textured Si and solution-processed carbon nanotube films. <i>RSC Advances</i> , 2016, 6, 93575-93581. | 3.6 | 22 |
| 75 | Hierarchical networks of redox-active reduced crumpled graphene oxide and functionalized few-walled carbon nanotubes for rapid electrochemical energy storage. <i>Nanoscale</i> , 2016, 8, 12330-12338. | 5.6 | 31 |
| 76 | Biomass-derived carbonaceous positive electrodes for sustainable lithium-ion storage. <i>Nanoscale</i> , 2016, 8, 3671-3677. | 5.6 | 38 |
| 77 | A Color-Tunable Polychromatic Organic-Light-Emitting-Diode Device With Low Resistive Intermediate Electrode for Roll-to-Roll Manufacturing. <i>IEEE Transactions on Electron Devices</i> , 2016, 63, 402-407. | 3.0 | 12 |
| 78 | Important factors for effective use of carbon nanotube matrices in electrochemical capacitor hybrid electrodes without binding additives. <i>RSC Advances</i> , 2015, 5, 16101-16111. | 3.6 | 12 |
| 79 | Overcoming the quality-quantity tradeoff in dispersion and printing of carbon nanotubes by a repetitive dispersion-extraction process. <i>Carbon</i> , 2015, 91, 20-29. | 10.3 | 25 |
| 80 | One-minute deposition of micrometre-thick porous Si-Cu anodes with compositional gradients on Cu current collectors for lithium secondary batteries. <i>Journal of Power Sources</i> , 2015, 286, 540-550. | 7.8 | 11 |
| 81 | Electrochemical polymerization of pyrene derivatives on functionalized carbon nanotubes for pseudocapacitive electrodes. <i>Nature Communications</i> , 2015, 6, 7040. | 12.8 | 159 |
| 82 | Denser and taller carbon nanotube arrays on Cu foils useable as thermal interface materials. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 095102. | 1.5 | 20 |
| 83 | One-minute deposition of micrometre-thick porous Si anodes for lithium ion batteries. <i>RSC Advances</i> , 2015, 5, 2938-2946. | 3.6 | 7 |
| 84 | Direct synthesis of few- and multi-layer graphene films on dielectric substrates by etching-precipitation method. <i>Carbon</i> , 2015, 82, 254-263. | 10.3 | 31 |
| 85 | Simple and engineered process yielding carbon nanotube arrays with 1.2 \AA^{-2} wall density on conductive underlayer at 400 $^{\circ}\text{C}$. <i>Carbon</i> , 2015, 81, 773-781. | 10.3 | 27 |
| 86 | Carbon nanotube 3D current collectors for lightweight, high performance and low cost supercapacitor electrodes. <i>RSC Advances</i> , 2014, 4, 8230. | 3.6 | 38 |
| 87 | One-Step Sub-10 μm Patterning of Carbon-Nanotube Thin Films for Transparent Conductor Applications. <i>ACS Nano</i> , 2014, 8, 3285-3293. | 14.6 | 76 |
| 88 | Over 99.6 wt%-pure, sub-millimeter-long carbon nanotubes realized by fluidized-bed with careful control of the catalyst and carbon feeds. <i>Carbon</i> , 2014, 80, 339-350. | 10.3 | 42 |
| 89 | Methane-Assisted Chemical Vapor Deposition Yielding Millimeter-Tall Single-Wall Carbon Nanotubes of Smaller Diameter. <i>ACS Nano</i> , 2013, 7, 6719-6728. | 14.6 | 26 |
| 90 | The effect of atmospheric tarnishing on the optical and structural properties of silver nanoparticles. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 145308. | 2.8 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Self-standing positive electrodes of oxidized few-walled carbon nanotubes for light-weight and high-power lithium batteries. <i>Energy and Environmental Science</i> , 2012, 5, 5437-5444. | 30.8 | 130 |
| 92 | Composite of TiN Nanoparticles and Few-Walled Carbon Nanotubes and Its Application to the Electrocatalytic Oxygen Reduction Reaction. <i>Chemistry - an Asian Journal</i> , 2012, 7, 286-289. | 3.3 | 32 |
| 93 | Fluidized-bed synthesis of sub-millimeter-long single walled carbon nanotube arrays. <i>Carbon</i> , 2012, 50, 1538-1545. | 10.3 | 38 |
| 94 | One second growth of carbon nanotube arrays on a glass substrate by pulsed-current heating. <i>Carbon</i> , 2012, 50, 2110-2118. | 10.3 | 7 |
| 95 | Cold-gas chemical vapor deposition to identify the key precursor for rapidly growing vertically-aligned single-wall and few-wall carbon nanotubes from pyrolyzed ethanol. <i>Carbon</i> , 2012, 50, 2953-2960. | 10.3 | 31 |
| 96 | Zeolite Surface As a Catalyst Support Material for Synthesis of Single-Walled Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24231-24237. | 3.1 | 19 |
| 97 | Millimeter-Tall Single-Walled Carbon Nanotubes Rapidly Grown with and without Water. <i>ACS Nano</i> , 2011, 5, 975-984. | 14.6 | 118 |
| 98 | Sub-millimeter-long carbon nanotubes repeatedly grown on and separated from ceramic beads in a single fluidized bed reactor. <i>Carbon</i> , 2011, 49, 1972-1979. | 10.3 | 67 |
| 99 | A simple and fast method to disperse long single-walled carbon nanotubes introducing few defects. <i>Carbon</i> , 2011, 49, 3179-3183. | 10.3 | 19 |
| 100 | Moderating carbon supply and suppressing Ostwald ripening of catalyst particles to produce 4.5-mm-tall single-walled carbon nanotube forests. <i>Carbon</i> , 2011, 49, 4497-4504. | 10.3 | 64 |
| 101 | Tailoring the Morphology of Carbon Nanotube Assemblies Using Microgradients in the Catalyst Thickness. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 095101. | 1.5 | 0 |
| 102 | Nanostructure and magnetic properties of c-axis oriented L10-FePt nanoparticles and nanocrystalline films on polycrystalline TiN underlayers. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2011, 29, . | 1.2 | 8 |
| 103 | Tailoring the Morphology of Carbon Nanotube Assemblies Using Microgradients in the Catalyst Thickness. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 095101. | 1.5 | 0 |
| 104 | Two routes to polycrystalline CoSi ₂ thin films by co-sputtering Co and Si. <i>Applied Surface Science</i> , 2010, 256, 7118-7124. | 6.1 | 2 |
| 105 | Millimeter-tall single-walled carbon nanotube forests grown from ethanol. <i>Carbon</i> , 2010, 48, 2203-2211. | 10.3 | 53 |
| 106 | A Simple Combinatorial Method Aiding Research on Single-Walled Carbon Nanotube Growth on Substrates. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 02BA02. | 1.5 | 23 |
| 107 | Real-Time Monitoring of Millimeter-Tall Vertically Aligned Single-Walled Carbon Nanotube Growth on Combinatorial Catalyst Library. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 085104. | 1.5 | 29 |
| 108 | Combinatorial Evaluation for Field Emission Properties of Carbon Nanotubes Part II: High Growth Rate System. <i>Journal of Physical Chemistry C</i> , 2010, 114, 12938-12947. | 3.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Diameter Increase in Millimeter-Tall Vertically Aligned Single-Walled Carbon Nanotubes during Growth. <i>Applied Physics Express</i> , 2010, 3, 045103. | 2.4 | 35 |
| 110 | Thickness-gradient dependent Raman enhancement in silver island films. <i>Applied Physics Letters</i> , 2009, 94, 053106. | 3.3 | 17 |
| 111 | Efficient field emission from triode-type 1D arrays of carbon nanotubes. <i>Nanotechnology</i> , 2009, 20, 475707. | 2.6 | 7 |
| 112 | Multiple "optimum" conditions for Co-Mo catalyzed growth of vertically aligned single-walled carbon nanotube forests. <i>Carbon</i> , 2009, 47, 234-241. | 10.3 | 96 |
| 113 | Combinatorial Surface-Enhanced Raman Spectroscopy and Spectroscopic Ellipsometry of Silver Island Films. <i>Journal of Physical Chemistry C</i> , 2009, 113, 4820-4828. | 3.1 | 42 |
| 114 | Two-Dimensional Combinatorial Investigation of Raman and Fluorescence Enhancement in Silver and Gold Sandwich Substrates. <i>Journal of Physical Chemistry C</i> , 2009, 113, 9588-9594. | 3.1 | 5 |
| 115 | 12.3: Second Implementation of CNT Emitter Arrays on Glasses for BLUs. <i>Digest of Technical Papers SID International Symposium</i> , 2009, 40, 139-141. | 0.3 | 1 |
| 116 | Individuals, grasses, and forests of single- and multi-walled carbon nanotubes grown by supported Co catalysts of different nominal thicknesses. <i>Applied Surface Science</i> , 2008, 254, 6710-6714. | 6.1 | 24 |
| 117 | Growth Valley Dividing Single- and Multi-Walled Carbon Nanotubes: Combinatorial Study of Nominal Thickness of Co Catalyst. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 1961-1965. | 1.5 | 28 |
| 118 | Growth mechanism of epitaxial CoSi ₂ on Si and reactive deposition epitaxy of double heteroepitaxial Si/CoSi ₂ /Si. <i>Thin Solid Films</i> , 2008, 516, 3989-3995. | 1.8 | 9 |
| 119 | Combinatorial Evaluation for Field Emission Properties of Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2008, 112, 17974-17982. | 3.1 | 11 |
| 120 | CHEMICAL ENGINEERING FOR TECHNOLOGY INNOVATION. <i>Chemical Engineering Communications</i> , 2008, 196, 267-276. | 2.6 | 2 |
| 121 | Field Emission Properties of Single-Walled Carbon Nanotubes with a Variety of Emitter Morphologies. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 4780-4787. | 1.5 | 18 |
| 122 | Self-organized metallic nanoparticle and nanowire arrays from ion-sputtered silicon templates. <i>Applied Physics Letters</i> , 2008, 93, . | 3.3 | 61 |
| 123 | Growth Window and Possible Mechanism of Millimeter-Thick Single-Walled Carbon Nanotube Forests. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 6123-6128. | 0.9 | 40 |
| 124 | Structure and magnetic property of c-axis oriented L1 [sub 0]-FePt nanoparticles on TiN/a-Si underlayers. <i>Journal of Vacuum Science & Technology B</i> , 2007, 25, 1892. | 1.3 | 6 |
| 125 | Spontaneous formation of Si nanocones vertically aligned to Si wafers. <i>Journal of Vacuum Science & Technology B</i> , 2007, 25, 808. | 1.3 | 2 |
| 126 | Millimeter-Thick Single-Walled Carbon Nanotube Forests: Hidden Role of Catalyst Support. <i>Japanese Journal of Applied Physics</i> , 2007, 46, L399-L401. | 1.5 | 194 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Spectroscopic Study of Laser-Induced Phase Transition of Gold Nanoparticles on Nanosecond Time Scales and Longer. <i>Journal of Physical Chemistry B</i> , 2006, 110, 3114-3119. | 2.6 | 68 |
| 128 | Novel Analytical Method of Nanoparticle Dispersibility in Polymer Nanocomposites; TEM-CT and 3D Topological Analysis. <i>Journal of the Ceramic Society of Japan</i> , 2006, 114, 638-642. | 1.3 | 0 |
| 129 | A simple combinatorial method to discover Co-Mo binary catalysts that grow vertically aligned single-walled carbon nanotubes. <i>Carbon</i> , 2006, 44, 1414-1419. | 10.3 | 86 |
| 130 | Supported Ni catalysts from nominal monolayer grow single-walled carbon nanotubes. <i>Chemical Physics Letters</i> , 2006, 428, 381-385. | 2.6 | 21 |
| 131 | Filling the gap between researchers studying different materials and different methods: a proposal for structured keywords. <i>Journal of Information Science</i> , 2006, 32, 511-524. | 3.3 | 28 |
| 132 | Nanostructural Evolution in Non-epitaxial Growth of Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2006, 961, 1. | 0.1 | 0 |
| 133 | Growth mode during initial stage of chemical vapor deposition. <i>Applied Surface Science</i> , 2005, 245, 281-289. | 6.1 | 46 |
| 134 | c-Axis Oriented Face-Centered-Tetragonal-FePt Nanoparticle Monolayer Formed on a Polycrystalline TiN Seed Layer. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 7957-7961. | 1.5 | 4 |
| 135 | Combinatorial method to prepare metal nanoparticles that catalyze the growth of single-walled carbon nanotubes. <i>Applied Physics Letters</i> , 2005, 86, 173106. | 3.3 | 49 |
| 136 | Stranski-Krastanov Growth of Tungsten during Chemical Vapor Deposition Revealed by Micro-Auger Electron Spectroscopy. <i>Japanese Journal of Applied Physics</i> , 2004, 43, 6974-6977. | 1.5 | 6 |
| 137 | Nucleation of W during Chemical Vapor Deposition from WF ₆ and SiH ₄ . <i>Japanese Journal of Applied Physics</i> , 2004, 43, 3945-3950. | 1.5 | 18 |
| 138 | Selective Silicidation of Co Using Silane or Disilane for Anti-Oxidation Barrier Layer in Cu Metallization. <i>Japanese Journal of Applied Physics</i> , 2004, 43, 6001-6007. | 1.5 | 3 |
| 139 | Reaction of Si with HCl to Form Chlorosilanes. <i>Journal of the Electrochemical Society</i> , 2004, 151, C399. | 2.9 | 14 |
| 140 | Structuring knowledge on nanomaterials processing. <i>Chemical Engineering Science</i> , 2004, 59, 5085-5090. | 3.8 | 8 |
| 141 | Wettability and crystalline orientation of Cu nanoislands on SiO ₂ with a Cr underlayer. <i>Applied Physics A: Materials Science and Processing</i> , 2004, 79, 625-628. | 2.3 | 9 |
| 142 | Incubation Time during Chemical Vapor Deposition of Si onto SiO ₂ from Silane. <i>Chemical Vapor Deposition</i> , 2004, 10, 128-133. | 1.3 | 21 |
| 143 | A Simple Index to Restrain Abnormal Protrusions in Films Fabricated Using CVD under Diffusion-Limited Conditions. <i>Chemical Vapor Deposition</i> , 2004, 10, 221-228. | 1.3 | 9 |
| 144 | Use of process indices for simplification of the description of vapor deposition systems. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004, 111, 156-163. | 3.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Combinatorial masked deposition: simple method to control deposition flux and its spatial distribution. <i>Applied Surface Science</i> , 2004, 225, 372-379. | 6.1 | 21 |
| 146 | Preferred orientation and film structure of TaN films deposited by reactive magnetron sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2004, 22, 332-338. | 2.1 | 16 |
| 147 | Comprehensive perspective on the mechanism of preferred orientation in reactive-sputter-deposited nitrides. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1943-1954. | 2.1 | 101 |
| 148 | Structural and morphological control of nanosized Cu islands on SiO ₂ using a Ti underlayer. <i>Journal of Applied Physics</i> , 2003, 94, 3492-3497. | 2.5 | 20 |
| 149 | Mechanisms Controlling Preferred Orientation of Chemical Vapour Deposited Polycrystalline Films. <i>Solid State Phenomena</i> , 2003, 93, 411-418. | 0.3 | 7 |
| 150 | Initial growth stage of nanoscaled TiN films: Formation of continuous amorphous layers and thickness-dependent crystal nucleation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1717-1723. | 2.1 | 36 |
| 151 | Amorphous-to-crystalline transition during the early stages of thin film growth of Cr on SiO ₂ . <i>Journal of Applied Physics</i> , 2003, 93, 9336-9344. | 2.5 | 24 |
| 152 | Effects of substrate heating and biasing on nanostructural evolution of nonepitaxially grown TiN nanofilms. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2003, 21, 2512. | 1.6 | 16 |
| 153 | Initial growth and texture formation during reactive magnetron sputtering of TiN on Si(111). <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2002, 20, 583-588. | 2.1 | 80 |
| 154 | Effect of interfacial interactions on the initial growth of Cu on clean SiO ₂ and 3-mercaptopropyltrimethoxysilane-modified SiO ₂ substrates. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2002, 20, 589-596. | 2.1 | 43 |
| 155 | Growth of Trumpet-Like Protrusions During the CVD of Silicon Carbide Films. <i>Chemical Vapor Deposition</i> , 2002, 8, 52-55. | 1.3 | 5 |
| 156 | Cone Structure Formation by Preferred Growth of Random Nuclei in Chemical Vapor Deposited Epitaxial Silicon Films. <i>Chemical Vapor Deposition</i> , 2002, 8, 87-89. | 1.3 | 5 |
| 157 | Preferred Orientation of Chemical Vapor Deposited Polycrystalline Silicon Carbide Films. <i>Chemical Vapor Deposition</i> , 2002, 8, 99-104. | 1.3 | 46 |
| 158 | A new insight into the growth mode of metals on TiO ₂ (110). <i>Surface Science</i> , 2002, 513, 530-538. | 1.9 | 57 |
| 159 | Influence of Deposition Temperature on the Microstructure of Pb-Ti-Nb-O Thin Films by Metallorganic Chemical Vapor Deposition. <i>Journal of the Electrochemical Society</i> , 2001, 148, C227. | 2.9 | 43 |
| 160 | NO Reduction under the Excess O ₂ Condition by Porous VYCOR Catalyst.. <i>Journal of Chemical Engineering of Japan</i> , 2001, 34, 834-839. | 0.6 | 1 |
| 161 | Structure and morphology of self-assembled 3-mercaptopropyltrimethoxysilane layers on silicon oxide. <i>Applied Surface Science</i> , 2001, 181, 307-316. | 6.1 | 158 |
| 162 | Internal Microstructure and Formation Mechanism of Surface Protrusions in Pb-Ti-Nb-O Thin Films Prepared by MOCVD. <i>Chemical Vapor Deposition</i> , 2001, 7, 253-259. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Gas-Phase Hydroxyl Radical Emission in the Thermal Decomposition of Lithium Hydroxide. Journal of Physical Chemistry B, 1999, 103, 1954-1959. | 2.6 | 8 |
| 164 | Gas-Phase Hydroxyl Radical Generation by the Surface Reactions over Basic Metal Oxides. Journal of Physical Chemistry B, 1998, 102, 3185-3191. | 2.6 | 12 |
| 165 | The Pitfalls of Using Potentiodynamic Polarization Curves for Tafel Analysis in Electrocatalytic Water Splitting. ACS Energy Letters, 0, , 1607-1611. | 17.4 | 256 |