## Richard L Wahl

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5892088/publications.pdf

Version: 2024-02-01

310 papers

23,815 citations

76 h-index 146 g-index

326 all docs

326 docs citations

326 times ranked

18601 citing authors

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | From RECIST to PERCIST: Evolving Considerations for PET Response Criteria in Solid Tumors. Journal of Nuclear Medicine, 2009, 50, 122S-150S.  | 5.0  | 3,047     |
| 2  | Pitfalls in Oncologic Diagnosis with FDG PET Imaging: Physiologic and Benign Variants. Radiographics, 1999, 19, 61-77.  | 3.3  | 757       |
| 3  | <sup>131</sup> I-Tositumomab Therapy as Initial Treatment for Follicular Lymphoma. New England Journal of Medicine, 2005, 352, 441-449.   | 27.0 | 697       |
| 4  | Metastases from Non-Small Cell Lung Cancer: Mediastinal Staging in the 1990s—Meta-analytic Comparison Of PET and CT. Radiology, 1999, 213, 530-536.   | 7.3  | 613       |
| 5  | Dynamic Imaging of Allogeneic Mesenchymal Stem Cells Trafficking to Myocardial Infarction. Circulation, 2005, 112, 1451-1461.   | 1.6  | 561       |
| 6  | Pivotal Study of Iodine I 131 Tositumomab for Chemotherapy-Refractory Low-Grade or Transformed Low-Grade B-Cell Non-Hodgkin's Lymphomas. Journal of Clinical Oncology, 2001, 19, 3918-3928.   | 1.6  | 555       |
| 7  | Radioimmunotherapy of B-Cell Lymphoma with [1311]Anti-B1 (Anti-CD20) Antibody. New England Journal of Medicine, 1993, 329, 459-465.   | 27.0 | 531       |
| 8  | Overexpression of glut-1 glucose transporter in human breast cancer an immunohistochemical study. Cancer, 1993, 72, 2979-2985.  | 4.1  | 521       |
| 9  | Radioimmunotherapy with iodine 131I tositumomab for relapsed or refractory B-cell non-Hodgkin lymphoma: updated results and long-term follow-up of the University of Michigan experience. Blood, 2000, 96, 1259-1266.                     | 1.4  | 465       |
| 10 | Metrology Standards for Quantitative Imaging Biomarkers. Radiology, 2015, 277, 813-825.   | 7.3  | 347       |
| 11 | Multicenter Phase II Study of Iodine-131 Tositumomab for Chemotherapy-Relapsed/Refractory<br>Low-Grade and Transformed Low-Grade B-Cell Non-Hodgkin's Lymphomas. Journal of Clinical<br>Oncology, 2000, 18, 1316-1323.                    | 1.6  | 337       |
| 12 | Prospective Multicenter Study of Axillary Nodal Staging by Positron Emission Tomography in Breast Cancer: A Report of the Staging Breast Cancer With PET Study Group. Journal of Clinical Oncology, 2004, 22, 277-285.                    | 1.6  | 314       |
| 13 | Practical PERCIST: A Simplified Guide to PET Response Criteria in Solid Tumors 1.0. Radiology, 2016, 280, 576-584.  | 7.3  | 311       |
| 14 | Uptake in supraclavicular area fat ("USA-Fat"): description on 18F-FDG PET/CT. Journal of Nuclear Medicine, 2003, 44, 170-6.  | 5.0  | 289       |
| 15 | Quantitative imaging biomarkers: A review of statistical methods for technical performance assessment. Statistical Methods in Medical Research, 2015, 24, 27-67.  | 1.5  | 272       |
| 16 | Normal FDG Distribution Patterns in the Head and Neck: PET/CT Evaluation. Radiology, 2005, 234, 879-885.  | 7.3  | 254       |
| 17 | Noninvasive Quantification and Optimization of Acute Cell Retention by In Vivo Positron Emission Tomography After Intramyocardial Cardiac-Derived Stem Cell Delivery. Journal of the American College of Cardiology, 2009, 54, 1619-1626. | 2.8  | 245       |
| 18 | Bacteriolytic therapy can generate a potent immune response against experimental tumors. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 15172-15177.   | 7.1  | 244       |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 19 | Brown Adipose Reporting Criteria in Imaging STudies (BARCIST 1.0): Recommendations for Standardized FDG-PET/CT Experiments in Humans. Cell Metabolism, 2016, 24, 210-222.   | 16.2 | 233       |
| 20 | Tositumomab and Iodine-131 Tositumomab Produces Durable Complete Remissions in a Subset of Heavily Pretreated Patients With Low-Grade and Transformed Non-Hodgkin's Lymphomas. Journal of Clinical Oncology, 2005, 23, 7565-7573.                                     | 1.6  | 226       |
| 21 | Reevaluation of the Standardized Uptake Value for FDG: Variations with Body Weight and Methods for Correction. Radiology, 1999, 213, 521-525.   | 7.3  | 222       |
| 22 | Respiratory motion artifacts on PET emission images obtained using CT attenuation correction on PET-CT. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 603-606.  | 6.4  | 216       |
| 23 | Direct comparison of (18)F-FDG PET and PET/CT in patients with colorectal carcinoma. Journal of Nuclear Medicine, 2003, 44, 1797-803.   | 5.0  | 215       |
| 24 | Rapid detection of human infections with fluorine-18 fluorodeoxyglucose and positron emission tomography: preliminary results. European Journal of Nuclear Medicine and Molecular Imaging, 1998, 25, 1238-1243.   | 6.4  | 210       |
| 25 | Prediction of Response to Immune Checkpoint Inhibitor Therapy Using<br>Early-Time-Point <sup>18</sup> F-FDG PET/CT Imaging in Patients with Advanced Melanoma. Journal of<br>Nuclear Medicine, 2017, 58, 1421-1428.   | 5.0  | 209       |
| 26 | Fluorodeoxyglucose Uptake in the Aortic Wall at PET/CT: Possible Finding for Active Atherosclerosis. Radiology, 2003, 229, 831-837.   | 7.3  | 207       |
| 27 | 18F-2-deoxy-2-fluoro-D-glucose uptake into human tumor xenografts. Feasibility studies for cancer imaging with positron-emission tomography. Cancer, 1991, 67, 1544-1550.   | 4.1  | 200       |
| 28 | Clinically occult recurrent ovarian cancer: patient selection for secondary cytoreductive surgery using combined PET/CT. Gynecologic Oncology, 2003, 90, 519-528.   | 1.4  | 189       |
| 29 | "USA-Fat": prevalence is related to ambient outdoor temperature-evaluation with 18F-FDG PET/CT.<br>Journal of Nuclear Medicine, 2003, 44, 1267-70.  | 5.0  | 189       |
| 30 | Noise Considerations for PET Quantification Using Maximum and Peak Standardized Uptake Value.<br>Journal of Nuclear Medicine, 2012, 53, 1041-1047.  | 5.0  | 186       |
| 31 | Detection of unexpected additional primary malignancies with PET/CT. Journal of Nuclear Medicine, 2005, 46, 752-7.  | 5.0  | 174       |
| 32 | Dynamic whole-body PET parametric imaging: I. Concept, acquisition protocol optimization and clinical application. Physics in Medicine and Biology, 2013, 58, 7391-7418.  | 3.0  | 172       |
| 33 | Ectopic Expression of the Sodium-lodide Symporter Enables Imaging of Transplanted Cardiac Stem<br>Cells In Vivo by Single-Photon Emission Computed Tomography or Positron Emission Tomography.<br>Journal of the American College of Cardiology, 2008, 52, 1652-1660. | 2.8  | 166       |
| 34 | CT Hounsfield Units of Brown Adipose Tissue Increase with Activation: Preclinical and Clinical Studies. Journal of Nuclear Medicine, 2010, 51, 246-250.   | 5.0  | 161       |
| 35 | Clinically significant inaccurate localization of lesions with PET/CT: frequency in 300 patients. Journal of Nuclear Medicine, 2003, 44, 240-3.   | 5.0  | 160       |
| 36 | Head and Neck PET/CT: Therapy Response Interpretation Criteria (Hopkins Criteria)â€"Interreader Reliability, Accuracy, and Survival Outcomes. Journal of Nuclear Medicine, 2014, 55, 1411-1416.   | 5.0  | 156       |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 37 | Applications of positron emission tomography/computed tomography image fusion in clinical positron emission tomography—clinical use, interpretation methods, diagnostic improvements. Seminars in Nuclear Medicine, 2003, 33, 228-237. | 4.6 | 149       |
| 38 | Dynamic whole-body PET imaging: principles, potentials and applications. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 501-518.  | 6.4 | 145       |
| 39 | Imaging of Pelvic Malignancies with In-Line FDG PET–CT: Case Examples and Common Pitfalls of FDG PET. Radiographics, 2005, 25, 1031-1043.  | 3.3 | 143       |
| 40 | The Radioisotope Contributes Significantly to the Activity of Radioimmunotherapy. Clinical Cancer Research, 2004, 10, 7792-7798.   | 7.0 | 142       |
| 41 | Hyperosmolar Sexual Lubricant Causes Epithelial Damage in the Distal Colon: Potential Implication for HIV Transmission. Journal of Infectious Diseases, 2007, 195, 703-710.  | 4.0 | 135       |
| 42 | Initial experience with FDG-PET/CT in the evaluation of breast cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2006, 33, 254-262.  | 6.4 | 133       |
| 43 | PET-CT: accuracy of PET and CT spatial registration of lung lesions. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 721-726.  | 6.4 | 132       |
| 44 | Direct Comparison of FDG PET and CT Findings in Patients with Lymphoma: Initial Experience. Radiology, 2005, 237, 1038-1045.   | 7.3 | 130       |
| 45 | Exposure to strong static magnetic field slows the growth of human cancer cells in vitro.<br>Bioelectromagnetics, 1996, 17, 358-363.   | 1.6 | 129       |
| 46 | Expression of hexokinase II and Glut-1 in untreated human breast cancer. Nuclear Medicine and Biology, 2002, 29, 443-453.  | 0.6 | 129       |
| 47 | <sup>18</sup> F-FDG PET/CT for Image-Guided and Intensity-Modulated Radiotherapy. Journal of Nuclear<br>Medicine, 2009, 50, 1655-1665.   | 5.0 | 129       |
| 48 | Preliminary assessment of fluorine-18 fluorodeoxyglucose positron mission tomography in patients with bladder cancer. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 615-620.                                   | 2.1 | 126       |
| 49 | Three-Dimensional Radiobiologic Dosimetry: Application of Radiobiologic Modeling to Patient-Specific 3-Dimensional Imaging-Based Internal Dosimetry. Journal of Nuclear Medicine, 2007, 48, 1008-1016.                                 | 5.0 | 123       |
| 50 | Hybrid Imaging (SPECT/CT and PET/CT): Improving Therapeutic Decisions. Seminars in Nuclear Medicine, 2009, 39, 308-340.  | 4.6 | 118       |
| 51 | Germ Cell Tumor: Differentiation of Viable Tumor, Mature Teratoma, and Necrotic Tissue with FDG PET and Kinetic Modeling. Radiology, 1999, 211, 249-256.   | 7.3 | 112       |
| 52 | Intense (18)F-FDG uptake in brown fat can be reduced pharmacologically. Journal of Nuclear Medicine, 2004, 45, 1189-93.  | 5.0 | 112       |
| 53 | Indium-111–Capromab Pendetide Radioimmunoscintigraphy and Prognosis for Durable Biochemical Response to Salvage Radiation Therapy in Men After Failed Prostatectomy. Journal of Clinical Oncology, 2003, 21, 1715-1721.                | 1.6 | 108       |
| 54 | CT Appearance of Bone Metastases Detected with FDG PET as Part of the Same PET/CT Examination. Radiology, 2005, 237, 627-634.  | 7.3 | 107       |

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Effects of Nonionic Intravenous Contrast Agents at PET/CT Imaging: Phantom and Canine Studies. Radiology, 2003, 227, 817-824.  | 7.3 | 106       |
| 56 | Quantitative Imaging in Cancer Clinical Trials. Clinical Cancer Research, 2016, 22, 284-290.   | 7.0 | 106       |
| 57 | Uptake of positron emission tomography tracers in experimental bacterial infections: a comparative biodistribution study of radiolabeled FDG, thymidine, I -methionine, 67 Ga-citrate, and 125 I-HSA. European Journal of Nuclear Medicine and Molecular Imaging, 1999, 26, 333-341. | 6.4 | 103       |
| 58 | Combined PET/CT for detecting recurrent ovarian cancer limited to retroperitoneal lymph nodes. Gynecologic Oncology, 2005, 99, 294-300.  | 1.4 | 100       |
| 59 | PET/CT: comparison of quantitative tracer uptake between germanium and CT transmission attenuation-corrected images. Journal of Nuclear Medicine, 2002, 43, 1137-43.   | 5.0 | 97        |
| 60 | Variations in PET/CT Methodology for Oncologic Imaging at U.S. Academic Medical Centers: An Imaging Response Assessment Team Survey. Journal of Nuclear Medicine, 2011, 52, 311-317.   | 5.0 | 96        |
| 61 | Reproducibility of Common Semi-quantitative Parameters for Evaluating Lung Cancer Glucose Metabolism with Positron Emission Tomography using 2-Deoxy-2-[18F]Fluoro-D-Glucose. Molecular Imaging and Biology, 2002, 4, 171-178.   | 2.6 | 93        |
| 62 | Re-Treatment With I-131 Tositumomab in Patients With Non-Hodgkin's Lymphoma Who Had Previously Responded to I-131 Tositumomab. Journal of Clinical Oncology, 2005, 23, 7985-7993.  | 1.6 | 93        |
| 63 | Summary of the UPICT Protocol for <sup>18</sup> F-FDG PET/CT Imaging in Oncology Clinical Trials. Journal of Nuclear Medicine, 2015, 56, 955-961.  | 5.0 | 93        |
| 64 | Clinical use of positron emission tomography in the management of cutaneous melanoma. Seminars in Nuclear Medicine, 2004, 34, 242-253.   | 4.6 | 86        |
| 65 | FDG metabolism and uptake versus blood flow in women with untreated primary breast cancers.<br>European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 274-280.  | 6.4 | 85        |
| 66 | Initial experience with oral contrast in PET/CT: phantom and clinical studies. Journal of Nuclear Medicine, 2003, 44, 412-6.   | 5.0 | 85        |
| 67 | Dynamic whole-body PET parametric imaging: II. Task-oriented statistical estimation. Physics in Medicine and Biology, 2013, 58, 7419-7445.   | 3.0 | 84        |
| 68 | Promise and pitfalls of quantitative imaging in oncology clinical trials. Magnetic Resonance Imaging, 2012, 30, 1301-1312.   | 1.8 | 83        |
| 69 | Optimum Lean Body Formulation for Correction of Standardized Uptake Value in PET Imaging. Journal of Nuclear Medicine, 2014, 55, 1481-1484.  | 5.0 | 83        |
| 70 | Comparison of 90Y-lbritumomab Tiuxetan and 131I-Tositumomab in Clinical Practice. Journal of Nuclear Medicine, 2007, 48, 1767-1776.  | 5.0 | 81        |
| 71 | Prevalence of misregistration between SPECT and CT for attenuation-corrected myocardial perfusion SPECT. Journal of Nuclear Cardiology, 2007, 14, 200-206.   | 2.1 | 81        |
| 72 | The Added Diagnostic Value of Liquid Gastric Emptying Compared with Solid Emptying Alone. Journal of Nuclear Medicine, 2009, 50, 726-731.  | 5.0 | 81        |

| #  | Article  | lF  | Citations |
|----|--|-----|-----------|
| 73 | <sup>124</sup> I PET-Based 3D-RD Dosimetry for a Pediatric Thyroid Cancer Patient: Real-Time Treatment Planning and Methodologic Comparison. Journal of Nuclear Medicine, 2009, 50, 1844-1847.   | 5.0 | 80        |
| 74 | PET-CT in Recurrent Ovarian Cancer: Initial Observations. Radiographics, 2004, 24, 209-223.  | 3.3 | 79        |
| 75 | FDG PET/CT Imaging of Oropharyngeal Squamous Cell Carcinoma. Clinical Nuclear Medicine, 2014, 39, 225-231.   | 1.3 | 79        |
| 76 | Bone marrow cell trafficking following intravenous administration. British Journal of Haematology, 1999, 107, 895-902.   | 2.5 | 78        |
| 77 | Current status of PET in breast cancer imaging, staging, and therapy. Seminars in Roentgenology, 2001, 36, 250-260.  | 0.6 | 78        |
| 78 | Generalized whole-body Patlak parametric imaging for enhanced quantification in clinical PET. Physics in Medicine and Biology, 2015, 60, 8643-8673.  | 3.0 | 78        |
| 79 | Efficacy of Preoperative Combined 18-Fluorodeoxyglucose Positron Emission Tomography and Computed Tomography for Assessing Primary Rectal Cancer Response to Neoadjuvant Therapy. Journal of Gastrointestinal Surgery, 2007, 11, 961-969.  | 1.7 | 77        |
| 80 | Absolute myocardial flow quantification with 82Rb PET/CT: comparison of different software packages and methods. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 126-135.  | 6.4 | 77        |
| 81 | Imaging of Renal Cancer Using Positron Emission Tomography with 2-Deoxy-2-(18F)-Fluoro-D-Glucose:<br>Pilot Animal and Human Studies. Journal of Urology, 1991, 146, 1470-1474.   | 0.4 | 73        |
| 82 | Accuracy of image fusion of normal upper abdominal organs visualized with PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 597-602.   | 6.4 | 72        |
| 83 | Extension of the biological effective dose to the MIRD schema and possible implications in radionuclide therapy dosimetry. Medical Physics, 2008, 35, 1123-1134.   | 3.0 | 70        |
| 84 | Baseline Metabolic Tumor Volume and Total Lesion Glycolysis Are Associated With Survival Outcomes inÂPatients With Locally Advanced Pancreatic Cancer Receiving Stereotactic Body Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2014, 89, 539-546. | 0.8 | 70        |
| 85 | Myocardial substrate and route of administration determine acute cardiac retention and lung bio-distribution of cardiosphere-derived cells. Journal of Nuclear Cardiology, 2011, 18, 443-450.  | 2.1 | 69        |
| 86 | Prediction of the Need for Surgical Intervention in Obstructive Crohn's Disease by <sup>18</sup> F-FDG PET/CT. Journal of Nuclear Medicine, 2009, 50, 1751-1759.   | 5.0 | 67        |
| 87 | <sup>18</sup> F-FDG PET/CT for Monitoring the Response of Lymphoma to Radioimmunotherapy. Journal of Nuclear Medicine, 2009, 50, 8-17.   | 5.0 | 66        |
| 88 | Assessment of Interobserver Reproducibility in Quantitative 18F-FDG PET and CT Measurements of Tumor Response to Therapy. Journal of Nuclear Medicine, 2009, 50, 1760-1769.  | 5.0 | 65        |
| 89 | The clinical importance of dosimetry in radioimmunotherapy with tositumomab and iodine I 131 tositumomab. Seminars in Oncology, 2003, 30, 31-38.   | 2.2 | 65        |
| 90 | Phase II Study of Risk-Adapted Therapy of Newly Diagnosed, Aggressive Non-Hodgkin Lymphoma Based on Midtreatment FDG-PET Scanning. Biology of Blood and Marrow Transplantation, 2009, 15, 242-248.   | 2.0 | 64        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 91  | Prognostic Value of Positron Emission Tomography Using F-18-Fluorodeoxyglucose in Patients with Cervical Cancer Undergoing Radiotherapy. Gynecologic Oncology, 2002, 84, 289-295.  | 1.4  | 61        |
| 92  | Effect of Nicotine and Ephedrine on the Accumulation of 18F-FDG in Brown Adipose Tissue. Journal of Nuclear Medicine, 2007, 48, 981-986.   | 5.0  | 61        |
| 93  | TBCRC 008: Early Change in <sup>18</sup> F-FDG Uptake on PET Predicts Response to Preoperative Systemic Therapy in Human Epidermal Growth Factor Receptor 2–Negative Primary Operable Breast Cancer. Journal of Nuclear Medicine, 2015, 56, 31-37. | 5.0  | 61        |
| 94  | FDG PET and risk-adapted therapy in Hodgkin's and non-Hodgkin's lymphoma. Current Opinion in Oncology, 2008, 20, 206-219.  | 2.4  | 60        |
| 95  | Capabilities of two- and three-dimensional FDG-PET for detecting small lesions and lymph nodes in the upper torso: a dynamic phantom study. European Journal of Nuclear Medicine and Molecular Imaging, 1999, 26, 39-45.                           | 6.4  | 59        |
| 96  | The Promise and Pitfalls of Positron Emission Tomography and Single-Photon Emission Computed Tomography Molecular Imaging–Guided Radiation Therapy. Seminars in Radiation Oncology, 2011, 21, 88-100.  | 2.2  | 57        |
| 97  | Study of the Impact of Tissue Density Heterogeneities on 3-Dimensional Abdominal Dosimetry: Comparison Between Dose Kernel Convolution and Direct Monte Carlo Methods. Journal of Nuclear Medicine, 2013, 54, 236-243.                             | 5.0  | 57        |
| 98  | The Relationship between Patients' Serum Glucose Levels and Metabolically Active Brown Adipose Tissue Detected by PET/CT. Molecular Imaging and Biology, 2011, 13, 1278-1283.  | 2.6  | 56        |
| 99  | Hyaluronic acid-human blood hydrogels for stem cell transplantation. Biomaterials, 2012, 33, 8026-8033.  | 11.4 | 56        |
| 100 | Uptake of 2-Deoxy, 2-(18F) Fluoro-D-Glucose in Bladder Cancer: Animal Localization and Initial Patient Positron Emission Tomography. Journal of Urology, 1991, 145, 279-283.   | 0.4  | 55        |
| 101 | Relationship of Delayed Enhancement by Magnetic Resonance to Myocardial Perfusion by Positron Emission Tomography in Hypertrophic Cardiomyopathy. Circulation: Cardiovascular Imaging, 2013, 6, 210-217.   | 2.6  | 54        |
| 102 | Lung dosimetry for radioiodine treatment planning in the case of diffuse lung metastases. Journal of Nuclear Medicine, 2006, 47, 1985-94.  | 5.0  | 53        |
| 103 | Increased 18F-FDG uptake in degenerative disease of the spine: Characterization with 18F-FDG PET/CT. Journal of Nuclear Medicine, 2006, 47, 1274-80.   | 5.0  | 53        |
| 104 | PET/CT: artifacts caused by bowel motion. Nuclear Medicine Communications, 2004, 25, 221-225.  | 1.1  | 52        |
| 105 | Comparison of Uptake of Multiple Clinical Radiotracers into Brown Adipose Tissue Under<br>Cold-Stimulated and Nonstimulated Conditions. Journal of Nuclear Medicine, 2007, 48, 1715-1723.  | 5.0  | 52        |
| 106 | Three-dimensional radiobiological dosimetry (3D-RD) with 124I PET for 131I therapy of thyroid cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 41-47.   | 6.4  | 52        |
| 107 | Quantitative Assessment of Myocardial Blood Flow—Clinical and Research Applications. Seminars in Nuclear Medicine, 2014, 44, 274-293.  | 4.6  | 52        |
| 108 | Prognostic Value of FDG PET/CT–Derived Parameters in Pancreatic Adenocarcinoma at Initial PET/CT Staging. American Journal of Roentgenology, 2015, 204, 1093-1099.   | 2.2  | 52        |

| #   | Article   | IF          | CITATIONS |
|-----|---|-------------|-----------|
| 109 | Preoperative Positron Emission Tomography to Evaluate Potentially Resectable Hepatic Colorectal Metastases. Archives of Surgery, 2006, 141, 1220.   | 2.2         | 50        |
| 110 | Initial experience in small animal tumor imaging with a clinical positron emission tomography/computed tomography scanner using 2-[F-18]fluoro-2-deoxy-D-glucose. Cancer Research, 2003, 63, 6252-7.  | 0.9         | 50        |
| 111 | A Treatment Planning Method for Sequentially Combining Radiopharmaceutical Therapy and External Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2011, 80, 1256-1262.  | 0.8         | 49        |
| 112 | The QIBA Profile for FDG PET/CT as an Imaging Biomarker Measuring Response to Cancer Therapy.<br>Radiology, 2020, 294, 647-657.   | <b>7.</b> 3 | 49        |
| 113 | Comparison of Residence Time Estimation Methods for Radioimmunotherapy Dosimetry and Treatment Planning—Monte Carlo Simulation Studies. IEEE Transactions on Medical Imaging, 2008, 27, 521-530.  | 8.9         | 48        |
| 114 | Co-clinical FDG-PET radiomic signature in predicting response to neoadjuvant chemotherapy in triple-negative breast cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 550-562.  | 6.4         | 48        |
| 115 | Update on hybrid conjugate-view SPECT tumor dosimetry and response in 131I-tositumomab therapy of previously untreated lymphoma patients. Journal of Nuclear Medicine, 2003, 44, 457-64.  | 5.0         | 48        |
| 116 | FDG-PET Determination of Metabolically Active Tumor Volume and Comparison with CT. Molecular Imaging and Biology, 1998, 1, 123-129.   | 0.3         | 47        |
| 117 | <b>Sacral Fractures: /b&gt; A Potential Pitfall of FDG Positron Emission Tomography. American Journal of Roentgenology, 2003, 181, 1239-1243.</b>   | 2.2         | 46        |
| 118 | Evaluation of quantitative imaging methods for organ activity and residence time estimation using a population of phantoms having realistic variations in anatomy and uptake. Medical Physics, 2009, 36, 612-619.   | 3.0         | 46        |
| 119 | PET/CT Assessment of Symptomatic Individuals with Obstructive and Nonobstructive Hypertrophic Cardiomyopathy. Journal of Nuclear Medicine, 2012, 53, 407-414.   | 5.0         | 46        |
| 120 | Diagnosis and Differentiation of Bronchioloalveolar Carcinoma from Adenocarcinoma with Bronchioloalveolar Components with Metabolic and Anatomic Characteristics Using PET/CT. Journal of Nuclear Medicine, 2008, 49, 1585-1592.  | 5.0         | 45        |
| 121 | Follow-up or Surveillance <sup>18</sup> F-FDG PET/CT and Survival Outcome in Lung Cancer Patients. Journal of Nuclear Medicine, 2014, 55, 1062-1068.  | 5.0         | 45        |
| 122 | Semi-quantitative ventilation/perfusion scintigraphy and single-photon emission tomography for evaluation of lung volume reduction surgery candidates: description and prediction of clinical outcome. European Journal of Nuclear Medicine and Molecular Imaging, 1999, 26, 734-742. | 6.4         | 44        |
| 123 | Prognostic Value of FDG PET Metabolic Tumor Volume in Human Papillomavirus–Positive Stage III and IV Oropharyngeal Squamous Cell Carcinoma. American Journal of Roentgenology, 2014, 203, 897-903.  | 2.2         | 44        |
| 124 | Stunning and its effect on 3H-FDG uptake and key gene expression in breast cancer cells undergoing chemotherapy. Journal of Nuclear Medicine, 2006, 47, 603-8.  | 5.0         | 44        |
| 125 | Regional 2-[18F]fluoro-2-deoxy-d-glucose uptake varies in normal lung. European Journal of Nuclear<br>Medicine and Molecular Imaging, 1996, 23, 517-523.  | 2.1         | 43        |
| 126 | Cardiac PET/CT Misregistration Causes Significant Changes in Estimated Myocardial Blood Flow. Journal of Nuclear Medicine, 2013, 54, 50-54.   | 5.0         | 43        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Nonâ€invasive methods for the assessment of brown adipose tissue in humans. Journal of Physiology, 2018, 596, 363-378.   | 2.9  | 43        |
| 128 | Nuclear Medicine and Artificial Intelligence: Best Practices for Algorithm Development. Journal of Nuclear Medicine, 2022, 63, 500-510.  | 5.0  | 43        |
| 129 | Effects of pegfilgrastim on normal biodistribution of 18F-FDG: preclinical and clinical studies. Journal of Nuclear Medicine, 2006, 47, 950-6.   | 5.0  | 43        |
| 130 | Head and Neck Cancer: Detection of Recurrence with Three-dimensional Principal Components Analysis at Dynamic FDG PET. Radiology, 1999, 212, 285-290.  | 7.3  | 42        |
| 131 | Visualization of Brown Adipose Tissue with <sup>99m</sup> Tc-Methoxyisobutylisonitrile on SPECT/CT. Journal of Nuclear Medicine, 2008, 49, 752-756.  | 5.0  | 42        |
| 132 | <sup>18</sup> F-FDG PET/CT Radiomic Analysis with Machine Learning for Identifying Bone Marrow Involvement in the Patients with Suspected Relapsed Acute Leukemia. Theranostics, 2019, 9, 4730-4739.       | 10.0 | 41        |
| 133 | Radioimmunotherapy in Non-Hodgkin Lymphoma: Opinions of Nuclear Medicine Physicians and Radiation Oncologists. Journal of Nuclear Medicine, 2011, 52, 830-838.   | 5.0  | 40        |
| 134 | 18F-FDG PET/CT in Evaluating Non-CNS Pediatric Malignancies. Journal of Nuclear Medicine, 2007, 48, 1923-1931.   | 5.0  | 39        |
| 135 | Addition of <sup>18</sup> F-FDG PET/CT to Clinical Assessment Predicts Overall Survival in HNSCC: A Retrospective Analysis with Follow-up for 12 Years. Journal of Nuclear Medicine, 2013, 54, 2039-2045.  | 5.0  | 39        |
| 136 | Timed sequential therapy of the selective T-type calcium channel blocker mibefradil and temozolomide in patients with recurrent high-grade gliomas. Neuro-Oncology, 2017, 19, 845-852.                     | 1.2  | 39        |
| 137 | Differentiation of HIV-associated lymphoma from HIV-associated reactive adenopathy using quantitative FDG PET and symmetry. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 596-604. | 6.4  | 38        |
| 138 | The effect of regadenoson on the integrity of the human blood–brain barrier, a pilot study. Journal of Neuro-Oncology, 2017, 132, 513-519.   | 2.9  | 38        |
| 139 | Radioimmunotherapy in Non-Hodgkin Lymphoma: Opinions of U.S. Medical Oncologists and Hematologists. Journal of Nuclear Medicine, 2010, 51, 987-994.  | 5.0  | 36        |
| 140 | Tumor Dosimetry and Response for <sup>153</sup> Sm-Ethylenediamine Tetramethylene Phosphonic Acid Therapy of High-Risk Osteosarcoma. Journal of Nuclear Medicine, 2012, 53, 215-224.                       | 5.0  | 36        |
| 141 | TBCRC026: Phase II Trial Correlating Standardized Uptake Value With Pathologic Complete Response to Pertuzumab and Trastuzumab in Breast Cancer. Journal of Clinical Oncology, 2019, 37, 714-722.          | 1.6  | 36        |
| 142 | Reproducibility of Tumor Blood Flow Quantification with <sup>15</sup> O-Water PET. Journal of Nuclear Medicine, 2008, 49, 1620-1627.   | 5.0  | 35        |
| 143 | Systemic administration of 3-bromopyruvate in treating disseminated aggressive lymphoma. Translational Research, 2012, 159, 51-57.   | 5.0  | 34        |
| 144 | Lung toxicity in radioiodine therapy of thyroid carcinoma: development of a dose-rate method and dosimetric implications of the 80-mCi rule. Journal of Nuclear Medicine, 2006, 47, 1977-84.               | 5.0  | 34        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 145 | Impact of body habitus on quantitative and qualitative image quality in whole-body FDG-PET. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 40-45.                             | 6.4  | 33        |
| 146 | Specificity of the anti-glycolytic activity of 3-bromopyruvate confirmed by FDG uptake in a rat model of breast cancer. Investigational New Drugs, 2009, 27, 120-123.                                | 2.6  | 33        |
| 147 | Targeting of VX2 Rabbit Liver Tumor by Selective Delivery of 3-Bromopyruvate: A Biodistribution and Survival Study. Journal of Pharmacology and Experimental Therapeutics, 2008, 327, 32-37.         | 2.5  | 32        |
| 148 | Comparison of quantitative Yâ€90 SPECT and nonâ€timeâ€ofâ€flight PET imaging in postâ€therapy radioembolization of liver cancer. Medical Physics, 2016, 43, 5779-5790.                               | 3.0  | 32        |
| 149 | Normal-Tissue Tolerance to Radiopharmaceutical Therapies, the Knowns and the Unknowns. Journal of Nuclear Medicine, 2021, 62, 23S-35S.   | 5.0  | 32        |
| 150 | Volume reduction versus radiation dose for tumors in previously untreated lymphoma patients who received iodine-131 tositumomab therapy. Cancer, 2002, 94, 1258-1263.                                | 4.1  | 31        |
| 151 | Comprehensive Radionuclide Esophagogastrointestinal Transit Study: Methodology, Reference Values, and Initial Clinical Experience. Journal of Nuclear Medicine, 2015, 56, 721-727.                   | 5.0  | 31        |
| 152 | Hyaluronic acid-serum hydrogels rapidly restore metabolism of encapsulated stem cells and promote engraftment. Biomaterials, 2015, 73, 1-11.   | 11.4 | 30        |
| 153 | The Use of Quantitative Imaging in Radiation Oncology: A Quantitative Imaging Network (QIN) Perspective. International Journal of Radiation Oncology Biology Physics, 2018, 102, 1219-1235.          | 0.8  | 30        |
| 154 | 18F-FDG PET/CT and Lung Cancer: Value of Fourth and Subsequent Posttherapy Follow-up Scans for Patient Management. Journal of Nuclear Medicine, 2015, 56, 204-208.                                   | 5.0  | 29        |
| 155 | Multiparametric Whole-body MRI with Diffusion-weighted Imaging and ADC Mapping for the Identification of Visceral and Osseous Metastases From Solid Tumors. Academic Radiology, 2018, 25, 1405-1414. | 2.5  | 29        |
| 156 | Simultaneous measurement of noise and spatial resolution in PET phantom images. Physics in Medicine and Biology, 2010, 55, 1069-1081.  | 3.0  | 28        |
| 157 | Dynamic Multi-Bed FDG PET imaging: Feasibility and optimization. , 2011, , .   |      | 28        |
| 158 | Evaluation of Next-Generation Anti-CD20 Antibodies Labeled with < sup>89 < /sup>Zr in Human Lymphoma Xenografts. Journal of Nuclear Medicine, 2018, 59, 1219-1224.                                   | 5.0  | 28        |
| 159 | Why nearly all PET of abdominal and pelvic cancers will be performed as PET/CT. Journal of Nuclear Medicine, 2004, 45 Suppl 1, 82S-95S.  | 5.0  | 28        |
| 160 | Applications of PET in Liver Imaging. Radiologic Clinics of North America, 2005, 43, 849-860.  | 1.8  | 27        |
| 161 | Lymphadenopathy Resulting From Acute Hepatitis C Infection Mimicking Metastatic Breast Carcinoma on FDG PET/CT. Clinical Nuclear Medicine, 2006, 31, 379-381.  | 1.3  | 27        |
| 162 | FDG-PET Lymphoma Demonstration Project Invitational Workshop. Academic Radiology, 2007, 14, 330-339.   | 2.5  | 27        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 163 | Predicting Hematologic Toxicity in Patients Undergoing Radioimmunotherapy with<br><sup>90</sup> Y-Ibritumomab Tiuxetan or <sup>131</sup> I-Tositumomab. Journal of Nuclear Medicine, 2010, 51, 1878-1884.  | 5.0         | 27        |
| 164 | Repeatability of <sup>18</sup> F-FLT PET in a Multicenter Study of Patients with High-Grade Glioma. Journal of Nuclear Medicine, 2017, 58, 393-398.  | 5.0         | 27        |
| 165 | PERCIST in Perspective. Nuclear Medicine and Molecular Imaging, 2018, 52, 1-4.   | 1.0         | 27        |
| 166 | Therapeutic potential of 90Y- and 131I-labeled anti-CD20 monoclonal antibody in treating non-Hodgkin's lymphoma with pulmonary involvement: a Monte Carlo-based dosimetric analysis. Journal of Nuclear Medicine, 2007, 48, 150-7.   | 5.0         | 27        |
| 167 | Evaluation of ion-implanted-silicon detectors for use in intraoperative positron-sensitive probes. Medical Physics, 1996, 23, 1889-1895.   | 3.0         | 26        |
| 168 | A Practical, Automated Quality Assurance Method for Measuring Spatial Resolution in PET. Journal of Nuclear Medicine, 2009, 50, 1307-1314.   | 5.0         | 26        |
| 169 | Comparison of organ residence time estimation methods for radioimmunotherapy dosimetry and treatment planning—patient studies. Medical Physics, 2009, 36, 1595-1601.   | 3.0         | 26        |
| 170 | Comparison of FDG-PET/CT and CT for Delineation of Lumpectomy Cavity for Partial Breast Irradiation. International Journal of Radiation Oncology Biology Physics, 2008, 71, 595-602.   | 0.8         | 25        |
| 171 | In Vitro Evaluation of Radioprotective and Radiosensitizing Effects of Rituximab. Journal of Nuclear Medicine, 2008, 49, 674-678.  | 5.0         | 25        |
| 172 | Response to Early Treatment Evaluated with $\langle \sup 18 \rangle = 18 $ sup-F-FDG PET and PERCIST 1.0 Predicts Survival in Patients with Ewing Sarcoma Family of Tumors Treated with a Monoclonal Antibody to the Insulinlike Growth Factor 1 Receptor. Journal of Nuclear Medicine, 2016, 57, 735-740. | 5.0         | 25        |
| 173 | Spatiotemporal distribution modeling of PET tracer uptake in solid tumors. Annals of Nuclear Medicine, 2017, 31, 109-124.  | 2.2         | 24        |
| 174 | Feasibility Evaluation of Myocardial Cannabinoid Type 1 Receptor ImagingÂinÂObesity. JACC: Cardiovascular Imaging, 2018, 11, 320-332.  | <b>5.</b> 3 | 24        |
| 175 | Tumor Response Assessment Is More Robust With Sequential CT Scanning Than External Caliper Measurements1. Academic Radiology, 2005, 12, 776-781.   | 2.5         | 23        |
| 176 | Effect of Patient Arm Motion in Whole-Body PET/CT. Journal of Nuclear Medicine, 2011, 52, 1891-1897.   | 5.0         | 23        |
| 177 | Measurement Repeatability of <sup>18</sup> F-FDG PET/CT Versus <sup>18</sup> F-FDG PET/MRI in Solid Tumors of the Pelvis. Journal of Nuclear Medicine, 2019, 60, 1080-1086.  | 5.0         | 23        |
| 178 | A Multisite Study of a Breast Density Deep Learning Model for Full-Field Digital Mammography and Synthetic Mammography. Radiology: Artificial Intelligence, 2021, 3, e200015.  | 5.8         | 23        |
| 179 | How Reproducible Is Bioluminescent Imaging of Tumor Cell Growth? Single Time Point versus the Dynamic Measurement Approach. Molecular Imaging, 2007, 6, 7290.2007.00031.   | 1.4         | 22        |
| 180 | Comparison and Effectiveness of Regadenoson Versus Dipyridamole on Stress Electrocardiographic Changes During Positron Emission Tomography Evaluation of Patients With Hypertrophic Cardiomyopathy. American Journal of Cardiology, 2012, 110, 1033-1039.  | 1.6         | 22        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 181 | Liver Standardized Uptake Value Corrected for Lean Body Mass at FDG PET/CT. Clinical Nuclear Medicine, 2015, 40, e17-e22.  | 1.3         | 22        |
| 182 | Measurement of Brown Adipose Tissue Activity Using Microwave Radiometry and <sup>18</sup> F-FDG PET/CT. Journal of Nuclear Medicine, 2018, 59, 1243-1248.  | 5.0         | 22        |
| 183 | Updated Results of TBCRC026: Phase II Trial Correlating Standardized Uptake Value With Pathological Complete Response to Pertuzumab and Trastuzumab in Breast Cancer. Journal of Clinical Oncology, 2021, 39, 2247-2256. | 1.6         | 22        |
| 184 | Advantages of Hybrid SPECT/CT vs SPECT Alone. The Open Medical Imaging Journal, 2008, 2, 67-79.  | 0.8         | 22        |
| 185 | Integrating PET and PET/CT into the risk-adapted therapy of lymphoma. Journal of Nuclear Medicine, 2007, 48 Suppl 1, 19S-27S.  | 5.0         | 22        |
| 186 | Repeatability of Quantitative Brown Adipose Tissue Imaging Metrics on Positron Emission Tomography with 18F-Fluorodeoxyglucose in Humans. Cell Metabolism, 2019, 30, 212-224.e4.   | 16.2        | 21        |
| 187 | Tositumomab and (131)I therapy in non-Hodgkin's lymphoma. Journal of Nuclear Medicine, 2005, 46 Suppl 1, 128S-40S.   | 5.0         | 21        |
| 188 | FDG PET and high-dose therapy for aggressive lymphomas: toward a risk-adapted strategy. Current Opinion in Oncology, 2004, 16, 100-105.  | 2.4         | 20        |
| 189 | Scalene muscle uptake: a potential pitfall in head and neck PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35, 89-94.   | 6.4         | 20        |
| 190 | Quantification of the spatial distribution of rectally applied surrogates for microbicide and semen in colon with SPECT and magnetic resonance imaging. British Journal of Clinical Pharmacology, 2012, 74, 1013-1022.   | 2.4         | 20        |
| 191 | Radiobiologic Optimization of Combination Radiopharmaceutical Therapy Applied to Myeloablative<br>Treatment of Non-Hodgkin Lymphoma. Journal of Nuclear Medicine, 2013, 54, 1535-1542.                                   | <b>5.</b> 0 | 20        |
| 192 | Joint EANM, SNMMI and IAEA enabling guide: how to set up a theranostics centre. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 2300-2309.   | 6.4         | 20        |
| 193 | Intratumoral microdistribution of [1311]MB-1 in patients with B-cell lymphoma following radioimmunotherapy. Nuclear Medicine and Biology, 1997, 24, 657-663.   | 0.6         | 19        |
| 194 | PET Scanning and Measuring the Impact of Treatment. Cancer Journal (Sudbury, Mass ), 2002, 8, 119-134.   | 2.0         | 19        |
| 195 | Imaging Uterine Cervical Cancer with FDG-PET/CT: Direct Comparison with PET. Molecular Imaging and Biology, 2009, 11, 229-235.   | 2.6         | 19        |
| 196 | Poly(ADP-ribose) polymerase inhibitors combined with external beam and radioimmunotherapy to treat aggressive lymphoma. Nuclear Medicine Communications, 2011, 32, 1046-1051.  | 1.1         | 19        |
| 197 | Factors affecting the stability and repeatability of gamma camera calibration for quantitative imaging applications based on a retrospective review of clinical data. EJNMMI Research, 2014, 4, 67.                      | 2.5         | 19        |
| 198 | Radiation Dose Does Matter: Mechanistic Insights into DNA Damage and Repair Support the Linear<br>No-Threshold Model of Low-Dose Radiation Health Risks. Journal of Nuclear Medicine, 2018, 59,<br>1014-1016.            | 5.0         | 19        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Repeatability of brown adipose tissue measurements on FDG PET/CT following a simple cooling procedure for BAT activation. PLoS ONE, 2019, 14, e0214765.   | 2.5 | 19        |
| 200 | Quantitative Fit Tested N95 Respirator-Alternatives Generated With CT Imaging and 3D Printing: A Response to Potential Shortages During the COVID-19 Pandemic. Academic Radiology, 2021, 28, 158-165.   | 2.5 | 19        |
| 201 | At Last, <sup>18</sup> F-FDG for Inflammation and Infection!. Journal of Nuclear Medicine, 2021, 62, 1048-1049.   | 5.0 | 19        |
| 202 | Correlation of tumor radiation-absorbed dose with response is easier to find in previously untreated patients. Journal of Nuclear Medicine, 2003, 44, 1541-3; author reply 1543.  | 5.0 | 19        |
| 203 | Dosimetry in Clinical Radiopharmaceutical Therapy of Cancer: Practicality Versus Perfection in Current Practice. Journal of Nuclear Medicine, 2021, 62, 60S-72S.  | 5.0 | 19        |
| 204 | Performance assessment of a NaI(Tl) gamma counter for PET applications with methods for improved quantitative accuracy and greater standardization. EJNMMI Physics, 2015, 2, .  | 2.7 | 18        |
| 205 | Apparent left ventricular cavity dilatation during PET/CT in hypertrophic cardiomyopathy: Clinical predictors and potential mechanisms. Journal of Nuclear Cardiology, 2016, 23, 1304-1314.   | 2.1 | 18        |
| 206 | A Snapshot of Radiology Training During the Early COVID-19 Pandemic. Current Problems in Diagnostic Radiology, 2021, 50, 607-613.   | 1.4 | 18        |
| 207 | How reproducible is bioluminescent imaging of tumor cell growth? Single time point versus the dynamic measurement approach. Molecular Imaging, 2007, 6, 315-22.   | 1.4 | 18        |
| 208 | Radiosynthesis of [11C]paclitaxel. Journal of Labelled Compounds and Radiopharmaceuticals, 2002, 45, 471-477.   | 1.0 | 17        |
| 209 | Synthesis and in vivo evaluation of (S)-6-(4-fluorophenoxy)-3-((1-[11C]methylpiperidin-3-yl)methyl)-2-o-tolylquinazolin-4(3H)-one, a potential PET tracer for growth hormone secretagogue receptor (GHSR). Bioorganic and Medicinal Chemistry, 2011. 19. 2368-2372. | 3.0 | 17        |
| 210 | Assessment of Tumoricidal Efficacy and Response to Treatment with sup > 18 < /sup > F-FDG PET/CT After Intraarterial Infusion with the Antiglycolytic Agent 3-Bromopyruvate in the VX2 Model of Liver Tumor. Journal of Nuclear Medicine, 2011, 52, 225-230.        | 5.0 | 17        |
| 211 | Assessment of Imaging Modalities and Response Metrics in Ewing Sarcoma: Correlation With Survival. Journal of Clinical Oncology, 2016, 34, 3680-3685.   | 1.6 | 17        |
| 212 | Induction of Thyroid Gene Expression and Radioiodine Uptake in Melanoma Cells: Novel Therapeutic Implications. PLoS ONE, 2009, 4, e6200.  | 2.5 | 17        |
| 213 | F-18 FDG PET/CT in Acute Respiratory Distress Syndrome: A Case Report. Clinical Nuclear Medicine, 2004, 29, 786-788.  | 1.3 | 16        |
| 214 | Letter to Cancer Center Directors: Progress in Quantitative Imaging As a Means to Predict and/or Measure Tumor Response in Cancer Therapy Trials. Journal of Clinical Oncology, 2014, 32, 2115-2116.  | 1.6 | 16        |
| 215 | Respiratoryâ€gated <scp>PET</scp> / <scp>CT</scp> versus delayed images for the quantitative evaluation of lower pulmonary and hepatic lesions. Journal of Medical Imaging and Radiation Oncology, 2014, 58, 277-282.   | 1.8 | 16        |
| 216 | Late gadolinium enhancement confined to the right ventricular insertion points in hypertrophic cardiomyopathy: an intermediate stage phenotype?. European Heart Journal Cardiovascular Imaging, 2016, 17, 293-300.  | 1.2 | 16        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | A comparison of FLT to FDG PET/CT in the early assessment of chemotherapy response in stages IB–IIIA resectable NSCLC. EJNMMI Research, 2017, 7, 8.   | 2.5 | 16        |
| 218 | Synthesis and Biodistribution of [11C]Adenosine $5\hat{a}\in^2$ -Monophosphate ([11C]AMP). Molecular Imaging and Biology, 2005, 7, 203-208.   | 2.6 | 15        |
| 219 | The effect of specimen processing on radiolabeled monoclonal antibody biodistribution. European Journal of Nuclear Medicine and Molecular Imaging, 1984, 9, 382-4.  | 2.1 | 14        |
| 220 | Simplifying volumesâ€ofâ€interest (VOIs) definition in quantitative SPECT: Beyond manual definition of 3D wholeâ€organ VOIs. Medical Physics, 2017, 44, 1707-1717.  | 3.0 | 14        |
| 221 | Quantitative PET/CT in clinical practice. Nuclear Medicine Communications, 2018, 39, 154-160.   | 1.1 | 14        |
| 222 | Mars Shot for Nuclear Medicine, Molecular Imaging, and Molecularly Targeted Radiopharmaceutical Therapy. Journal of Nuclear Medicine, 2021, 62, 6-14.   | 5.0 | 13        |
| 223 | Anatomolecular Imaging with 2-Deoxy-2-[18F]Fluoro-D-Glucose: Bench to Outpatient Center.<br>Molecular Imaging and Biology, 2003, 5, 49-56.  | 2.6 | 12        |
| 224 | Arterial Wall Dosimetry for Non-Hodgkin Lymphoma Patients Treated with Radioimmunotherapy. Journal of Nuclear Medicine, 2010, 51, 368-375.  | 5.0 | 12        |
| 225 | Initial Experience with Tositumomab and I-131-Labeled Tositumomab for Treatment of Relapsed/Refractory Hodgkin Lymphoma. Molecular Imaging and Biology, 2017, 19, 429-436.  | 2.6 | 12        |
| 226 | Preclinical PERCIST and 25% of SUV <sub>max</sub> Threshold: Precision Imaging of Response to Therapy in Co-clinical <sup>18</sup> F-FDG PET Imaging of Triple-Negative Breast Cancer Patient–Derived Tumor Xenografts. Journal of Nuclear Medicine, 2020, 61, 842-849. | 5.0 | 12        |
| 227 | Repeatability of <sup>18</sup> F-FDG PET Radiomic Features in Cervical Cancer. Journal of Nuclear Medicine, 2021, 62, 707-715.  | 5.0 | 12        |
| 228 | Tositumomab and Iodine I-131 Tositumomab for Previously Untreated, Advanced-Stage, Follicular Lymphoma: Median 10 Year Follow-up Results Blood, 2009, 114, 3759-3759.   | 1.4 | 12        |
| 229 | Experimental radioimmunotherapy. A brief overview. Cancer, 1994, 73, 989-992.   | 4.1 | 11        |
| 230 | Extramedullary Hematopoiesis on F-18 FDG PET/CT in a Patient With Metastatic Colon Carcinoma. Clinical Nuclear Medicine, 2007, 32, 878-880.   | 1.3 | 11        |
| 231 | Characterization of a Perirectal Artifact in <sup>18</sup> F-FDG PET/CT. Journal of Nuclear Medicine, 2010, 51, 1501-1506.  | 5.0 | 11        |
| 232 | Quantitative FDG PET/CT in the community: Experience from interpretation of outside oncologic PET/CT exams in referred cancer patients. Journal of Medical Imaging and Radiation Oncology, 2014, 58, 183-188.   | 1.8 | 11        |
| 233 | Quantitation of Cancer Treatment Response by 18F-FDG PET/CT: Multicenter Assessment of Measurement Variability. Journal of Nuclear Medicine, 2017, 58, 1429-1434.   | 5.0 | 11        |
| 234 | Spatial relationship of 2-deoxy-2-[18F]-fluoro-D-glucose positron emission tomography and magnetic resonance diffusion imaging metrics in cervical cancer. EJNMMI Research, 2018, 8, 52.  | 2.5 | 11        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Human Radiation Dosimetry for Orally and Intravenously Administered <sup>18</sup> F-FDG. Journal of Nuclear Medicine, 2020, 61, 613-619.   | 5.0 | 11        |
| 236 | 18F-FDG PET of the hands with a dedicated high-resolution PEM system (arthro-PET): correlation with PET/CT, radiography and clinical parameters. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 2337-2345.                          | 6.4 | 10        |
| 237 | Two-Time-Point FDG PET/CT: Liver SUL <sub>mean</sub> Repeatability. American Journal of Roentgenology, 2015, 204, 402-407.   | 2.2 | 10        |
| 238 | Theranostics: The Role of Quantitative Nuclear Medicine Imaging. Seminars in Radiation Oncology, 2021, 31, 28-36.  | 2.2 | 10        |
| 239 | Improved <sup>223</sup> Ra Therapy with Combination Epithelial Sodium Channel Blockade. Journal of Nuclear Medicine, 2021, 62, 1751-1758.  | 5.0 | 10        |
| 240 | High-dose, unlabeled, nonspecific antibody pretreatment: influence on specific antibody localization to human melanoma xenografts. Cancer Immunology, Immunotherapy, 1987, 24, 221-4.  | 4.2 | 9         |
| 241 | Magnetically-enhanced radionuclide therapy (MERiT): In vitro evaluation. International Journal of Radiation Oncology Biology Physics, 1997, 37, 1201-1206.   | 0.8 | 9         |
| 242 | PET/CT findings in gastric cancer: potential advantages and current limitations. Imaging in Medicine, 2012, 4, 241-250.  | 0.0 | 9         |
| 243 | Strengths and Weaknesses of a Planar Whole-Body Method of 153Sm Dosimetry for Patients with Metastatic Osteosarcoma and Comparison with Three-Dimensional Dosimetry. Cancer Biotherapy and Radiopharmaceuticals, 2015, 30, 369-379.                        | 1.0 | 9         |
| 244 | Prospective SPECT-CT Organ Dosimetry-Driven Radiation-Absorbed Dose Escalation Using the In-111 (111In)/Yttrium 90 (90Y) Ibritumomab Tiuxetan (Zevalin®) Theranostic Pair in Patients with Lymphoma at Myeloablative Dose Levels. Cancers, 2021, 13, 2828. | 3.7 | 8         |
| 245 | Studies on the metabolic fate of 111In-labeled antibodies. International Journal of Radiation Applications and Instrumentation Part B, Nuclear Medicine and Biology, 1989, 16, 839-845.  | 0.3 | 7         |
| 246 | Combined FDG-positron emission tomography and computed tomography for the detection of ovarian cancer recurrence in an inguinal hernia sac. Gynecologic Oncology, 2005, 98, 510-512.   | 1.4 | 7         |
| 247 | Synthesis of 2-[18F]fluoroadenosine (2-[18F]FAD) as potential radiotracer for studying malignancies by PET. Journal of Labelled Compounds and Radiopharmaceuticals, 2006, 49, 811-815.   | 1.0 | 7         |
| 248 | Overcorrection of iodinated contrast attenuation in SPECT-CT: Phantom studies. Medical Physics, 2010, 37, 4897-4901.   | 3.0 | 7         |
| 249 | The role of 18F-fluorodeoxyglucose positron emission tomography in the management of patients with pancreatic adenocarcinoma. Journal of Radiation Oncology, 2013, 2, 341-352.   | 0.7 | 7         |
| 250 | Optimal definition of biological tumor volume using positron emission tomography in an animal model. EJNMMI Research, 2015, 5, 58.   | 2.5 | 7         |
| 251 | Repeatability of Radiotracer Uptake in Normal Abdominal Organs with <sup>111</sup> In-Pentetreotide Quantitative SPECT/CT. Journal of Nuclear Medicine, 2015, 56, 985-988.   | 5.0 | 7         |
| 252 | Phase I/II Dose-Escalation Study of Tositumomab and Iodine I 131 Tositumomab for Relapsed/Refractory Classical or Lymphocyte-Predominant Hodgkin's Lymphoma: Feasibility and Initial Safety. Blood, 2008, 112, 3059-3059.                                  | 1.4 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | An Exocrine Pancreatic Stress Test with <sup>11</sup> C-Acetate PET and Secretin Stimulation. Journal of Nuclear Medicine, 2014, 55, 1128-1131.   | 5.0 | 6         |
| 254 | Quo Vadis: PET and Single-Photon Molecular Breast Imaging. Journal of Nuclear Medicine, 2016, 57, 3S-8S.  | 5.0 | 6         |
| 255 | DNA Repair After Exposure to Ionizing Radiation Is Not Error-Free. Journal of Nuclear Medicine, 2018, 59, 348-348.  | 5.0 | 6         |
| 256 | Repeatability of Radiomic Features of Brown Adipose Tissue. Journal of Nuclear Medicine, 2021, 62, 700-706.   | 5.0 | 6         |
| 257 | Prospective Within-Patient Assessment of the Impact of an Unlabeled Octreotide Pre-dose on the Biodistribution and Tumor Uptake of 68Ga DOTATOC as Assessed by Dynamic Whole-body PET in Patients with Neuroendocrine Tumors: Implications for Diagnosis and Therapy. Molecular Imaging and Biology, 2021. 23. 766-774. | 2.6 | 6         |
| 258 | Importance of intra-therapy single-photon emission tomographic imaging in calculating tumour dosimetry for a lymphoma patient. European Journal of Nuclear Medicine and Molecular Imaging, 1991, 18, 432-435.   | 2.1 | 5         |
| 259 | Measuring the "Unmeasurable― Academic Radiology, 2010, 17, 1175-1185.   | 2.5 | 5         |
| 260 | Quantitative whole-body parametric PET imaging incorporating a generalized Patlak model., 2013,,.   |     | 5         |
| 261 | Posttreatment FDG PET/CT in predicting survival of patients with ovarian carcinoma. EJNMMI Research, 2016, 6, 42.   | 2.5 | 5         |
| 262 | Overview of the First NRG Oncology–National Cancer Institute Workshop on Dosimetry of Systemic Radiopharmaceutical Therapy. Journal of Nuclear Medicine, 2021, 62, 1133-1139.   | 5.0 | 5         |
| 263 | Perspectives on Brown Adipose Tissue Imaging: Insights from Preclinical and Clinical Observations from the Last and Current Century. Journal of Nuclear Medicine, 2021, 62, 34S-43S.  | 5.0 | 5         |
| 264 | Joint EANM, SNMMI, and IAEA Enabling Guide: How to Set up a Theranostics Center. Journal of Nuclear Medicine, 2022, 63, 1836-1843.  | 5.0 | 5         |
| 265 | A Positron-Emitting Internal Marker for Identification of Normal Tissue by Positron Emission<br>Tomography: Phantom Studies and Validation in Patients. Molecular Imaging and Biology, 2003, 5, 79-85.  | 2.6 | 4         |
| 266 | Enhanced whole-body PET parametric imaging using hybrid regression and thresholding driven by kinetic correlations. , 2012, , .   |     | 4         |
| 267 | Quantitation of cancer treatment response by 2-[18F]FDG PET/CT: multi-center assessment of measurement variability using AUTO-PERCISTâ,,¢. EJNMMI Research, 2021, 11, 15.   | 2.5 | 4         |
| 268 | Brown Adipose Tissue: A Protective Mechanism Against "Preprediabetes�. Journal of Nuclear Medicine, 2022, 63, 1433-1440.  | 5.0 | 4         |
| 269 | Radiopharmaceutical Dosimetry for Cancer Therapy: From Theory to Practice. Journal of Nuclear Medicine, 2021, 62, 1S-2S.  | 5.0 | 4         |
| 270 | A Projection-Domain Low-Count Quantitative SPECT Method for É'-Particle-Emitting Radiopharmaceutical Therapy. IEEE Transactions on Radiation and Plasma Medical Sciences, 2023, 7, 62-74.   | 3.7 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Magnetically enhanced protection of bone marrow from beta particles emitted by bone-seeking radionuclides: Theory of application. Medical Physics, 1995, 22, 1285-1292.  | 3.0 | 3         |
| 272 | Positron Emission Tomography (PET): an Update on Applications in Breast Cancer. Breast Disease, 1998, 10, 165-175.   | 0.8 | 3         |
| 273 | Longitudinal Myocardial Blood Flow Gradient and CAD Detection. Current Cardiology Reports, 2015, 17, 550.  | 2.9 | 3         |
| 274 | Bioluminescent Tumor Signal Is Mouse Strain and Pelt Color Dependent: Experience in a Disseminated Lymphoma Model. Molecular Imaging and Biology, 2021, 23, 697-702.   | 2.6 | 3         |
| 275 | Detection of additional primary neoplasms on 18F-Fluciclovine PET/CT in patients with primary prostate cancer. Journal of Nuclear Medicine, 2021, , jnumed.121.262647.   | 5.0 | 3         |
| 276 | Overexpression of glut-1 glucose transporter in human breast cancer an immunohistochemical study. , 1993, 72, 2979.  |     | 3         |
| 277 | Early change in 18-fluorodeoxyglucose (FDG) uptake on positron emission tomography (PET) to predict response to preoperative systemic therapy (PST) in HER2-negative primary operable breast cancer: Translational breast cancer research consortium (TBCRC008) Journal of Clinical Oncology, 2012, 30, 10509-10509. | 1.6 | 3         |
| 278 | Interim results of an open-label, single-arm trial of ultratrace I-131-iobenguane in patients with metastatic pheochromocytoma/paraganglioma (Pheo) Journal of Clinical Oncology, 2012, 30, e13592-e13592.   | 1.6 | 3         |
| 279 | Increased genital uptake of 99mTc red blood cells: A potential cause of false-positive studies for gastrointestinal bleeding. European Journal of Nuclear Medicine and Molecular Imaging, 1984, 9, 245-246.  | 2.1 | 2         |
| 280 | Diagnosis of exercise-induced left bundle branch block at rest by scintigraphic phase analysis. European Journal of Nuclear Medicine and Molecular Imaging, 1986, 11, 434-7.   | 2.1 | 2         |
| 281 | The Roles of Fluorodeoxyglucose-PET/Computed Tomography in Ovarian Cancer: Diagnosis, Assessing Response, and Detecting Recurrence. PET Clinics, 2010, 5, 447-461.   | 3.0 | 2         |
| 282 | Reply: Radiation Dose Does Matter: Mechanistic Insights into DNA Damage and Repair Support the Linear No-Threshold Model of Low-Dose Radiation Health Risks. Journal of Nuclear Medicine, 2018, 59, 1780-1781.   | 5.0 | 2         |
| 283 | Reply: Radiation Dose Does Matter: Mechanistic Insights into DNA Damage and Repair Support the Linear No-Threshold Model of Low-Dose Radiation Health Risks. Journal of Nuclear Medicine, 2019, 60, 437-438.   | 5.0 | 2         |
| 284 | The Interaction of Genomics, Molecular Imaging, and Therapy in Gastrointestinal Tumors. Seminars in Nuclear Medicine, 2020, 50, 471-483.   | 4.6 | 2         |
| 285 | Risk-Adapted Therapy of Aggressive Lymphoma Based on FDG-PET Performed after 2 or 3 Cycles of Initial Chemotherapy Blood, 2007, 110, 1894-1894.  | 1.4 | 2         |
| 286 | Sequential therapy with the selective T-type calcium channel blocker mibefradil and temozolomide in patients with recurrent high-grade gliomas: An Adult Brain Tumor Consortium phase I study (ABTC1101) Journal of Clinical Oncology, 2013, 31, TPS2105-TPS2105.  | 1.6 | 2         |
| 287 | Clinical Trial Design and Development Work Group Within the Quantitative Imaging Network.<br>Tomography, 2020, 6, 60-64.   | 1.8 | 2         |
| 288 | Observational Retrospective Study of Altered Biodistribution of Tositumomab and <sup>131</sup> I-Tositumomab. Journal of Nuclear Medicine, 2015, 56, 1800-1803.  | 5.0 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Reply to E. Hindié et al. Journal of Clinical Oncology, 2019, 37, 2092-2093.   | 1.6 | 1         |
| 290 | Pre-SBRT metabolic tumor volume and total lesion glycolysis to predict survival in patients with locally advanced pancreatic cancer receiving stereotactic body radiation therapy Journal of Clinical Oncology, 2014, 32, 189-189. | 1.6 | 1         |
| 291 | Diagnosis of Stage IV Melanoma. , 2019, , 1-47.  |     | 1         |
| 292 | Business Models for Academic Medical Center Cyclotron Operations. Journal of the American College of Radiology, 2005, 2, 526-533.  | 1.8 | 0         |
| 293 | Clinical Significance of Iodine-123 Metaiodobenzylguanidine Cardiac Imaging. Journal of the American College of Cardiology, 2009, 54, 575-576.   | 2.8 | o         |
| 294 | Surveillance of Cancer Patients with Imaging: Self-Evident or Evidence-Based?. Journal of Nuclear Medicine, 2013, 54, 1513-1515.   | 5.0 | 0         |
| 295 | Non-Hodgkin Lymphoma: Radioimmunotherapy Using Iodine-131 Labeled Murine Anti-CD20 Antibodies (131I-Tositumomab and Tositumomab, "Bexxarâ€). Medical Radiology, 2014, , 505-525.   | 0.1 | 0         |
| 296 | Case Report. Medicine (United States), 2015, 94, e1820.  | 1.0 | O         |
| 297 | Imaging Melanoma. , 2019, , 557-581.   |     | 0         |
| 298 | PET Diagnosis and Response Monitoring in Oncology. , 2021, , 1049-1076.  |     | 0         |
| 299 | Lymphomas., 2013,, 153-187.  |     | 0         |
| 300 | Imaging Metabolic and Molecular Functions in Brain Tumors with Positron Emission Tomography (PET)., 2014,, 129-142.  |     | 0         |
| 301 | Functional Imaging. Medical Radiology, 2014, , 159-166.  | 0.1 | 0         |
| 302 | Diagnostic Applications of Nuclear Medicine: Lymphomas. , 2016, , 1-42.  |     | 0         |
| 303 | Radionuclide Therapy of Lymphomas. , 2016, , 1-15.   |     | 0         |
| 304 | Diagnostic Applications of Nuclear Medicine: Lymphomas. , 2017, , 353-393.   |     | 0         |
| 305 | Radionuclide Therapy of Lymphomas. , 2017, , 1141-1155.  |     | 0         |
| 306 | Imaging Melanoma. , 2018, , 1-25.  |     | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Diagnosis of Stage IV Melanoma. , 2020, , 997-1043.  |     | 0         |
| 308 | PET and PET/CT Imaging in Breast Cancer. , 2006, , 197-215.  |     | 0         |
| 309 | Individualizing cancer therapies using "anatomolecular" imaging. Journal of Nuclear Medicine, 2008, 49, 65N-68N.                 | 5.0 | 0         |
| 310 | Use of combined PET/CT imaging in evaluation of the solitary pulmonary nodule: Principles, techniques, and pitfalls., 0,, 24-43. |     | 0         |