Maria Letizia Ciavatta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5892984/publications.pdf

Version: 2024-02-01

91 papers 2,016 citations

201674 27 h-index 315739 38 g-index

95 all docs 95 docs citations

95 times ranked 2408 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Chemoecological study of the invasive alga Caulerpa taxifolia var. distichophylla from the Sicilian coast. Aquatic Ecology, 2022, 56, 447-457. | 1.5 | 3 |
| 2 | Aerophobin-1 from the Marine Sponge AplysinaÂaerophoba Modulates Osteogenesis in Zebrafish Larvae. Marine Drugs, 2022, 20, 135. | 4.6 | 5 |
| 3 | Sesquiterpene Lactones with the 12,8-Guaianolide Skeleton from Algerian Centaurea omphalotricha. Biomolecules, 2021, 11, 1053. | 4.0 | 6 |
| 4 | Identification of the hydantoin alkaloids parazoanthines as novel CXCR4 antagonists by computational and in vitro functional characterization. Bioorganic Chemistry, 2020, 105, 104337. | 4.1 | 4 |
| 5 | Chemical constituents of the aerial parts of Algerian Galium brunneum: Isolation of new hydroperoxy sterol glucosyl derivatives. Phytochemistry Letters, 2020, 38, 39-45. | 1.2 | 3 |
| 6 | The Phylum Bryozoa: From Biology to Biomedical Potential. Marine Drugs, 2020, 18, 200. | 4.6 | 16 |
| 7 | Polyphenolic Profiling, Quantitative Assessment and Biological Activities of Tunisian Native Mentha rotundifolia (L.) Huds. Molecules, 2019, 24, 2351. | 3.8 | 15 |
| 8 | Oxygenated C17 polyacetylene metabolites from Algerian Eryngium tricuspidatum L. roots: Structure and biological activity. Fìtoterapìâ, 2019, 138, 104355. | 2.2 | 6 |
| 9 | Occurrence of symmetrical diacylguanidines triophamine and limaciamine in three polyceridae species from Canary Islands: are they chemical markers of these nudibranchs?. Biochemical Systematics and Ecology, 2019, 83, 62-65. | 1.3 | 2 |
| 10 | In Silico Identification and Experimental Validation of (â^')-Muqubilin A, a Marine Norterpene Peroxide, as PPARα/γ-RXRα Agonist and RARα Positive Allosteric Modulator. Marine Drugs, 2019, 17, 110. | 4.6 | 11 |
| 11 | Amphilectene Diterpene Isonitriles and Formamido Derivatives from the Hainan Nudibranch Phyllidia Coelestis. Marine Drugs, 2019, 17, 603. | 4.6 | 7 |
| 12 | Natural Products from Marine Heterobranchs: an Overview of Recent Results. Chemistry Journal of Moldova, 2019, 14, 9-31. | 0.6 | 5 |
| 13 | <i>In Silico</i> Identification and Experimental Validation of Novel Anti-Alzheimer's Multitargeted Ligands from a Marine Source Featuring a "2-Aminoimidazole plus Aromatic Group―Scaffold. ACS Chemical Neuroscience, 2018, 9, 1290-1303. | 3.5 | 14 |
| 14 | Prenylated Flavonoids and Phenolic Compounds from the Rhizomes of Marine Phanerogam Cymodocea nodosa. Planta Medica, 2018, 84, 704-709. | 1.3 | 4 |
| 15 | Exploring the Chemical Diversity of Algerian Plants: Three New Pentacyclic Triterpenoids from Launaea acanthoclada Roots. Molecules, 2018, 23, 80. | 3.8 | 6 |
| 16 | Marine Terpenoid Diacylguanidines: Structure, Synthesis, and Biological Evaluation of Naturally Occurring Actinofide and Synthetic Analogues. Journal of Natural Products, 2017, 80, 1339-1346. | 3.0 | 15 |
| 17 | Volatile secondary metabolites as aposematic olfactory signals and defensive weapons in aquatic environments. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 3451-3456. | 7.1 | 41 |
| 18 | Marine Molluskâ€Derived Agents with Antiproliferative Activity as Promising Anticancer Agents to Overcome Chemotherapy Resistance. Medicinal Research Reviews, 2017, 37, 702-801. | 10.5 | 46 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Exploring the Bioactive Terpenoid Content of an Algerian Plant of the Genus <i>Pulicaria </i> : The <i>ent </i> -Series of Asteriscunolides. Journal of Natural Products, 2017, 80, 82-89. | 3.0 | 16 |
| 20 | Identification of a new small bioactive peptide from Lactobacillus gasseri supernatant. Beneficial Microbes, 2017, 8, 133-141. | 2.4 | 12 |
| 21 | Chemistry of Two Distinct Aeolid <i>Spurilla</i> Species: Ecological Implications. Chemistry and Biodiversity, 2017, 14, e1700125. | 2.1 | 10 |
| 22 | In VitroGrowth Inhibitory Activities of Natural Products from Irciniid Sponges against Cancer Cells: A Comparative Study. BioMed Research International, 2016, 2016, 1-6. | 1.9 | 1 |
| 23 | Phytochemical Study of Eryngium triquetrum: Isolation of Polyacetylenes and Lignans. Planta Medica, 2016, 82, 1438-1445. | 1.3 | 14 |
| 24 | Kahalalide F analogues from the mucous secretion of Indian sacoglossan mollusc Elysia ornata. Tetrahedron, 2016, 72, 625-631. | 1.9 | 18 |
| 25 | Identification of thuridillin-related aldehydes from Mediterranean sacoglossan mollusk Thuridilla hopei. Tetrahedron, 2014, 70, 3770-3773. | 1.9 | 9 |
| 26 | Alcanivorax borkumensis produces an extracellular siderophore in iron-limitation condition maintaining the hydrocarbon-degradation efficiency. Marine Genomics, 2014, 17, 43-52. | 1.1 | 27 |
| 27 | Sequestered Fulvinol-Related Polyacetylenes in <i>Peltodoris atromaculata</i> . Journal of Natural Products, 2014, 77, 1678-1684. | 3.0 | 11 |
| 28 | <i>In Vitro</i> Pharmacological and Toxicological Effects of Norterpene Peroxides Isolated from the Red Sea Sponge <i>Diacarnus erythraeanus</i> on Normal and Cancer Cells. Journal of Natural Products, 2013, 76, 1541-1547. | 3.0 | 43 |
| 29 | Extending the Record of Bis- \hat{I}^3 -pyrone Polypropionates from Marine Pulmonate Mollusks. Journal of Natural Products, 2013, 76, 2065-2073. | 3.0 | 28 |
| 30 | Effect of heat treatments on biomolecular profile of Sardinian apple cultivars. Communications in Agricultural and Applied Biological Sciences, 2013, 78, 83-91. | 0.0 | 0 |
| 31 | Chemistry of the Nudibranch Aldisa andersoni: Structure and Biological Activity of Phorbazole Metabolites. Marine Drugs, 2012, 10, 1799-1811. | 4.6 | 25 |
| 32 | The first record of neolignans from the marine phanerogam Posidonia oceanica. Phytochemistry Letters, 2012, 5, 696-699. | 1.2 | 11 |
| 33 | First synthesis of parazoanthine-A and its O-Me derivative. Tetrahedron Letters, 2012, 53, 7083-7084. | 1.4 | 9 |
| 34 | An efficient and versatile chemical synthesis of bioactive glyco-glycerolipids. Tetrahedron Letters, 2012, 53, 879-881. | 1.4 | 42 |
| 35 | Cell-growth and migration inhibition of human mesothelioma cells induced by 3-O-Methylfunicone from Penicillium pinophilum and cisplatin. Investigational New Drugs, 2012, 30, 1343-1351. | 2.6 | 16 |
| 36 | Fulvynes, antimicrobial polyoxygenated acetylenes from the Mediterranean sponge Haliclona fulva. Tetrahedron, 2012, 68, 754-760. | 1.9 | 39 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Chemical synthesis of funicone analogs. Tetrahedron, 2012, 68, 4107-4111. | 1.9 | 9 |
| 38 | Bioactive Terpenes from <i>Spongia officinalis</i> . Journal of Natural Products, 2011, 74, 1241-1247. | 3.0 | 27 |
| 39 | Structure and Synthesis of a Unique Isonitrile Lipid Isolated from the Marine MolluskActinocyclus papillatus. Organic Letters, 2011, 13, 1897-1899. | 4.6 | 21 |
| 40 | Tritoniopsins A–D, Cladiellane-Based Diterpenes from the South China Sea Nudibranch <i>Tritoniopsis elegans</i> and Its Prey <i>Cladiella krempfi</i> Journal of Natural Products, 2011, 74, 1902-1907. | 3.0 | 33 |
| 41 | 3-O-methylfunicone, from Penicillium pinophilum, is a selective inhibitor of breast cancer stem cells. Cell Proliferation, 2011, 44, 401-409. | 5.3 | 19 |
| 42 | Anti-biofilm activity of an exopolysaccharide from a sponge-associated strain of Bacillus licheniformis. Microbial Cell Factories, 2011, 10, 74. | 4.0 | 102 |
| 43 | Isolation and Structure Elucidation of Flavonol Glycosides, Methyl linoleate and Fatty Acids from <i>Anacyclus cyrtolepidioïdes</i> (Pomel) Growing in Tunisia. Analytical Chemistry Letters, 2011, 1, 384-392. | 1.0 | 3 |
| 44 | Synthetic Strategy for the Preparation of Bioactive Galactoglycerolipids. Chemistry Journal of Moldova, 2011, 6, 27-29. | 0.6 | 2 |
| 45 | Application of NMR Technique in the Elucidation of Marine Natural Compounds. Chemistry Journal of Moldova, 2011, 6, 9-12. | 0.6 | 0 |
| 46 | Crucigasterins A–E, antimicrobial amino alcohols from the Mediterranean colonial ascidian Pseudodistoma crucigaster. Tetrahedron, 2010, 66, 7533-7538. | 1.9 | 20 |
| 47 | Chemical analysis of flavonoid constituents of the seagrass Halophila stipulacea: First finding of malonylated derivatives in marine phanerogams. Biochemical Systematics and Ecology, 2010, 38, 686-690. | 1.3 | 31 |
| 48 | 3â€ <i>O</i> àêMethylfunicone, a metabolite produced by <i>Penicillium pinophilum</i> , modulates ERK1/2 activity, affecting cell motility of human mesothelioma cells. Cell Proliferation, 2010, 43, 114-123. | 5.3 | 13 |
| 49 | A new xenicane norditerpene from the Indian marine gorgonian <i>Acanthogorgia turgida</i> Product Research, 2009, 23, 1664-1670. | 1.8 | 8 |
| 50 | Occurence and Bioactivities of Funicone-Related Compounds. International Journal of Molecular Sciences, 2009, 10, 1430-1444. | 4.1 | 29 |
| 51 | Diterpene content of the alga Dictyota ciliolata from a Moroccan lagoon. Phytochemistry Letters, 2009, 2, 211-215. | 1.2 | 22 |
| 52 | Aplysiopsenes: an additional example of marine polyketides with a mixed acetate/propionate pathway. Tetrahedron Letters, 2009, 50, 527-529. | 1.4 | 15 |
| 53 | Aromatic Cyclic Peroxides and Related Keto-Compounds from the <i>Plakortis</i> sp. Component of a Sponge Consortium. Journal of Natural Products, 2009, 72, 1547-1551. | 3.0 | 19 |
| 54 | Terretonins E and F, Inhibitors of the Mitochondrial Respiratory Chain from the Marine-Derived Fungus <i>Aspergillus insuetus </i> Journal of Natural Products, 2009, 72, 1348-1351. | 3.0 | 51 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Chemical characterisation of the terpenoid constituents of the Algerian plant Launaea arborescens. Phytochemistry, 2008, 69, 2984-2992. | 2.9 | 22 |
| 56 | Cytosporin-related compounds from the marine-derived fungus Eutypella scoparia. Tetrahedron, 2008, 64, 5365-5369. | 1.9 | 53 |
| 57 | Wars in the sea: chemical weapons from microalgae, macroalgae and seagrasses. Planta Medica, 2008, 74, . | 1.3 | 0 |
| 58 | A novel iridoid glycoside from the aerial parts of the Tunisian Prasium majus. Natural Product Research, 2007, 21, 692-697. | 1.8 | 8 |
| 59 | Isolation and Structural Elucidation of Eight New Related Analogues of the Mycotoxin (â^`)-Botryodiplodin from <i>Penicillium coalescens</i>). Journal of Agricultural and Food Chemistry, 2007, 55, 6977-6983. | 5.2 | 9 |
| 60 | 3-O-methylfunicone produced bypenicillium pinophilum affects cell motility of breast cancer cells, downregulating $\hat{l}\pm v\hat{l}^25$ integrin and inhibiting metalloproteinase-9 secretion. Molecular Carcinogenesis, 2007, 46, 930-940. | 2.7 | 27 |
| 61 | Studies on puupehenone-metabolites of a Dysidea sp.: structure and biological activity. Tetrahedron, 2007, 63, 1380-1384. | 1.9 | 33 |
| 62 | Aplysiols A and B, squalene-derived polyethers from the mantle of the sea hare Aplysia dactylomela. Tetrahedron, 2007, 63, 9970-9978. | 1.9 | 44 |
| 63 | New diastereomeric bis-sesquiterpenes from Hainan marine sponges Axinyssa variabilis and Lipastrotethya ana. Tetrahedron, 2007, 63, 11108-11113. | 1.9 | 34 |
| 64 | New bioactive hydrogenated linderazulene-derivatives from the gorgonian Echinogorgia complexa. Tetrahedron Letters, 2007, 48, 2569-2571. | 1.4 | 22 |
| 65 | Production and fungitoxic activity of Sch 642305, a secondary metabolite of Penicillium canescens. Mycopathologia, 2007, 163, 295-301. | 3.1 | 51 |
| 66 | Chemistry of Glossodoris Nudibranchs: Specific Occurrence of 12-Keto Scalaranes. Journal of Chemical Ecology, 2007, 33, 2325-2336. | 1.8 | 25 |
| 67 | Insecticidal Activity of Paraherquamides, Including Paraherquamide H and Paraherquamide I, Two New Alkaloids Isolated fromPenicillium cluniae. Journal of Agricultural and Food Chemistry, 2006, 54, 2921-2925. | 5.2 | 37 |
| 68 | New Caulerpenyne-derived Metabolites of an Elysia Sacoglossan from the South Indian Coast. Molecules, 2006, 11, 808-816. | 3.8 | 13 |
| 69 | New \hat{I}^3 -pyrone propionates from the Indian Ocean sacoglossan Placobranchus ocellatus. Tetrahedron Letters, 2005, 46, 465-468. | 1.4 | 56 |
| 70 | Structure and absolute stereochemistry of novel C15-halogenated acetogenins from the anaspidean mollusc Aplysia dactylomela. Tetrahedron, 2005, 61, 7456-7460. | 1.9 | 29 |
| 71 | Structural and stereochemical revision of isocyanide and isothiocyanate amphilectenes from the Caribbean marine sponge Cribochalina sp Tetrahedron, 2005, 61, 8049-8053. | 1.9 | 27 |
| 72 | 3-O-Methylfunicone, a secondary metabolite produced by Penicillium pinophilum, induces growth arrest and apoptosis in HeLa cells. Cell Proliferation, 2004, 37, 413-426. | 5.3 | 22 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | New C21 î"20 pregnanes, inhibitors of mitochondrial respiratory chain, from Indopacific octocoral Carijoa sp Tetrahedron Letters, 2004, 45, 7745-7748. | 1.4 | 24 |
| 74 | Isocyanide Terpene Metabolites of Phyllidiella pustulosa, a Nudibranch from the South China Sea. Journal of Natural Products, 2004, 67, 1701-1704. | 3.0 | 47 |
| 75 | Isolation and Structure Elucidation of a Flavanone, a Flavanone Glycoside and Vomifoliol from Echiochilon Fruticosum Growing in Tunisia. Molecules, 2004, 9, 602-608. | 3.8 | 54 |
| 76 | New additional triterpenoids from the Mediterranean sponge Raspaciona aculeata. Tetrahedron, 2002, 58, 4943-4948. | 1.9 | 7 |
| 77 | New bromotriterpene polyethers from the Indian alga Chondria armata. Tetrahedron, 2001, 57, 617-623. | 1.9 | 21 |
| 78 | Chemical studies on Antarctic nudibranch molluscs. Italian Journal of Zoology, 2000, 67, 101-109. | 0.6 | 11 |
| 79 | Single solution phase conformation of new antiproliferative cembranes. Tetrahedron, 1999, 55, 1143-1152. | 1.9 | 21 |
| 80 | Biosynthesis of drimane terpenoids in dorid molluscs: Pivotal role of 7-deacetoxyolepupuane in two species of Dendrodoris nudibranchs. Tetrahedron, 1999, 55, 5937-5946. | 1.9 | 27 |
| 81 | Structures and absolute stereochemistry of isocyanide and isothiocyanate amphilectenes from the Caribbean sponge Cribochalina sp Tetrahedron, 1999, 55, 12629-12636. | 1.9 | 35 |
| 82 | Volvatellin, Caulerpenyne-Related Product from the SacoglossanVolvatellasp Journal of Natural Products, 1999, 62, 931-933. | 3.0 | 9 |
| 83 | Hodgsonal, a new drimane sesquiterpene from the mantle of the Antarctic nudibranch Bathydoris hodgsoni. Tetrahedron Letters, 1998, 39, 5635-5638. | 1.4 | 53 |
| 84 | Cladocoran A and B:  Two Novel γ-Hydroxybutenolide Sesterterpenes from the Mediterranean Coral Cladocora cespitosa. Journal of Organic Chemistry, 1998, 63, 2845-2849. | 3.2 | 34 |
| 85 | Dactylallene: A novel dietary C15 bromoallene from the Atlantic anaspidean mollusc Aplysia dactylomela. Tetrahedron, 1997, 53, 17343-17350. | 1.9 | 29 |
| 86 | Dolabriferol: A new polypropionate from the skin of the anaspidean mollusc Dolabrifera dolabrifera. Tetrahedron, 1996, 52, 12831-12838. | 1.9 | 43 |
| 87 | Two new labdane aldehydes from the skin of the notaspidean Plevrobranchaea meckelii. Tetrahedron Letters, 1995, 36, 8673-8676. | 1.4 | 21 |
| 88 | Chemical diversity in the Mediterranean sponge Raspaciona aculeata: Structure and absolute stereochemistry of Blanesin. Tetrahedron Letters, 1994, 35, 7871-7874. | 1.4 | 3 |
| 89 | Membrenones: New polypropionates from the skin of the mediterranean mollusc Pleurobranchus membranaceus. Tetrahedron Letters, 1993, 34, 6791-6794. | 1.4 | 41 |
| 90 | 1H-NMR Study of Cholesterol Autooxidation in Egg Powder and Cookies Exposed to Adverse Storage. Journal of Food Science, 1993, 58, 1286-1290. | 3.1 | 35 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 91 | Tetranorditerpenes from Detarium microcarpum. Phytochemistry, 1992, 31, 1823-1825. | 2.9 | 25 |