

# Erich Seifritz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5894565/publications.pdf>

Version: 2024-02-01

197  
papers

5,040  
citations

109321

35  
h-index

144013

57  
g-index

201  
all docs

201  
docs citations

201  
times ranked

7033  
citing authors

#	ARTICLE	IF	CITATIONS
1	Beneficial effects of Silexan on co-occurring depressive symptoms in patients with subthreshold anxiety and anxiety disorders: randomized, placebo-controlled trials revisited. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 51-63.	3.2	4
2	Subthreshold depression – concept, operationalisation and epidemiological data. A scoping review. <i>International Journal of Psychiatry in Clinical Practice</i> , 2023, 27, 92-106.	2.4	8
3	Aberrant striatal coupling with default mode and central executive network relates to self-reported avolition and anhedonia in schizophrenia. <i>Journal of Psychiatric Research</i> , 2022, 145, 263-275.	3.1	10
4	Illusory Body Ownership Affects the Cortical Response to Vicarious Somatosensation. <i>Cerebral Cortex</i> , 2022, 32, 312-328.	2.9	7
5	Subsyndromal generalised anxiety disorder: operationalisation and epidemiology – a systematic literature survey. <i>International Journal of Psychiatry in Clinical Practice</i> , 2022, 26, 277-286.	2.4	5
6	Childhood adversity patterns differentially cluster with mental disorders and socioeconomic indicators in a large Swiss community sample. <i>Comprehensive Psychiatry</i> , 2022, 112, 152282.	3.1	4
7	Suicidal ideations and suicide attempts prior to admission to a psychiatric hospital in the first six months of the COVID-19 pandemic: interrupted time-series analysis to estimate the impact of the lockdown and comparison of 2020 with 2019. <i>BJPsych Open</i> , 2022, 8, e24.	0.7	8
8	Polycystic ovary syndrome and postpartum depression: A systematic review and meta-analysis of observational studies. <i>Journal of Affective Disorders</i> , 2022, 299, 463-469.	4.1	11
9	Impact of compulsory admission on treatment and outcome: A propensity score matched analysis. <i>European Psychiatry</i> , 2022, 65, 1-29.	0.2	6
10	Impact of language proficiency on mental health service use, treatment and outcomes: "Lost in Translation". <i>Comprehensive Psychiatry</i> , 2022, 114, 152299.	3.1	5
11	Olanzapine-associated dose-dependent alterations for weight and metabolic parameters in a prospective cohort. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 531-541.	2.5	9
12	The Importance of Physical Activity for Mental Health. <i>Praxis</i> , 2022, 111, e186-e190.	0.4	1
13	Sports Psychiatry in Competitive Sports. <i>Praxis</i> , 2022, 111, e213-e218.	0.4	2
14	Violence and Abuse in Competitive Sports. <i>Praxis</i> , 2022, 111, e205-e212.	0.4	1
15	Use of Long-Acting Injectable Antipsychotics in Inpatients with Schizophrenia Spectrum Disorder in an Academic Psychiatric Hospital in Switzerland. <i>Journal of Personalized Medicine</i> , 2022, 12, 441.	2.5	10
16	Sleep's role in updating aversive autobiographical memories. <i>Translational Psychiatry</i> , 2022, 12, 117.	4.8	7
17	Predicting non-response to multimodal day clinic treatment in severely impaired depressed patients: a machine learning approach. <i>Scientific Reports</i> , 2022, 12, 5455.	3.3	5
18	Neuropsychiatric Symptoms and Their Association With Sex, Age, and Enzyme Replacement Therapy in Fabry Disease: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2022, 13, 829128.	2.6	1

#	ARTICLE	IF	CITATIONS
19	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. <i>Pharmacopsychiatry</i> , 2022, 55, 73-86.	3.3	107
20	Relationship Between Time of Admission, Help-Seeking Behavior, and Psychiatric Outcomes: "From Dusk Till Dawn". <i>Frontiers in Psychiatry</i> , 2022, 13, 842936.	2.6	0
21	Training Patterns and Mental Health of Bodybuilders and Fitness Athletes During the First Lockdown of the COVID-19 Pandemic: A Cross-Sectional Study. <i>Frontiers in Sports and Active Living</i> , 2022, 4, 867140.	1.8	5
22	Affective speech modulates a cortico-limbic network in real time. <i>Progress in Neurobiology</i> , 2022, 214, 102278.	5.7	1
23	Utility and validity of the Brief Psychiatric Rating Scale (BPRS) as a transdiagnostic scale. <i>Psychiatry Research</i> , 2022, 314, 114659.	3.3	12
24	Experimental trauma rapidly modifies functional connectivity. <i>Brain Imaging and Behavior</i> , 2021, 15, 2017-2030.	2.1	2
25	SmoCuDa: A Validated Smoking Cue Database to Reliably Induce Craving in Tobacco Use Disorder. <i>European Addiction Research</i> , 2021, 27, 107-114.	2.4	21
26	Impaired glutamate homeostasis in the nucleus accumbens in human cocaine addiction. <i>Molecular Psychiatry</i> , 2021, 26, 5277-5285.	7.9	40
27	Sex differences in depressive symptoms and their networks in a treatment-seeking population: a cross-sectional study. <i>Journal of Affective Disorders</i> , 2021, 278, 357-364.	4.1	24
28	Psilocybin exerts distinct effects on resting state networks associated with serotonin and dopamine in mice. <i>NeuroImage</i> , 2021, 225, 117456.	4.2	25
29	Silexan does not affect driving performance after single and multiple dose applications: Results from a double-blind, placebo and reference-controlled study in healthy volunteers. <i>Journal of Psychiatric Research</i> , 2021, 136, 543-551.	3.1	4
30	Gray matter volume of rostral anterior cingulate cortex predicts rapid antidepressant response to ketamine. <i>European Neuropsychopharmacology</i> , 2021, 43, 63-70.	0.7	16
31	No Abuse Potential of Silexan in Healthy Recreational Drug Users: A Randomized Controlled Trial. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 171-180.	2.1	6
32	Associations Between Negative Symptoms and Effort Discounting in Patients With Schizophrenia and Major Depressive Disorder. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab022.	1.7	6
33	Therapeutic effects of Silexan on somatic symptoms and physical health in patients with anxiety disorders: A meta-analysis. <i>Brain and Behavior</i> , 2021, 11, e01997.	2.2	11
34	Increased random exploration in schizophrenia is associated with inflammation. <i>NPJ Schizophrenia</i> , 2021, 7, 6.	3.6	19
35	Investigating the effect of a nap following experimental trauma on analogue PTSD symptoms. <i>Scientific Reports</i> , 2021, 11, 4710.	3.3	13
36	Peripheral biopterin and neopterin in schizophrenia and depression. <i>Psychiatry Research</i> , 2021, 297, 113745.	3.3	10

#	ARTICLE	IF	CITATIONS
37	Towards Extending the Detection Window of Gamma-Hydroxybutyric Acid—An Untargeted Metabolomics Study in Serum and Urine Following Controlled Administration in Healthy Men. <i>Metabolites</i> , 2021, 11, 166.	2.9	13
38	Neurometabolic alterations in the nucleus accumbens of smokers assessed with <sup>1</sup> H magnetic resonance spectroscopy: The role of glutamate and neuroinflammation. <i>Addiction Biology</i> , 2021, 26, e13027.	2.6	7
39	Use of levamisole-adulterated cocaine is associated with increased load of white matter lesions. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E281-E291.	2.4	11
40	Retrospectively assessed trajectories of PTSD symptoms and their subsequent comorbidities. <i>Journal of Psychiatric Research</i> , 2021, 136, 71-79.	3.1	4
41	Quinolinic acid is associated with cognitive deficits in schizophrenia but not major depressive disorder. <i>Scientific Reports</i> , 2021, 11, 9992.	3.3	22
42	Treatment provision for adults with ADHD during the COVID-19 pandemic: an exploratory study on patient and therapist experience with on-site sessions using face masks vs. telepsychiatric sessions. <i>BMC Psychiatry</i> , 2021, 21, 237.	2.6	19
43	Virtual Reality Human–Human Interface to Deliver Psychotherapy to People Experiencing Auditory Verbal Hallucinations: Development and Usability Study. <i>JMIR Serious Games</i> , 2021, 9, e26820.	3.1	6
44	Psychopathological Symptom Load and Distinguishable Cerebral Blood Flow Velocity Patterns in Patients With Schizophrenia and Healthy Controls: A Functional Transcranial Doppler Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 679021.	2.6	6
45	SIMON: A Digital Protocol to Monitor and Predict Suicidal Ideation. <i>Frontiers in Psychiatry</i> , 2021, 12, 554811.	2.6	18
46	Altered neuroaxonal integrity in schizophrenia and major depressive disorder assessed with neurofilament light chain in serum. <i>Journal of Psychiatric Research</i> , 2021, 140, 141-148.	3.1	36
47	Common and disorder-specific upregulation of the inflammatory markers TRAIL and CCL20 in depression and schizophrenia. <i>Scientific Reports</i> , 2021, 11, 19204.	3.3	3
48	Schizophrenia and substance use disorder: Characteristics of coexisting issues in a forensic setting. <i>Drug and Alcohol Dependence</i> , 2021, 226, 108850.	3.2	5
49	How far to go in deconstructing negative symptoms? Behavioural and neural level evidence for the amotivation domain. <i>Schizophrenia Research</i> , 2021, 236, 41-47.	2.0	8
50	Orbitofrontal-Striatal Structural Alterations Linked to Negative Symptoms at Different Stages of the Schizophrenia Spectrum. <i>Schizophrenia Bulletin</i> , 2021, 47, 849-863.	4.3	13
51	Functional transcranial Doppler: Selection of methods for statistical analysis and representation of changes in flow velocity. <i>Health Science Reports</i> , 2021, 4, e400.	1.5	2
52	Prevalence and Risk Factors of Psychiatric Symptoms among Swiss Elite Athletes during the First Lockdown of the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10780.	2.6	6
53	Dopaminergic neuromodulation has no detectable effect on visual-cue induced haemodynamic response function in the visual cortex: A double-blind, placebo-controlled functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2021, 35, 100-102.	4.0	0
54	Validation of Visual and Auditory Digital Markers of Suicidality in Acutely Suicidal Psychiatric Inpatients: Proof-of-Concept Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25199.	4.3	12

#	ARTICLE	IF	CITATIONS
55	COVID-19 Lockdown 2020 Changed Patterns of Alcohol and Cannabis Use in Swiss Elite Athletes and Bodybuilders: Results From an Online Survey. <i>Frontiers in Sports and Active Living</i> , 2021, 3, 759335.	1.8	3
56	Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2021, 14, 186-195.	0.3	0
57	Novel Insights Into the Neurobiology of the Antidepressant Response From Ketamine Research: A Mini Review. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 759466.	2.0	3
58	Shared and dissociable features of apathy and reward system dysfunction in bipolar I disorder and schizophrenia. <i>Psychological Medicine</i> , 2020, 50, 936-947.	4.5	19
59	Structural brain differences predict early traumatic memory processing. <i>Psychophysiology</i> , 2020, 57, e13354.	2.4	12
60	LSD acutely impairs working memory, executive functions, and cognitive flexibility, but not risk-based decision-making. <i>Psychological Medicine</i> , 2020, 50, 2255-2264.	4.5	53
61	Hay Fever is Associated with Prevalence, Age of Onset and Persistence of Stuttering. <i>Advances in Neurodevelopmental Disorders</i> , 2020, 4, 67-73.	1.1	5
62	Dopamine-Induced Dysconnectivity Between Salience Network and Auditory Cortex in Subjects With Psychotic-like Experiences: A Randomized Double-Blind Placebo-Controlled Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 732-740.	4.3	10
63	Electroencephalogram Source Connectivity in the Prediction of Electroconvulsive Therapy Outcome in Major Depressive Disorder. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 10-18.	1.7	11
64	T169. SEMANTIC PROCESSING IN RELATION TO ANATOMICAL INTEGRITY OF THE VENTRAL LANGUAGE STREAM IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2020, 46, S295-S296.	4.3	0
65	T216. VARIATION IN SIDE EFFECTS TO ANTIPSYCHOTIC TREATMENT ACROSS SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2020, 46, S314-S315.	4.3	0
66	Loss Aversion and Risk Aversion in Non-Clinical Negative Symptoms and Hypomania. <i>Frontiers in Psychiatry</i> , 2020, 11, 574131.	2.6	10
67	S71. CLINICAL, BEHAVIOURAL AND NEURAL VALIDATION OF THE POSITIVE AND NEGATIVE SYMPTOM SCALE (PANSS) AMOTIVATION FACTOR. <i>Schizophrenia Bulletin</i> , 2020, 46, S61-S61.	4.3	0
68	Apathy is not associated with reduced ventral striatal volume in patients with schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 279-288.	2.0	5
69	Dextromethorphan Abuse Among Opioid-Dependent Patients. <i>Clinical Neuropharmacology</i> , 2020, 43, 127-133.	0.7	5
70	Feasibility and Efficacy of a Psychological Therapy for Patients With a Schizophrenic Psychosis in an Inpatient Setting: Study Protocol of a Randomized Switch Controlled Trial. <i>Frontiers in Public Health</i> , 2020, 8, 391.	2.7	1
71	Assessing the severity of psychiatric disorders using the Health of the Nation Outcome Scales: An equipercentile linking analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1192-1199.	2.3	1
72	The relationship between resting-state functional connectivity, antidepressant discontinuation and depression relapse. <i>Scientific Reports</i> , 2020, 10, 22346.	3.3	14

#	ARTICLE	IF	CITATIONS
73	Sociodemographic and Clinical Predictors of the Length of Psychiatric Inpatient Stay of Immigrants in Switzerland. <i>Frontiers in Psychiatry</i> , 2020, 11, 585798.	2.6	3
74	Real-Time Assessment of Stress and Stress Response Using Digital Phenotyping: A Study Protocol. <i>Frontiers in Digital Health</i> , 2020, 2, 544418.	2.8	2
75	Psychiatric Acute Day Hospital as an Alternative to Inpatient Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 471.	2.6	10
76	Social and Non-Social Cognitive Enhancement in Cocaine Users—A Closer Look on Enhancement Motives for Cocaine Consumption. <i>Frontiers in Psychiatry</i> , 2020, 11, 618.	2.6	1
77	Computational Mechanisms of Effort and Reward Decisions in Patients With Depression and Their Association With Relapse After Antidepressant Discontinuation. <i>JAMA Psychiatry</i> , 2020, 77, 513.	11.0	53
78	Neurologists, neurosurgeons, and psychiatrists—™ personality traits: a comparison. <i>Acta Neurochirurgica</i> , 2020, 162, 461-468.	1.7	8
79	Anatomical integrity within the inferior fronto-occipital fasciculus and semantic processing deficits in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 218, 267-275.	2.0	24
80	Clinical, behavioural and neural validation of the PANSS amotivation factor. <i>Schizophrenia Research</i> , 2020, 220, 38-45.	2.0	14
81	Exploring the factor structure of the mini-ICF-APP in an inpatient clinical sample, according to the psychiatric diagnosis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020, , .	1.8	5
82	The new remuneration system TARPSY in Swiss psychiatric hospitals: effects on length of stay and readmissions?. <i>Swiss Medical Weekly</i> , 2020, 150, w20337.	1.6	1
83	Pure delta-9-tetrahydrocannabinol and its combination with cannabidiol in treatment-resistant Tourette syndrome: A case report. <i>International Journal of Psychiatry in Medicine</i> , 2019, 54, 150-156.	1.8	18
84	O11.7. INVESTIGATING THE STRUCTURAL CORRELATES OF APATHY WITHIN THE PSYCHOSIS CONTINUUM. <i>Schizophrenia Bulletin</i> , 2019, 45, S196-S196.	4.3	0
85	Sex differences in neurodevelopmental and common mental disorders examined from three epidemiological perspectives. <i>Psychiatry Research</i> , 2019, 278, 213-217.	3.3	9
86	Concomitant Heroin and Cocaine Use among Opioid-Dependent Patients during Methadone, Buprenorphine or Morphine Opioid Agonist Therapy. <i>European Addiction Research</i> , 2019, 25, 207-212.	2.4	11
87	Beneficial effects of Silexan on sleep are mediated by its anxiolytic effect. <i>Journal of Psychiatric Research</i> , 2019, 115, 69-74.	3.1	24
88	Cannabis use in Switzerland 2015—2045: A population survey based model. <i>International Journal of Drug Policy</i> , 2019, 69, 55-59.	3.3	10
89	Neurophysiological signature of gamma-hydroxybutyrate augmented sleep in male healthy volunteers may reflect biomimetic sleep enhancement: a randomized controlled trial. <i>Neuropsychopharmacology</i> , 2019, 44, 1985-1993.	5.4	17
90	Improvement of Emotional Empathy and Cluster B Personality Disorder Symptoms Associated With Decreased Cocaine Use Severity. <i>Frontiers in Psychiatry</i> , 2019, 10, 213.	2.6	18

#	ARTICLE	IF	CITATIONS
91	A step beyond the hygiene hypothesis—immune-mediated classes determined in a population-based study. <i>BMC Medicine</i> , 2019, 17, 75.	5.5	9
92	Subtle white matter alterations in schizophrenia identified with a new measure of fiber density. <i>Scientific Reports</i> , 2019, 9, 4636.	3.3	25
93	Rethinking suicides as mental accidents: Towards a new paradigm. <i>Journal of Affective Disorders</i> , 2019, 252, 141-151.	4.1	6
94	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019, 29, 501-508.	0.7	50
95	Effects of gamma-hydroxybutyrate on neurophysiological correlates of performance and conflict monitoring. <i>European Neuropsychopharmacology</i> , 2019, 29, 539-548.	0.7	7
96	Patient-Level Predictors of Psychiatric Readmission in Substance Use Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 828.	2.6	20
97	Assessing the severity of functional impairment of psychiatric disorders: equipercntile linking the mini-ICF-APP and CGI. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 174.	2.4	10
98	One size does not fit all—evolution of opioid agonist treatments in a naturalistic setting over 23 years. <i>Addiction</i> , 2019, 114, 103-111.	3.3	29
99	Identification of new urinary gamma-hydroxybutyric acid markers applying untargeted metabolomics analysis following placebo-controlled administration to humans. <i>Drug Testing and Analysis</i> , 2019, 11, 813-823.	2.6	29
100	Longitudinal changes in cocaine intake and cognition are linked to cortical thickness adaptations in cocaine users. <i>NeuroImage: Clinical</i> , 2019, 21, 101652.	2.7	45
101	Investigation of Neurodegenerative Processes in Amyotrophic Lateral Sclerosis Using White Matter Fiber Density. <i>Clinical Neuroradiology</i> , 2019, 29, 493-503.	1.9	10
102	Commentary: Antidepressant Use During Acute Inpatient Care is Associated With an Increased Risk of Psychiatric Rehospitalisation Over a 12-Month Follow-Up after Discharge. <i>Frontiers in Psychiatry</i> , 2019, 10, 990.	2.6	0
103	Cerebral blood flow in striatal regions is associated with apathy in patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 102-110.	2.4	15
104	Ventral Striatal Dysfunction and Symptom Expression in Individuals With Schizotypal Personality Traits and Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, sbw142.	4.3	28
105	F164. VENTRAL AND DORSAL STRIATAL DYSFUNCTION DURING REWARD ANTICIPATION IS ASSOCIATED WITH NEGATIVE SYMPTOMS IN PATIENTS WITH SCHIZOPHRENIA AND HEALTHY INDIVIDUALS. <i>Schizophrenia Bulletin</i> , 2018, 44, S284-S284.	4.3	0
106	Chronic social stress induces peripheral and central immune activation, blunted mesolimbic dopamine function, and reduced reward-directed behaviour in mice. <i>Neurobiology of Stress</i> , 2018, 8, 42-56.	4.0	56
107	BOLD signal in sensorimotor regions reveals differential encoding of passive forefinger velocity and displacement amplitude. <i>NeuroImage</i> , 2018, 173, 332-340.	4.2	9
108	Stress management and the role of <i>Rhodiola rosea</i> : a review. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018, 22, 242-252.	2.4	39

#	ARTICLE	IF	CITATIONS
109	Gamma-hydroxybutyrate increases brain resting-state functional connectivity of the salience network and dorsal nexus in humans. <i>NeuroImage</i> , 2018, 173, 448-459.	4.2	12
110	Combining actigraphy, ecological momentary assessment and neuroimaging to study apathy in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 195, 176-182.	2.0	58
111	The potential impact of biochemical mediators on telomere attrition in major depressive disorder and implications for future study designs: A narrative review. <i>Journal of Affective Disorders</i> , 2018, 225, 630-646.	4.1	20
112	Anterior cingulate volume predicts response to psychotherapy and functional connectivity with the inferior parietal cortex in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2018, 28, 138-148.	0.7	47
113	Pain-Related Fear Dissociable Neural Sources of Different Fear Constructs. <i>ENeuro</i> , 2018, 5, ENEURO.0107-18.2018.	1.9	14
114	Deficits in context-dependent adaptive coding in early psychosis and healthy individuals with schizotypal personality traits. <i>Brain</i> , 2018, 141, 2806-2819.	7.6	19
115	T151. APATHY AND DIMINISHED EXPRESSION ARE NOT ASSOCIATED WITH VENTRAL OR DORSAL STRIATUM VOLUME IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S174-S174.	4.3	0
116	Prohedonic properties of gamma-hydroxybutyrate are associated with changes in limbic resting-state functional connectivity. <i>Human Psychopharmacology</i> , 2018, 33, e2679.	1.5	8
117	Neuroimaging Correlates of Resilience to Traumatic Events A Comprehensive Review. <i>Frontiers in Psychiatry</i> , 2018, 9, 693.	2.6	53
118	Chronic Social Stress Leads to Reduced Gustatory Reward Salience and Effort Valuation in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 134.	2.0	18
119	Self-regulation of the dopaminergic reward circuit in cocaine users with mental imagery and neurofeedback. <i>EBioMedicine</i> , 2018, 37, 489-498.	6.1	35
120	O3.6. DEFICITS IN CONTEXT-DEPENDENT ADAPTIVE CODING IN EARLY PSYCHOSIS AND HEALTHY INDIVIDUALS WITH SCHIZOTYPAL PERSONALITY TRAITS. <i>Schizophrenia Bulletin</i> , 2018, 44, S81-S81.	4.3	11
121	Investigating the association of ventral and dorsal striatal dysfunction during reward anticipation with negative symptoms in patients with schizophrenia and healthy individuals. <i>PLoS ONE</i> , 2018, 13, e0198215.	2.5	34
122	Long-Term Opioid Agonist Treatment Participation after First Treatment Entry is Similar across 4 European Regions but Lower in Non-Nationals. <i>European Addiction Research</i> , 2018, 24, 173-183.	2.4	6
123	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , 2018, 13, e0198450.	2.5	10
124	Adrenergic receptor polymorphisms and mRNA expression levels are associated with delay discounting in cocaine users. <i>Addiction Biology</i> , 2017, 22, 561-569.	2.6	14
125	Changes in substance use in patients receiving opioid substitution therapy and resulting clinical challenges: a 17-year treatment case register analysis. <i>Lancet Psychiatry</i> , 2017, 4, 302-309.	7.4	16
126	Neural correlates of experimental trauma memory retrieval. <i>Human Brain Mapping</i> , 2017, 38, 3592-3602.	3.6	17



#	ARTICLE	IF	CITATIONS
127	Neuronal oscillations and synchronicity associated with gamma-hydroxybutyrate during resting-state in healthy male volunteers. <i>Psychopharmacology</i> , 2017, 234, 1957-1968.	3.1	17
128	Resting state brain network function in major depression – Depression symptomatology, antidepressant treatment effects, future research. <i>Journal of Psychiatric Research</i> , 2017, 92, 147-159.	3.1	276
129	The impact of pain-related fear on neural pathways of pain modulation in chronic low back pain. <i>Pain Reports</i> , 2017, 2, e601.	2.7	38
130	The PTZ kindling mouse model of epilepsy exhibits exploratory drive deficits and aberrant activity amongst VTA dopamine neurons in both familiar and novel space. <i>Behavioural Brain Research</i> , 2017, 330, 1-7.	2.2	21
131	Gamma-Hydroxybutyrate Increases Resting-State Limbic Perfusion and Body and Emotion Awareness in Humans. <i>Neuropsychopharmacology</i> , 2017, 42, 2141-2151.	5.4	18
132	Dreamlike effects of LSD on waking imagery in humans depend on serotonin 2A receptor activation. <i>Psychopharmacology</i> , 2017, 234, 2031-2046.	3.1	117
133	Dynamic reorganization of intrinsic functional networks in the mouse brain. <i>NeuroImage</i> , 2017, 152, 497-508.	4.2	48
134	Neural underpinnings of prosexual effects induced by gamma-hydroxybutyrate in healthy male humans. <i>European Neuropsychopharmacology</i> , 2017, 27, 372-382.	0.7	20
135	Deficits in reinforcement learning but no link to apathy in patients with schizophrenia. <i>Scientific Reports</i> , 2017, 7, 40352.	3.3	15
136	Selective amotivation deficits following chronic psychosocial stress in mice. <i>Behavioural Brain Research</i> , 2017, 317, 424-433.	2.2	8
137	Behavioural endophenotypes in mice lacking the auxiliary GABAB receptor subunit KCTD16. <i>Behavioural Brain Research</i> , 2017, 317, 393-400.	2.2	14
138	Altered dynamics of brain connectivity in major depressive disorder at-rest and during task performance. <i>Psychiatry Research - Neuroimaging</i> , 2017, 259, 1-9.	1.8	29
139	Distinctive time-lagged resting-state networks revealed by simultaneous EEG-fMRI. <i>NeuroImage</i> , 2017, 145, 1-10.	4.2	32
140	LSD Increases Primary Process Thinking via Serotonin 2A Receptor Activation. <i>Frontiers in Pharmacology</i> , 2017, 8, 814.	3.5	70
141	Novel Psychoactive Substances – Recent Progress on Neuropharmacological Mechanisms of Action for Selected Drugs. <i>Frontiers in Psychiatry</i> , 2017, 8, 152.	2.6	40
142	Uniformity and Deviation of Intra-axonal Cross-sectional Area Coverage of the Gray-to-White Matter Interface. <i>Frontiers in Neuroscience</i> , 2017, 11, 729.	2.8	3
143	The fear of being laughed at as additional diagnostic criterion in social anxiety disorder and avoidant personality disorder?. <i>PLoS ONE</i> , 2017, 12, e0188024.	2.5	16
144	Mouse repeated electroconvulsive seizure (ECS) does not reverse social stress effects but does induce behavioral and hippocampal changes relevant to electroconvulsive therapy (ECT) side-effects in the treatment of depression. <i>PLoS ONE</i> , 2017, 12, e0184603.	2.5	15

#	ARTICLE	IF	CITATIONS
145	Discrete memory impairments in largely pure chronic users of MDMA. <i>European Neuropsychopharmacology</i> , 2017, 27, 987-999.	0.7	25
146	Neural Correlates of Fear of Movement in Patients with Chronic Low Back Pain vs. Pain-Free Individuals. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 386.	2.0	43
147	Pharmacokinetics and pharmacodynamics of $\beta$ -hydroxybutyrate in healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 2016, 81, 980-988.	2.4	48
148	Emotional arousal modulates oscillatory correlates of targeted memory reactivation during NREM, but not REM sleep. <i>Scientific Reports</i> , 2016, 6, 39229.	3.3	79
149	Deficits in context-dependent adaptive coding of reward in schizophrenia. <i>NPJ Schizophrenia</i> , 2016, 2, 16020.	3.6	33
150	Evaluation of medication-assisted treatment of opioid dependence—The physicians' perspective. <i>Drug and Alcohol Dependence</i> , 2016, 164, 106-112.	3.2	3
151	Cognitive and emotional impairments in adults with attention-deficit/hyperactivity disorder and cocaine use. <i>Drug and Alcohol Dependence</i> , 2016, 163, 92-99.	3.2	29
152	Differential effects of rumination and distraction on ketamine induced modulation of resting state functional connectivity and reactivity of regions within the default-mode network. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1227-1235.	3.0	40
153	Depletion of nucleus accumbens dopamine leads to impaired reward and aversion processing in mice: Relevance to motivation pathologies. <i>Neuropharmacology</i> , 2016, 109, 306-319.	4.1	33
154	The relevance of "mixed anxiety and depression" as a diagnostic category in clinical practice. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 725-736.	3.2	82
155	Efficacy of <i>Hypericum</i> extract WS <sup>®</sup> 5570 compared with paroxetine in patients with a moderate major depressive episode—a subgroup analysis. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016, 20, 126-132.	2.4	16
156	Differential effects of peripheral and brain tumor necrosis factor on inflammation, sickness, emotional behavior and memory in mice. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 310-326.	4.1	29
157	Chronic psychosocial stress in mice leads to changes in brain functional connectivity and metabolite levels comparable to human depression. <i>NeuroImage</i> , 2016, 142, 544-552.	4.2	80
158	Mouse psychosocial stress reduces motivation and cognitive function in operant reward tests: A model for reward pathology with effects of agomelatine. <i>European Neuropsychopharmacology</i> , 2016, 26, 1448-1464.	0.7	34
159	Effects of Sleep after Experimental Trauma on Intrusive Emotional Memories. <i>Sleep</i> , 2016, 39, 2125-2132.	1.1	87
160	Short-term pulse rate variability is better characterized by functional near-infrared spectroscopy than by photoplethysmography. <i>Journal of Biomedical Optics</i> , 2016, 21, 091308.	2.6	12
161	Glutamatergic and neurometabolic alterations in chronic cocaine users measured with <sup>1</sup> H-magnetic resonance spectroscopy. <i>Addiction Biology</i> , 2016, 21, 205-217.	2.6	28
162	The mixed serotonin receptor agonist psilocybin reduces threat-induced modulation of amygdala connectivity. <i>NeuroImage: Clinical</i> , 2016, 11, 53-60.	2.7	75

#	ARTICLE	IF	CITATIONS
163	Amygdala response to self-critical stimuli and symptom improvement in psychotherapy for depression. <i>British Journal of Psychiatry</i> , 2016, 208, 175-181.	2.8	15
164	Shared neural basis of social and non-social reward deficits in chronic cocaine users. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1017-1025.	3.0	39
165	Mouse chronic social stress increases blood and brain kynurenine pathway activity and fear behaviour: Both effects are reversed by inhibition of indoleamine 2,3-dioxygenase. <i>Brain, Behavior, and Immunity</i> , 2016, 54, 59-72.	4.1	103
166	Uncontrollable and unpredictable stress interacts with subclinical depression and anxiety scores in determining anxiety response. <i>Stress</i> , 2016, 19, 53-62.	1.8	30
167	Effects of ketamine on cognition—emotion interaction in the brain. <i>NeuroImage</i> , 2016, 124, 8-15.	4.2	56
168	The Role of the Subgenual Anterior Cingulate Cortex and Amygdala in Environmental Sensitivity to Infant Crying. <i>PLoS ONE</i> , 2016, 11, e0161181.	2.5	10
169	Ventral striatal hypoactivation is associated with apathy but not diminished expression in patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 152-161.	2.4	64
170	Pregabalin Use Among Opioid-Addicted Patients in Switzerland. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 1202-1203.	2.2	14
171	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , 2016, 6, 419.	2.7	12
172	The translational study of apathy—an ecological approach. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 241.	2.0	35
173	Fear avoidance beliefs in back pain-free subjects are reflected by amygdala-cingulate responses. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 424.	2.0	22
174	Pharmacological Cognitive Enhancement in Healthy Individuals: A Compensation for Cognitive Deficits or a Question of Personality?. <i>PLoS ONE</i> , 2015, 10, e0129805.	2.5	39
175	Temporally Unpredictable Sounds Exert a Context-Dependent Influence on Evaluation of Unrelated Images. <i>PLoS ONE</i> , 2015, 10, e0131065.	2.5	6
176	Differential Neural Processing during Motor Imagery of Daily Activities in Chronic Low Back Pain Patients. <i>PLoS ONE</i> , 2015, 10, e0142391.	2.5	29
177	Prefrontal Thinning Affects Functional Connectivity and Regional Homogeneity of the Anterior Cingulate Cortex in Depression. <i>Neuropsychopharmacology</i> , 2015, 40, 1640-1648.	5.4	47
178	Serotonin Transporter and Tryptophan Hydroxylase Gene Variations Mediate Working Memory Deficits of Cocaine Users. <i>Neuropsychopharmacology</i> , 2015, 40, 2929-2937.	5.4	16
179	Apathy But Not Diminished Expression in Schizophrenia Is Associated With Discounting of Monetary Rewards by Physical Effort. <i>Schizophrenia Bulletin</i> , 2015, 41, 503-512.	4.3	161
180	Normalizing effect of heroin maintenance treatment on stress-induced brain connectivity. <i>Brain</i> , 2015, 138, 217-228.	7.6	22

#	ARTICLE	IF	CITATIONS
181	Gamma-hydroxybutyrate enhances mood and prosocial behavior without affecting plasma oxytocin and testosterone. <i>Psychoneuroendocrinology</i> , 2015, 62, 1-10.	2.7	36
182	CD40-TNF activation in mice induces extended sickness behavior syndrome co-incident with but not dependent on activation of the kynurenine pathway. <i>Brain, Behavior, and Immunity</i> , 2015, 50, 125-140.	4.1	31
183	Modelling suicide and unemployment: a longitudinal analysis covering 63 countries, 2000â€“11. <i>Lancet Psychiatry</i> , 2015, 2, 239-245.	7.4	251
184	Interplay of approximate planning strategies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3098-3103.	7.1	145
185	The electrophysiological effects of the serotonin 1A receptor agonist buspirone in emotional face processing. <i>European Neuropsychopharmacology</i> , 2015, 25, 474-482.	0.7	11
186	The association of neurocognitive impairment with diminished expression and apathy in schizophrenia. <i>Schizophrenia Research</i> , 2015, 169, 427-432.	2.0	42
187	Reward-dependent modulation of working memory is associated with negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2015, 168, 238-244.	2.0	30
188	Acoustic Emotional Processing in Patients With Borderline Personality Disorder: Hyper- or Hyporeactivity?. <i>Journal of Personality Disorders</i> , 2015, 29, 809-827.	1.4	16
189	Psilocybin-Induced Decrease in Amygdala Reactivity Correlates with Enhanced Positive Mood in Healthy Volunteers. <i>Biological Psychiatry</i> , 2015, 78, 572-581.	1.3	206
190	Valence and agency influence striatal response to feedback in patients with major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 394-400.	2.4	9
191	Who gets afraid in the MRI-scanner? Neurogenetics of state-anxiety changes during an fMRI experiment. <i>Neuroscience Letters</i> , 2014, 583, 81-86.	2.1	19
192	Influence of anxiety, depression and looming cognitive style on auditory looming perception. <i>Journal of Anxiety Disorders</i> , 2014, 28, 45-50.	3.2	37
193	Neural representation and clinically relevant moderators of individualised self-criticism in healthy subjects. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1333-1340.	3.0	32
194	Mouse social stress induces increased fear conditioning, helplessness and fatigue to physical challenge together with markers of altered immune and dopamine function. <i>Neuropharmacology</i> , 2014, 85, 328-341.	4.1	92
195	Effects of repeated adolescent stress and serotonin transporter gene partial knockout in mice on behaviors and brain structures relevant to major depression. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 215.	2.0	12
196	Magnetic resonance imaging for early detection schizophrenia. <i>Swiss Archives of Neurology, Psychiatry and Psychotherapy</i> , 0, , .	0.1	0
197	Magnetic resonance imaging for early detection schizophrenia. <i>Swiss Archives of Neurology, Psychiatry and Psychotherapy</i> , 0, , .	0.1	0