

Klaus Pj Martiny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5897528/publications.pdf>

Version: 2024-02-01

39
papers

1,107
citations

516710

16
h-index

414414

32
g-index

42
all docs

42
docs citations

42
times ranked

1476
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcutaneous Vagal Nerve Stimulation in Treatment-Resistant Depression: A Feasibility Study. <i>Neuromodulation</i> , 2022, 25, 443-449.	0.8	12
2	Salivary Cortisol Awakening Response as a Predictor for Depression Severity in Adult Patients with a Major Depressive Episode Performing a Daily Exercise Program. <i>Neuropsychobiology</i> , 2022, , 1-10.	1.9	6
3	Reducing the rate of psychiatric re-admissions in bipolar disorder using smartphonesâ€”The RADMIS trial. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 453-465.	4.5	20
4	The effect of smartphone-based monitoring and treatment on the rate and duration of psychiatric readmission in patients with unipolar depressive disorder: The RADMIS randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021, 282, 354-363.	4.1	19
5	Light therapy for seasonal affective disorder in visual impairment and blindness â€” a pilot study. <i>Acta Neuropsychiatrica</i> , 2021, 33, 1-9.	2.1	2
6	Melanopsin-mediated pupillary responses in bipolar disorderâ€”a cross-sectional pupillometric investigation. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 7.	2.2	6
7	Seasonal variation in neurohormones, mood and sleep in patients with primary open angle glaucoma â€” implications of the ipRGC-system. <i>Chronobiology International</i> , 2021, 38, 1421-1431.	2.0	0
8	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	2.2	6
9	Daylight: What makes the difference?. <i>Lighting Research and Technology</i> , 2020, 52, 423-442.	2.7	97
10	Dynamic LED-light versus static LED-light for depressed inpatients: study protocol for a randomised clinical study. <i>BMJ Open</i> , 2020, 10, e032233.	1.9	1
11	Differentiating depression and ADHD without depression in adults with processing-speed measures. <i>Acta Neuropsychiatrica</i> , 2020, 32, 237-246.	2.1	4
12	Mood and behavior seasonality in glaucoma; assessing correlations between seasonality and structure and function of the retinal ganglion cells. <i>PLoS ONE</i> , 2020, 15, e0229991.	2.5	1
13	The Role of Daylight for Humans: Gaps in Current Knowledge. <i>Clocks & Sleep</i> , 2020, 2, 61-85.	2.0	88
14	Transcranial pulsed electromagnetic fields for treatment-resistant depression: A multicenter 8-week single-arm cohort study. <i>European Psychiatry</i> , 2020, 63, e18.	0.2	9
15	Dynamic LED light versus static LED light for depressed inpatients: results from a randomized feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020, 6, 5.	1.2	3
16	The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. <i>Bipolar Disorders</i> , 2019, 21, 741-773.	1.9	113
17	Circadian reinforcement therapy in combination with electronic self-monitoring to facilitate a safe post-discharge period of patients with depression by stabilizing sleep: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 124.	2.6	9
18	Per Bech 12.1.1942â€”9.5.2018 In Memoriam. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 395-395.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018, 175, 905-906.	7.2	11
20	Predictors of response to combined wake and light therapy in treatment-resistant inpatients with depression. <i>Chronobiology International</i> , 2018, 35, 1209-1220.	2.0	15
21	Reducing the rate and duration of Re-ADMISSsions among patients with unipolar disorder and bipolar disorder using smartphone-based monitoring and treatment â€” the RADMIS trials: study protocol for two randomized controlled trials. <i>Trials</i> , 2017, 18, 277.	1.6	23
22	Experiences of wake and light therapy in patients with depression: A qualitative study. <i>International Journal of Mental Health Nursing</i> , 2017, 26, 170-180.	3.8	11
23	Usability, Acceptability, and Adherence to an Electronic Self-Monitoring System in Patients With Major Depression Discharged From Inpatient Wards. <i>Journal of Medical Internet Research</i> , 2017, 19, e123.	4.3	24
24	Novel Augmentation Strategies in Major Depression. <i>Danish Medical Journal</i> , 2017, 64, .	0.5	2
25	Depressed Patients Hospitalized in Southeast-Facing Rooms Are Discharged Earlier than Patients in Northwest-Facing Rooms. <i>Neuropsychobiology</i> , 2016, 74, 193-201.	1.9	26
26	Maintained superiority of chronotherapeutics vs. exercise in a 20-weekÂ—randomized follow-up trial in major depression. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 446-457.	4.5	29
27	Psychometric analysis of the Melancholia Scale in trials with non-pharmacological augmentation of patients with therapy-resistant depression. <i>Acta Neuropsychiatrica</i> , 2014, 26, 155-160.	2.1	8
28	The Performance of the Revised Major Depression Inventory for Self-Reported Severity of Depression - Implications for the DSM-5 and ICD-11. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 187-188.	8.8	6
29	The Day-to-Day Acute Effect of Wake Therapy in Patients with Major Depression Using the HAM-D6 as Primary Outcome Measure: Results from a Randomised Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e67264.	2.5	33
30	A short-term double-blind randomized controlled pilot trial with active or placebo pindolol in patients treated with venlafaxine for major depression. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 147-154.	1.3	13
31	A 9-Week Randomized Trial Comparing a Chronotherapeutic Intervention (Wake and Light Therapy) to Exercise in Major Depressive Disorder Patients Treated With Duloxetine. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1234-1242.	2.2	77
32	Bright light treatment is effective in treating older patients with non-seasonal major depression. <i>Evidence-based Nursing</i> , 2011, 14, 117-118.	0.2	0
33	A comparison of the Major Depression Inventory (MDI) and the Beck Depression Inventory (BDI) in severely depressed patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2011, 15, 56-61.	2.4	34
34	Transcranial Low Voltage Pulsed Electromagnetic Fields in Patients with Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2010, 68, 163-169.	1.3	98
35	Demographic and psychosocial correlates of quality of life in the elderly from a crossâ—cultural perspective. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 193-204.	2.7	37
36	New perspectives on techniques for the clinical psychiatrist: Brain stimulation, chronobiology and psychiatric brain imaging. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 627-637.	1.8	2

#	ARTICLE	IF	CITATIONS
37	The lack of sustained effect of bright light in non-seasonal major depression. <i>Psychological Medicine</i> , 2006, 36, 1247-1252.	4.5	27
38	Chronotherapeutics (light and wake therapy) in affective disorders. <i>Psychological Medicine</i> , 2005, 35, 939-944.	4.5	216
39	Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy. <i>Journal of Affective Disorders</i> , 2004, 79, 253-257.	4.1	16