
## Wai Chi Chan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5900651/publications.pdf Version: 2024-02-01



#	ARTICLE	١٢	CITATIONS
1	Are Care-Recipient Outcomes Attributable to Improved Caregiver Well-Being? A Cluster-Randomized Controlled Trial of Benefit-Finding Intervention. American Journal of Geriatric Psychiatry, 2022, 30, 903-913.	1.2	8
2	Self-efficacy in controlling upsetting thoughts, but not positive gains, mediates the effects of benefit-finding group intervention for Alzheimer family caregivers Psychology and Aging, 2022, 37, 766-775.	1.6	5
3	Late-life longitudinal blood pressure trajectories as predictor of dementia. Scientific Reports, 2022, 12, 1630.	3.3	1
4	Depression, Anxiety and Stress on Caregivers of Persons with Dementia (CGPWD) in Hong Kong amid COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2022, 19, 184.	2.6	20
5	Collaborative community mental health and aged care services with peer support to prevent late-life depression: study protocol for a non-randomised controlled trial. Trials, 2022, 23, 280.	1.6	8
6	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. Psychological Medicine, 2021, 51, 2501-2508.	4.5	9
7	Exercise for the prevention and treatment of neurocognitive disorders: new evidence and clinical recommendations. Current Opinion in Psychiatry, 2021, 34, 136-141.	6.3	4
8	Risk of incident dementia varies with different onset and courses of depression. Journal of Affective Disorders, 2021, 282, 915-920.	4.1	23
9	Suicidal Risk in Older Patients with Depression During COVID-19 Pandemic: a Case-Control Study. , 2021, 31, 3-8.		11
10	Prevalence of depression, anxiety, and apathy symptoms across dementia stages: A systematic review and metaâ€analysis. International Journal of Geriatric Psychiatry, 2021, 36, 1330-1344.	2.7	89
11	Mindfulness-Based Cognitive Therapy for Late-Life Depression: a Randomised Controlled Trial. , 2021, 31, 27-35.		6
12	Genetically Determined TSH Level Within Reference Range Is Inversely Associated With Alzheimer Disease. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e5064-e5074.	3.6	7
13	Mindfulness Awareness Is Associated With a Lower Risk of Anxiety and Depressive Symptoms in Older Adults With Neurocognitive Disorders. Frontiers in Psychiatry, 2021, 12, 721583.	2.6	3
14	Psychophysiological Effects of Dance Movement Therapy and Physical Exercise on Older Adults With Mild Dementia: A Randomized Controlled Trial. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 560-570.	3.9	40
15	Pathways to care for people with dementia: An international multicentre study. International Journal of Geriatric Psychiatry, 2020, 35, 163-173.	2.7	15
16	The effects of transcranial direct current stimulation (tDCS) on clinical symptoms in schizophrenia: A systematic review and meta-analysis. Asian Journal of Psychiatry, 2020, 53, 102392.	2.0	20
17	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. Archives of Gerontology and Geriatrics, 2020, 91, 104112.	3.0	6
18	Diurnal Cortisol Slope Mediates the Association Between Affect and Memory Retrieval in Older Adults With Mild Cognitive Impairment: A Path-Analytical Study. Frontiers in Aging Neuroscience, 2020, 12, 35.	3.4	7

WAI CHI CHAN

#	Article	IF	CITATIONS
19	Higher Dementia Incidence in Older Adults with Poor Visual Acuity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2162-2168.	3.6	43
20	Predicting dementia diagnosis from cognitive footprints in electronic health records: a case–control study protocol. BMJ Open, 2020, 10, e043487.	1.9	3
21	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. PLoS Medicine, 2019, 16, e1002853.	8.4	86
22	Randomized controlled trial of TDCS on cognition in 201 seniors with mild neurocognitive disorder. Annals of Clinical and Translational Neurology, 2019, 6, 1938-1948.	3.7	43
23	Highâ€definition transcranial direct current stimulation—An openâ€label pilot intervention in alleviating depressive symptoms and cognitive deficits in lateâ€life depression. CNS Neuroscience and Therapeutics, 2019, 25, 1244-1253.	3.9	15
24	Higher dementia incidence in older adults with type 2 diabetes and large reduction in HbA1c. Age and Ageing, 2019, 48, 838-844.	1.6	12
25	Long-Term Outcomes of the Benefit-Finding Group Intervention for Alzheimer Family Caregivers: A Cluster-Randomized Double-Blind Controlled Trial. American Journal of Geriatric Psychiatry, 2019, 27, 984-994.	1.2	22
26	Screening Of Pulmonary Hypertension in Methamphetamine Abusers (SOPHMA): rationale and design of a multicentre, cross-sectional study. BMJ Open, 2019, 9, e027193.	1.9	5
27	Electroacupuncture for tapering off long-term benzodiazepine use: A randomized controlled trial. Journal of Psychiatric Research, 2019, 109, 59-67.	3.1	9
28	Psychometric validation of Fuld Object Memory Evaluation in older adults with cognitive impairments. Aging and Mental Health, 2019, 23, 711-717.	2.8	12
29	Effects of repetitive transcranial magnetic stimulation on improvement of cognition in elderly patients with cognitive impairment: a systematic review and metaâ€analysis. International Journal of Geriatric Psychiatry, 2018, 33, e1-e13.	2.7	45
30	Relationship between Cortical Thickness and Neuropsychological Performance in Normal Older Adults and Those with Mild Cognitive Impairment. , 2018, 9, 1020.		30
31	Association of Daily Intellectual Activities With Lower Risk of Incident Dementia Among Older Chinese Adults. JAMA Psychiatry, 2018, 75, 697.	11.0	73
32	Electroacupuncture for tapering off long-term benzodiazepine use: study protocol of randomized controlled trial. BMC Complementary and Alternative Medicine, 2017, 17, 183.	3.7	5
33	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. Schizophrenia Bulletin, 2017, 43, 1280-1290.	4.3	55
34	Lower risk of incident dementia among Chinese older adults having three servings of vegetables and two servings of fruits a day. Age and Ageing, 2017, 46, 773-779.	1.6	22
35	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. International Psychogeriatrics, 2017, 29, 259-267.	1.0	20
36	Physical Exercise Helped to Maintain and Restore Functioning in Chinese Older Adults With Mild Cognitive Impairment: A 5-Year Prospective Study of the Hong Kong Memory and Ageing Prospective Study (HK-MAPS). Journal of the American Medical Directors Association, 2017, 18, 306-311.	2.5	11

WAI CHI CHAN

#	Article	IF	CITATIONS
37	Short-Term Effects of a Gain-Focused Reappraisal Intervention for Dementia Caregivers: A Double-Blind Cluster-Randomized Controlled Trial. American Journal of Geriatric Psychiatry, 2016, 24, 740-750.	1.2	49
38	A home-based exercise intervention for caregivers of persons with dementia: study protocol for a randomised controlled trial. Trials, 2016, 17, 460.	1.6	6
39	Would transcranial direct current stimulation (tDCS) enhance the effects of working memory training in older adults with mild neurocognitive disorder due to Alzheimer's disease: study protocol for a randomized controlled trial. Trials, 2015, 16, 479.	1.6	21
40	A 3-arm randomized controlled trial on the effects of dance movement intervention and exercises on elderly with early dementia. BMC Geriatrics, 2015, 15, 127.	2.7	26
41	Poor Balance as a Noncognitive Predictor of Incident Dementia. Journal of the American Geriatrics Society, 2015, 63, 1701-1702.	2.6	6
42	Behavioral activation for dementia caregivers: scheduling pleasant events and enhancing communications. Clinical Interventions in Aging, 2015, 10, 611.	2.9	48
43	Prevalence of Mental Illness among Homeless People in Hong Kong. PLoS ONE, 2015, 10, e0140940.	2.5	15
44	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	3.1	147
45	Intensity and Types of Physical Exercise in Relation to Dementia Risk Reduction in Community-Living Older Adults. Journal of the American Medical Directors Association, 2015, 16, 899.e1-899.e7.	2.5	32
46	Efficacy of Physical Exercise in Preventing Falls in Older Adults With Cognitive Impairment: A Systematic Review and Meta-Analysis. Journal of the American Medical Directors Association, 2015, 16, 149-154.	2.5	72
47	Would Older Adults with Mild Cognitive Impairment Adhere to and Benefit from a Structured Lifestyle Activity Intervention to Enhance Cognition?: A Cluster Randomized Controlled Trial. PLoS ONE, 2015, 10, e0118173.	2.5	114
48	Characteristics of Alzheimer's Disease among Patients in Taiwan, Hong Kong, and Beijing. Journal of Alzheimer's Disease, 2014, 42, 193-200.	2.6	9
49	Dementia - an 'old' disorder with new perspectives. East Asian Archives of Psychiatry, 2013, 23, 76-7.	0.4	0