

Cox Terhorst

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/590421/publications.pdf>

Version: 2024-02-01

139
papers

12,515
citations

30070

54
h-index

24982

109
g-index

139
all docs

139
docs citations

139
times ranked

12692
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of orally induced regulatory T cells in immunotherapy and tolerance. Cellular Immunology, 2021, 359, 104251.	3.0	48
2	Type I IFN Sensing by cDCs and CD4+ T Cell Help Are Both Requisite for Cross-Priming of AAV Capsid-Specific CD8+ T Cells. Molecular Therapy, 2020, 28, 758-770.	8.2	45
3	Immune Responses to Viral Gene Therapy Vectors. Molecular Therapy, 2020, 28, 709-722.	8.2	382
4	T Lymphocytes Cash Their Value in Clinical Medicine. Trends in Molecular Medicine, 2020, 26, 800-802.	6.7	2
5	Role of Small Intestine and Gut Microbiome in Plant-Based Oral Tolerance for Hemophilia. Frontiers in Immunology, 2020, 11, 844.	4.8	19
6	SLAMF6 as a Regulator of Exhausted CD8+ T Cells in Cancer. Cancer Immunology Research, 2019, 7, 1485-1496.	3.4	34
7	TLR9-Activating CpG-B ODN but Not TLR7 Agonists Triggers Antibody Formation to Factor IX in Muscle Gene Transfer. Human Gene Therapy Methods, 2019, 30, 81-92.	2.1	22
8	The Checkpoint Regulator SLAMF3 Preferentially Prevents Expansion of Auto-Reactive B Cells Generated by Graft-vs.-Host Disease. Frontiers in Immunology, 2019, 10, 831.	4.8	4
9	Reprogrammed CD4+ T Cells That Express FoxP3+ Control Inhibitory Antibody Formation in Hemophilia A Mice. Frontiers in Immunology, 2019, 10, 274.	4.8	20
10	SLAMF6 in health and disease: Implications for therapeutic targeting. Clinical Immunology, 2019, 204, 3-13.	3.2	9
11	Regulatory T cells and TLR9 activation shape antibody formation to a secreted transgene product in AAV muscle gene transfer. Cellular Immunology, 2019, 342, 103682.	3.0	29
12	SLAMF1 is required for TLR4-mediated TRAM-TRIF-dependent signaling in human macrophages. Journal of Cell Biology, 2018, 217, 1411-1429.	5.2	38
13	Ly9 (SLAMF3) receptor differentially regulates iNKT cell development and activation in mice. European Journal of Immunology, 2018, 48, 99-105.	2.9	8
14	Î²-Barrel outer membrane proteins suppress mTORC2 activation and induce autophagic responses. Science Signaling, 2018, 11, .	3.6	5
15	Gene Therapy With Regulatory T Cells: A Beneficial Alliance. Frontiers in Immunology, 2018, 9, 554.	4.8	30
16	2B4 Mediates Inhibition of CD8+T Cell Responses via Attenuation of Glycolysis and Cell Division. Journal of Immunology, 2018, 201, 1536-1548.	0.8	6
17	Plasmacytoid and conventional dendritic cells cooperate in crosspriming AAV capsid-specific CD8+ T cells. Blood, 2017, 129, 3184-3195.	1.4	83
18	Cutting Edge: 2B4-Mediated Coinhibition of CD4+ T Cells Underlies Mortality in Experimental Sepsis. Journal of Immunology, 2017, 199, 1961-1966.	0.8	42

#	ARTICLE	IF	CITATIONS
19	Responses to Microbial Challenges by SLAMF Receptors. <i>Frontiers in Immunology</i> , 2016, 7, 4.	4.8	56
20	Slamf6 negatively regulates autoimmunity. <i>Clinical Immunology</i> , 2016, 173, 19-26.	3.2	24
21	Human Diversity in a Cell Surface Receptor that Inhibits Autophagy. <i>Current Biology</i> , 2016, 26, 1791-1801.	3.9	11
22	Dynamics of antigen presentation to transgene product-specific CD4+ T cells and of Treg induction upon hepatic AAV gene transfer. <i>Molecular Therapy - Methods and Clinical Development</i> , 2016, 3, 16083.	4.1	36
23	Design and synthesis of nanofibers of self-assembled de novo glycoconjugates towards mucosal lining restoration and anti-inflammatory drug delivery. <i>Tetrahedron</i> , 2016, 72, 6078-6083.	1.9	11
24	IL-23 induced in keratinocytes by endogenous TLR4 ligands polarizes dendritic cells to drive IL-22 responses to skin immunization. <i>Journal of Experimental Medicine</i> , 2016, 213, 2147-2166.	8.5	79
25	Decreased SAP Expression in T Cells from Patients with Systemic Lupus Erythematosus Contributes to Early Signaling Abnormalities and Reduced IL-2 Production. <i>Journal of Immunology</i> , 2016, 196, 4915-4924.	0.8	14
26	Roles of CD48 in regulating immunity and tolerance. <i>Clinical Immunology</i> , 2016, 164, 10-20.	3.2	160
27	Selective Loss of Signaling Lymphocytic Activation Molecule Family Member 4â€“Positive CD8+ T Cells Contributes to the Decreased Cytotoxic Cell Activity in Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2016, 68, 164-173.	5.6	53
28	Targeting of Ly9 (CD229) Disrupts Marginal Zone and B1 B Cell Homeostasis and Antibody Responses. <i>Journal of Immunology</i> , 2016, 196, 726-737.	0.8	17
29	In vivo induction of regulatory T cells for immune tolerance in hemophilia. <i>Cellular Immunology</i> , 2016, 301, 18-29.	3.0	34
30	A combination of an anti-SLAMF6 antibody and ibrutinib efficiently abrogates expansion of chronic lymphocytic leukemia cells. <i>Oncotarget</i> , 2016, 7, 26346-26360.	1.8	12
31	Synergy between rapamycin and FLT3 ligand enhances plasmacytoid dendritic cellâ€“dependent induction of CD4+CD25+FoxP3+ Treg. <i>Blood</i> , 2015, 125, 2937-2947.	1.4	74
32	Selective Targeting of a Disease-Related Conformational Isoform of Macrophage Migration Inhibitory Factor Ameliorates Inflammatory Conditions. <i>Journal of Immunology</i> , 2015, 195, 2343-2352.	0.8	37
33	Negative Regulation of Humoral Immunity Due to Interplay between the SLAMF1, SLAMF5, and SLAMF6 Receptors. <i>Frontiers in Immunology</i> , 2015, 6, 158.	4.8	32
34	Migration of Myeloid Cells during Inflammation Is Differentially Regulated by the Cell Surface Receptors Slamf1 and Slamf8. <i>PLoS ONE</i> , 2015, 10, e0121968.	2.5	33
35	Plant-based oral tolerance to hemophilia therapy employs a complex immune regulatory response including LAP+CD4+ T cells. <i>Blood</i> , 2015, 125, 2418-2427.	1.4	57
36	Signaling Lymphocytic Activation Molecule Family Receptor Homologs in New World Monkey Cytomegaloviruses. <i>Journal of Virology</i> , 2015, 89, 11323-11336.	3.4	17

#	ARTICLE	IF	CITATIONS
37	SLAMF4 Is a Negative Regulator of Expansion of Cytotoxic Intraepithelial CD8+ T Cells That Maintains Homeostasis in the Small Intestine. <i>Gastroenterology</i> , 2015, 148, 991-1001.e4.	1.3	18
38	The cell surface receptor Slamf6 modulates innate immune responses during <i>Citrobacter rodentium</i> -induced colitis. <i>International Immunology</i> , 2015, 27, 447-457.	4.0	9
39	SLAMF1 regulation of chemotaxis and autophagy determines CLL patient response. <i>Journal of Clinical Investigation</i> , 2015, 126, 181-194.	8.2	44
40	Treg: tolerance vs immunity. <i>Oncotarget</i> , 2015, 6, 19956-19957.	1.8	1
41	SLAMF1/CD150 Activates Autophagy in Chronic Lymphocytic Leukemia Cells, Modulating Chemotaxis and Responses to Therapy. <i>Blood</i> , 2015, 126, 1728-1728.	1.4	0
42	Glucocorticoid-Induced TNF Receptor Family-Related Protein Ligand is Requisite for Optimal Functioning of Regulatory CD4+ T Cells. <i>Frontiers in Immunology</i> , 2014, 5, 35.	4.8	25
43	Editorial overview: Autoimmunity. <i>Current Opinion in Immunology</i> , 2014, 31, v-vii.	5.5	5
44	Ex vivo expanded autologous polyclonal regulatory T cells suppress inhibitor formation in hemophilia. <i>Molecular Therapy - Methods and Clinical Development</i> , 2014, 1, 14030.	4.1	59
45	Glucocorticoid-induced TNF receptor family-related protein ligand regulates the migration of monocytes to the inflamed intestine. <i>FASEB Journal</i> , 2014, 28, 474-484.	0.5	12
46	SAP-Dependent and -Independent Regulation of Innate T Cell Development Involving SLAMF Receptors. <i>Frontiers in Immunology</i> , 2014, 5, 186.	4.8	32
47	GEF-H1 controls microtubule-dependent sensing of nucleic acids for antiviral host defenses. <i>Nature Immunology</i> , 2014, 15, 63-71.	14.5	36
48	Lloyd Mayer, MD, 1952-2013, In Memoriam. <i>Clinical Immunology</i> , 2014, 150, A1-A2.	3.2	0
49	Development of gene transfer for induction of antigen-specific tolerance. <i>Molecular Therapy - Methods and Clinical Development</i> , 2014, 1, 14013.	4.1	68
50	SAP modulates B cell functions in a genetic background-dependent manner. <i>Immunology Letters</i> , 2013, 153, 15-21.	2.5	5
51	Expansion of an osteopontin-expressing T follicular helper cell subset correlates with autoimmunity in <i>B6.Sle1b</i> mice and is suppressed by the H1 isoform of the Slamf6 receptor. <i>FASEB Journal</i> , 2013, 27, 3123-3131.	0.5	21
52	Circulatory Antigen Processing by Mucosal Dendritic Cells Controls CD8+ T Cell Activation. <i>Immunity</i> , 2013, 38, 153-165.	14.3	92
53	Mechanism of oral tolerance induction to therapeutic proteins. <i>Advanced Drug Delivery Reviews</i> , 2013, 65, 759-773.	13.7	74
54	Cutting Edge: Ly9 (CD229), a SLAM Family Receptor, Negatively Regulates the Development of Thymic Innate Memory-like CD8+ T and Invariant NKT Cells. <i>Journal of Immunology</i> , 2013, 190, 21-26.	0.8	33

#	ARTICLE	IF	CITATIONS
55	Ly9 (CD229) Cell-Surface Receptor is Crucial for the Development of Spontaneous Autoantibody Production to Nuclear Antigens. <i>Frontiers in Immunology</i> , 2013, 4, 225.	4.8	30
56	Receptor Signaling Lymphocyte-activation Molecule Family 1 (Slamf1) Regulates Membrane Fusion and NADPH Oxidase 2 (NOX2) Activity by Recruiting a Beclin-1/Vps34/Ultraviolet Radiation Resistance-associated Gene (UVRAG) Complex. <i>Journal of Biological Chemistry</i> , 2012, 287, 18359-18365.	3.4	40
57	SAP expression in invariant NKT cells is required for cognate help to support B-cell responses. <i>Blood</i> , 2012, 120, 122-129.	1.4	33
58	CD3-T Cell Receptor Co-stimulation through SLAMF3 and SLAMF6 Receptors Enhances ROR γ t Recruitment to the IL17A Promoter in Human T Lymphocytes. <i>Journal of Biological Chemistry</i> , 2012, 287, 38168-38177.	3.4	22
59	Glucocorticoid-Induced Tumor Necrosis Factor Receptor Family-Related Protein Regulates CD4+T Cell ϵ -Mediated Colitis in Mice. <i>Gastroenterology</i> , 2012, 142, 582-591.e8.	1.3	38
60	Signaling Lymphocyte Activation Molecule Regulates Development of Colitis in Mice. <i>Gastroenterology</i> , 2012, 143, 1544-1554.e7.	1.3	18
61	Cutting Edge: Slamf8 Is a Negative Regulator of Nox2 Activity in Macrophages. <i>Journal of Immunology</i> , 2012, 188, 5829-5832.	0.8	39
62	Slamf-1/CD150 Is a Signaling Receptor Expressed by a Subset of Chronic Lymphocytic Leukemia Patients Characterized by a Favorable Prognosis. <i>Blood</i> , 2012, 120, 1770-1770.	1.4	1
63	Suppression of Inhibitor Formation in Protein and Gene Therapy for Hemophilia Using Ex Vivo Expanded Treg. <i>Blood</i> , 2012, 120, 13-13.	1.4	1
64	Synergistic Effect of Flt3L and Rapamycin On Immune Tolerance Induction Via Plasmacytoid Dendritic Cells and Treg.. <i>Blood</i> , 2012, 120, 2209-2209.	1.4	0
65	Tight Regulation of Memory CD8+ T Cells Limits Their Effectiveness during Sustained High Viral Load. <i>Immunity</i> , 2011, 35, 285-298.	14.3	141
66	Cutting Edge: An NK Cell-Independent Role for Slamf4 in Controlling Humoral Autoimmunity. <i>Journal of Immunology</i> , 2011, 187, 21-25.	0.8	36
67	A novel isoform of the Ly108 gene ameliorates murine lupus. <i>Journal of Experimental Medicine</i> , 2011, 208, 811-822.	8.5	59
68	Auto-antibody production and glomerulonephritis in congenic Slamf1 $^{-/-}$ and Slamf2 $^{-/-}$ [B6.129] but not in Slamf1 $^{-/-}$ and Slamf2 $^{-/-}$ [BALB/c.129] mice. <i>International Immunology</i> , 2011, 23, 149-158.	4.0	20
69	SLAM family receptors and the SLAM-associated protein (SAP) modulate T cell functions. <i>Seminars in Immunopathology</i> , 2010, 32, 157-171.	6.1	96
70	SLAM is a microbial sensor that regulates bacterial phagosome functions in macrophages. <i>Nature Immunology</i> , 2010, 11, 920-927.	14.5	156
71	GITR engagement preferentially enhances proliferation of functionally competent CD4+CD25+FoxP3+ regulatory T cells. <i>International Immunology</i> , 2010, 22, 259-270.	4.0	80
72	Expansion of immunoglobulin-secreting cells and defects in B cell tolerance in Rag γ -dependent immunodeficiency. <i>Journal of Experimental Medicine</i> , 2010, 207, 1541-1554.	8.5	90

#	ARTICLE	IF	CITATIONS
73	Cutting Edge: The Adapters EAT-2A and -2B Are Positive Regulators of CD244- and CD84-Dependent NK Cell Functions in the C57BL/6 Mouse. <i>Journal of Immunology</i> , 2010, 185, 5683-5687.	0.8	33
74	Mouse CD84 is a <i>pan</i> -leukocyte cell-surface molecule that modulates LPS-induced cytokine secretion by macrophages. <i>Journal of Leukocyte Biology</i> , 2010, 88, 687-697.	3.3	44
75	The SLAM and SAP Gene Families Control Innate and Adaptive Immune Responses. <i>Advances in Immunology</i> , 2008, 97, 177-250.	2.2	138
76	Mapping Autoimmune Disease Genes in Humans: Lessons from IBD and SLE. <i>Novartis Foundation Symposium</i> , 2008, , 94-112.	1.1	3
77	Homotypic Interactions Mediated by Slamf1 and Slamf6 Receptors Control NKT Cell Lineage Development. <i>Immunity</i> , 2007, 27, 751-762.	14.3	301
78	The SLAM-Associated Protein Signaling Pathway Is Required for Development of CD4+ T Cells Selected by Homotypic Thymocyte Interaction. <i>Immunity</i> , 2007, 27, 763-774.	14.3	68
79	Increased proliferation of CD8+ T cells in SAP-deficient mice is associated with impaired activation-induced cell death. <i>European Journal of Immunology</i> , 2007, 37, 663-674.	2.9	42
80	CD48 Controls T-Cell and Antigen-Presenting Cell Functions in Experimental Colitis. <i>Gastroenterology</i> , 2006, 130, 424-434.	1.3	28
81	SLAM/SLAM interactions inhibit CD40-induced production of inflammatory cytokines in monocyte-derived dendritic cells. <i>Blood</i> , 2006, 107, 2821-2829.	1.4	46
82	Platelet aggregation induces platelet aggregate stability via SLAM family receptor signaling. <i>Blood</i> , 2005, 106, 3028-3034.	1.4	92
83	Cutting Edge: Signaling Lymphocytic Activation Molecule-Associated Protein Controls NKT Cell Functions. <i>Journal of Immunology</i> , 2005, 174, 3153-3157.	0.8	160
84	Defective B cell responses in the absence of SH2D1A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4819-4823.	7.1	68
85	Cutting Edge: The SLAM Family Receptor Ly108 Controls T Cell and Neutrophil Functions. <i>Journal of Immunology</i> , 2005, 174, 5931-5935.	0.8	69
86	Signaling Lymphocyte Activation Molecule-Associated Protein Is a Negative Regulator of the CD8 T Cell Response in Mice. <i>Journal of Immunology</i> , 2005, 175, 2212-2218.	0.8	37
87	SLAM Family Receptors Distinguish Hematopoietic Stem and Progenitor Cells and Reveal Endothelial Niches for Stem Cells. <i>Cell</i> , 2005, 121, 1109-1121.	28.9	2,815
88	Mapping autoimmune disease genes in humans: lessons from IBD and SLE. <i>Novartis Foundation Symposium</i> , 2005, 267, 94-107; discussion 107-12.	1.1	4
89	The Cell Surface Receptor SLAM Controls T Cell and Macrophage Functions. <i>Journal of Experimental Medicine</i> , 2004, 199, 1255-1264.	8.5	153
90	Cutting Edge: The Natural Ligand for Glucocorticoid-Induced TNF Receptor-Related Protein Abrogates Regulatory T Cell Suppression. <i>Journal of Immunology</i> , 2004, 172, 5823-5827.	0.8	191

#	ARTICLE	IF	CITATIONS
91	Dynamic Redistribution of the Activating 2B4/SAP Complex at the Cytotoxic NK Cell Immune Synapse. <i>Journal of Immunology</i> , 2004, 173, 3640-3646.	0.8	52
92	SAP increases FynT kinase activity and is required for phosphorylation of SLAM and Ly9. <i>International Immunology</i> , 2004, 16, 727-736.	4.0	54
93	Expression of the SH2D1A gene is regulated by a combination of transcriptional and post-transcriptional mechanisms. <i>European Journal of Immunology</i> , 2004, 34, 3176-3186.	2.9	16
94	SAP couples Fyn to SLAM immune receptors. <i>Nature Cell Biology</i> , 2003, 5, 155-160.	10.3	259
95	The SAP and SLAM families in immune responses and X-linked lymphoproliferative disease. <i>Nature Reviews Immunology</i> , 2003, 3, 813-821.	22.7	292
96	T Cell-specific Expression of the Murine CD3 ζ Promoter. <i>Journal of Biological Chemistry</i> , 2002, 277, 47898-47906.	3.4	22
97	Molecular dissection of the signaling and costimulatory functions of CD150 (SLAM): CD150/SAP binding and CD150-mediated costimulation. <i>Blood</i> , 2002, 99, 957-965.	1.4	76
98	The role of SAP in murine CD150 (SLAM)-mediated T-cell proliferation and interferon γ production. <i>Blood</i> , 2002, 100, 2899-2907.	1.4	67
99	Identification and characterization of SF2000 and SF2001, two new members of the immune receptor SLAM/CD2 family. <i>Immunogenetics</i> , 2002, 53, 843-850.	2.4	55
100	Mouse novel Ly9: a new member of the expanding CD150 (SLAM) family of leukocyte cell-surface receptors. <i>Immunogenetics</i> , 2002, 54, 394-402.	2.4	29
101	A α -three-pronged α ™ binding mechanism for the SAP/SH2D1A SH2 domain: structural basis and relevance to the XLP syndrome. <i>EMBO Journal</i> , 2002, 21, 314-323.	7.8	82
102	X-LINKED LYMPHOPROLIFERATIVE DISEASE: A Progressive Immunodeficiency. <i>Annual Review of Immunology</i> , 2001, 19, 657-682.	21.8	209
103	Cell surface receptors Ly-9 and CD84 recruit the X-linked lymphoproliferative disease gene product SAP. <i>Blood</i> , 2001, 97, 3867-3874.	1.4	131
104	Alterations of the X-linked lymphoproliferative disease gene SH2D1A in common variable immunodeficiency syndrome. <i>Blood</i> , 2001, 98, 1321-1325.	1.4	112
105	CD150 is a member of a family of genes that encode glycoproteins on the surface of hematopoietic cells. <i>Immunogenetics</i> , 2001, 53, 382-394.	2.4	53
106	SAP controls T cell responses to virus and terminal differentiation of TH2 cells. <i>Nature Immunology</i> , 2001, 2, 410-414.	14.5	219
107	Development of chronic colitis is dependent on the cytokine MIF. <i>Nature Immunology</i> , 2001, 2, 1061-1066.	14.5	288
108	Characterization of SH2D1A Missense Mutations Identified in X-linked Lymphoproliferative Disease Patients. <i>Journal of Biological Chemistry</i> , 2001, 276, 36809-36816.	3.4	82

#	ARTICLE	IF	CITATIONS
109	Genomic organization and characterization of mouse SAP , the gene that is altered in X-linked lymphoproliferative disease. <i>Immunogenetics</i> , 2000, 51, 805-815.	2.4	47
110	Pathways of T cell Pathology in Models of Chronic Intestinal Inflammation. <i>International Reviews of Immunology</i> , 2000, 19, 1-37.	3.3	8
111	Crystal Structures of the XLP Protein SAP Reveal a Class of SH2 Domains with Extended, Phosphotyrosine-Independent Sequence Recognition. <i>Molecular Cell</i> , 1999, 4, 555-561.	9.7	237
112	T Cell-mediated Pathology in Two Models of Experimental Colitis Depends Predominantly on the Interleukin 12/Signal Transducer and Activator of Transcription (Stat)-4 Pathway, but Is Not Conditional on Interferon γ Expression by T Cells. <i>Journal of Experimental Medicine</i> , 1998, 187, 1225-1234.	8.5	269
113	CD38 is functionally dependent on the TCR/CD3 complex in human T cells. <i>FASEB Journal</i> , 1998, 12, 581-592.	0.5	90
114	Absence of Natural Killer Cells during Murine Pregnancy is Associated with Reproductive Compromise in TgE26 Mice. <i>Biology of Reproduction</i> , 1997, 56, 169-179.	2.7	248
115	Development and function of T lymphocytes and natural killer cells after bone marrow transplantation of severely immunodeficient mice. <i>Immunological Reviews</i> , 1997, 157, 53-60.	6.0	28
116	T lymphocyte apoptosis induced by CD8 μ chimera. <i>Science Bulletin</i> , 1997, 42, 222-227.	1.7	2
117	Expression of pro-inflammatory cytokines by TCR $\alpha\beta$ + T and TCR $\alpha\beta$ + T cells in an experimental model of colitis. <i>European Journal of Immunology</i> , 1997, 27, 17-25.	2.9	121
118	Pregnancy-associated Uterine Granulated Metrial Gland Cells in Mutant and Transgenic Mice. <i>American Journal of Reproductive Immunology</i> , 1996, 35, 501-509.	1.2	27
119	Regulation of T cell receptor (TCR)- β locus allelic exclusion and initiation of TCR- α locus rearrangement in immature thymocytes by signaling through the CD3 complex. <i>European Journal of Immunology</i> , 1995, 25, 1257-1261.	2.9	68
120	Evidence that CD4+, but not CD8+ T cells are responsible for murine interleukin-2-deficient colitis. <i>European Journal of Immunology</i> , 1995, 25, 2618-2625.	2.9	137
121	Developmental control point in induction of thymic cortex regulated by a subpopulation of prothymocytes. <i>Nature</i> , 1995, 373, 350-353.	27.8	268
122	Covalent binding of guanine nucleotides to the CD3- β chain of the T cell receptor/CD3 complex. <i>European Journal of Immunology</i> , 1993, 23, 461-466.	2.9	6
123	The T cell receptor associated CD3- μ protein is phosphorylated upon T cell activation in the two tyrosine residues of a conserved signal transduction motif. <i>European Journal of Immunology</i> , 1993, 23, 1636-1642.	2.9	37
124	Cloning and sequencing of the cDNA encoding the human homologue of the murine immunoglobulin-associated protein B29. <i>European Journal of Immunology</i> , 1992, 22, 1621-1625.	2.9	44
125	Genetic reconstitution of the T cell receptor (TcR) $\alpha\beta$ heterodimer restores the association of CD3 β with the TcR/CD3 complex. <i>European Journal of Immunology</i> , 1991, 21, 473-481.	2.9	10
126	Surface expression of CD3 in the absence of T cell receptor (TcR): evidence for sorting of partial TcR/CD3 complexes in a post-endoplasmic reticulum compartment. <i>European Journal of Immunology</i> , 1989, 19, 2309-2317.	2.9	37

#	ARTICLE	IF	CITATIONS
127	The transmembrane orientation of the $\hat{\mu}$ chain of the TcR/CD3 complex. <i>European Journal of Immunology</i> , 1988, 18, 705-710.	2.9	15
128	Isolation of cDNA clones encoding the 20K non-glycosylated polypeptide chain of the human T-cell receptor/T3 complex. <i>Nature</i> , 1986, 321, 431-434.	27.8	158
129	A T3-like protein complex associated with the antigen receptor on murine T cells. <i>Nature</i> , 1986, 320, 272-275.	27.8	221
130	Expression of genes of the T-cell antigen receptor complex in precursor thymocytes. <i>Nature</i> , 1985, 315, 765-768.	27.8	133
131	Association between the human thymic differentiation antigens T6 and TS. <i>European Journal of Immunology</i> , 1985, 15, 529-532.	2.9	70
132	Isolation of cDNA clones encoding the 20K T3 glycoprotein of human T-cell receptor complex. <i>Nature</i> , 1984, 312, 413-418.	27.8	238
133	The $\hat{\gamma}$ - and $\hat{\mu}$ -chains of the human T3/T-cell receptor complex are distinct polypeptides. <i>Nature</i> , 1984, 312, 455-458.	27.8	108
134	The T3 complex on human thymus-derived lymphocytes contains two different subunits of 20 kDa. <i>European Journal of Immunology</i> , 1983, 13, 576-580.	2.9	106
135	Characterization of T cell surface glycoproteins T1 and T3 present on all human peripheral T lymphocytes and functionally mature thymocytes. <i>European Journal of Immunology</i> , 1981, 11, 18-21.	2.9	146
136	Antibody directed at a surface structure inhibits cytolytic but not suppressor function of human T lymphocytes. <i>Nature</i> , 1981, 294, 168-170.	27.8	112
137	Identification of a Cell-Surface Protein Involved in the Binding Site of Sindbis Virus on Human Lymphoblastoid Cell Lines Using a Heterobifunctional Cross-Linker. <i>FEBS Journal</i> , 1981, 115, 153-158.	0.2	42
138	The human $\hat{\epsilon}$ ™ genetic region of the HLA linkage group is a polymorphism detected on lectin-activated lymphocytes. <i>Nature</i> , 1980, 284, 275-277.	27.8	71
139	SLAMF8 Downregulates Mouse Macrophage Microbicidal Mechanisms via PI3K Pathways. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	4