

Norbert Kovacs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5904815/publications.pdf>

Version: 2024-02-01

141
papers

3,071
citations

186265

28
h-index

214800

47
g-index

166
all docs

166
docs citations

166
times ranked

4271
citing authors

#	ARTICLE	IF	CITATIONS
1	Antiparkinsonian Drug Reduction After Directional Versus Omnidirectional Bilateral Subthalamic Deep Brain Stimulation. <i>Neuromodulation</i> , 2023, 26, 374-381.	0.8	6
2	Epilepsy is overrepresented among young people who died from COVID-19: Analysis of nationwide mortality data in Hungary. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 94, 136-141.	2.0	15
3	P490 Patients with inflammatory bowel disease should be vaccinated against pneumococcus and influenza despite immunosuppressive therapy. <i>Journal of Crohn's and Colitis</i> , 2022, 16, i456-i456.	1.3	1
4	Examination of pituitary adenylate cyclase-activating polypeptide in Parkinson's disease focusing on correlations with motor symptoms. <i>GeroScience</i> , 2022, 44, 785-803.	4.6	8
5	Immune response to influenza and pneumococcal vaccines in adults with inflammatory bowel disease: A systematic review and meta-analysis of 1429 patients. <i>Vaccine</i> , 2022, 40, 2076-2086.	3.8	10
6	Outcomes Impacting Quality of Life in Advanced Parkinson's Disease Patients Treated with Levodopa-Carbidopa Intestinal Gel. <i>Journal of Parkinson's Disease</i> , 2022, 12, 917-926.	2.8	9
7	European Academy of Neurology guidance for developing and reporting clinical practice guidelines on rare neurological diseases. <i>European Journal of Neurology</i> , 2022, 29, 1571-1586.	3.3	5
8	Fast 3T nigral hyperintensity magnetic resonance imaging in Parkinson's disease. <i>Scientific Reports</i> , 2021, 11, 1179.	3.3	0
9	Low test-retest reliability of the Epworth Sleepiness Scale within a substantial short time frame. <i>Journal of Sleep Research</i> , 2021, 30, e13277.	3.2	8
10	24-Hour Levodopa-Carbidopa Intestinal Gel: Clinical Experience and Practical Recommendations. <i>CNS Drugs</i> , 2021, 35, 137-149.	5.9	17
11	Trimetazidine Use in Parkinson's Disease: Is It a Resolved Problem?. <i>ENeuro</i> , 2021, 8, ENEURO.0452-20.2021.	1.9	1
12	Pregnancy and deep brain stimulation therapy for epilepsy. <i>Epileptic Disorders</i> , 2021, 23, 633-638.	1.3	6
13	<sc>DUOGLOBE</sc>: One-Year Outcomes in a <sc>Real-World</sc> Study of Levodopa Carbidopa Intestinal Gel for Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2021, 8, 1061-1074.	1.5	22
14	Which Scale Best Detects Treatment Response of Tremor in Parkinsonism?. <i>Journal of Parkinson's Disease</i> , 2020, 10, 275-282.	2.8	3
15	Paraneoplastic anti-NMDA receptor encephalitis in 1830?. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020, 7, e887.	6.0	6
16	Application of the 5-2-1 screening criteria in advanced Parkinson's disease: interim analysis of DUOGLOBE. <i>Neurodegenerative Disease Management</i> , 2020, 10, 309-323.	2.2	33
17	The Impact of Trimetazidine on Disease Severity and Quality of Life in Parkinson's Disease. <i>Scientific Reports</i> , 2020, 10, 10050.	3.3	4
18	Integrated Care in Parkinson's Disease: A Systematic Review and <sc>Meta-Analysis</sc>. <i>Movement Disorders</i> , 2020, 35, 1509-1531.	3.9	71

#	ARTICLE	IF	CITATIONS
19	Comment on "Parkinsonism Associated with Gabapentinoid Drugs: A Pharmacoepidemiologic Study" Movement Disorders, 2020, 35, 375-375.	3.9	0
20	Update on the Management of Parkinson's Disease for General Neurologists. Parkinson's Disease, 2020, 2020, 1-13.	1.1	33
21	Minimal Clinically Important Differences for Burke-Fahn-Marsden Dystonia Rating Scale and Short-Form Health Survey. Movement Disorders, 2020, 35, 1218-1223.	3.9	15
22	TEMPOROMANDIBULAR JOINT DISORDER IN PATIENTS WITH PARKINSON'S DISEASE – A PILOT STUDY. Health Problems of Civilization, 2020, 14, 235-241.	0.1	4
23	Long-term successful treatment of chronic inflammatory demyelinating polyneuropathy-like polyneuropathy induced by levodopa-carbidopa intestinal gel with intravenous immunoglobulin. European Journal of Neurology, 2019, 26, e96-e97.	3.3	1
24	Internet addiction and functional brain networks: task-related fMRI study. Scientific Reports, 2019, 9, 15777.	3.3	29
25	The Parkinson's Disease Composite Scale Is Adequately Responsive to Acute Levodopa Challenge. Parkinson's Disease, 2019, 2019, 1-8.	1.1	5
26	Internet addiction associated with right pars opercularis in females. Journal of Behavioral Addictions, 2019, 8, 162-168.	3.7	8
27	Through the Blurry Looking Glass – SDGs in the GRI Reports. Resources, 2019, 8, 101.	3.5	33
28	Extensive validation study of the Parkinson's Disease Composite Scale. European Journal of Neurology, 2019, 26, 1281-1288.	3.3	8
29	Screening for Problematic Internet Use May Help Identify Impulse Control Disorders in Parkinson's Disease. Behavioural Neurology, 2019, 2019, 1-8.	2.1	10
30	Minimal clinically important difference for the quality of life in essential tremor questionnaire. Movement Disorders, 2019, 34, 759-760.	3.9	5
31	Differentiation between young adult Internet addicts, smokers, and healthy controls by the interaction between impulsivity and temporal lobe thickness. Journal of Behavioral Addictions, 2019, 8, 35-47.	3.7	16
32	Utilization of monotherapy and combination therapies in advanced Parkinson's disease patients during levodopa-carbidopa intestinal gel treatment from the cosmos study. Journal of the Neurological Sciences, 2019, 405, 212-213.	0.6	2
33	Interleaving stimulation mode can improve better the health-related quality of life in primary generalized or segmental dystonia than standard bilateral pallidal deep brain stimulation. Journal of the Neurological Sciences, 2019, 405, 30.	0.6	0
34	Two-Year Agility Maintenance Training Slows the Progression of Parkinsonian Symptoms. Medicine and Science in Sports and Exercise, 2019, 51, 237-245.	0.4	19
35	Levodopa-carbidopa intestinal gel treatment of motor fluctuations and dyskinesia in advanced Parkinson's disease patients in a "real world" setting: Interim results from the DUOGLOBE study. Journal of the Neurological Sciences, 2019, 405, 194-195.	0.6	0
36	Repetitive transcranial magnetic stimulation can improve anxiety in Parkinson's disease: A randomized, double-blind and controlled trial. Journal of the Neurological Sciences, 2019, 405, 333.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Minimal clinically important difference for the historic parts of the Unified Dyskinesia Rating Scale. <i>Parkinsonism and Related Disorders</i> , 2019, 58, 79-82.	2.2	25
38	Trimetazidine and parkinsonism: A prospective study. <i>Parkinsonism and Related Disorders</i> , 2019, 62, 117-121.	2.2	12
39	Ictal piloerection is associated with high-grade glioma and autoimmune encephalitis—Results from a systematic review. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 64, 1-5.	2.0	9
40	Are the MDSâ€“UPDRSâ€“Based Composite Scores Clinically Applicable?. <i>Movement Disorders</i> , 2018, 33, 835-839.	3.9	21
41	Relationship between the MDS-UPDRS and Quality of Life: A large multicenter study of 3206 patients. <i>Parkinsonism and Related Disorders</i> , 2018, 52, 83-89.	2.2	46
42	Comparing Sensitivity and Specificity of Addenbrookeâ€™s Cognitive Examination-I, III and Mini-Addenbrookeâ€™s Cognitive Examination in Parkinsonâ€™s Disease. <i>Behavioural Neurology</i> , 2018, 2018, 1-9.	2.1	6
43	A High-Intensity Multicomponent Agility Intervention Improves Parkinson Patientsâ€™ Clinical and Motor Symptoms. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2478-2484.e1.	0.9	27
44	Serum L-arginine and dimethylarginine levels in migraine patients with brain white matter lesions. <i>Cephalalgia</i> , 2017, 37, 571-580.	3.9	20
45	Differences in <sc>MDS</sc>â€“<sc>UPDRS</sc> Scores Based on Hoehn and Yahr Stage and Disease Duration. <i>Movement Disorders Clinical Practice</i> , 2017, 4, 536-544.	1.5	65
46	Minimal clinically important differences for the experiences of daily living parts of movement disorder societyâ€™s sponsored unified Parkinson's disease rating scale. <i>Movement Disorders</i> , 2017, 32, 789-793.	3.9	66
47	Levodopa/carbidopa intestinal gel can improve both motor and non-motor experiences of daily living in Parkinsonâ€™s disease: An open-label study. <i>Parkinsonism and Related Disorders</i> , 2017, 37, 79-86.	2.2	36
48	How Efficient Is Subthalamic Deep Brain Stimulation in Reducing Dyskinesia in Parkinson's Disease?. <i>European Neurology</i> , 2017, 77, 281-287.	1.4	9
49	Ictal asystole: A systematic review. <i>Epilepsia</i> , 2017, 58, 356-362.	5.1	63
50	Changes in Quality of Life in Parkinson's Disease: How Large Must They Be to Be Relevant?. <i>Neuroepidemiology</i> , 2017, 48, 1-8.	2.3	83
51	Levodopa/carbidopa intestinal gel can improve both motor and non-motor experiences of daily living in advanced Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2017, 381, 123-124.	0.6	0
52	Association of Gait Characteristics and Depression in Patients with Parkinsonâ€™s Disease Assessed in Goal-Directed Locomotion Task. <i>Parkinson's Disease</i> , 2017, 2017, 1-7.	1.1	5
53	Prevalence of Anxiety among Hungarian Subjects with Parkinsonâ€™s Disease. <i>Behavioural Neurology</i> , 2017, 2017, 1-7.	2.1	9
54	Iron Concentration in Deep Gray Matter Structures is Associated with Worse Visual Memory Performance in Healthy Young Adults. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 675-681.	2.6	7

#	ARTICLE	IF	CITATIONS
55	Independent validation of the Quality of Life in Essential Tremor Questionnaire (QUEST). <i>Ideggyogyaszati Szemle</i> , 2017, 70, 193-202.	0.7	6
56	Impact of Sex on the Nonmotor Symptoms and the Health-Related Quality of Life in Parkinson's Disease. <i>Parkinson's Disease</i> , 2016, 2016, 1-12.	1.1	43
57	Lille Apathy Rating Scale and MDS-UPDRS for Screening Apathy in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2016, 6, 257-265.	2.8	20
58	Concussive convulsions: A YouTube video analysis. <i>Epilepsia</i> , 2016, 57, 1310-1316.	5.1	13
59	Age at onset and seizure frequency affect white matter diffusion coefficient in patients with mesial temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2016, 61, 14-20.	1.7	15
60	The impact of levodopa-carbidopa intestinal gel on health-related quality of life in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 22, e94.	2.2	0
61	High-Frequency Repetitive Transcranial Magnetic Stimulation Can Improve Depression in Parkinson's Disease: A Randomized, Double-Blind, Placebo-Controlled Study. <i>Neuropsychobiology</i> , 2016, 73, 169-177.	1.9	49
62	The possible role of the insula in the epilepsy and the gambling disorder of Fyodor Dostoyevsky. <i>Journal of Behavioral Addictions</i> , 2016, 5, 542-547.	3.7	7
63	Deep brain stimulation or thalamotomy in fragile X-associated tremor/ataxia syndrome? Case report. <i>Neurologia I Neurochirurgia Polska</i> , 2016, 50, 303-308.	1.2	7
64	Validation of an automated morphological MRI-based 123I-FP-CIT SPECT evaluation method. <i>Parkinsonism and Related Disorders</i> , 2016, 29, 24-29.	2.2	6
65	High frequency repetitive transcranial magnetic stimulation can improve the quality of life and depression in Parkinson's disease: A randomized, double-blind, placebo-controlled study. <i>Parkinsonism and Related Disorders</i> , 2016, 22, e23-e24.	2.2	0
66	2D:4D finger ratio positively correlates with total cerebral cortex in males. <i>Neuroscience Letters</i> , 2016, 615, 33-36.	2.1	9
67	Independent validation of Parkinson's disease Sleep Scale 2nd version (PDSS-2). <i>Sleep and Biological Rhythms</i> , 2016, 14, 63-73.	1.0	17
68	Problematic internet use is associated with structural alterations in the brain reward system in females. <i>Brain Imaging and Behavior</i> , 2016, 10, 953-959.	2.1	27
69	THE RELATIONSHIP BETWEEN SERUM CHOLESTEROL AND VERBAL MEMORY MAY BE INFLUENCED BY BODY MASS INDEX (BMI) IN YOUNG HEALTHY WOMEN. <i>Ideggyogyaszati Szemle</i> , 2016, 69, 177-82.	0.7	1
70	Can bilateral subthalamic deep brain stimulation reserve working abilities in Parkinson's disease?. <i>Journal of the Neurological Sciences</i> , 2015, 357, e54.	0.6	0
71	High frequency repetitive transcranial magnetic stimulation can improve depression in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2015, 357, e54.	0.6	0
72	Windup in Parkinson's disease: A functional magnetic resonance imaging study. <i>European Journal of Pain</i> , 2015, 19, 1288-1297.	2.8	8

#	ARTICLE	IF	CITATIONS
73	Bilateral Subthalamic Stimulation can Improve Sleep Quality in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2015, 5, 361-368.	2.8	27
74	Deep Brain Stimulation Can Preserve Working Status in Parkinson's Disease. <i>Parkinson's Disease</i> , 2015, 2015, 1-8.	1.1	6
75	Minimal Clinically Important Difference on Parkinson's Disease Sleep Scale 2nd Version. <i>Parkinson's Disease</i> , 2015, 2015, 1-8.	1.1	15
76	Screening Mild and Major Neurocognitive Disorders in Parkinson's Disease. <i>Behavioural Neurology</i> , 2015, 2015, 1-10.	2.1	39
77	Pain-related autonomic response is modulated by the medial prefrontal cortex: An ECG-fMRI study in men. <i>Journal of the Neurological Sciences</i> , 2015, 349, 202-208.	0.6	26
78	Cortical involvement during myotonia in myotonic dystrophy: an fMRI study. <i>Acta Neurologica Scandinavica</i> , 2015, 132, 65-72.	2.1	15
79	Late bedtime is associated with decreased hippocampal volume in young healthy subjects. <i>Sleep and Biological Rhythms</i> , 2015, 13, 68-75.	1.0	11
80	Early Dynamics of P-selectin and Interleukin 6 Predicts Outcomes in Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1938-1947.	1.6	32
81	Intracranial volume inversely correlates with serum 25(OH)D level in healthy young women. <i>Nutritional Neuroscience</i> , 2015, 18, 37-40.	3.1	15
82	Minimal clinically important difference on the Motor Examination part of MDS-UPDRS. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1421-1426.	2.2	176
83	Changes of Migraine-Related White Matter Hyperintensities After 3 Years: A Longitudinal <scp>MRI</scp> Study. <i>Headache</i> , 2015, 55, 55-70.	3.9	46
84	Milk and dairy consumption correlates with cerebral cortical as well as cerebral white matter volume in healthy young adults. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, 826-829.	2.8	2
85	Visuospatial impairment in Parkinson's disease: The role of laterality. <i>Laterality</i> , 2015, 20, 112-127.	1.0	26
86	Earlier and More Efficiently: The Role of Deep Brain Stimulation for Parkinson's Disease Preserving the Working Capabilities. <i>Ideggyogyaszati Szemle</i> , 2015, 68, 384-390.	0.7	1
87	Earlier and More Efficiently: The Role of Deep Brain Stimulation for Parkinson's Disease Preserving the Working Capabilities. <i>Ideggyogyaszati Szemle</i> , 2015, 68, 384-390.	0.7	0
88	Are Branded and Generic Extended-Release Ropinirole Formulations Equally Efficacious? A Rater-Blinded, Switch-Over, Multicenter Study. <i>Parkinson's Disease</i> , 2014, 2014, 1-7.	1.1	7
89	Is the MDS-UPDRS a Good Screening Tool for Detecting Sleep Problems and Daytime Sleepiness in Parkinson's Disease?. <i>Parkinson's Disease</i> , 2014, 2014, 1-8.	1.1	13
90	Alexithymia is associated with low level of vitamin D in young healthy adults. <i>Nutritional Neuroscience</i> , 2014, 17, 284-288.	3.1	4

#	ARTICLE	IF	CITATIONS
91	Are there any gender differences in the hippocampus volume after head-size correction? A volumetric and voxel-based morphometric study. <i>Neuroscience Letters</i> , 2014, 570, 119-123.	2.1	77
92	Dynamic changes of proinflammatory biomarkers in the acute phase of ischemic stroke predict outcome and correlate with changes in the l-arginine pathway. <i>Journal of Neuroimmunology</i> , 2014, 275, 42.	2.3	0
93	Test-Retest Validity of Parkinson's Disease Sleep Scale 2nd Version (PDSS-2). <i>Journal of Parkinson's Disease</i> , 2014, 4, 687-691.	2.8	24
94	Role of in vivo imaging in cardiovascular research, diagnosis and treatment. <i>Atherosclerosis</i> , 2014, 235, e300.	0.8	0
95	Comparison of double monopolar and interleaving stimulation modes in the treatment of primary generalized and segmental dystonia. <i>Journal of the Neurological Sciences</i> , 2013, 333, e139.	0.6	0
96	White-matter microstructure and language lateralization in left-handers: A whole-brain MRI analysis. <i>Brain and Cognition</i> , 2013, 82, 319-328.	1.8	25
97	Parkinson's disease Sleep Scale-2 is more specific for PD than the Epworth Sleep Scale. <i>Journal of the Neurological Sciences</i> , 2013, 333, e139.	0.6	3
98	Quantitative ^{scp}MRI</sup> Studies of Chronic Brain White Matter Hyperintensities in Migraine Patients. <i>Headache</i> , 2013, 53, 752-763.	3.9	35
99	The assessment of neural injury following open heart surgery by physiological tremor analysis. <i>Archives of Medical Science</i> , 2013, 1, 40-46.	0.9	0
100	Pramipexole May Be an Effective Treatment Option in Essential Tremor. <i>Clinical Neuropharmacology</i> , 2012, 35, 73-76.	0.7	12
101	Sensitivity and specificity of Addenbrooke's™ Cognitive Examination, Mattis Dementia Rating Scale, Frontal Assessment Battery and Mini Mental State Examination for diagnosing dementia in Parkinson's™ disease. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 553-556.	2.2	71
102	Status dystonicus: Predictors of outcome and progression patterns of underlying disease. <i>Movement Disorders</i> , 2012, 27, 783-788.	3.9	94
103	Secondarily generalized seizures in temporal lobe epilepsy. <i>Epilepsia</i> , 2012, 53, 817-824.	5.1	37
104	Changing to interleaving stimulation might improve dystonia in cases not responding to pallidal stimulation. <i>Movement Disorders</i> , 2012, 27, 163-165.	3.9	28
105	Lateralisation of non-metric rhythm. <i>Laterality</i> , 2011, 16, 620-635.	1.0	7
106	Cost Effectiveness of Rasagiline and Pramipexole as Treatment Strategies in Early Parkinson's Disease in the UK Setting. <i>Drugs and Aging</i> , 2011, 28, 161-162.	2.7	5
107	Status dystonicus in tardive dystonia successfully treated by bilateral deep brain stimulation. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 808-809.	1.4	24
108	Comparison of the efficacy of unipolar and bipolar electrode configuration during subthalamic deep brain stimulation. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 50-54.	2.2	30

#	ARTICLE	IF	CITATIONS
109	Tics status: a movement disorder emergency. <i>Journal of Neurology</i> , 2011, 258, 143-145.	3.6	11
110	Body weight and the reward system: the volume of the right amygdala may be associated with body mass index in young overweight men. <i>Brain Imaging and Behavior</i> , 2011, 5, 149-157.	2.1	20
111	Coffee consumption may influence hippocampal volume in young women. <i>Brain Imaging and Behavior</i> , 2011, 5, 274-284.	2.1	15
112	Evaluation of measured and calculated thermal parameters of a photopolymer. <i>International Communications in Heat and Mass Transfer</i> , 2011, 38, 863-867.	5.6	9
113	Reorganization of Motor System in Parkinson's Disease. <i>European Neurology</i> , 2011, 66, 220-226.	1.4	8
114	Ictal affective symptoms in temporal lobe epilepsy are related to gender and age. <i>Epilepsia</i> , 2010, 51, 1126-1132.	5.1	17
115	The impact of left prefrontal repetitive transcranial magnetic stimulation on depression in Parkinson's disease: A randomized, double-blind, placebo-controlled study. <i>Movement Disorders</i> , 2010, 25, 2311-2317.	3.9	153
116	Periictal heart rate variability analysis suggests long-term postictal autonomic disturbance in epilepsy. <i>European Journal of Neurology</i> , 2010, 17, 780-787.	3.3	66
117	Methylprednisolone therapy for short-term prevention of SUNCT syndrome. <i>Cephalalgia</i> , 2010, 30, 735-739.	3.9	17
118	Epilepsy surgery, antiepileptic drug trials, and the role of evidence. <i>Epilepsia</i> , 2010, 51, 1004-1009.	5.1	12
119	Does obstetric brachial plexus injury influence speech dominance?. <i>Annals of Neurology</i> , 2009, 65, 57-66.	5.3	32
120	Subjective visual vertical may be altered by bilateral subthalamic deep brain stimulation. <i>Movement Disorders</i> , 2009, 24, 1556-1557.	3.9	7
121	Ictal vocalizations occur more often in temporal lobe epilepsy with dominant (left-sided) epileptogenic zone. <i>Epilepsia</i> , 2009, 50, 1542-1546.	5.1	19
122	Neuroimaging and cognitive changes during dÁ©jÁ vu. <i>Epilepsy and Behavior</i> , 2009, 14, 190-196.	1.7	12
123	Simple and choice reaction times are prolonged following extracorporeal circulation: a potential method for the assessment of acute neurocognitive deficit. <i>Medical Science Monitor</i> , 2009, 15, CR470-6.	1.1	2
124	Morphometric changes of gray matter in Parkinson's disease with depression: A voxel-based morphometry study. <i>Movement Disorders</i> , 2008, 23, 42-46.	3.9	168
125	Bilateral effects of unilateral thalamic deep brain stimulation: A case report. <i>Movement Disorders</i> , 2008, 23, 276-279.	3.9	8
126	Optical platelet aggregometry does not appear useful as a means of assessing the risk of recurrent vascular events in aspirin-treated patients. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 250-254.	2.1	5

#	ARTICLE	IF	CITATIONS
127	History of simple febrile seizures is associated with hippocampal abnormalities in adults. <i>Epilepsia</i> , 2008, 49, 1562-1569.	5.1	32
128	1H-MRS experiences after bilateral DBS of the STN in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 229-232.	2.2	10
129	The impact of bilateral subthalamic deep brain stimulation on long-latency event-related potentials. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 476-480.	2.2	15
130	Oxcarbazepine may induce psychotic symptoms in Parkinson's disease. <i>Epilepsy and Behavior</i> , 2008, 12, 492-493.	1.7	10
131	Patients' ability to react before complex partial seizures. <i>Epilepsy and Behavior</i> , 2007, 10, 183-186.	1.7	6
132	Peri-ictal vegetative symptoms in temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2007, 11, 125-129.	1.7	43
133	3.207 The impact of the use of Access Therapy Controller on the postoperative outcome. <i>Parkinsonism and Related Disorders</i> , 2007, 13, S163.	2.2	0
134	3.232 Bilateral effects of unilateral deep brain stimulation. <i>Parkinsonism and Related Disorders</i> , 2007, 13, S170.	2.2	0
135	Juvenile myoclonic epilepsy starting in the eighth decade. <i>Epileptic Disorders</i> , 2007, 9, 341-345.	1.3	5
136	Unilateral hand automatisms in temporal lobe epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006, 15, 393-396.	2.0	15
137	Staged bilateral stereotactic pallidotomy for life-threatening dystonia in a child with Hallervorden-Spatz disease. <i>Movement Disorders</i> , 2006, 21, 82-85.	3.9	82
138	Uniform qualitative electrophysiological changes in postoperative rest tremor. <i>Movement Disorders</i> , 2006, 21, 318-324.	3.9	12
139	Neurosurgical treatment of tremor in mitochondrial encephalopathy. <i>Movement Disorders</i> , 2006, 21, 2227-2230.	3.9	11
140	Implanted deep brain stimulator and 1.0-Tesla magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1409-1412.	3.4	22
141	MRI-assessed volume of left and right hippocampi in females correlates with the relative length of the second and fourth fingers (the 2D:4D ratio). <i>Psychiatry Research - Neuroimaging</i> , 2005, 140, 199-210.	1.8	51