
Gillian Haddock

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/590846/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Scales to measure dimensions of hallucinations and delusions: the psychotic symptom rating scales (PSYRATS). Psychological Medicine, 1999, 29, 879-889.	2.7	1,218
2	Randomized Controlled Trial of Motivational Interviewing, Cognitive Behavior Therapy, and Family Intervention for Patients With Comorbid Schizophrenia and Substance Use Disorders. American Journal of Psychiatry, 2001, 158, 1706-1713.	4.0	459
3	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. Lancet Psychiatry,the, 2017, 4, 749-758.	3.7	459
4	Randomised controlled trial of intensive cognitive behaviour therapy for patients with chronic schizophrenia. BMJ: British Medical Journal, 1998, 317, 303-307.	2.4	360
5	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: Acute-phase outcomes. British Journal of Psychiatry, 2002, 181, s91-s97.	1.7	311
6	Cognitive–behavioural therapy in first-episode and early schizophrenia. British Journal of Psychiatry, 2004, 184, 231-239.	1.7	243
7	Intrusive Thoughts and Auditory Hallucinations: A Cognitive Approach. Behavioural and Cognitive Psychotherapy, 1995, 23, 265-280.	0.9	208
8	Cognitive–behavioural therapy and motivational intervention for schizophrenia and substance misuse. British Journal of Psychiatry, 2003, 183, 418-426.	1.7	204
9	Reasons for increased substance use in psychosis. Clinical Psychology Review, 2007, 27, 494-510.	6.0	203
10	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.4	187
11	The evolution of insight, paranoia and depression during early schizophrenia. Psychological Medicine, 2004, 34, 285-292.	2.7	182
12	Anxiety and depression in psychosis: a systematic review of associations with positive psychotic symptoms. Acta Psychiatrica Scandinavica, 2013, 128, 327-346.	2.2	169
13	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. Schizophrenia Bulletin, 2018, 44, 1070-1080.	2.3	160
14	Cognitive factors in source monitoring and auditory hallucinations. Psychological Medicine, 1997, 27, 669-679.	2.7	157
15	The Psychotic Symptom Rating Scales (PSYRATS): Their usefulness and properties in first episode psychosis. Schizophrenia Research, 2007, 89, 119-122.	1.1	136
16	The implementation of the NICE guidelines for schizophrenia: Barriers to the implementation of psychological interventions and recommendations for the future. Psychology and Psychotherapy: Theory, Research and Practice, 2008, 81, 419-436.	1.3	135
17	A pilot study evaluating the effectiveness of individual inpatient cognitive-behavioural therapy in early psychosis. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 254-258.	1.6	131
18	Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: randomised controlled non-inferiority trial. BMJ: British Medical Journal, 2006, 333, 883.	2.4	129

#	Article	IF	CITATIONS
19	Religious delusions in patients admitted to hospital with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 130-138.	1.6	125
20	AN INVESTIGATION INTO THE PSYCHOMETRIC PROPERTIES OF THE COGNITIVE THERAPY SCALE FOR PSYCHOSIS (CTS-Psy). Behavioural and Cognitive Psychotherapy, 2001, 29, 221-233.	0.9	121
21	An investigation of the implementation of NICE-recommended CBT interventions for people with schizophrenia. Journal of Mental Health, 2014, 23, 162-165.	1.0	118
22	Individual cognitive-behavior therapy in the treatment of hallucinations and delusionsA review. Clinical Psychology Review, 1998, 18, 821-838.	6.0	115
23	A systematic review of the nature and correlates of sleep disturbance in early psychosis. Sleep Medicine Reviews, 2017, 31, 25-38.	3.8	112
24	Group cognitive-behavioural therapy for schizophrenia. British Journal of Psychiatry, 2006, 189, 527-532.	1.7	111
25	A systematic review of the implementation of recommended psychological interventions for schizophrenia: Rates, barriers, and improvement strategies. Psychology and Psychotherapy: Theory, Research and Practice, 2016, 89, 324-350.	1.3	111
26	Cognitive–behavioural therapy <i>v</i> . social activity therapy for people with psychosis and a history of violence: randomised controlled trial. British Journal of Psychiatry, 2009, 194, 152-157.	1.7	110
27	A systematic review of randomised controlled trials of interventions reporting outcomes for relatives of people with psychosis. Clinical Psychology Review, 2013, 33, 372-382.	6.0	110
28	Cognitive behavior therapy for persistent auditory hallucinations: From theory to therapy. Behavior Therapy, 1994, 25, 51-66.	1.3	106
29	An experience sampling study of worry and rumination in psychosis. Psychological Medicine, 2014, 44, 1605-1614.	2.7	105
30	Insight as a Predictor of the Outcome of First-Episode Nonaffective Psychosis in a Prospective Cohort Study in England. Journal of Clinical Psychiatry, 2007, 68, 81-86.	1.1	101
31	PTSD symptoms associated with the experiences of psychosis and hospitalisation: A review of the literature. Clinical Psychology Review, 2013, 33, 526-538.	6.0	86
32	Alexithymia and Its Associations With Depression, Suicidality, and Aggression: An Overview of the Literature. Frontiers in Psychiatry, 2019, 10, 203.	1.3	86
33	Does schema therapy change schemas and symptoms? A systematic review across mental health disorders. Psychology and Psychotherapy: Theory, Research and Practice, 2017, 90, 456-479.	1.3	84
34	Suicide behaviour over 18 months in recent onset schizophrenic patients: The effects of CBT. Schizophrenia Research, 2006, 83, 15-27.	1.1	80
35	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study Journal of Abnormal Psychology, 2016, 125, 788-797.	2.0	77
36	Auditory hallucinations and the verbal transformation effect: The role of suggestions. Personality and Individual Differences, 1995, 19, 301-306.	1.6	69

3

#	Article	IF	CITATIONS
37	Effects of training in psychosocial interventions for community psychiatric nurses in England. Psychiatric Services, 1997, 48, 39-41.	1.1	67
38	A comparison of the long-term effectiveness of distraction and focusing in the treatment of auditory hallucinations. The British Journal of Medical Psychology, 1998, 71, 339-349.	0.6	67
39	Does exercise improve sleep for adults with insomnia? A systematic review with quality appraisal. Clinical Psychology Review, 2019, 68, 1-12.	6.0	66
40	"They Are Not Hard-to-Reach Clients. We Have Just Got Hard-to-Reach Services.―Staff Views of Digital Health Tools in Specialist Mental Health Services Frontiers in Psychiatry, 2019, 10, 344.	1.3	64
41	The role of metacognitive beliefs in auditory hallucinations. Personality and Individual Differences, 2002, 32, 1351-1363.	1.6	62
42	The relationship between therapeutic alliance and patient's suicidal thoughts, self-harming behaviours and suicide attempts: A systematic review. Journal of Affective Disorders, 2017, 223, 165-174.	2.0	58
43	A qualitative study: experiences of stigma by people with mental health problems. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 380-397.	1.3	57
44	Early Psychosis Service User Views on Digital Technology: Qualitative Analysis. JMIR Mental Health, 2018, 5, e10091.	1.7	57
45	Family Interventions in Psychosis: A Review of the Evidence and Barriers to Implementation. Australian Psychologist, 2016, 51, 62-68.	0.9	56
46	Cognitive–behaviour therapy for people with psychosis and mild intellectual disabilities: a case series. Clinical Psychology and Psychotherapy, 2004, 11, 282-298.	1.4	55
47	Influence of age on outcome of psychological treatments in first-episode psychosis. British Journal of Psychiatry, 2006, 188, 250-254.	1.7	55
48	Staff Expressed Emotion and Causal Attributions for Client Problems on a Low Security Unit: An Exploratory Study. Schizophrenia Bulletin, 2001, 27, 517-526.	2.3	53
49	The Role of Expressed Emotion in Relationships Between Psychiatric Staff and People With a Diagnosis of Psychosis: A Review of the Literature. Schizophrenia Bulletin, 2011, 37, 958-972.	2.3	53
50	The reliability and validity of general psychotic rating scales with people with mild and moderate intellectual disabilities: an empirical investigation. Journal of Intellectual Disability Research, 2005, 49, 490-500.	1.2	51
51	A systematic review of service-user reasons for adherence and nonadherence to neuroleptic medication in psychosis. Clinical Psychology Review, 2017, 51, 75-95.	6.0	51
52	Is befriending by trained volunteers of value to people suffering from longâ€ŧerm mental illness?. Journal of Advanced Nursing, 1998, 27, 713-720.	1.5	50
53	A systematic review and meta-analysis of the association between alexithymia and suicide ideation and behaviour. Journal of Affective Disorders, 2019, 254, 34-48.	2.0	50
54	Psychological Interventions in Early Psychosis. Schizophrenia Bulletin, 2005, 31, 697-704.	2.3	49

4

#	Article	IF	CITATIONS
55	Individual cognitive–behavioural interventions in early psychosis. British Journal of Psychiatry, 1998, 172, 101-106.	1.7	46
56	Feasibility of a wardâ€based psychological intervention to improve staff and patient relationships in psychiatric rehabilitation settings. British Journal of Clinical Psychology, 2016, 55, 236-252.	1.7	46
57	Staff experiences and perceptions of working with in-patients who are suicidal: qualitative analysis. British Journal of Psychiatry, 2017, 211, 103-108.	1.7	46
58	Speech and language therapists' perspectives of therapeutic alliance construction and maintenance in aphasia rehabilitation postâ€stroke. International Journal of Language and Communication Disorders, 2018, 53, 550-563.	0.7	43
59	Psychological Treatment of Chronic Auditory Hallucinations: Two Case Studies. Behavioural and Cognitive Psychotherapy, 1993, 21, 335-346.	0.9	42
60	Evaluating integrated MI and CBT for people with psychosis and substance misuse: Recruitment, retention and sample characteristics of the MIDAS trial. Addictive Behaviors, 2009, 34, 859-866.	1.7	42
61	Feasibility of a supported self-management intervention for relatives of people with recent-onset psychosis: REACT study. British Journal of Psychiatry, 2013, 203, 366-372.	1.7	40
62	The Role of the Therapeutic Alliance in the Regulation of Emotion in Psychosis: An Attachment Perspective. Clinical Psychology and Psychotherapy, 2013, 20, 523-530.	1.4	39
63	What do relatives experience when supporting someone in early psychosis?. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 105-119.	1.3	39
64	People with aphasia's perception of the therapeutic alliance in aphasia rehabilitation post stroke: a thematic analysis. Aphasiology, 2018, 32, 1397-1417.	1.4	39
65	Self-focused attention in schizophrenic patients with and without auditory hallucinations and normal subjects: A comparative study. Personality and Individual Differences, 1997, 23, 937-941.	1.6	38
66	Predicting compliance with command hallucinations: Anger, impulsivity and appraisals of voices' power and intent. Schizophrenia Research, 2013, 147, 163-168.	1.1	38
67	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. Trials, 2015, 16, 404.	0.7	38
68	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. Schizophrenia Bulletin, 2015, 41, 584-596.	2.3	36
69	Barriers and facilitators to recruitment in mental health services: Care coordinators' expectations and experience of referring to a psychosis research trial. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 335-350.	1.3	35
70	Treatment development for psychosis and co-occurring substance misuse: A descriptive review. Journal of Mental Health, 2006, 15, 619-632.	1.0	33
71	Are sleep disturbances causally linked to the presence and severity of psychotic-like, dissociative and hypomanic experiences in non-clinical populations? A systematic review. Neuroscience and Biobehavioral Reviews, 2018, 89, 119-131.	2.9	32
72	Overcoming barriers to implementing ward-based psychosocial interventions in acute inpatient mental health settings: A meta-synthesis. International Journal of Nursing Studies, 2021, 115, 103870.	2.5	32

#	Article	IF	CITATIONS
73	Therapeutic Alliances in Stroke Rehabilitation: A Meta-Ethnography. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1979-1993.	0.5	30
74	Personal Accounts of Discontinuing Neuroleptic Medication for Psychosis. Qualitative Health Research, 2017, 27, 559-572.	1.0	30
75	Schizophrenia and substance misuse problems: a comparison between patients with and without significant carer contact. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 523-528.	1.6	29
76	The clinical skills of community psychiatric nurses working with patients who have severe and enduring mental health problems: an empirical analysis. Journal of Advanced Nursing, 1998, 27, 253-260.	1.5	28
77	Individuals' experiences and opinions of psychological therapies for psychosis: A narrative synthesis. Clinical Psychology Review, 2016, 43, 142-161.	6.0	28
78	The Subjective Experiences of Psychosis Scale (SEPS): Psychometric evaluation of a scale to assess outcome in psychosis. Schizophrenia Research, 2011, 133, 244-249.	1.1	27
79	Are all psychological treatments for psychosis equal? The need for CBT in the treatment of psychosis and not for psychodynamic psychotherapy. Psychology and Psychotherapy: Theory, Research and Practice, 2002, 75, 365-374.	1.3	26
80	Psychotic symptoms, self-harm and violence in individuals with schizophrenia and substance misuse problems. Schizophrenia Research, 2013, 151, 215-220.	1.1	26
81	The views of relatives of young people with psychosis on how to design a Relatives Education And Coping Toolkit (REACT). Journal of Mental Health, 2011, 20, 567-579.	1.0	25
82	Development and validation of a scale for assessing reasons for substance use in schizophrenia: The ReSUS scale. Addictive Behaviors, 2009, 34, 830-837.	1.7	24
83	A qualitative analysis of suicidal psychiatric inpatients views and expectations of psychological therapy to counter suicidal thoughts, acts and deaths. BMC Psychiatry, 2018, 18, 334.	1.1	24
84	COGNITIVE-BEHAVIOUR THERAPY FOR INPATIENTS WITH PSYCHOSIS AND ANGER PROBLEMS WITHIN A LOW SECURE ENVIRONMENT. Behavioural and Cognitive Psychotherapy, 2004, 32, 77-98.	0.9	23
85	Conceptualisation of recovery from psychosis: a service-user perspective. The Psychiatrist, 2010, 34, 465-470.	0.3	23
86	Assessing fidelity to integrated motivational interviewing and CBT therapy for psychosis and substance use: the MI-CBT fidelity scale (MI-CTS). Journal of Mental Health, 2012, 21, 38-48.	1.0	23
87	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. BJPsych Open, 2019, 5, e14.	0.3	23
88	The relationship between command hallucinations and factors of compliance: A critical review of the literature. Journal of Forensic Psychiatry and Psychology, 2006, 17, 266-298.	0.6	22
89	An exploration of the therapeutic alliance within a telephoneâ€based cognitive behaviour therapy for individuals with experience of psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 393-410.	1.3	22
90	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the â€ĩINSITE' trial): study protocol for a randomised controlled trial. Trials, 2016, 17, 79.	0.7	22

#	Article	IF	CITATIONS
91	The validation of a religiosity measure for individuals with schizophrenia. Mental Health, Religion and Culture, 2002, 5, 267-284.	0.6	21
92	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. World Psychiatry, 2018, 17, 230-231.	4.8	21
93	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. Trials, 2021, 22, 366.	0.7	21
94	Effect of Emotional Salience on Thought Disorder in Patients with Schizophrenia. British Journal of Psychiatry, 1995, 167, 618-620.	1.7	20
95	Exploring service users perceptions of recovery from psychosis: A Qâ€methodological approach. Psychology and Psychotherapy: Theory, Research and Practice, 2013, 86, 245-261.	1.3	20
96	Therapeutic alliance in psychological therapy for posttraumatic stress disorder: A systematic review and metaâ€analysis. Clinical Psychology and Psychotherapy, 2022, 29, 373-399.	1.4	20
97	Involving an individual with livedâ€experience in a coâ€analysis of qualitative data. Health Expectations, 2021, 24, 766-775.	1.1	19
98	Anxiety and depression and their links with delusions and hallucinations in people with a dual diagnosis of psychosis and substance misuse: A study using data from a randomised controlled trial. Behaviour Research and Therapy, 2012, 50, 65-71.	1.6	18
99	Telephone-delivered psychosocial interventions targeting key health priorities in adults with a psychotic disorder: systematic review. Psychological Medicine, 2018, 48, 2637-2657.	2.7	18
100	Factors that contribute to psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses: qualitative study. BJPsych Open, 2019, 5, e79.	0.3	18
101	Using my Demons to Make Good: The Short- and Long-Term Impact of Participating in Suicide-Related Research. Archives of Suicide Research, 2021, 25, 315-339.	1.2	18
102	Auditory Hallucinations and Posttraumatic Stress Disorder Within Schizophrenia and Substance Abuse. Journal of Nervous and Mental Disease, 2011, 199, 709-711.	0.5	17
103	Trauma in relation to psychosis and hospital experiences: The role of past trauma and attachment. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 227-239.	1.3	17
104	Therapist–client relationships in a psychological therapy trial for psychosis and substance misuse. Drug and Alcohol Dependence, 2015, 152, 170-176.	1.6	17
105	Cognitive Behavioral Intervention for Individuals with Severe Mental Illness Who Have a Substance Misuse Problem. Psychiatric Rehabilitation Skills, 2000, 4, 216-233.	0.1	16
106	Investigating the â€̃Jumping to Conclusions' Bias in People with Anorexia Nervosa. European Eating Disorders Review, 2014, 22, 352-359.	2.3	16
107	Advances in the psychological management of positive symptoms of schizophrenia. International Review of Psychiatry, 1994, 6, 201-215.	1.4	15
108	BATTLING BOREDOM: GROUP COGNITIVE BEHAVIOUR THERAPY FOR NEGATIVE SYMPTOMS OF SCHIZOPHRENIA. Behavioural and Cognitive Psychotherapy, 2002, 30, 341-346.	0.9	15

#	Article	IF	CITATIONS
109	Religious beliefs and religious delusions: Response to treatment in schizophrenia. Mental Health, Religion and Culture, 2004, 7, 211-223.	0.6	15
110	The effects of emotional salience on thought disorder in patients with bipolar affective disorder. Psychological Medicine, 2004, 34, 803-809.	2.7	15
111	Understanding Outcomes in a Randomized Controlled Trial of a Wardâ€based Intervention on Psychiatric Inpatient Wards: A Qualitative Analysis of Staff and Patient Experiences. Journal of Clinical Psychology, 2017, 73, 1211-1225.	1.0	15
112	Supporting the intimate relationship needs of service users with psychosis: what are the barriers and facilitators?. Journal of Mental Health, 2020, 29, 314-320.	1.0	15
113	Treating Complex Cases: The Cognitive Behavioural Therapy Approach. Journal of Cognitive Psychotherapy, 2000, 14, 410-413.	0.2	15
114	Self-reported reasons for substance use in schizophrenia: a Q methodological investigation. Mental Health and Substance Use: Dual Diagnosis, 2009, 2, 24-39.	0.5	14
115	Factors affecting compliance and resistance to auditory command hallucinations: perceptions of a clinical population. Journal of Mental Health, 2010, 19, 542-552.	1.0	14
116	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive) Tj ETQq0 0 C 20, 306.) rgBT /Ov€ 1.1	erlock 10 Tf 50 14
117	Compliance in experience sampling methodology: the role of demographic and clinical characteristics. Psychosis, 2014, 6, 70-73.	0.4	13
118	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample Psychology of Addictive Behaviors, 2014, 28, 247-256.	1.4	13
119	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. Journal of Mental Health, 2018, 27, 336-344.	1.0	13
120	Aphasia and stroke therapeutic alliance measure (A-STAM): Development and preliminary psychometric evaluation. International Journal of Speech-Language Pathology, 2019, 21, 459-469.	0.6	13
121	Prison staff's views and understanding of the role of emotions in prisoner suicide and violence. Journal of Forensic Psychiatry and Psychology, 2020, 31, 868-888.	0.6	13
122	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. Behaviour Research and Therapy, 2015, 65, 1-4.	1.6	12
123	Using plain English and behaviourally specific language to increase the implementation of clinical guidelines for psychological treatments in schizophrenia. Journal of Mental Health, 2015, 24, 129-133.	1.0	12
124	Psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses : A systematic literature review. Psychology and Psychotherapy: Theory, Research and Practice, 2020, 93, 777-809.	1.3	12
125	Words Don't Come Easy: How Male Prisoners' Difficulties Identifying and Discussing Feelings Relate to Suicide and Violence. Frontiers in Psychiatry, 2020, 11, 581390.	1.3	12
126	iMAgery focused psychological therapy for persecutory delusions in PSychosis (iMAPS): a multiple baseline experimental case series. Behavioural and Cognitive Psychotherapy, 2020, 48, 530-545.	0.9	12

#	Article	IF	CITATIONS
127	The influence of romantic relationships on mental wellbeing for people who experience psychosis: A systematic review. Clinical Psychology Review, 2021, 86, 102022.	6.0	12
128	The relationship between self riticism and suicide probability. Clinical Psychology and Psychotherapy, 2021, 28, 1445-1456.	1.4	12
129	Psychological approaches to understanding and promoting recovery in psychosis and bipolar disorder: a mixed-methods approach. Programme Grants for Applied Research, 2016, 4, 1-272.	0.4	12
130	Developing a Theory-Informed Smartphone App for Early Psychosis: Learning Points From a Multidisciplinary Collaboration. Frontiers in Psychiatry, 2020, 11, 602861.	1.3	12
131	Developments in Cognitive-Behaviour Therapy for Persistent Psychotic Symptoms. Behaviour Change, 1994, 11, 200-212.	0.6	11
132	A Cross-Sectional Study Investigating the Relationship Between Alexithymia and Suicide, Violence, and Dual Harm in Male Prisoners. Frontiers in Psychiatry, 2021, 12, 670863.	1.3	11
133	People with aphasia's perspectives of the therapeutic alliance during speech-language intervention: A Q methodological approach. International Journal of Speech-Language Pathology, 2020, 22, 59-69.	0.6	10
134	"Sex isn't everything― views of people with experience of psychosis on intimate relationships and implications for mental health services. BMC Psychiatry, 2021, 21, 307.	1.1	10
135	Functioning of the phonological loop in auditory hallucinations. Personality and Individual Differences, 1996, 20, 753-760.	1.6	9
136	iMAgery-Focused Psychological Therapy for Persecutory Delusions in PSychosis (iMAPS): A Novel Treatment Approach. Cognitive and Behavioral Practice, 2019, 26, 575-588.	0.9	9
137	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients. BMC Psychiatry, 2022, 22, 82.	1.1	9
138	The relationship between the therapeutic alliance in psychotherapy and suicidal experiences: A systematic review. Clinical Psychology and Psychotherapy, 2022, 29, 1203-1235.	1.4	9
139	Relatives Education And Coping Toolkit - REACT. Study protocol of a randomised controlled trial to assess the feasibility and effectiveness of a supported self management package for relatives of people with recent onset psychosis. BMC Psychiatry, 2011, 11, 100.	1.1	8
140	Staff–patient relationships and outcomes in schizophrenia: The role of staff attributions. Behaviour Research and Therapy, 2012, 50, 210-214.	1.6	8
141	Preferences for psychological therapy in psychosis: trial participation, mode of treatment, and willingness to be randomised. Journal of Mental Health, 2014, 23, 67-71.	1.0	8
142	The development and assessment of a scale to measure the experience of an anorexic voice in anorexia nervosa. Clinical Psychology and Psychotherapy, 2020, 27, 940-954.	1.4	8
143	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. Studies in Health Technology and Informatics, 2019, 264, 526-530.	0.2	8
144	Assessing illicit substance use in schizophrenia: The relationship between self report and detection by hair analysis. Schizophrenia Research, 2009, 114, 180-181.	1.1	7

#	Article	IF	CITATIONS
145	An exploratory study into therapeutic alliance, defeat, entrapment and suicidality on mental health wards. Journal of Psychiatric and Mental Health Nursing, 2018, 25, 119-130.	1.2	7
146	Characterizing core beliefs in psychosis: a qualitative study. Behavioural and Cognitive Psychotherapy, 2020, 48, 67-81.	0.9	7
147	Understanding individuals' subjective experiences of negative symptoms of schizophrenia: A qualitative study. British Journal of Clinical Psychology, 2020, 59, 319-334.	1.7	7
148	The Long-Term Relationship Between Psychological Resilience, Psychosis, Distress, and Suicidal Thoughts and Behaviors. Schizophrenia Bulletin Open, 2021, 2, .	0.9	7
149	Protective Factors Associated With Post-traumatic Outcomes in Individuals With Experiences of Psychosis. Frontiers in Psychiatry, 2021, 12, 735870.	1.3	7
150	Validation of the Portuguese version of the Psychotic Symptom Rating Scales (PSYRATS). Actas Espanolas De Psiquiatria, 2017, 45, 56-61.	0.1	7
151	Assessing Therapist Adherence to Recovery-Focused Cognitive Behavioural Therapy for Psychosis Delivered by Telephone with Support from a Self-Help Guide: Psychometric Evaluations of a New Fidelity Scale. Behavioural and Cognitive Psychotherapy, 2014, 42, 435-451.	0.9	6
152	Qualitative analysis of ward staff experiences during research of a novel suicide-prevention psychological therapy for psychiatric inpatients: Understanding the barriers and facilitators. PLoS ONE, 2019, 14, e0222482.	1.1	6
153	Barriers and facilitators to accessing psychological therapies for severe mental health difficulties in later life. Behavioural and Cognitive Psychotherapy, 2020, 48, 216-228.	0.9	6
154	A study on the feasibility of delivering a psychologically informed wardâ€based intervention on an acute mental health ward. Clinical Psychology and Psychotherapy, 2021, , .	1.4	6
155	New psychological treatments in schizophrenia. Advances in Psychiatric Treatment, 1996, 2, 110-116.	0.6	6
156	The therapeutic alliance in early psychosis. Acta Psychiatrica Scandinavica, 2002, 106, 69-106.	2.2	5
157	A description and evaluation of a challenging behaviour workshop. Journal of Mental Health, 2012, 21, 478-484.	1.0	5
158	A pilot study exploring the utility of a â€~therapeutic research group' intervention for people experiencing psychosis related difficulties Advances in Mental Health, 2020, 18, 179-196.	0.3	5
159	Psychological Resilience to Suicidal Experiences in People with Non-Affective Psychosis: A Position Paper. International Journal of Environmental Research and Public Health, 2022, 19, 3813.	1.2	5
160	Exploring how to improve access to psychological therapies on acute mental health wards from the perspectives of patients, families and mental health staff: qualitative study. BJPsych Open, 2022, 8, .	0.3	5
161	Family interventions for psychosis. Progress in Neurology and Psychiatry, 2013, 17, 18-19.	0.4	4
162	FIRST EPISODE PSYCHOSIS: TWO CASES TO ILLUSTRATE THE ROLE OF COGNITIVE BEHAVIOUR THERAPY IN MAKING SENSE OF UNUSUAL EXPERIENCES. Behavioural and Cognitive Psychotherapy, 2004, 32, 331-345.	0.9	3

#	Article	IF	CITATIONS
163	Young people's beliefs about psychological therapy for psychosis: a Q-Methodological study. Journal of Mental Health, 2020, 29, 446-454.	1.0	2
164	Conducting a consensus conference to design a psychology service model for acute mental health wards. British Journal of Clinical Psychology, 2020, 59, 439-460.	1.7	2
165	The role of attachment, coping style and reasons for substance use in substance users with psychosis. Clinical Psychology and Psychotherapy, 2022, 29, 725-732.	1.4	2
166	The Relationship between the Therapeutic Alliance and Suicidal Experiences in People with Psychosis Receiving Therapy. International Journal of Environmental Research and Public Health, 2021, 18, 10706.	1.2	2
167	Individual cognitive-behavioural interventions in early psychosis. The British Journal of Psychiatry Supplement, 1998, 172, 101-6.	0.3	2
168	Recruiting and retaining participants in three randomised controlled trials of psychological interventions conducted on acute psychiatric wards: top ten tips for success. BJPsych Open, 2022, 8, .	0.3	2
169	Psychosis and substance use problems: Using controlled drinking in interventions. Addiction Research and Theory, 2006, 14, 67-72.	1.2	1
170	Protocol for a systematic review of telephone delivered psychosocial interventions on relapse prevention, adherence to psychiatric medication and health risk behaviours in adults with a psychotic disorder. BMJ Open, 2015, 5, e009985.	0.8	1
171	Hair analysis for substance use. British Journal of Psychiatry, 1999, 174, 370-370.	1.7	0
172	Clinical Case Formulation. , 2020, , 321-339.		0
173	A systematic review of randomised controlled trials of psychosocial interventions for acute mental health inpatients. British Journal of Mental Health Nursing, 2021, 10, 1-17.	0.1	0
174	Male prisoners' experiences of taking part in research about suicide and violence: a mixed methods study. Research Involvement and Engagement, 2021, 7, 65.	1.1	0
175	Cognitive-Behavioral Treatment of Schizophrenia. , 2002, , 382-391.		Ο
176	CBT for psychosis. British Journal of Psychiatry, 2004, 185, 438-438.	1.7	0
177	Patient social functioning in acute mental health inpatient wards: the role of emotional regulation, attachment styles and nurse–patient relationships. British Journal of Mental Health Nursing, 2021, 10, 1-13.	0.1	Ο
178	Het effect van partnerrelaties op het geestelijk welbevinden van mensen met psychose: een systematische review. Gezinstherapie Wereldwijd, 0, , 1.	0.0	0