

Gillian Haddock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/590846/publications.pdf>

Version: 2024-02-01

178
papers

9,925
citations

44042

48
h-index

40954

93
g-index

184
all docs

184
docs citations

184
times ranked

6950
citing authors

#	ARTICLE	IF	CITATIONS
1	Therapeutic alliance in psychological therapy for posttraumatic stress disorder: A systematic review and meta-analysis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 373-399.	1.4	20
2	The role of attachment, coping style and reasons for substance use in substance users with psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 725-732.	1.4	2
3	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients. <i>BMC Psychiatry</i> , 2022, 22, 82.	1.1	9
4	The relationship between the therapeutic alliance in psychotherapy and suicidal experiences: A systematic review. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1203-1235.	1.4	9
5	Psychological Resilience to Suicidal Experiences in People with Non-Affective Psychosis: A Position Paper. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3813.	1.2	5
6	Exploring how to improve access to psychological therapies on acute mental health wards from the perspectives of patients, families and mental health staff: qualitative study. <i>BJPsych Open</i> , 2022, 8, .	0.3	5
7	Recruiting and retaining participants in three randomised controlled trials of psychological interventions conducted on acute psychiatric wards: top ten tips for success. <i>BJPsych Open</i> , 2022, 8, .	0.3	2
8	Using my Demons to Make Good: The Short- and Long-Term Impact of Participating in Suicide-Related Research. <i>Archives of Suicide Research</i> , 2021, 25, 315-339.	1.2	18
9	The Long-Term Relationship Between Psychological Resilience, Psychosis, Distress, and Suicidal Thoughts and Behaviors. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	7
10	Overcoming barriers to implementing ward-based psychosocial interventions in acute inpatient mental health settings: A meta-synthesis. <i>International Journal of Nursing Studies</i> , 2021, 115, 103870.	2.5	32
11	Involving an individual with lived experience in a co-analysis of qualitative data. <i>Health Expectations</i> , 2021, 24, 766-775.	1.1	19
12	A Cross-Sectional Study Investigating the Relationship Between Alexithymia and Suicide, Violence, and Dual Harm in Male Prisoners. <i>Frontiers in Psychiatry</i> , 2021, 12, 670863.	1.3	11
13	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021, , .	1.4	6
14	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021, 22, 366.	0.7	21
15	The influence of romantic relationships on mental wellbeing for people who experience psychosis: A systematic review. <i>Clinical Psychology Review</i> , 2021, 86, 102022.	6.0	12
16	“Sex isn’t everything” views of people with experience of psychosis on intimate relationships and implications for mental health services. <i>BMC Psychiatry</i> , 2021, 21, 307.	1.1	10
17	The relationship between self-criticism and suicide probability. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1445-1456.	1.4	12
18	A systematic review of randomised controlled trials of psychosocial interventions for acute mental health inpatients. <i>British Journal of Mental Health Nursing</i> , 2021, 10, 1-17.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Male prisonersâ€™ experiences of taking part in research about suicide and violence: a mixed methods study. <i>Research Involvement and Engagement</i> , 2021, 7, 65.	1.1	0
20	The Relationship between the Therapeutic Alliance and Suicidal Experiences in People with Psychosis Receiving Therapy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10706.	1.2	2
21	Patient social functioning in acute mental health inpatient wards: the role of emotional regulation, attachment styles and nurseâ€™patient relationships. <i>British Journal of Mental Health Nursing</i> , 2021, 10, 1-13.	0.1	0
22	Protective Factors Associated With Post-traumatic Outcomes in Individuals With Experiences of Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 735870.	1.3	7
23	Psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses : A systematic literature review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 777-809.	1.3	12
24	Characterizing core beliefs in psychosis: a qualitative study. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 67-81.	0.9	7
25	People with aphasiaâ€™s perspectives of the therapeutic alliance during speech-language intervention: A Q methodological approach. <i>International Journal of Speech-Language Pathology</i> , 2020, 22, 59-69.	0.6	10
26	Young peopleâ€™s beliefs about psychological therapy for psychosis: a Q-Methodological study. <i>Journal of Mental Health</i> , 2020, 29, 446-454.	1.0	2
27	Barriers and facilitators to accessing psychological therapies for severe mental health difficulties in later life. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 216-228.	0.9	6
28	A pilot study exploring the utility of a â€˜therapeutic research groupâ€™ intervention for people experiencing psychosis related difficulties.. <i>Advances in Mental Health</i> , 2020, 18, 179-196.	0.3	5
29	Supporting the intimate relationship needs of service users with psychosis: what are the barriers and facilitators?. <i>Journal of Mental Health</i> , 2020, 29, 314-320.	1.0	15
30	Clinical Case Formulation. , 2020, , 321-339.		0
31	Prison staffâ€™s views and understanding of the role of emotions in prisoner suicide and violence. <i>Journal of Forensic Psychiatry and Psychology</i> , 2020, 31, 868-888.	0.6	13
32	Conducting a consensus conference to design a psychology service model for acute mental health wards. <i>British Journal of Clinical Psychology</i> , 2020, 59, 439-460.	1.7	2
33	Words Don't Come Easy: How Male Prisoners' Difficulties Identifying and Discussing Feelings Relate to Suicide and Violence. <i>Frontiers in Psychiatry</i> , 2020, 11, 581390.	1.3	12
34	The development and assessment of a scale to measure the experience of an anorexic voice in anorexia nervosa. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 940-954.	1.4	8
35	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive) Tj ETQq1 1 0.784314 rgBT /Overlook 20, 306.	1.1	14
36	iMAGery focused psychological therapy for persecutory delusions in PSychoSis (iMAPS): a multiple baseline experimental case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 530-545.	0.9	12

#	ARTICLE	IF	CITATIONS
37	Understanding individuals' subjective experiences of negative symptoms of schizophrenia: A qualitative study. <i>British Journal of Clinical Psychology</i> , 2020, 59, 319-334.	1.7	7
38	Developing a Theory-Informed Smartphone App for Early Psychosis: Learning Points From a Multidisciplinary Collaboration. <i>Frontiers in Psychiatry</i> , 2020, 11, 602861.	1.3	12
39	Aphasia and stroke therapeutic alliance measure (A-STAM): Development and preliminary psychometric evaluation. <i>International Journal of Speech-Language Pathology</i> , 2019, 21, 459-469.	0.6	13
40	‘They Are Not Hard-to-Reach Clients. We Have Just Got Hard-to-Reach Services.’ Staff Views of Digital Health Tools in Specialist Mental Health Services. <i>Frontiers in Psychiatry</i> , 2019, 10, 344.	1.3	64
41	Factors that contribute to psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses: qualitative study. <i>BJPsych Open</i> , 2019, 5, e79.	0.3	18
42	Qualitative analysis of ward staff experiences during research of a novel suicide-prevention psychological therapy for psychiatric inpatients: Understanding the barriers and facilitators. <i>PLoS ONE</i> , 2019, 14, e0222482.	1.1	6
43	A systematic review and meta-analysis of the association between alexithymia and suicide ideation and behaviour. <i>Journal of Affective Disorders</i> , 2019, 254, 34-48.	2.0	50
44	Alexithymia and Its Associations With Depression, Suicidality, and Aggression: An Overview of the Literature. <i>Frontiers in Psychiatry</i> , 2019, 10, 203.	1.3	86
45	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019, 5, e14.	0.3	23
46	Does exercise improve sleep for adults with insomnia? A systematic review with quality appraisal. <i>Clinical Psychology Review</i> , 2019, 68, 1-12.	6.0	66
47	iMAgery-Focused Psychological Therapy for Persecutory Delusions in PSychosis (iMAPS): A Novel Treatment Approach. <i>Cognitive and Behavioral Practice</i> , 2019, 26, 575-588.	0.9	9
48	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019, 264, 526-530.	0.2	8
49	People with aphasia's perception of the therapeutic alliance in aphasia rehabilitation post stroke: a thematic analysis. <i>Aphasiology</i> , 2018, 32, 1397-1417.	1.4	39
50	Are sleep disturbances causally linked to the presence and severity of psychotic-like, dissociative and hypomanic experiences in non-clinical populations? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 119-131.	2.9	32
51	Speech and language therapists' perspectives of therapeutic alliance construction and maintenance in aphasia rehabilitation post-stroke. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 550-563.	0.7	43
52	A qualitative study: experiences of stigma by people with mental health problems. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018, 91, 380-397.	1.3	57
53	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. <i>Journal of Mental Health</i> , 2018, 27, 336-344.	1.0	13
54	An exploratory study into therapeutic alliance, defeat, entrapment and suicidality on mental health wards. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018, 25, 119-130.	1.2	7

#	ARTICLE	IF	CITATIONS
55	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1070-1080.	2.3	160
56	A qualitative analysis of suicidal psychiatric inpatients views and expectations of psychological therapy to counter suicidal thoughts, acts and deaths. <i>BMC Psychiatry</i> , 2018, 18, 334.	1.1	24
57	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. <i>World Psychiatry</i> , 2018, 17, 230-231.	4.8	21
58	Telephone-delivered psychosocial interventions targeting key health priorities in adults with a psychotic disorder: systematic review. <i>Psychological Medicine</i> , 2018, 48, 2637-2657.	2.7	18
59	Early Psychosis Service User Views on Digital Technology: Qualitative Analysis. <i>JMIR Mental Health</i> , 2018, 5, e10091.	1.7	57
60	A systematic review of the nature and correlates of sleep disturbance in early psychosis. <i>Sleep Medicine Reviews</i> , 2017, 31, 25-38.	3.8	112
61	Personal Accounts of Discontinuing Neuroleptic Medication for Psychosis. <i>Qualitative Health Research</i> , 2017, 27, 559-572.	1.0	30
62	Understanding Outcomes in a Randomized Controlled Trial of a Wardâ€­based Intervention on Psychiatric Inpatient Wards: A Qualitative Analysis of Staff and Patient Experiences. <i>Journal of Clinical Psychology</i> , 2017, 73, 1211-1225.	1.0	15
63	Does schema therapy change schemas and symptoms? A systematic review across mental health disorders. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 456-479.	1.3	84
64	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017, 4, 749-758.	3.7	459
65	Staff experiences and perceptions of working with in-patients who are suicidal: qualitative analysis. <i>British Journal of Psychiatry</i> , 2017, 211, 103-108.	1.7	46
66	A systematic review of service-user reasons for adherence and nonadherence to neuroleptic medication in psychosis. <i>Clinical Psychology Review</i> , 2017, 51, 75-95.	6.0	51
67	The relationship between therapeutic alliance and patient's suicidal thoughts, self-harming behaviours and suicide attempts: A systematic review. <i>Journal of Affective Disorders</i> , 2017, 223, 165-174.	2.0	58
68	Validation of the Portuguese version of the Psychotic Symptom Rating Scales (PSYRATS). <i>Actas Espanolas De Psiquiatria</i> , 2017, 45, 56-61.	0.1	7
69	A systematic review of the implementation of recommended psychological interventions for schizophrenia: Rates, barriers, and improvement strategies. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016, 89, 324-350.	1.3	111
70	Feasibility of a wardâ€­based psychological intervention to improve staff and patient relationships in psychiatric rehabilitation settings. <i>British Journal of Clinical Psychology</i> , 2016, 55, 236-252.	1.7	46
71	Therapeutic Alliances in Stroke Rehabilitation: A Meta-Ethnography. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1979-1993.	0.5	30
72	Family Interventions in Psychosis: A Review of the Evidence and Barriers to Implementation. <i>Australian Psychologist</i> , 2016, 51, 62-68.	0.9	56

#	ARTICLE	IF	CITATIONS
73	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 788-797.	2.0	77
74	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the "INSITE"™ trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 79.	0.7	22
75	Individuals' experiences and opinions of psychological therapies for psychosis: A narrative synthesis. <i>Clinical Psychology Review</i> , 2016, 43, 142-161.	6.0	28
76	Psychological approaches to understanding and promoting recovery in psychosis and bipolar disorder: a mixed-methods approach. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-272.	0.4	12
77	Protocol for a systematic review of telephone delivered psychosocial interventions on relapse prevention, adherence to psychiatric medication and health risk behaviours in adults with a psychotic disorder. <i>BMJ Open</i> , 2015, 5, e009985.	0.8	1
78	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 404.	0.7	38
79	Trauma in relation to psychosis and hospital experiences: The role of past trauma and attachment. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015, 88, 227-239.	1.3	17
80	Barriers and facilitators to recruitment in mental health services: Care coordinators' expectations and experience of referring to a psychosis research trial. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015, 88, 335-350.	1.3	35
81	Therapist-client relationships in a psychological therapy trial for psychosis and substance misuse. <i>Drug and Alcohol Dependence</i> , 2015, 152, 170-176.	1.6	17
82	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. <i>Behaviour Research and Therapy</i> , 2015, 65, 1-4.	1.6	12
83	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-596.	2.3	36
84	Using plain English and behaviourally specific language to increase the implementation of clinical guidelines for psychological treatments in schizophrenia. <i>Journal of Mental Health</i> , 2015, 24, 129-133.	1.0	12
85	What do relatives experience when supporting someone in early psychosis?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015, 88, 105-119.	1.3	39
86	Compliance in experience sampling methodology: the role of demographic and clinical characteristics. <i>Psychosis</i> , 2014, 6, 70-73.	0.4	13
87	Preferences for psychological therapy in psychosis: trial participation, mode of treatment, and willingness to be randomised. <i>Journal of Mental Health</i> , 2014, 23, 67-71.	1.0	8
88	Investigating the "Jumping to Conclusions"™ Bias in People with Anorexia Nervosa. <i>European Eating Disorders Review</i> , 2014, 22, 352-359.	2.3	16
89	An investigation of the implementation of NICE-recommended CBT interventions for people with schizophrenia. <i>Journal of Mental Health</i> , 2014, 23, 162-165.	1.0	118
90	Assessing Therapist Adherence to Recovery-Focused Cognitive Behavioural Therapy for Psychosis Delivered by Telephone with Support from a Self-Help Guide: Psychometric Evaluations of a New Fidelity Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 435-451.	0.9	6

#	ARTICLE	IF	CITATIONS
91	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014, 44, 1605-1614.	2.7	105
92	An exploration of the therapeutic alliance within a telephone-based cognitive behaviour therapy for individuals with experience of psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 393-410.	1.3	22
93	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample.. <i>Psychology of Addictive Behaviors</i> , 2014, 28, 247-256.	1.4	13
94	The Role of the Therapeutic Alliance in the Regulation of Emotion in Psychosis: An Attachment Perspective. <i>Clinical Psychology and Psychotherapy</i> , 2013, 20, 523-530.	1.4	39
95	Predicting compliance with command hallucinations: Anger, impulsivity and appraisals of voices' power and intent. <i>Schizophrenia Research</i> , 2013, 147, 163-168.	1.1	38
96	Psychotic symptoms, self-harm and violence in individuals with schizophrenia and substance misuse problems. <i>Schizophrenia Research</i> , 2013, 151, 215-220.	1.1	26
97	A systematic review of randomised controlled trials of interventions reporting outcomes for relatives of people with psychosis. <i>Clinical Psychology Review</i> , 2013, 33, 372-382.	6.0	110
98	PTSD symptoms associated with the experiences of psychosis and hospitalisation: A review of the literature. <i>Clinical Psychology Review</i> , 2013, 33, 526-538.	6.0	86
99	Anxiety and depression in psychosis: a systematic review of associations with positive psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 327-346.	2.2	169
100	Family interventions for psychosis. <i>Progress in Neurology and Psychiatry</i> , 2013, 17, 18-19.	0.4	4
101	Exploring service users perceptions of recovery from psychosis: A Q&A methodological approach. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2013, 86, 245-261.	1.3	20
102	Feasibility of a supported self-management intervention for relatives of people with recent-onset psychosis: REACT study. <i>British Journal of Psychiatry</i> , 2013, 203, 366-372.	1.7	40
103	Assessing fidelity to integrated motivational interviewing and CBT therapy for psychosis and substance use: the MI-CBT fidelity scale (MI-CTS). <i>Journal of Mental Health</i> , 2012, 21, 38-48.	1.0	23
104	A description and evaluation of a challenging behaviour workshop. <i>Journal of Mental Health</i> , 2012, 21, 478-484.	1.0	5
105	Anxiety and depression and their links with delusions and hallucinations in people with a dual diagnosis of psychosis and substance misuse: A study using data from a randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2012, 50, 65-71.	1.6	18
106	Staff-patient relationships and outcomes in schizophrenia: The role of staff attributions. <i>Behaviour Research and Therapy</i> , 2012, 50, 210-214.	1.6	8
107	The views of relatives of young people with psychosis on how to design a Relatives Education And Coping Toolkit (REACT). <i>Journal of Mental Health</i> , 2011, 20, 567-579.	1.0	25
108	The Subjective Experiences of Psychosis Scale (SEPS): Psychometric evaluation of a scale to assess outcome in psychosis. <i>Schizophrenia Research</i> , 2011, 133, 244-249.	1.1	27

#	ARTICLE	IF	CITATIONS
109	Auditory Hallucinations and Posttraumatic Stress Disorder Within Schizophrenia and Substance Abuse. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 709-711.	0.5	17
110	Relatives Education And Coping Toolkit - REACT. Study protocol of a randomised controlled trial to assess the feasibility and effectiveness of a supported self management package for relatives of people with recent onset psychosis. <i>BMC Psychiatry</i> , 2011, 11, 100.	1.1	8
111	The Role of Expressed Emotion in Relationships Between Psychiatric Staff and People With a Diagnosis of Psychosis: A Review of the Literature. <i>Schizophrenia Bulletin</i> , 2011, 37, 958-972.	2.3	53
112	Conceptualisation of recovery from psychosis: a service-user perspective. <i>The Psychiatrist</i> , 2010, 34, 465-470.	0.3	23
113	Factors affecting compliance and resistance to auditory command hallucinations: perceptions of a clinical population. <i>Journal of Mental Health</i> , 2010, 19, 542-552.	1.0	14
114	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 341, c6325-c6325.	2.4	187
115	Self-reported reasons for substance use in schizophrenia: a Q methodological investigation. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2009, 2, 24-39.	0.5	14
116	Development and validation of a scale for assessing reasons for substance use in schizophrenia: The ReSUS scale. <i>Addictive Behaviors</i> , 2009, 34, 830-837.	1.7	24
117	Evaluating integrated MI and CBT for people with psychosis and substance misuse: Recruitment, retention and sample characteristics of the MIDAS trial. <i>Addictive Behaviors</i> , 2009, 34, 859-866.	1.7	42
118	Assessing illicit substance use in schizophrenia: The relationship between self report and detection by hair analysis. <i>Schizophrenia Research</i> , 2009, 114, 180-181.	1.1	7
119	Cognitive-behavioural therapy. social activity therapy for people with psychosis and a history of violence: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2009, 194, 152-157.	1.7	110
120	The implementation of the NICE guidelines for schizophrenia: Barriers to the implementation of psychological interventions and recommendations for the future. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008, 81, 419-436.	1.3	135
121	Reasons for increased substance use in psychosis. <i>Clinical Psychology Review</i> , 2007, 27, 494-510.	6.0	203
122	The Psychotic Symptom Rating Scales (PSYRATS): Their usefulness and properties in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 89, 119-122.	1.1	136
123	Insight as a Predictor of the Outcome of First-Episode Nonaffective Psychosis in a Prospective Cohort Study in England. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 81-86.	1.1	101
124	Psychosis and substance use problems: Using controlled drinking in interventions. <i>Addiction Research and Theory</i> , 2006, 14, 67-72.	1.2	1
125	Treatment development for psychosis and co-occurring substance misuse: A descriptive review. <i>Journal of Mental Health</i> , 2006, 15, 619-632.	1.0	33
126	Suicide behaviour over 18 months in recent onset schizophrenic patients: The effects of CBT. <i>Schizophrenia Research</i> , 2006, 83, 15-27.	1.1	80

#	ARTICLE	IF	CITATIONS
127	The relationship between command hallucinations and factors of compliance: A critical review of the literature. <i>Journal of Forensic Psychiatry and Psychology</i> , 2006, 17, 266-298.	0.6	22
128	Influence of age on outcome of psychological treatments in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2006, 188, 250-254.	1.7	55
129	Group cognitive-behavioural therapy for schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 527-532.	1.7	111
130	Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: randomised controlled non-inferiority trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 883.	2.4	129
131	The reliability and validity of general psychotic rating scales with people with mild and moderate intellectual disabilities: an empirical investigation. <i>Journal of Intellectual Disability Research</i> , 2005, 49, 490-500.	1.2	51
132	Psychological Interventions in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2005, 31, 697-704.	2.3	49
133	The evolution of insight, paranoia and depression during early schizophrenia. <i>Psychological Medicine</i> , 2004, 34, 285-292.	2.7	182
134	FIRST EPISODE PSYCHOSIS: TWO CASES TO ILLUSTRATE THE ROLE OF COGNITIVE BEHAVIOUR THERAPY IN MAKING SENSE OF UNUSUAL EXPERIENCES. <i>Behavioural and Cognitive Psychotherapy</i> , 2004, 32, 331-345.	0.9	3
135	COGNITIVE-BEHAVIOUR THERAPY FOR INPATIENTS WITH PSYCHOSIS AND ANGER PROBLEMS WITHIN A LOW SECURE ENVIRONMENT. <i>Behavioural and Cognitive Psychotherapy</i> , 2004, 32, 77-98.	0.9	23
136	Religious beliefs and religious delusions: Response to treatment in schizophrenia. <i>Mental Health, Religion and Culture</i> , 2004, 7, 211-223.	0.6	15
137	Cognitive-behaviour therapy for people with psychosis and mild intellectual disabilities: a case series. <i>Clinical Psychology and Psychotherapy</i> , 2004, 11, 282-298.	1.4	55
138	The effects of emotional salience on thought disorder in patients with bipolar affective disorder. <i>Psychological Medicine</i> , 2004, 34, 803-809.	2.7	15
139	Cognitive-behavioural therapy in first-episode and early schizophrenia. <i>British Journal of Psychiatry</i> , 2004, 184, 231-239.	1.7	243
140	CBT for psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 438-438.	1.7	0
141	Cognitive-behavioural therapy and motivational intervention for schizophrenia and substance misuse. <i>British Journal of Psychiatry</i> , 2003, 183, 418-426.	1.7	204
142	The validation of a religiosity measure for individuals with schizophrenia. <i>Mental Health, Religion and Culture</i> , 2002, 5, 267-284.	0.6	21
143	BATTLING BOREDOM: GROUP COGNITIVE BEHAVIOUR THERAPY FOR NEGATIVE SYMPTOMS OF SCHIZOPHRENIA. <i>Behavioural and Cognitive Psychotherapy</i> , 2002, 30, 341-346.	0.9	15
144	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: Acute-phase outcomes. <i>British Journal of Psychiatry</i> , 2002, 181, s91-s97.	1.7	311

#	ARTICLE	IF	CITATIONS
145	The role of metacognitive beliefs in auditory hallucinations. <i>Personality and Individual Differences</i> , 2002, 32, 1351-1363.	1.6	62
146	The therapeutic alliance in early psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 69-106.	2.2	5
147	Religious delusions in patients admitted to hospital with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 130-138.	1.6	125
148	Are all psychological treatments for psychosis equal? The need for CBT in the treatment of psychosis and not for psychodynamic psychotherapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2002, 75, 365-374.	1.3	26
149	Cognitive-Behavioral Treatment of Schizophrenia. , 2002, , 382-391.		0
150	AN INVESTIGATION INTO THE PSYCHOMETRIC PROPERTIES OF THE COGNITIVE THERAPY SCALE FOR PSYCHOSIS (CTS-Psy). <i>Behavioural and Cognitive Psychotherapy</i> , 2001, 29, 221-233.	0.9	121
151	Schizophrenia and substance misuse problems: a comparison between patients with and without significant carer contact. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 523-528.	1.6	29
152	Randomized Controlled Trial of Motivational Interviewing, Cognitive Behavior Therapy, and Family Intervention for Patients With Comorbid Schizophrenia and Substance Use Disorders. <i>American Journal of Psychiatry</i> , 2001, 158, 1706-1713.	4.0	459
153	Staff Expressed Emotion and Causal Attributions for Client Problems on a Low Security Unit: An Exploratory Study. <i>Schizophrenia Bulletin</i> , 2001, 27, 517-526.	2.3	53
154	Cognitive Behavioral Intervention for Individuals with Severe Mental Illness Who Have a Substance Misuse Problem. <i>Psychiatric Rehabilitation Skills</i> , 2000, 4, 216-233.	0.1	16
155	Treating Complex Cases: The Cognitive Behavioural Therapy Approach. <i>Journal of Cognitive Psychotherapy</i> , 2000, 14, 410-413.	0.2	15
156	Hair analysis for substance use. <i>British Journal of Psychiatry</i> , 1999, 174, 370-370.	1.7	0
157	A pilot study evaluating the effectiveness of individual inpatient cognitive-behavioural therapy in early psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 254-258.	1.6	131
158	Scales to measure dimensions of hallucinations and delusions: the psychotic symptom rating scales (PSYRATS). <i>Psychological Medicine</i> , 1999, 29, 879-889.	2.7	1,218
159	The clinical skills of community psychiatric nurses working with patients who have severe and enduring mental health problems: an empirical analysis. <i>Journal of Advanced Nursing</i> , 1998, 27, 253-260.	1.5	28
160	Is befriending by trained volunteers of value to people suffering from long-term mental illness?. <i>Journal of Advanced Nursing</i> , 1998, 27, 713-720.	1.5	50
161	Individual cognitive-behavior therapy in the treatment of hallucinations and delusionsA review. <i>Clinical Psychology Review</i> , 1998, 18, 821-838.	6.0	115
162	A comparison of the long-term effectiveness of distraction and focusing in the treatment of auditory hallucinations. <i>The British Journal of Medical Psychology</i> , 1998, 71, 339-349.	0.6	67

#	ARTICLE	IF	CITATIONS
163	Randomised controlled trial of intensive cognitive behaviour therapy for patients with chronic schizophrenia. <i>BMJ: British Medical Journal</i> , 1998, 317, 303-307.	2.4	360
164	Individual cognitive-behavioural interventions in early psychosis. <i>British Journal of Psychiatry</i> , 1998, 172, 101-106.	1.7	46
165	Individual cognitive-behavioural interventions in early psychosis. <i>The British Journal of Psychiatry Supplement</i> , 1998, 172, 101-6.	0.3	2
166	Effects of training in psychosocial interventions for community psychiatric nurses in England. <i>Psychiatric Services</i> , 1997, 48, 39-41.	1.1	67
167	Cognitive factors in source monitoring and auditory hallucinations. <i>Psychological Medicine</i> , 1997, 27, 669-679.	2.7	157
168	Self-focused attention in schizophrenic patients with and without auditory hallucinations and normal subjects: A comparative study. <i>Personality and Individual Differences</i> , 1997, 23, 937-941.	1.6	38
169	Functioning of the phonological loop in auditory hallucinations. <i>Personality and Individual Differences</i> , 1996, 20, 753-760.	1.6	9
170	New psychological treatments in schizophrenia. <i>Advances in Psychiatric Treatment</i> , 1996, 2, 110-116.	0.6	6
171	Effect of Emotional Saliency on Thought Disorder in Patients with Schizophrenia. <i>British Journal of Psychiatry</i> , 1995, 167, 618-620.	1.7	20
172	Intrusive Thoughts and Auditory Hallucinations: A Cognitive Approach. <i>Behavioural and Cognitive Psychotherapy</i> , 1995, 23, 265-280.	0.9	208
173	Auditory hallucinations and the verbal transformation effect: The role of suggestions. <i>Personality and Individual Differences</i> , 1995, 19, 301-306.	1.6	69
174	Advances in the psychological management of positive symptoms of schizophrenia. <i>International Review of Psychiatry</i> , 1994, 6, 201-215.	1.4	15
175	Cognitive behavior therapy for persistent auditory hallucinations: From theory to therapy. <i>Behavior Therapy</i> , 1994, 25, 51-66.	1.3	106
176	Developments in Cognitive-Behaviour Therapy for Persistent Psychotic Symptoms. <i>Behaviour Change</i> , 1994, 11, 200-212.	0.6	11
177	Psychological Treatment of Chronic Auditory Hallucinations: Two Case Studies. <i>Behavioural and Cognitive Psychotherapy</i> , 1993, 21, 335-346.	0.9	42
178	Het effect van partnerrelaties op het geestelijk welbevinden van mensen met psychose: een systematische review. <i>Gezinstherapie Wereldwijd</i> , 0, , 1.	0.0	0