

So-Young Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5918339/publications.pdf>

Version: 2024-02-01

169
papers

3,191
citations

218381

26
h-index

223531

46
g-index

171
all docs

171
docs citations

171
times ranked

4213
citing authors

#	ARTICLE	IF	CITATIONS
1	Allergic disorders and susceptibility to and severity of COVID-19: A nationwide cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 790-798.	1.5	211
2	Association between mental illness and COVID-19 susceptibility and clinical outcomes in South Korea: a nationwide cohort study. <i>Lancet Psychiatry</i> , 2020, 7, 1025-1031.	3.7	185
3	Severe clinical outcomes of COVID-19 associated with proton pump inhibitors: a nationwide cohort study with propensity score matching. <i>Gut</i> , 2021, 70, 76-84.	6.1	167
4	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. <i>British Journal of Sports Medicine</i> , 2022, 56, 901-912.	3.1	120
5	Tobacco Smoking and Alcohol Consumption Are Related to Benign Parotid Tumor: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019, 12, 412-419.	1.1	90
6	Bidirectional Association Between GERD and Asthma: Two Longitudinal Follow-Up Studies Using a National Sample Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1005-1013.e9.	2.0	76
7	Active, passive, and electronic cigarette smoking is associated with asthma in adolescents. <i>Scientific Reports</i> , 2017, 7, 17789.	1.6	75
8	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. <i>Lancet Rheumatology</i> , 2021, 3, e698-e706.	2.2	73
9	Hearing impairment and the risk of neurodegenerative dementia: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018, 8, 15266.	1.6	68
10	Bidirectional association between gastroesophageal reflux disease and depression: Two different nested case-control studies using a national sample cohort. <i>Scientific Reports</i> , 2018, 8, 11748.	1.6	64
11	Bell's palsy and obesity, alcohol consumption and smoking: A nested case-control study using a national health screening cohort. <i>Scientific Reports</i> , 2020, 10, 4248.	1.6	64
12	Dietary Habits Are Associated With School Performance in Adolescents. <i>Medicine (United States)</i> , 2016, 95, e3096.	0.4	63
13	Severe hearing impairment and risk of depression: A national cohort study. <i>PLoS ONE</i> , 2017, 12, e0179973.	1.1	57
14	A Smartphone-Based Automatic Diagnosis System for Facial Nerve Palsy. <i>Sensors</i> , 2015, 15, 26756-26768.	2.1	50
15	Discrepancy between self-assessed hearing status and measured audiometric evaluation. <i>PLoS ONE</i> , 2017, 12, e0182718.	1.1	47
16	Whole-exome sequencing reveals diverse modes of inheritance in sporadic mild to moderate sensorineural hearing loss in a pediatric population. <i>Genetics in Medicine</i> , 2015, 17, 901-911.	1.1	45
17	Clinical features of recurrence and osteoporotic changes in benign paroxysmal positional vertigo. <i>Auris Nasus Larynx</i> , 2017, 44, 156-161.	0.5	42
18	Depression in breast cancer patients who have undergone mastectomy: A national cohort study. <i>PLoS ONE</i> , 2017, 12, e0175395.	1.1	42

#	ARTICLE	IF	CITATIONS
19	Short- and long-term exposure to air pollution and lack of sunlight are associated with an increased risk of depression: A nested case-control study using meteorological data and national sample cohort data. <i>Science of the Total Environment</i> , 2021, 757, 143960.	3.9	42
20	The associations between internet use time and school performance among Korean adolescents differ according to the purpose of internet use. <i>PLoS ONE</i> , 2017, 12, e0174878.	1.1	37
21	Effects of inhaled particulate matter on the central nervous system in mice. <i>NeuroToxicology</i> , 2018, 67, 169-177.	1.4	37
22	High stress, lack of sleep, low school performance, and suicide attempts are associated with high energy drink intake in adolescents. <i>PLoS ONE</i> , 2017, 12, e0187759.	1.1	37
23	Hearing Impairment Increases Economic Inequality. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021, 14, 278-286.	1.1	32
24	Gastroesophageal reflux disease increases the risk of chronic rhinosinusitis: a nested case-control study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 357-362.	1.5	30
25	Lack of sleep is associated with internet use for leisure. <i>PLoS ONE</i> , 2018, 13, e0191713.	1.1	29
26	Association between asthma and clinical mortality/morbidity in COVID-19 patients using clinical epidemiologic data from Korean Disease Control and Prevention. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 921-924.	2.7	29
27	Olfactory Dysfunction Is Associated with the Intake of Macronutrients in Korean Adults. <i>PLoS ONE</i> , 2016, 11, e0164495.	1.1	29
28	Sudden Sensorineural Hearing Loss Predicts Ischemic Stroke: a Longitudinal Follow-Up Study. <i>Otology and Neurotology</i> , 2018, 39, 964-969.	0.7	28
29	Association between depression and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Rheumatology</i> , 2020, 59, 1889-1897.	0.9	27
30	Estimating COVID-19 Infection and Severity Risks in Patients with Chronic Rhinosinusitis: A Korean Nationwide Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2262-2271.e2.	2.0	27
31	Comparison of Stress and Suicide-Related Behaviors Among Korean Youths Before and During the COVID-19 Pandemic. <i>JAMA Network Open</i> , 2021, 4, e2136137.	2.8	27
32	Atopic dermatitis is associated with active and passive cigarette smoking in adolescents. <i>PLoS ONE</i> , 2017, 12, e0187453.	1.1	25
33	Active and passive smoking impacts on asthma with quantitative and temporal relations: A Korean Community Health Survey. <i>Scientific Reports</i> , 2018, 8, 8614.	1.6	25
34	CD70-expressing CD4 T cells produce IFN- γ and IL-17 in rheumatoid arthritis. <i>Rheumatology</i> , 2014, 53, 1896-1900.	0.9	24
35	Tinnitus therapy using tailor-made notched music delivered via a smartphone application and Ginko combined treatment: A pilot study. <i>Auris Nasus Larynx</i> , 2017, 44, 528-533.	0.5	24
36	Association between <i>Mycobacterium tuberculosis</i> disease and thyroid diseases: a nested case-control study. <i>Scientific Reports</i> , 2020, 10, 18224.	1.6	24

#	ARTICLE	IF	CITATIONS
37	Bidirectional relation between depression and sudden sensorineural hearing loss: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020, 10, 1482.	1.6	24
38	Non-alcoholic Fatty Liver Disease and COVID-19 Susceptibility and Outcomes: a Korean Nationwide Cohort. <i>Journal of Korean Medical Science</i> , 2021, 36, e291.	1.1	24
39	Unraveling of Enigmatic Hearing-Impaired GJB2 Single Heterozygotes by Massive Parallel Sequencing. <i>Medicine (United States)</i> , 2016, 95, e3029.	0.4	22
40	Association Between Obesity and Falls Among Korean Adults. <i>Medicine (United States)</i> , 2016, 95, e3130.	0.4	22
41	Air pollution increases the risk of SSNHL: A nested case-control study using meteorological data and national sample cohort data. <i>Scientific Reports</i> , 2019, 9, 8270.	1.6	22
42	Does the Clinical Spectrum of Coronavirus Disease 2019 (COVID-19) Show Regional Differences?. <i>Clinical and Experimental Otorhinolaryngology</i> , 2020, 13, 83-84.	1.1	22
43	Short and long term exposure to air pollution increases the risk of ischemic heart disease. <i>Scientific Reports</i> , 2021, 11, 5108.	1.6	21
44	Allergic rhinitis, atopic dermatitis, and asthma are associated with differences in school performance among Korean adolescents. <i>PLoS ONE</i> , 2017, 12, e0171394.	1.1	21
45	Strong founder effect of p.P240L in CDH23 in Koreans and its significant contribution to severe-to-profound nonsyndromic hearing loss in a Korean pediatric population. <i>Journal of Translational Medicine</i> , 2015, 13, 263.	1.8	20
46	Osteoporosis increases the risk of benign paroxysmal positional vertigo: a nested case-control study using a national sample cohort. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 335-342.	0.8	20
47	Characteristics of tinnitus in adolescents and association with psychoemotional factors. <i>Laryngoscope</i> , 2017, 127, 2113-2119.	1.1	19
48	Difference of Type 3 secretion system (T3SS) effector gene genotypes (exoU and exoS) and its implication to antibiotics resistances in isolates of <i>Pseudomonas aeruginosa</i> from chronic otitis media. <i>Auris Nasus Larynx</i> , 2017, 44, 258-265.	0.5	18
49	Obesity is positively related and tobacco smoking and alcohol consumption are negatively related to an increased risk of thyroid cancer. <i>Scientific Reports</i> , 2020, 10, 19279.	1.6	18
50	Changes in Dietary Habits and Exercise Pattern of Korean Adolescents from Prior to during the COVID-19 Pandemic. <i>Nutrients</i> , 2021, 13, 3314.	1.7	18
51	Clinical outcomes of single versus double blastocyst transfer in fresh and vitrified-warmed cycles. <i>Clinical and Experimental Reproductive Medicine</i> , 2016, 43, 164.	0.5	17
52	Natural course of tonsillectomy pain: A prospective patient cohort study. <i>Auris Nasus Larynx</i> , 2018, 45, 508-513.	0.5	16
53	Hearing impairment increases the risk of distal radius, hip, and spine fractures: A longitudinal follow-up study using a national sample cohort. <i>PLoS ONE</i> , 2018, 13, e0192820.	1.1	16
54	Association of Air Pollution With Increased Risk of Peritonsillar Abscess Formation. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019, 145, 530.	1.2	16

#	ARTICLE	IF	CITATIONS
55	Analysis of Mortality and Morbidity in COVID-19 Patients with Obesity Using Clinical Epidemiological Data from the Korean Center for Disease Control & Prevention. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9336.	1.2	16
56	Association Between Meniere Disease and Migraine. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022, 148, 457.	1.2	16
57	Neural Plastic Changes in the Subcortical Auditory Neural Pathway after Single-Sided Deafness in Adult Mice: A MEMRI Study. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	15
58	Increased risk of asthma in patients with rheumatoid arthritis: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2019, 9, 6957.	1.6	15
59	Bidirectional association between asthma and migraines in adults: Two longitudinal follow-up studies. <i>Scientific Reports</i> , 2019, 9, 18343.	1.6	15
60	Increased risk of dementia after distal radius, hip, and spine fractures. <i>Medicine (United States)</i> , 2020, 99, e19048.	0.4	15
61	Sudden sensory neural hearing loss is not predictive of myocardial infarction: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018, 8, 946.	1.6	14
62	Increased Risk of Sudden Sensory Neural Hearing Loss in Osteoporosis: A Longitudinal Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3103-3109.	1.8	14
63	Otoprotective Effects of Zingerone on Cisplatin-Induced Ototoxicity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3503.	1.8	14
64	Association between Osteoporosis and Low Hemoglobin Levels: A Nested Caseâ€“Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8598.	1.2	14
65	Analysis of the prevalence and associated factors of overactive bladder in adult Korean men. <i>PLoS ONE</i> , 2017, 12, e0175641.	1.1	14
66	Does the Width of the Bony Cochlear Nerve Canal Predict the Outcomes of Cochlear Implantation?. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	13
67	Analysis of the Relationship between Adult Asthma and Stroke: A Longitudinal Follow-Up Study Using the Korean National Sample Cohort. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	13
68	Depression and incident hip fracture. <i>Medicine (United States)</i> , 2019, 98, e16268.	0.4	13
69	Analysis of the prevalence of and factors associated with overactive bladder in adult Korean women. <i>PLoS ONE</i> , 2017, 12, e0185592.	1.1	13
70	Dose-Dependent Effects of Resveratrol on Cisplatin-Induced Hearing Loss. <i>International Journal of Molecular Sciences</i> , 2021, 22, 113.	1.8	13
71	Migraine increases the proportion of sudden sensorineural hearing loss: A longitudinal follow-up study. <i>Auris Nasus Larynx</i> , 2019, 46, 353-359.	0.5	12
72	Risk of neurodegenerative dementia in asthma patients: a nested caseâ€“control study using a national sample cohort. <i>BMJ Open</i> , 2019, 9, e030227.	0.8	11

#	ARTICLE	IF	CITATIONS
73	Reciprocal association between depression and peptic ulcers: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020, 10, 1749.	1.6	11
74	Bidirectional association between GERD and asthma in children: two longitudinal follow-up studies using a national sample cohort. <i>Pediatric Research</i> , 2020, 88, 320-324.	1.1	11
75	Bidirectional analysis of the association between MÃ©niÃ©re's disease and depression: Two longitudinal follow-up studies using a national sample cohort. <i>Clinical Otolaryngology</i> , 2020, 45, 687-694.	0.6	11
76	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1970-1972.e3.	2.4	11
77	Tonsillectomy increases the risk of retropharyngeal and parapharyngeal abscesses in adults, but not in children: A national cohort study. <i>PLoS ONE</i> , 2018, 13, e0193913.	1.1	10
78	Nephrolithiasis predicts ischemic stroke: A longitudinal follow-up study using a national sample cohort. <i>International Journal of Medical Sciences</i> , 2019, 16, 1050-1056.	1.1	10
79	Mortality and Cause of Death in Hearing Loss Participants: A Longitudinal Follow-up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020, 41, 25-32.	0.7	10
80	Air pollution by NO ₂ is associated with the risk of Bell's palsy: A nested case-controlled study. <i>Scientific Reports</i> , 2020, 10, 4221.	1.6	10
81	Tauroursodeoxycholic acid attenuates cisplatin-induced hearing loss in rats. <i>Neuroscience Letters</i> , 2020, 722, 134838.	1.0	10
82	Nationwide COVID-19 vaccination coverage and COVID-19 incidence in South Korea, January 2022: a national official report. , 0, 2, .		10
83	Functional characterization of a novel loss-of-function mutation of <i>PRPS1</i> related to early-onset progressive nonsyndromic hearing loss in Koreans (DFNX1): Potential implications on future therapeutic intervention. <i>Journal of Gene Medicine</i> , 2016, 18, 353-358.	1.4	9
84	The Novel Peptide Vaccine GV1001 Protects Hearing in a Kanamycin-induced Ototoxicity Mouse Model. <i>Otology and Neurotology</i> , 2018, 39, e731-e737.	0.7	9
85	Increased risk of larynx cancer in patients with gastroesophageal reflux disease from a national sample cohort. <i>Clinical Otolaryngology</i> , 2019, 44, 534-540.	0.6	9
86	Novel Splice Site Pathogenic Variant of EFTUD2 Is Associated with Mandibulofacial Dysostosis with Microcephaly and Extracranial Symptoms in Korea. <i>Diagnostics</i> , 2020, 10, 296.	1.3	9
87	Analyses of the Relation between BPPV and Thyroid Diseases: A Nested Case-Control Study. <i>Diagnostics</i> , 2021, 11, 329.	1.3	9
88	The Effects of Previous Thyroid Disease on the Susceptibility to, Morbidity of, and Mortality Due to COVID-19: A Nationwide Cohort Study in South Korea. <i>Journal of Clinical Medicine</i> , 2021, 10, 3522.	1.0	9
89	Identification of Potential Novel Biomarkers and Signaling Pathways Related to Otitis Media Induced by Diesel Exhaust Particles Using Transcriptomic Analysis in an In Vivo System. <i>PLoS ONE</i> , 2016, 11, e0166044.	1.1	9
90	Association between Coffee Consumption/Physical Exercise and Gastric, Hepatic, Colon, Breast, Uterine Cervix, Lung, Thyroid, Prostate, and Bladder Cancer. <i>Nutrients</i> , 2021, 13, 3927.	1.7	9

#	ARTICLE	IF	CITATIONS
91	Risk factors for failure in the newborn hearing screen test in very preterm twins. <i>Pediatrics and Neonatology</i> , 2018, 59, 586-594.	0.3	8
92	Neuronal and perineuronal changes of cerebral cortex after exposure to inhaled particulate matter. <i>Scientific Reports</i> , 2019, 9, 19421.	1.6	8
93	Increased risk of gallstones after gastrectomy. <i>Medicine (United States)</i> , 2019, 98, e15932.	0.4	8
94	Effects of Androgen Receptor Inhibition on Kanamycin-Induced Hearing Loss in Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5307.	1.8	8
95	The Effects of Income Level on Susceptibility to COVID-19 and COVID-19 Morbidity/Mortality: A Nationwide Cohort Study in South Korea. <i>Journal of Clinical Medicine</i> , 2021, 10, 4733.	1.0	8
96	Statin Use and COVID-19 Infectivity and Severity in South Korea: Two Population-Based Nationwide Cohort Studies. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e29379.	1.2	8
97	Association of nephrolithiasis with the risk of cardiovascular diseases: a longitudinal follow-up study using a national health screening cohort. <i>BMJ Open</i> , 2020, 10, e040034.	0.8	8
98	Temporalis myofascial flap coverage for extrusion of internal device after cochlear implantation. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 91, 124-127.	0.4	7
99	Electrical dynamic range is only weakly associated with auditory performance and speech recognition in long-term users of cochlear implants. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 111, 170-173.	0.4	7
100	Asthma increases the risk of herpes zoster: a nested case-control study using a national sample cohort. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 52.	0.9	7
101	Smoking and Alcohol Consumption Are Associated With the Increased Risk of Peritonsillar Abscess. <i>Laryngoscope</i> , 2020, 130, 2833-2838.	1.1	7
102	<i>POLD1</i> variants leading to reduced polymerase activity can cause hearing loss without syndromic features. <i>Human Mutation</i> , 2020, 41, 913-920.	1.1	7
103	Short- and long-term exposure to air pollution increases the risk of stroke. <i>International Journal of Stroke</i> , 2022, 17, 654-660.	2.9	7
104	Association of Tinnitus with Depression in a Normal Hearing Population. <i>Medicina (Lithuania)</i> , 2021, 57, 114.	0.8	7
105	Audiologic Patterns of Otic Capsule Preserving Temporal Bone Fracture: Effects of the Affected Subsites. <i>Clinical and Experimental Otorhinolaryngology</i> , 2016, 9, 206-211.	1.1	7
106	Association Between Asthma and Meniere's Disease: A Nested Case-Control Study. <i>Laryngoscope</i> , 2022, 132, 864-872.	1.1	7
107	Assessment of the difference in depressive symptoms of the Korean adult population before and during the COVID-19 pandemic using a community health survey. <i>Journal of Affective Disorders</i> , 2022, 300, 130-136.	2.0	7
108	Correlation between computed tomography imaging and histopathology in pleomorphic adenoma of parotid gland. <i>Auris Nasus Larynx</i> , 2018, 45, 783-790.	0.5	6

#	ARTICLE	IF	CITATIONS
109	Tonsillectomy does not reduce asthma in children: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2019, 9, 13382.	1.6	6
110	Association between cholelithiasis and sialolithiasis. <i>Medicine (United States)</i> , 2019, 98, e16153.	0.4	6
111	Increased risk of Bell palsy in patient with migraine. <i>Medicine (United States)</i> , 2019, 98, e15764.	0.4	6
112	Association between SSNHL and Thyroid Diseases. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8419.	1.2	6
113	Relationship between Bell's Palsy and Previous Statin Use: A Case/Non-Case Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8408.	1.2	6
114	Bidirectional association between GERD and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Clinical Rheumatology</i> , 2021, 40, 1249-1257.	1.0	6
115	Bidirectional association between asthma and otitis media in children. <i>Allergy, Asthma and Clinical Immunology</i> , 2021, 17, 7.	0.9	6
116	Differences in Comorbidities and Clinical Burden of Severe Bronchopulmonary Dysplasia Based on Disease Severity. <i>Frontiers in Pediatrics</i> , 2021, 9, 664033.	0.9	6
117	Effects of short- and long-term exposure to air pollution and meteorological factors on Meniere's disease. <i>Scientific Reports</i> , 2021, 11, 16063.	1.6	6
118	Comparison between Subjective Scoring and Computer-Based Asymmetry Assessment in Facial Nerve Palsy. <i>Journal of Audiology and Otology</i> , 2019, 23, 53-58.	0.2	6
119	Impact of environmental volatile organic compounds on otitis media in children: Correlation between exposure and urinary metabolites. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 93, 157-162.	0.4	5
120	Optimal use of CT imaging in pediatric congenital cholesteatoma. <i>Auris Nasus Larynx</i> , 2017, 44, 266-271.	0.5	5
121	Adenoidectomy May Not Be Effective to Reduce the Number of Hospital Visits for Sinusitis. <i>Journal of Korean Medical Science</i> , 2018, 33, e78.	1.1	5
122	Increased risk of psoriasis in children and elderly patients with asthma: a longitudinal follow-up study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 1304-1310.	1.5	5
123	Bidirectional association between gallstones and renal stones: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2019, 9, 2620.	1.6	5
124	The Relation of Sudden Sensorineural Hearing Loss in Pediatric Patients With Recurrent Otitis Media: A Nested Case-control Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020, 41, e836-e841.	0.7	5
125	Association between Chronic Obstructive Pulmonary Disease and Ménière's Disease: A Nested Case-control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4536.	1.2	5
126	MicroRNA Dysregulation in the Hippocampus of Rats with Noise-Induced Hearing Loss. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-11.	1.9	5

#	ARTICLE	IF	CITATIONS
127	Changes in the Mean of Medical Visits Due to Psychiatric Disease in Korean Children and Adolescents before and during the COVID-19 Pandemic. <i>Life</i> , 2022, 12, 600.	1.1	5
128	Increased risk of appendectomy in patients with asthma. <i>Medicine (United States)</i> , 2019, 98, e17203.	0.4	4
129	Association between Bone Metabolism and Vestibular Problems in the Modified Romberg Test: Data from the 2009–2010 Korean National Health and Nutrition Examination Survey. <i>Journal of Clinical Medicine</i> , 2020, 9, 2415.	1.0	4
130	Effect of acute noise trauma on the gene expression profile of the hippocampus. <i>BMC Neuroscience</i> , 2020, 21, 45.	0.8	4
131	Low Thyroid-stimulating Hormone Levels Are Associated With Annoying Tinnitus in Adult Women: Korea National Health and Nutrition Examination Surveys. <i>Otology and Neurotology</i> , 2021, 42, e408-e415.	0.7	4
132	Association between statin medication and hearing impairment in a national health screening cohort. <i>Scientific Reports</i> , 2021, 11, 14388.	1.6	4
133	Overexpression of the Aryl Hydrocarbon Receptor (Ahr) Mediates an Oxidative Stress Response following Injection of Fine Particulate Matter in the Temporal Cortex. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-9.	1.9	4
134	Increased Risk of Neurodegenerative Dementia after Benign Paroxysmal Positional Vertigo. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10553.	1.2	4
135	Changes in the Mean of and Variance in Psychological Disease Incidences before and during the COVID-19 Pandemic in the Korean Adult Population. <i>Journal of Personalized Medicine</i> , 2022, 12, 576.	1.1	4
136	Pravastatin Administration Alleviates Kanamycin-Induced Cochlear Injury and Hearing Loss. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4524.	1.8	4
137	Increased risk of appendectomy in patients with gastroesophageal reflux disease. <i>Medicine (United States)</i> , 2019, 98, e17203.	0.4	3
138	Increased risk of appendectomy due to appendicitis after tonsillectomy in women. <i>Medicine (United States)</i> , 2019, 98, e17203.	0.4	3
139	Effects of Placenta-Derived Mesenchymal Stem Cells on the Particulate Matter-Induced Damages in Human Middle Ear Epithelial Cells. <i>Stem Cells International</i> , 2019, 2019, 1-7.	1.2	3
140	Association Between Sudden Sensorineural Hearing Loss and History of Statin Use: A Nested Case-Control Study. <i>Otolaryngology - Head and Neck Surgery</i> , 2020, 165, 019459982096963.	1.1	3
141	Noise exposure alters MMP9 and brevicin expression in the rat primary auditory cortex. <i>BMC Neuroscience</i> , 2020, 21, 16.	0.8	3
142	Benign Paroxysmal Positional Vertigo and the Increased Risk of Ischemic Stroke: A Nested Case-Control Study Using a National Cohort Sample. <i>BioMed Research International</i> , 2021, 2021, 1-8.	0.9	3
143	Evaluation of the relationship between previous statin use and thyroid cancer using Korean National Health Insurance Service-Health Screening Cohort data. <i>Scientific Reports</i> , 2021, 11, 7912.	1.6	3
144	Association between Proton Pump Inhibitors and Hearing Impairment: A Nested Case-Control Study. <i>Current Issues in Molecular Biology</i> , 2021, 43, 142-152.	1.0	3

#	ARTICLE	IF	CITATIONS
145	The associations of previous influenza/upper respiratory infection with COVID-19 susceptibility/morbidity/mortality: a nationwide cohort study in South Korea. <i>Scientific Reports</i> , 2021, 11, 21568.	1.6	3
146	Association between Temporomandibular Joint Disorder and Weight Changes: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11793.	1.2	3
147	Increased Risk of Temporomandibular Joint Disorder in Osteoporosis Patients: A Longitudinal Study. <i>Frontiers in Endocrinology</i> , 2022, 13, 835923.	1.5	3
148	Single-sided Deafness Leads to Changes in Vesicular Synaptic Transporters and Matrix Metalloproteinase 9 in the Primary Auditory Cortex. <i>Neuroscience</i> , 2020, 449, 189-201.	1.1	2
149	Evaluation of Mortality and Morbidity According to Initial Symptoms in COVID-19 Patients Using Clinical Epidemiologic Data from the Korea Centers for Disease Control & Prevention. <i>Medicina (Lithuania)</i> , 2021, 57, 688.	0.8	2
150	Powerful use of automated prioritization of candidate variants in genetic hearing loss with extreme etiologic heterogeneity. <i>Scientific Reports</i> , 2021, 11, 19476.	1.6	2
151	Changes in the Gene Expression Profiles of the Inferior Colliculus Following Unilateral Cochlear Ablation in Adult Rats. <i>Biochemical Genetics</i> , 2021, 59, 731-750.	0.8	2
152	Telmisartan Attenuates Kanamycin-Induced Ototoxicity in Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12716.	1.8	2
153	Association of sudden sensorineural hearing loss with asthma: a longitudinal follow-up study using a national sample cohort. <i>BMJ Open</i> , 2022, 12, e047966.	0.8	2
154	Association between Rheumatoid Arthritis and Meniere's Disease: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Journal of Clinical Medicine</i> , 2021, 10, 5694.	1.0	2
155	Association of Body Mass Index with Hearing Loss in Korean Adult Population. <i>Journal of Personalized Medicine</i> , 2022, 12, 786.	1.1	2
156	Sudden Sensorineural Hearing Loss Associated with Nutritional Anemia: A Nested Case-Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6478.	1.2	1
157	Short-Term Exposure to Air Pollution and Epiglottitis: A Nested Case-Control Study. <i>Laryngoscope</i> , 2021, 131, 2483-2489.	1.1	1
158	Overexpression of the receptor for advanced glycation end-products in the auditory cortex of rats with noise-induced hearing loss. <i>BMC Neuroscience</i> , 2021, 22, 38.	0.8	1
159	Association between Statin Use and Meniere's Disease: Results from a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8692.	1.2	1
160	Effects of intranasal instillation of nanoparticulate matter in the olfactory bulb. <i>Scientific Reports</i> , 2021, 11, 16997.	1.6	1
161	Association between Osteoporosis and Previous Statin Use: A Nested Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11902.	1.2	1
162	Is the Number of Missing Teeth Associated With Mortality? A Longitudinal Study Using a National Health Screening Cohort. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	1

#	ARTICLE	IF	CITATIONS
163	Identification of novel potential biomarkers and signaling pathways related to otitis media induced by diesel exhaust particle in in vivo system via transcriptomic analysis. <i>Journal of Laryngology and Otology</i> , 2016, 130, S190-S191.	0.4	0
164	Evaluation of the increased risk of spine fracture in patients with mood disorder compared with matched controls: a longitudinal follow-up study using a national sample cohort in Korea. <i>BMJ Open</i> , 2019, 9, e027581.	0.8	0
165	Herpes zoster does not increase the risk of sudden sensory neural hearing loss: a longitudinal follow-up study using a national sample cohort. <i>International Journal of Audiology</i> , 2020, 59, 173-178.	0.9	0
166	Increased risk of gallstones after appendectomy. <i>Medicine (United States)</i> , 2020, 99, e20269.	0.4	0
167	Reply to the Comment on Mortality and Cause of Death in Hearing Loss Participants: A Longitudinal Follow-Up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020, 41, 861-862.	0.7	0
168	The Occurrence of Nephrolithiasis in Gout Patients: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Life</i> , 2022, 12, 653.	1.1	0
169	The Effect of Gout on Thyroid Cancer Incidence: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Journal of Personalized Medicine</i> , 2022, 12, 887.	1.1	0