

# So-Young Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5918339/publications.pdf>

Version: 2024-02-01

169  
papers

3,191  
citations

218381

26  
h-index

223531

46  
g-index

171  
all docs

171  
docs citations

171  
times ranked

4213  
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. <i>British Journal of Sports Medicine</i> , 2022, 56, 901-912.	3.1	120
2	Short- and long-term exposure to air pollution increases the risk of stroke. <i>International Journal of Stroke</i> , 2022, 17, 654-660.	2.9	7
3	Association Between Asthma and Meniere's Disease: A Nested Case-Control Study. <i>Laryngoscope</i> , 2022, 132, 864-872.	1.1	7
4	Assessment of the difference in depressive symptoms of the Korean adult population before and during the COVID-19 pandemic using a community health survey. <i>Journal of Affective Disorders</i> , 2022, 300, 130-136.	2.0	7
5	Association of sudden sensorineural hearing loss with asthma: a longitudinal follow-up study using a national sample cohort. <i>BMJ Open</i> , 2022, 12, e047966.	0.8	2
6	Increased Risk of Temporomandibular Joint Disorder in Osteoporosis Patients: A Longitudinal Study. <i>Frontiers in Endocrinology</i> , 2022, 13, 835923.	1.5	3
7	Changes in the Mean of and Variance in Psychological Disease Incidences before and during the COVID-19 Pandemic in the Korean Adult Population. <i>Journal of Personalized Medicine</i> , 2022, 12, 576.	1.1	4
8	Association Between Meniere Disease and Migraine. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022, 148, 457.	1.2	16
9	Changes in the Mean of Medical Visits Due to Psychiatric Disease in Korean Children and Adolescents before and during the COVID-19 Pandemic. <i>Life</i> , 2022, 12, 600.	1.1	5
10	Pravastatin Administration Alleviates Kanamycin-Induced Cochlear Injury and Hearing Loss. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4524.	1.8	4
11	The Occurrence of Nephrolithiasis in Gout Patients: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Life</i> , 2022, 12, 653.	1.1	0
12	Association of Body Mass Index with Hearing Loss in Korean Adult Population. <i>Journal of Personalized Medicine</i> , 2022, 12, 786.	1.1	2
13	The Effect of Gout on Thyroid Cancer Incidence: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Journal of Personalized Medicine</i> , 2022, 12, 887.	1.1	0
14	Severe clinical outcomes of COVID-19 associated with proton pump inhibitors: a nationwide cohort study with propensity score matching. <i>Gut</i> , 2021, 70, 76-84.	6.1	167
15	Bidirectional association between GERD and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Clinical Rheumatology</i> , 2021, 40, 1249-1257.	1.0	6
16	Association between asthma and clinical mortality/morbidity in COVID-19 patients using clinical epidemiologic data from Korean Disease Control and Prevention. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 921-924.	2.7	29
17	Short- and long-term exposure to air pollution and lack of sunlight are associated with an increased risk of depression: A nested case-control study using meteorological data and national sample cohort data. <i>Science of the Total Environment</i> , 2021, 757, 143960.	3.9	42
18	Low Thyroid-stimulating Hormone Levels Are Associated With Annoying Tinnitus in Adult Women: Korea National Health and Nutrition Examination Surveys. <i>Otology and Neurotology</i> , 2021, 42, e408-e415.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Bidirectional association between asthma and otitis media in children. <i>Allergy, Asthma and Clinical Immunology</i> , 2021, 17, 7.	0.9	6
20	Analyses of the Relation between BPPV and Thyroid Diseases: A Nested Case-Control Study. <i>Diagnostics</i> , 2021, 11, 329.	1.3	9
21	Benign Paroxysmal Positional Vertigo and the Increased Risk of Ischemic Stroke: A Nested Case-Control Study Using a National Cohort Sample. <i>BioMed Research International</i> , 2021, 2021, 1-8.	0.9	3
22	Short and long term exposure to air pollution increases the risk of ischemic heart disease. <i>Scientific Reports</i> , 2021, 11, 5108.	1.6	21
23	Short-Term Exposure to Air Pollution and Epiglottitis: A Nested Case-Control Study. <i>Laryngoscope</i> , 2021, 131, 2483-2489.	1.1	1
24	Association between Chronic Obstructive Pulmonary Disease and MÃ©niÃ©re's Disease: A Nested Case-Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4536.	1.2	5
25	Evaluation of the relationship between previous statin use and thyroid cancer using Korean National Health Insurance Service-Health Screening Cohort data. <i>Scientific Reports</i> , 2021, 11, 7912.	1.6	3
26	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1970-1972.e3.	2.4	11
27	Effects of Androgen Receptor Inhibition on Kanamycin-Induced Hearing Loss in Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5307.	1.8	8
28	Overexpression of the receptor for advanced glycation end-products in the auditory cortex of rats with noise-induced hearing loss. <i>BMC Neuroscience</i> , 2021, 22, 38.	0.8	1
29	Association between Proton Pump Inhibitors and Hearing Impairment: A Nested Case-Control Study. <i>Current Issues in Molecular Biology</i> , 2021, 43, 142-152.	1.0	3
30	Estimating COVID-19 Infection and Severity Risks in Patients with Chronic Rhinosinusitis: A Korean Nationwide Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2262-2271.e2.	2.0	27
31	Evaluation of Mortality and Morbidity According to Initial Symptoms in COVID-19 Patients Using Clinical Epidemiologic Data from the Korea Centers for Disease Control & Prevention. <i>Medicina (Lithuania)</i> , 2021, 57, 688.	0.8	2
32	Differences in Comorbidities and Clinical Burden of Severe Bronchopulmonary Dysplasia Based on Disease Severity. <i>Frontiers in Pediatrics</i> , 2021, 9, 664033.	0.9	6
33	Association between statin medication and hearing impairment in a national health screening cohort. <i>Scientific Reports</i> , 2021, 11, 14388.	1.6	4
34	The Effects of Previous Thyroid Disease on the Susceptibility to, Morbidity of, and Mortality Due to COVID-19: A Nationwide Cohort Study in South Korea. <i>Journal of Clinical Medicine</i> , 2021, 10, 3522.	1.0	9
35	Effects of short- and long-term exposure to air pollution and meteorological factors on Meniere's disease. <i>Scientific Reports</i> , 2021, 11, 16063.	1.6	6
36	Association between Osteoporosis and Low Hemoglobin Levels: A Nested Case-Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8598.	1.2	14

#	ARTICLE	IF	CITATIONS
37	Hearing Impairment Increases Economic Inequality. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021, 14, 278-286.	1.1	32
38	Association between Statin Use and Meniere's Disease: Results from a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8692.	1.2	1
39	Effects of intranasal instillation of nanoparticulate matter in the olfactory bulb. <i>Scientific Reports</i> , 2021, 11, 16997.	1.6	1
40	MicroRNA Dysregulation in the Hippocampus of Rats with Noise-Induced Hearing Loss. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-11.	1.9	5
41	Powerful use of automated prioritization of candidate variants in genetic hearing loss with extreme etiologic heterogeneity. <i>Scientific Reports</i> , 2021, 11, 19476.	1.6	2
42	Changes in Dietary Habits and Exercise Pattern of Korean Adolescents from Prior to during the COVID-19 Pandemic. <i>Nutrients</i> , 2021, 13, 3314.	1.7	18
43	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. <i>Lancet Rheumatology</i> , The, 2021, 3, e698-e706.	2.2	73
44	Changes in the Gene Expression Profiles of the Inferior Colliculus Following Unilateral Cochlear Ablation in Adult Rats. <i>Biochemical Genetics</i> , 2021, 59, 731-750.	0.8	2
45	Association of Tinnitus with Depression in a Normal Hearing Population. <i>Medicina (Lithuania)</i> , 2021, 57, 114.	0.8	7
46	Dose-Dependent Effects of Resveratrol on Cisplatin-Induced Hearing Loss. <i>International Journal of Molecular Sciences</i> , 2021, 22, 113.	1.8	13
47	Non-alcoholic Fatty Liver Disease and COVID-19 Susceptibility and Outcomes: a Korean Nationwide Cohort. <i>Journal of Korean Medical Science</i> , 2021, 36, e291.	1.1	24
48	The Effects of Income Level on Susceptibility to COVID-19 and COVID-19 Morbidity/Mortality: A Nationwide Cohort Study in South Korea. <i>Journal of Clinical Medicine</i> , 2021, 10, 4733.	1.0	8
49	Statin Use and COVID-19 Infectivity and Severity in South Korea: Two Population-Based Nationwide Cohort Studies. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e29379.	1.2	8
50	Increased Risk of Neurodegenerative Dementia after Benign Paroxysmal Positional Vertigo. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10553.	1.2	4
51	Association between Coffee Consumption/Physical Exercise and Gastric, Hepatic, Colon, Breast, Uterine Cervix, Lung, Thyroid, Prostate, and Bladder Cancer. <i>Nutrients</i> , 2021, 13, 3927.	1.7	9
52	The associations of previous influenza/upper respiratory infection with COVID-19 susceptibility/morbidity/mortality: a nationwide cohort study in South Korea. <i>Scientific Reports</i> , 2021, 11, 21568.	1.6	3
53	Association between Temporomandibular Joint Disorder and Weight Changes: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11793.	1.2	3
54	Association between Osteoporosis and Previous Statin Use: A Nested Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11902.	1.2	1

#	ARTICLE	IF	CITATIONS
55	Telmisartan Attenuates Kanamycin-Induced Ototoxicity in Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12716.	1.8	2
56	Comparison of Stress and Suicide-Related Behaviors Among Korean Youths Before and During the COVID-19 Pandemic. <i>JAMA Network Open</i> , 2021, 4, e2136137.	2.8	27
57	Association between Rheumatoid Arthritis and Meniere's Disease: A Longitudinal Follow-Up Study Using a National Health Screening Cohort. <i>Journal of Clinical Medicine</i> , 2021, 10, 5694.	1.0	2
58	Herpes zoster does not increase the risk of sudden sensory neural hearing loss: a longitudinal follow-up study using a national sample cohort. <i>International Journal of Audiology</i> , 2020, 59, 173-178.	0.9	0
59	Mortality and Cause of Death in Hearing Loss Participants: A Longitudinal Follow-up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020, 41, 25-32.	0.7	10
60	Bidirectional Association Between GERD and Asthma: Two Longitudinal Follow-Up Studies Using a National Sample Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1005-1013.e9.	2.0	76
61	Association between depression and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Rheumatology</i> , 2020, 59, 1889-1897.	0.9	27
62	Asthma increases the risk of herpes zoster: a nested case-control study using a national sample cohort. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 52.	0.9	7
63	Association between SSNHL and Thyroid Diseases. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8419.	1.2	6
64	Association Between Sudden Sensorineural Hearing Loss and History of Statin Use: A Nested Case-Control Study. <i>Otolaryngology - Head and Neck Surgery</i> , 2020, 165, 019459982096963.	1.1	3
65	Relationship between Bell's Palsy and Previous Statin Use: A Case/Non-Case Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8408.	1.2	6
66	Association between Bone Metabolism and Vestibular Problems in the Modified Romberg Test: Data from the 2009-2010 Korean National Health and Nutrition Examination Survey. <i>Journal of Clinical Medicine</i> , 2020, 9, 2415.	1.0	4
67	Association between Ménière's disease and thyroid diseases: a nested case-control study. <i>Scientific Reports</i> , 2020, 10, 18224.	1.6	24
68	Sudden Sensorineural Hearing Loss Associated with Nutritional Anemia: A Nested Case-Control Study Using a National Health Screening Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6478.	1.2	1
69	Association between mental illness and COVID-19 susceptibility and clinical outcomes in South Korea: a nationwide cohort study. <i>Lancet Psychiatry</i> , 2020, 7, 1025-1031.	3.7	185
70	The Relation of Sudden Sensorineural Hearing Loss in Pediatric Patients With Recurrent Otitis Media: A Nested Case-control Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020, 41, e836-e841.	0.7	5
71	Allergic disorders and susceptibility to and severity of COVID-19: A nationwide cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 790-798.	1.5	211
72	Analysis of Mortality and Morbidity in COVID-19 Patients with Obesity Using Clinical Epidemiological Data from the Korean Center for Disease Control & Prevention. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9336.	1.2	16

#	ARTICLE	IF	CITATIONS
73	Obesity is positively related and tobacco smoking and alcohol consumption are negatively related to an increased risk of thyroid cancer. <i>Scientific Reports</i> , 2020, 10, 19279.	1.6	18
74	Single-sided Deafness Leads to Changes in Vesicular Synaptic Transporters and Matrix Metalloproteinase 9 in the Primary Auditory Cortex. <i>Neuroscience</i> , 2020, 449, 189-201.	1.1	2
75	Effect of acute noise trauma on the gene expression profile of the hippocampus. <i>BMC Neuroscience</i> , 2020, 21, 45.	0.8	4
76	Otoprotective Effects of Zingerone on Cisplatin-Induced Ototoxicity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3503.	1.8	14
77	Novel Splice Site Pathogenic Variant of EFTUD2 Is Associated with Mandibulofacial Dysostosis with Microcephaly and Extracranial Symptoms in Korea. <i>Diagnostics</i> , 2020, 10, 296.	1.3	9
78	Increased risk of gallstones after appendectomy. <i>Medicine (United States)</i> , 2020, 99, e20269.	0.4	0
79	Increased risk of dementia after distal radius, hip, and spine fractures. <i>Medicine (United States)</i> , 2020, 99, e19048.	0.4	15
80	Air pollution by NO <sub>2</sub> is associated with the risk of Bell's palsy: A nested case-controlled study. <i>Scientific Reports</i> , 2020, 10, 4221.	1.6	10
81	Bell's palsy and obesity, alcohol consumption and smoking: A nested case-control study using a national health screening cohort. <i>Scientific Reports</i> , 2020, 10, 4248.	1.6	64
82	Reply to the Comment on Mortality and Cause of Death in Hearing Loss Participants: A Longitudinal Follow-Up Study Using a National Sample Cohort. <i>Otology and Neurotology</i> , 2020, 41, 861-862.	0.7	0
83	Reciprocal association between depression and peptic ulcers: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020, 10, 1749.	1.6	11
84	Tauroursodeoxycholic acid attenuates cisplatin-induced hearing loss in rats. <i>Neuroscience Letters</i> , 2020, 722, 134838.	1.0	10
85	Smoking and Alcohol Consumption Are Associated With the Increased Risk of Peritonsillar Abscess. <i>Laryngoscope</i> , 2020, 130, 2833-2838.	1.1	7
86	<i>POLD1</i> variants leading to reduced polymerase activity can cause hearing loss without syndromic features. <i>Human Mutation</i> , 2020, 41, 913-920.	1.1	7
87	Bidirectional association between GERD and asthma in children: two longitudinal follow-up studies using a national sample cohort. <i>Pediatric Research</i> , 2020, 88, 320-324.	1.1	11
88	Bidirectional relation between depression and sudden sensorineural hearing loss: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2020, 10, 1482.	1.6	24
89	Bidirectional analysis of the association between Ménière's disease and depression: Two longitudinal follow-up studies using a national sample cohort. <i>Clinical Otolaryngology</i> , 2020, 45, 687-694.	0.6	11
90	Noise exposure alters MMP9 and brevicin expression in the rat primary auditory cortex. <i>BMC Neuroscience</i> , 2020, 21, 16.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Overexpression of the Aryl Hydrocarbon Receptor (Ahr) Mediates an Oxidative Stress Response following Injection of Fine Particulate Matter in the Temporal Cortex. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-9.	1.9	4
92	Does the Clinical Spectrum of Coronavirus Disease 2019 (COVID-19) Show Regional Differences?. <i>Clinical and Experimental Otorhinolaryngology</i> , 2020, 13, 83-84.	1.1	22
93	Association of nephrolithiasis with the risk of cardiovascular diseases: a longitudinal follow-up study using a national health screening cohort. <i>BMJ Open</i> , 2020, 10, e040034.	0.8	8
94	Increased risk of appendectomy due to appendicitis after tonsillectomy in women. <i>Medicine (United States)</i> , 2019, 98, e16268.	0.4	10
95	Analysis of the Relationship between Adult Asthma and Stroke: A Longitudinal Follow-Up Study Using the Korean National Sample Cohort. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	13
96	Increased risk of psoriasis in children and elderly patients with asthma: a longitudinal follow-up study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 1304-1310.	1.5	5
97	Nephrolithiasis predicts ischemic stroke: A longitudinal follow-up study using a national sample cohort. <i>International Journal of Medical Sciences</i> , 2019, 16, 1050-1056.	1.1	10
98	Tonsillectomy does not reduce asthma in children: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2019, 9, 13382.	1.6	6
99	Air pollution increases the risk of SSNHL: A nested case-control study using meteorological data and national sample cohort data. <i>Scientific Reports</i> , 2019, 9, 8270.	1.6	22
100	Increased risk of asthma in patients with rheumatoid arthritis: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2019, 9, 6957.	1.6	15
101	Association of Air Pollution With Increased Risk of Peritonsillar Abscess Formation. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019, 145, 530.	1.2	16
102	Increased risk of larynx cancer in patients with gastroesophageal reflux disease from a national sample cohort. <i>Clinical Otolaryngology</i> , 2019, 44, 534-540.	0.6	9
103	Bidirectional association between gallstones and renal stones: Two longitudinal follow-up studies using a national sample cohort. <i>Scientific Reports</i> , 2019, 9, 2620.	1.6	5
104	Risk of neurodegenerative dementia in asthma patients: a nested case-control study using a national sample cohort. <i>BMJ Open</i> , 2019, 9, e030227.	0.8	11
105	Evaluation of the increased risk of spine fracture in patients with mood disorder compared with matched controls: a longitudinal follow-up study using a national sample cohort in Korea. <i>BMJ Open</i> , 2019, 9, e027581.	0.8	0
106	Neuronal and perineuronal changes of cerebral cortex after exposure to inhaled particulate matter. <i>Scientific Reports</i> , 2019, 9, 19421.	1.6	8
107	Depression and incident hip fracture. <i>Medicine (United States)</i> , 2019, 98, e16268.	0.4	13
108	Association between cholelithiasis and sialolithiasis. <i>Medicine (United States)</i> , 2019, 98, e16153.	0.4	6



#	ARTICLE	IF	CITATIONS
109	Increased risk of Bell palsy in patient with migraine. <i>Medicine (United States)</i> , 2019, 98, e15764.	0.4	6
110	Increased risk of gallstones after gastrectomy. <i>Medicine (United States)</i> , 2019, 98, e15932.	0.4	8
111	Bidirectional association between asthma and migraines in adults: Two longitudinal follow-up studies. <i>Scientific Reports</i> , 2019, 9, 18343.	1.6	15
112	Effects of Placenta-Derived Mesenchymal Stem Cells on the Particulate Matter-Induced Damages in Human Middle Ear Epithelial Cells. <i>Stem Cells International</i> , 2019, 2019, 1-7.	1.2	3
113	Increased risk of appendectomy in patients with asthma. <i>Medicine (United States)</i> , 2019, 98, e17203.	0.4	4
114	Migraine increases the proportion of sudden sensorineural hearing loss: A longitudinal follow-up study. <i>Auris Nasus Larynx</i> , 2019, 46, 353-359.	0.5	12
115	Gastroesophageal reflux disease increases the risk of chronic rhinosinusitis: a nested case-control study using a national sample cohort. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 357-362.	1.5	30
116	Osteoporosis increases the risk of benign paroxysmal positional vertigo: a nested case-control study using a national sample cohort. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 335-342.	0.8	20
117	Tobacco Smoking and Alcohol Consumption Are Related to Benign Parotid Tumor: A Nested Case-Control Study Using a National Health Screening Cohort. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019, 12, 412-419.	1.1	90
118	Comparison between Subjective Scoring and Computer-Based Asymmetry Assessment in Facial Nerve Palsy. <i>Journal of Audiology and Otology</i> , 2019, 23, 53-58.	0.2	6
119	Sudden sensory neural hearing loss is not predictive of myocardial infarction: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018, 8, 946.	1.6	14
120	Risk factors for failure in the newborn hearing screen test in very preterm twins. <i>Pediatrics and Neonatology</i> , 2018, 59, 586-594.	0.3	8
121	Correlation between computed tomography imaging and histopathology in pleomorphic adenoma of parotid gland. <i>Auris Nasus Larynx</i> , 2018, 45, 783-790.	0.5	6
122	Natural course of tonsillectomy pain: A prospective patient cohort study. <i>Auris Nasus Larynx</i> , 2018, 45, 508-513.	0.5	16
123	Sudden Sensorineural Hearing Loss Predicts Ischemic Stroke: a Longitudinal Follow-Up Study. <i>Otology and Neurotology</i> , 2018, 39, 964-969.	0.7	28
124	The Novel Peptide Vaccine GV1001 Protects Hearing in a Kanamycin-induced Ototoxicity Mouse Model. <i>Otology and Neurotology</i> , 2018, 39, e731-e737.	0.7	9
125	Neural Plastic Changes in the Subcortical Auditory Neural Pathway after Single-Sided Deafness in Adult Mice: A MEMRI Study. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	15
126	Increased risk of appendectomy in patients with gastroesophageal reflux disease. <i>Medicine (United States)</i> , 2019, 98, e17203.	0.4	3



#	ARTICLE	IF	CITATIONS
127	Hearing impairment and the risk of neurodegenerative dementia: A longitudinal follow-up study using a national sample cohort. <i>Scientific Reports</i> , 2018, 8, 15266.	1.6	68
128	Does the Width of the Bony Cochlear Nerve Canal Predict the Outcomes of Cochlear Implantation?. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	13
129	Electrical dynamic range is only weakly associated with auditory performance and speech recognition in long-term users of cochlear implants. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 111, 170-173.	0.4	7
130	Adenoidectomy May Not Be Effective to Reduce the Number of Hospital Visits for Sinusitis. <i>Journal of Korean Medical Science</i> , 2018, 33, e78.	1.1	5
131	Increased Risk of Sudden Sensory Neural Hearing Loss in Osteoporosis: A Longitudinal Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3103-3109.	1.8	14
132	Bidirectional association between gastroesophageal reflux disease and depression: Two different nested case-control studies using a national sample cohort. <i>Scientific Reports</i> , 2018, 8, 11748.	1.6	64
133	Effects of inhaled particulate matter on the central nervous system in mice. <i>NeuroToxicology</i> , 2018, 67, 169-177.	1.4	37
134	Active and passive smoking impacts on asthma with quantitative and temporal relations: A Korean Community Health Survey. <i>Scientific Reports</i> , 2018, 8, 8614.	1.6	25
135	Tonsillectomy increases the risk of retropharyngeal and parapharyngeal abscesses in adults, but not in children: A national cohort study. <i>PLoS ONE</i> , 2018, 13, e0193913.	1.1	10
136	Hearing impairment increases the risk of distal radius, hip, and spine fractures: A longitudinal follow-up study using a national sample cohort. <i>PLoS ONE</i> , 2018, 13, e0192820.	1.1	16
137	Lack of sleep is associated with internet use for leisure. <i>PLoS ONE</i> , 2018, 13, e0191713.	1.1	29
138	Tinnitus therapy using tailor-made notched music delivered via a smartphone application and Ginkgo combined treatment: A pilot study. <i>Auris Nasus Larynx</i> , 2017, 44, 528-533.	0.5	24
139	Impact of environmental volatile organic compounds on otitis media in children: Correlation between exposure and urinary metabolites. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 93, 157-162.	0.4	5
140	Characteristics of tinnitus in adolescents and association with psychoemotional factors. <i>Laryngoscope</i> , 2017, 127, 2113-2119.	1.1	19
141	Difference of Type 3 secretion system (T3SS) effector gene genotypes (exoU and exoS) and its implication to antibiotics resistances in isolates of <i>Pseudomonas aeruginosa</i> from chronic otitis media. <i>Auris Nasus Larynx</i> , 2017, 44, 258-265.	0.5	18
142	Optimal use of CT imaging in pediatric congenital cholesteatoma. <i>Auris Nasus Larynx</i> , 2017, 44, 266-271.	0.5	5
143	Clinical features of recurrence and osteoporotic changes in benign paroxysmal positional vertigo. <i>Auris Nasus Larynx</i> , 2017, 44, 156-161.	0.5	42
144	Active, passive, and electronic cigarette smoking is associated with asthma in adolescents. <i>Scientific Reports</i> , 2017, 7, 17789.	1.6	75

#	ARTICLE	IF	CITATIONS
145	The associations between internet use time and school performance among Korean adolescents differ according to the purpose of internet use. PLoS ONE, 2017, 12, e0174878.	1.1	37
146	Depression in breast cancer patients who have undergone mastectomy: A national cohort study. PLoS ONE, 2017, 12, e0175395.	1.1	42
147	Severe hearing impairment and risk of depression: A national cohort study. PLoS ONE, 2017, 12, e0179973.	1.1	57
148	Atopic dermatitis is associated with active and passive cigarette smoking in adolescents. PLoS ONE, 2017, 12, e0187453.	1.1	25
149	Discrepancy between self-assessed hearing status and measured audiometric evaluation. PLoS ONE, 2017, 12, e0182718.	1.1	47
150	Allergic rhinitis, atopic dermatitis, and asthma are associated with differences in school performance among Korean adolescents. PLoS ONE, 2017, 12, e0171394.	1.1	21
151	Analysis of the prevalence and associated factors of overactive bladder in adult Korean men. PLoS ONE, 2017, 12, e0175641.	1.1	14
152	Analysis of the prevalence of and factors associated with overactive bladder in adult Korean women. PLoS ONE, 2017, 12, e0185592.	1.1	13
153	High stress, lack of sleep, low school performance, and suicide attempts are associated with high energy drink intake in adolescents. PLoS ONE, 2017, 12, e0187759.	1.1	37
154	Clinical outcomes of single versus double blastocyst transfer in fresh and vitrified-warmed cycles. Clinical and Experimental Reproductive Medicine, 2016, 43, 164.	0.5	17
155	Identification of novel potential biomarkers and signaling pathways related to otitis media induced by diesel exhaust particle in in vivo system via transcriptomic analysis. Journal of Laryngology and Otology, 2016, 130, S190-S191.	0.4	0
156	Unraveling of Enigmatic Hearing-Impaired GJB2 Single Heterozygotes by Massive Parallel Sequencing. Medicine (United States), 2016, 95, e3029.	0.4	22
157	Dietary Habits Are Associated With School Performance in Adolescents. Medicine (United States), 2016, 95, e3096.	0.4	63
158	Functional characterization of a novel loss-of-function mutation of <i>PRPS1</i> related to early-onset progressive nonsyndromic hearing loss in Koreans (DFNX1): Potential implications on future therapeutic intervention. Journal of Gene Medicine, 2016, 18, 353-358.	1.4	9
159	Temporalis myofascial flap coverage for extrusion of internal device after cochlear implantation. International Journal of Pediatric Otorhinolaryngology, 2016, 91, 124-127.	0.4	7
160	Association Between Obesity and Falls Among Korean Adults. Medicine (United States), 2016, 95, e3130.	0.4	22
161	Olfactory Dysfunction Is Associated with the Intake of Macronutrients in Korean Adults. PLoS ONE, 2016, 11, e0164495.	1.1	29
162	Identification of Potential Novel Biomarkers and Signaling Pathways Related to Otitis Media Induced by Diesel Exhaust Particles Using Transcriptomic Analysis in an In Vivo System. PLoS ONE, 2016, 11, e0166044.	1.1	9

#	ARTICLE	IF	CITATIONS
163	Audiologic Patterns of Otic Capsule Preserving Temporal Bone Fracture: Effects of the Affected Subsites. <i>Clinical and Experimental Otorhinolaryngology</i> , 2016, 9, 206-211.	1.1	7
164	Strong founder effect of p.P240L in CDH23 in Koreans and its significant contribution to severe-to-profound nonsyndromic hearing loss in a Korean pediatric population. <i>Journal of Translational Medicine</i> , 2015, 13, 263.	1.8	20
165	A Smartphone-Based Automatic Diagnosis System for Facial Nerve Palsy. <i>Sensors</i> , 2015, 15, 26756-26768.	2.1	50
166	Whole-exome sequencing reveals diverse modes of inheritance in sporadic mild to moderate sensorineural hearing loss in a pediatric population. <i>Genetics in Medicine</i> , 2015, 17, 901-911.	1.1	45
167	CD70-expressing CD4 T cells produce IFN- $\gamma$ and IL-17 in rheumatoid arthritis. <i>Rheumatology</i> , 2014, 53, 1896-1900.	0.9	24
168	Nationwide COVID-19 vaccination coverage and COVID-19 incidence in South Korea, January 2022: a national official report. , 0, 2, .		10
169	Is the Number of Missing Teeth Associated With Mortality? A Longitudinal Study Using a National Health Screening Cohort. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	1