


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/592099/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical Characteristics of Coronavirus Disease 2019 in China. New England Journal of Medicine, 2020, 382, 1708-1720.	27.0	22,372
2	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically III Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1330.	7.4	1,855
3	Coagulopathy and Antiphospholipid Antibodies in Patients with Covid-19. New England Journal of Medicine, 2020, 382, e38.	27.0	1,824
4	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). Intensive Care Medicine, 2020, 46, 854-887.	8.2	1,536
5	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247.	8.2	1,503
6	Intensive care management of coronavirus disease 2019 (COVID-19): challenges and recommendations. Lancet Respiratory Medicine,the, 2020, 8, 506-517.	10.7	1,177
7	Evolution of Mortality over Time in Patients Receiving Mechanical Ventilation. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 220-230.	5.6	999
8	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, e1063-e1143.	0.9	927
9	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). Critical Care Medicine, 2020, 48, e440-e469.	0.9	816
10	A living WHO guideline on drugs for covid-19. BMJ, The, 2020, 370, m3379.	6.0	664
11	Critical care crisis and some recommendations during the COVID-19 epidemic in China. Intensive Care Medicine, 2020, 46, 837-840.	8.2	459
12	Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. JAMA - Journal of the American Medical Association, 2020, 323, 1478.	7.4	419
13	Resuscitation fluid use in critically ill adults: an international cross sectional study in 391 intensive care units. Critical Care, 2010, 14, R185.	5.8	337
14	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. Critical Care Medicine, 2021, 49, e219-e234.	0.9	289
15	Clinical Characteristics of Patients Who Died of Coronavirus Disease 2019 in China. JAMA Network Open, 2020, 3, e205619.	5.9	272
16	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, 1974-1982.	0.9	209
17	A comparison of different diagnostic criteria of acute kidney injury in critically ill patients. Critical Care, 2014, 18, R144.	5.8	204
18	Extended-spectrum beta-lactamase-producing Escherichia coli and Klebsiella pneumoniae bloodstream infection: risk factors and clinical outcome. Intensive Care Medicine, 2002, 28, 1718-1723.	8.2	185

#	Article	IF	CITATIONS
19	Does pulse pressure variation predict fluid responsiveness in critically ill patients? A systematic review and meta-analysis. Critical Care, 2014, 18, 650.	5.8	183
20	The world's major religions' points of viewon end-of-life decisionsin the intensive care unit. Intensive Care Medicine, 2008, 34, 423-430.	8.2	182
21	Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. BMJ: British Medical Journal, 2011, 342, d3245-d3245.	2.3	179
22	Severe hypercapnia and outcome of mechanically ventilated patients with moderate or severe acute respiratory distress syndrome. Intensive Care Medicine, 2017, 43, 200-208.	8.2	168
23	Corticosteroids in COVID-19 and non-COVID-19 ARDS: a systematic review and meta-analysis. Intensive Care Medicine, 2021, 47, 521-537.	8.2	148
24	Epidemiology and Outcome of Severe Sepsis and Septic Shock in Intensive Care Units in Mainland China. PLoS ONE, 2014, 9, e107181.	2.5	147
25	Clinical characteristics and outcomes of critically ill patients with novel coronavirus infectious disease (COVID-19) in China: a retrospective multicenter study. Intensive Care Medicine, 2020, 46, 1863-1872.	8.2	145
26	Intensive care during the coronavirus epidemic. Intensive Care Medicine, 2020, 46, 576-578.	8.2	139
27	Antiphospholipid Antibodies in Critically III Patients With COVIDâ€19. Arthritis and Rheumatology, 2020, 72, 1998-2004.	5.6	135
28	How the COVID-19 pandemic will change the future of critical care. Intensive Care Medicine, 2021, 47, 282-291.	8.2	132
29	Expert consensus statements for the management of COVID-19-related acute respiratory failure using a Delphi method. Critical Care, 2021, 25, 106.	5.8	121
30	Sepsis-related mortality in China: a descriptive analysis. Intensive Care Medicine, 2018, 44, 1071-1080.	8.2	102
31	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. PLoS ONE, 2017, 12, e0176292.	2.5	95
32	Hospitalized adult patients with 2009 influenza A(H1N1) in Beijing, China: risk factors for hospital mortality. BMC Infectious Diseases, 2010, 10, 256.	2.9	88
33	Clinicopathological Features and Outcomes of Acute Kidney Injury in Critically Ill COVID-19 with Prolonged Disease Course: A Retrospective Cohort. Journal of the American Society of Nephrology: JASN, 2020, 31, 2205-2221.	6.1	86
34	Clinical review: Critical care medicine in mainland China. Critical Care, 2010, 14, 206.	5.8	81
35	Metagenomic next-generation sequencing for the diagnosis of suspected pneumonia in immunocompromised patients. Journal of Infection, 2021, 82, 22-27.	3.3	77
36	A living WHO guideline on drugs to prevent covid-19. BMJ, The, 2021, 372, n526.	6.0	73

#	Article	IF	CITATIONS
37	Gastrointestinal bleeding prophylaxis for critically ill patients: a clinical practice guideline. BMJ, The, 2020, 368, 16722.	6.0	70
38	A global perspective on vasoactive agents in shock. Intensive Care Medicine, 2018, 44, 833-846.	8.2	69
39	Stress ulcer prophylaxis in intensive care unit patients receiving enteral nutrition: a systematic review and meta-analysis. Critical Care, 2018, 22, 20.	5.8	67
40	Procalcitonin-guided antibiotic therapy in intensive care unit patients: a systematic review and meta-analysis. Annals of Intensive Care, 2017, 7, 114.	4.6	66
41	The prognostic value of left ventricular systolic function measured by tissue Doppler imaging in septic shock. Critical Care, 2012, 16, R71.	5.8	65
42	Characteristics of Critically III Patients in ICUs in Mainland China*. Critical Care Medicine, 2013, 41, 84-92.	0.9	63
43	A simple nomogram for predicting failure of non-invasive respiratory strategies in adults with COVID-19: a retrospective multicentre study. The Lancet Digital Health, 2021, 3, e166-e174.	12.3	63
44	Population-Based Epidemiology of Sepsis in a Subdistrict of Beijing. Critical Care Medicine, 2017, 45, 1168-1176.	0.9	60
45	Access to urban acute care services in high- vs. middle-income countries: an analysis of seven cities. Intensive Care Medicine, 2014, 40, 342-352.	8.2	57
46	Structure, Organization, and Delivery of Critical Care in Asian ICUs*. Critical Care Medicine, 2016, 44, e940-e948.	0.9	55
47	Management and outcome of mechanically ventilated patients after cardiac arrest. Critical Care, 2015, 19, 215.	5.8	54
48	Association between ventilatory settings and development of acute respiratory distress syndrome in mechanically ventilated patients due to brain injury. Journal of Critical Care, 2017, 38, 341-345.	2.2	54
49	Corticosteroid Therapy Is Associated With Improved Outcome in Critically Ill Patients With COVID-19 With Hyperinflammatory Phenotype. Chest, 2021, 159, 1793-1802.	0.8	51
50	Self-Reported Use of Personal Protective Equipment among Chinese Critical Care Clinicians during 2009 H1N1 Influenza Pandemic. PLoS ONE, 2012, 7, e44723.	2.5	51
51	Attitudes towards ethical problems in critical care medicine: the Chinese perspective. Intensive Care Medicine, 2011, 37, 655-664.	8.2	50
52	Video Laryngoscopy for Endotracheal Intubation of Critically Ill Adults. Chest, 2017, 152, 510-517.	0.8	49
53	Epidemiology of acute kidney injury in intensive care units in Beijing: the multi-center BAKIT study. BMC Nephrology, 2019, 20, 468.	1.8	45
54	Inter-country variability over time in the mortality of mechanically ventilated patients. Intensive Care Medicine, 2020, 46, 444-453.	8.2	39

#	Article	IF	CITATIONS
55	Current epidemiology of sepsis in mainland China. Annals of Translational Medicine, 2016, 4, 324-324.	1.7	37
56	The Durban World Congress Ethics Round Table Conference Report: I. Differences between withholding and withdrawing life-sustaining treatments. Journal of Critical Care, 2014, 29, 890-895.	2.2	35
57	Use of noninvasive ventilation in immunocompromised patients with acute respiratory failure: a systematic review and meta-analysis. Critical Care, 2017, 21, 4.	5.8	35
58	Does training improve diagnostic accuracy and inter-rater agreement in applying the Berlin radiographic definition of acute respiratory distress syndrome? A multicenter prospective study. Critical Care, 2017, 21, 12.	5.8	35
59	Positive End-Expiratory Pressure Effect of 3 High-Flow Nasal Cannula Devices. Respiratory Care, 2017, 62, 888-895.	1.6	35
60	Restriction of third-generation cephalosporin use decreases infection-related mortality. Critical Care Medicine, 2003, 31, 1088-1093.	0.9	34
61	Dermatomyositis and Polymyositis in the Intensive Care Unit: A Single-Center Retrospective Cohort Study of 102 Patients. PLoS ONE, 2016, 11, e0154441.	2.5	34
62	The Durban World Congress Ethics Round Table Conference Report: III. Withdrawing Mechanical ventilation—the approach should be individualized. Journal of Critical Care, 2014, 29, 902-907.	2.2	32
63	Weaning critically ill patients from mechanical ventilation: A prospective cohort study. Journal of Critical Care, 2015, 30, 862.e7-862.e13.	2.2	31
64	High-flow oxygen therapy in immunocompromised patients with acute respiratory failure: A review and meta-analysis. Journal of Critical Care, 2018, 43, 300-305.	2.2	31
65	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. Trials, 2020, 21, 734.	1.6	30
66	Machine Learning Prediction Models for Mechanically Ventilated Patients: Analyses of the MIMIC-III Database. Frontiers in Medicine, 2021, 8, 662340.	2.6	29
67	Knowledge and attitudes of healthcare workers in Chinese intensive care units regarding 2009 H1N1 influenza pandemic. BMC Infectious Diseases, 2011, 11, 24.	2.9	27
68	Terlipressin for septic shock patients: a meta-analysis of randomized controlled study. Journal of Intensive Care, 2019, 7, 16.	2.9	27
69	Could remifentanil reduce duration of mechanical ventilation in comparison with other opioids for mechanically ventilated patients? A systematic review and meta-analysis. Critical Care, 2017, 21, 206.	5.8	26
70	Clinical Characteristics and Outcomes of Patients With Severe COVID-19 Induced Acute Kidney Injury. Journal of Intensive Care Medicine, 2021, 36, 319-326.	2.8	26
71	Effects of high-flow oxygen therapy on patients with hypoxemia after extubation and predictors of reintubation: a retrospective study based on the MIMIC-IV database. BMC Pulmonary Medicine, 2021, 21, 160.	2.0	26
72	Practice of sedation and the perception of discomfort during mechanical ventilation in Chinese intensive care units. Journal of Critical Care, 2010, 25, 451-457.	2.2	25

#	Article	IF	CITATIONS
73	Prognostic factors for severe Pneumocystis jiroveci pneumonia of non-HIV patients in intensive care unit: a bicentric retrospective study. BMC Infectious Diseases, 2016, 16, 528.	2.9	24
74	Usefulness of qSOFA and SIRS scores for detection of incipient sepsis in general ward patients: A prospective cohort study. Journal of Critical Care, 2019, 51, 13-18.	2.2	22
75	Serum procalcitonin and interleukin-6 levels may help to differentiate systemic inflammatory response of infectious and non-infectious origin. Chinese Medical Journal, 2003, 116, 538-42.	2.3	22
76	Sources of Heterogeneity in Trials Reporting Hydroxyethyl Starch 130/0.4 or 0.42 Associated Excess Mortality in Septic Patients. Chinese Medical Journal, 2015, 128, 2374-2382.	2.3	21
77	The effect of thymosin α1 on mortality of critical COVID-19 patients: A multicenter retrospective study. International Immunopharmacology, 2021, 90, 107143.	3.8	21
78	Epidemiology, Management, and Outcomes of Sepsis in ICUs among Countries of Differing National Wealth across Asia. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 1107-1116.	5.6	21
79	Effect of a quality improvement program on weaning from mechanical ventilation: a cluster randomized trial. Intensive Care Medicine, 2015, 41, 1781-1790.	8.2	20
80	Meningitis in a Chinese adult patient caused by Mycoplasma hominis: a rare infection and literature review. BMC Infectious Diseases, 2016, 16, 557.	2.9	18
81	Underlying renal insufficiency: the pivotal risk factor for Pneumocystis jirovecii pneumonia in immunosuppressed patients with non-transplant glomerular disease. International Urology and Nephrology, 2016, 48, 1863-1871.	1.4	18
82	Lung protective ventilation in patients undergoing major surgery: a systematic review incorporating a Bayesian approach. BMJ Open, 2015, 5, e007473.	1.9	17
83	Body-mass index and long-term risk of sepsis-related mortality: a population-based cohort study of 0.5 million Chinese adults. Critical Care, 2020, 24, 534.	5.8	17
84	Evolution Over Time of Ventilatory Management and Outcome of Patients With Neurologic Disease*. Critical Care Medicine, 2021, 49, 1095-1106.	0.9	17
85	Delayed Initiation of ECMO Is Associated With Poor Outcomes in Patients With Severe COVID-19: A Multicenter Retrospective Cohort Study. Frontiers in Medicine, 2021, 8, 716086.	2.6	17
86	Consensus development of core competencies in intensive and critical care medicine training in China. Critical Care, 2016, 20, 330.	5.8	16
87	Epidemiology of Sepsis-3 in a sub-district of Beijing. Chinese Medical Journal, 2019, 132, 2039-2045.	2.3	16
88	Efficacy and Safety of Ceftazidime-Avibactam for the Treatment of Carbapenem-Resistant <i>Enterobacterales</i> Bloodstream Infection: a Systematic Review and Meta-Analysis. Microbiology Spectrum, 2022, 10, e0260321.	3.0	16
89	Value of Kidney Disease Improving Global Outcomes Urine Output Criteria in Critically III Patients. Chinese Medical Journal, 2016, 129, 2050-2057.	2.3	15
90	Accuracy of qSOFA for the diagnosis of sepsis-3: a secondary analysis of a population-based cohort study. Journal of Thoracic Disease, 2019, 11, 2034-2042.	1.4	15

#	Article	IF	CITATIONS
91	Association between the modified Nutrition Risk in Critically III (mNUTRIC) score and clinical outcomes in the intensive care unit: a secondary analysis of a large prospective observational study. BMC Anesthesiology, 2021, 21, 220.	1.8	15
92	The Prevalence, Risk Factors, and Outcomes of Sepsis in Critically Ill Patients in China: A Multicenter Prospective Cohort Study. Frontiers in Medicine, 2020, 7, 593808.	2.6	14
93	Prevalence, risk factors, clinical course, and outcome of acute kidney injury in Chinese intensive care units: a prospective cohort study. Chinese Medical Journal, 2013, 126, 4409-16.	2.3	13
94	Changes of central venous oxygen saturation define fluid responsiveness in patients with septic shock: A prospective observational study. Journal of Critical Care, 2017, 38, 13-19.	2.2	12
95	External validity of Adult Sepsis Event's simplified eSOFA criteria: a retrospective analysis of patients with confirmed infection in China. Annals of Intensive Care, 2020, 10, 14.	4.6	12
96	ADJunctive Ulinastatin in Sepsis Treatment in China (ADJUST study): study protocol for a randomized controlled trial. Trials, 2018, 19, 133.	1.6	11
97	White paper: statement on conflicts of interest. Intensive Care Medicine, 2018, 44, 1657-1668.	8.2	10
98	Active Surveillance of Carbapenemase-Producing Organisms (CPO) Colonization With Xpert Carba-R Assay Plus Positive Patient Isolation Proves to Be Effective in CPO Containment. Frontiers in Cellular and Infection Microbiology, 2019, 9, 162.	3.9	10
99	Machine learning predicts mortality based on analysis of ventilation parameters of critically ill patients: multi-centre validation. BMC Medical Informatics and Decision Making, 2021, 21, 152.	3.0	10
100	Conservative oxygen therapy for critically ill patients: a meta-analysis of randomized controlled trials. Journal of Intensive Care, 2021, 9, 47.	2.9	10
101	The story of critical care in Asia: a narrative review. Journal of Intensive Care, 2021, 9, 60.	2.9	10
102	Place of death and phenomenon of going home to die in Chinese adults: A prospective cohort study. The Lancet Regional Health - Western Pacific, 2022, 18, 100301.	2.9	10
103	Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. Lancet Infectious Diseases, The, 2022, 22, e74-e87.	9.1	10
104	Sepsis-related stress response: known knowns, known unknowns, and unknown unknowns. Critical Care, 2010, 14, 179.	5.8	9
105	An international comparison of the cost of fluid resuscitation therapies. Australian Critical Care, 2021, 34, 23-32.	1.3	9
106	Acute pancreatitis associated with hemorrhagic fever with renal syndrome: a cohort study of 346 patients. BMC Infectious Diseases, 2021, 21, 267.	2.9	9
107	Amikacin nebulization for the adjunctive therapy of gram-negative pneumonia in mechanically ventilated patients: a systematic review and meta-analysis of randomized controlled trials. Scientific Reports, 2021, 11, 6969.	3.3	9
108	Dose–response association between fluid overload and in-hospital mortality in critically ill patients: a multicentre, prospective, observational cohort study. BMJ Open, 2020, 10, e039875.	1.9	9

#	Article	IF	CITATIONS
109	Left Ventricular Systolic Function and Systolic Asynchrony in Patients With Septic Shock and Normal Left Ventricular Ejection Fraction. Shock, 2013, 40, 175-181.	2.1	8
110	Easy prognostic assessment of concomitant organ failure in critically ill patients undergoing mechanical ventilation. European Journal of Internal Medicine, 2019, 70, 18-23.	2.2	8
111	Retrospective Study of Critically III COVID-19 Patients With and Without Extracorporeal Membrane Oxygenation Support in Wuhan, China. Frontiers in Medicine, 2021, 8, 659793.	2.6	8
112	The predictive value of the Oxford Acute Severity of Illness Score for clinical outcomes in patients with acute kidney injury. Renal Failure, 2022, 44, 320-328.	2.1	8
113	Comparison of Space Glucose Control and Routine Glucose Management Protocol for Glycemic Control in Critically III Patients. Chinese Medical Journal, 2017, 130, 2041-2049.	2.3	7
114	Intravenous Immunoglobulin Therapy for Critically Ill COVID-19 Patients With Different Inflammatory Phenotypes: A Multicenter, Retrospective Study. Frontiers in Immunology, 2021, 12, 738532.	4.8	7
115	Lung-protective ventilation during one-lung ventilation: known knowns, and known unknowns. Journal of Thoracic Disease, 2019, 11, S237-S240.	1.4	6
116	Assessment of Melatonergics in Prevention of Delirium: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2020, 11, 198.	2.4	6
117	Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. Annals of the American Thoracic Society, 2021, 18, 1352-1359.	3.2	6
118	Efficacy and Safety of SARS-CoV-2 Neutralizing Antibody JS016 in Hospitalized Chinese Patients with COVID-19: a Phase 2/3, Multicenter, Randomized, Open-Label, Controlled Trial. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0204521.	3.2	6
119	Association of annual hospital septic shock case volume and hospital mortality. Critical Care, 2022, 26, .	5.8	6
120	Critical care research in mainland China: more needed on the international stage. Intensive Care Medicine, 2013, 39, 768-770.	8.2	5
121	Effect of timing of renal replacement therapy on outcomes of critically ill patients in the intensive care unit. Nephrology, 2018, 23, 405-410.	1.6	5
122	Driving Pressure Is a Risk Factor for ARDS in Mechanically Ventilated Subjects Without ARDS. Respiratory Care, 2021, 66, 1505-1513.	1.6	5
123	Peace, not war in Ukraine or anywhere else, please. Anaesthesia, Critical Care & Pain Medicine, 2022, 41, 101068.	1.4	5
124	Avian influenza A (H7N9) infections: Intensivists as virus hunters in the new century. Journal of Critical Care, 2013, 28, 528-530.	2.2	4
125	Lung-protective Ventilation in Patients with Brain Injury. Chinese Medical Journal, 2016, 129, 1643-1651.	2.3	4
126	Study protocol for a multicentre, randomised, controlled trial to assess the effectiveness of antimicrobial central venous catheters versus ordinary central venous catheters at reducing catheter related infections in critically ill Chinese patients. BMJ Open, 2017, 7, e016564.	1.9	4

#	Article	IF	CITATIONS
127	Systemic inflammatory response syndrome, sequential organ failure assessment, and quick sequential organ failure assessment: more pieces needed in the sepsis puzzle. Journal of Thoracic Disease, 2017, 9, 452-454.	1.4	4
128	Echinocandins for Pneumocystis jirovecii pneumonia in non‑HIV patients: A case report. Experimental and Therapeutic Medicine, 2018, 16, 3227-3232.	1.8	4
129	Exposure-Response Modeling to Support Dosing Selection for Phase IIb Development of Kukoamine B in Sepsis Patients. Frontiers in Pharmacology, 2021, 12, 645130.	3.5	4
130	Learning for the next pandemic: the Wuhan experience of managing critically ill people. BMJ, The, 2021, 375, e066090.	6.0	4
131	Should cost considerations be included in medical decisions? No. Intensive Care Medicine, 2015, 41, 1841-1843.	8.2	3
132	Pragmatic studies for acute kidney injury: Consensus report of the Acute Disease Quality Initiative (ADQI) 19 Workgroup. Journal of Critical Care, 2018, 44, 337-344.	2.2	3
133	Assessment of melatonergics in prevention of delirium in critically ill patients. Medicine (United) Tj ETQq1 1 0.784	1314 rgBT 1.0	/gverlock 1
134	4â€^+â€^4 medical education: a word of caution. Lancet, The, 2020, 395, 688.	13.7	3
135	Critical care after the COVID-19 outbreak in China: lessons and renaissance. Intensive Care Medicine, 2021, 47, 1017-1020.	8.2	3
136	The cuff leak test in critically ill patients: An international survey of intensivists. Acta Anaesthesiologica Scandinavica, 2021, 65, 1087-1094.	1.6	3
137	Association of fluid balance trajectories with clinical outcomes in patients with septic shock: a prospective multicenter cohort study. Military Medical Research, 2021, 8, 40.	3.4	3
138	Evaluation of Positive End-Expiratory Pressure Strategies in Patients With Coronavirus Disease 2019–Induced Acute Respiratory Distress Syndrome. Frontiers in Medicine, 2021, 8, 637747.	2.6	3
139	Clinical characteristics and outcomes of critically ill patients with coronavirus disease 2019 with hypotension in China: a retrospective cohort study. Annals of Palliative Medicine, 2021, 10, 8536-8546.	1.2	3
140	Clinical Characteristics and Prognoses of Patients With Systemic Lupus Erythematosus Hospitalized for Pulmonary Infections. Frontiers in Medicine, 2021, 8, 732681.	2.6	3
141	Pulse oximetry waveform: A non-invasive physiological predictor for the return of spontaneous circulation in cardiac arrest patients A multicenter, prospective observational study. Resuscitation, 2021, 169, 189-197.	3.0	3
142	A Retrospective Paired Comparison Between Untargeted Next Generation Sequencing and Conventional Microbiology Tests With Wisely Chosen Metagenomic Sequencing Positive Criteria. Frontiers in Medicine, 2021, 8, 686247.	2.6	3
143	Establishment and Implementation of Potential Fluid Therapy Balance Strategies for ICU Sepsis Patients Based on Reinforcement Learning. Frontiers in Medicine, 2022, 9, 766447.	2.6	3
144	Etiologies and outcomes of rheumatology patients with acute respiratory failure requiring intensive care: a single-center medical records review study of 259 patients. Clinical Rheumatology, 2020, 39, 3479-3488.	2.2	2

#	Article	IF	CITATIONS
145	Assessment of Chinese medicine for coronavirus-related pneumonia. Medicine (United States), 2020, 99, e20613.	1.0	2
146	COVID-19. Stem Cell Research, 2021, 55, 102468.	0.7	2
147	N-terminal pro-B-type natriuretic peptide for predicting fluid challenge in patients with septic shock. Annals of Translational Medicine, 2019, 7, 264-264.	1.7	2
148	Multicenter International Cohort Validation of a Modified Sequential Organ Failure Assessment Score Using the Richmond Agitation-sedation Scale. Annals of Surgery, 2020, Publish Ahead of Print, .	4.2	2
149	Fixed dosing of kukoamine B in sepsis patients: Results from population pharmacokinetic modelling and simulation. British Journal of Clinical Pharmacology, 2022, 88, 4111-4120.	2.4	2
150	Treatment of Sepsis-Related Organ Dysfunction. JAMA - Journal of the American Medical Association, 2012, 308, 1206.	7.4	1
151	Lung protective ventilation in patients undergoing major surgery: a systematic review protocol. BMJ Open, 2014, 4, e004542.	1.9	1
152	Critical Care Resources in Mainland China. Critical Care Medicine, 2017, 45, 2113-2114.	0.9	1
153	Propensity-Adjusted Comparison of Mortality of Elderly Versus Very Elderly Ventilated Patients. Respiratory Care, 2021, 66, 814-821.	1.6	1
154	Feasibility and efficacy of modified fixed citrate concentration protocol using only commercial preparations in critically ill patients: a prospective cohort study with a historical control group. BMC Anesthesiology, 2021, 21, 96.	1.8	1
155	International Critical Care—From an Indulgence of the Best-Funded Healthcare Systems to a Core Need for the Provision of Equitable Care. Critical Care Medicine, 2021, 49, 1589-1605.	0.9	1
156	A Multidisciplinary Approach Is Key to the Development of Critical Care Medicine in Mainland China. Chest, 2014, 145, 1433.	0.8	0
157	Response. Chest, 2017, 152, 902-903.	0.8	0
158	Response. Chest, 2018, 153, 283-284.	0.8	0
159	Protocol for an international, multicentre, prospective, observational study of nosocomial pneumonia in intensive care units: the PneumolNSPIRE study. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 59-66.	0.1	0
160	Predictive value of change in effective arterial elastance in norepinephrine weaning: a retrospective study. Annals of Palliative Medicine, 2021, 10, 6325-6335.	1.2	0
161	The Role of Serum Procalcitonin and Interleukin-6 in the Differentiation and Surveillance of Sepsis and Non-Infectious Systemic Inflammatory Response Syndrome Blood, 2004, 104, 3792-3792.	1.4	0
162	Red cell distribution width: the crystal ball in the hands of intensivists?. Journal of Thoracic Disease, 2014, 6, 64-5.	1.4	0

#	Article	IF	CITATIONS
163	Clinical features and mortality-related factors of extensive burns among young adults: the Kunshan disaster experience. Annals of Translational Medicine, 2020, 8, 1053.	1.7	Ο
164	Utilizing reclassification toâ€,exploreâ€,characteristics and prognosis of KDIGOSCr AKI subgroups: a retrospective analysis of a multicenter prospective cohort study. Renal Failure, 2021, 43, 1569-1576.	2.1	0