


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/592099/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Place of death and phenomenon of going home to die in Chinese adults: A prospective cohort study. The Lancet Regional Health - Western Pacific, 2022, 18, 100301.	2.9	10
2	Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. Lancet Infectious Diseases, The, 2022, 22, e74-e87.	9.1	10
3	The predictive value of the Oxford Acute Severity of Illness Score for clinical outcomes in patients with acute kidney injury. Renal Failure, 2022, 44, 320-328.	2.1	8
4	Efficacy and Safety of SARS-CoV-2 Neutralizing Antibody JS016 in Hospitalized Chinese Patients with COVID-19: a Phase 2/3, Multicenter, Randomized, Open-Label, Controlled Trial. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0204521.	3.2	6
5	Efficacy and Safety of Ceftazidime-Avibactam for the Treatment of Carbapenem-Resistant <i>Enterobacterales</i> Bloodstream Infection: a Systematic Review and Meta-Analysis. Microbiology Spectrum, 2022, 10, e0260321.	3.0	16
6	Fixed dosing of kukoamine B in sepsis patients: Results from population pharmacokinetic modelling and simulation. British Journal of Clinical Pharmacology, 2022, 88, 4111-4120.	2.4	2
7	Establishment and Implementation of Potential Fluid Therapy Balance Strategies for ICU Sepsis Patients Based on Reinforcement Learning. Frontiers in Medicine, 2022, 9, 766447.	2.6	3
8	Peace, not war in Ukraine or anywhere else, please. Anaesthesia, Critical Care & Pain Medicine, 2022, 41, 101068.	1.4	5
9	Association of annual hospital septic shock case volume and hospital mortality. Critical Care, 2022, 26, .	5.8	6
10	Epidemiology, Management, and Outcomes of Sepsis in ICUs among Countries of Differing National Wealth across Asia. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 1107-1116.	5.6	21
11	An international comparison of the cost of fluid resuscitation therapies. Australian Critical Care, 2021, 34, 23-32.	1.3	9
12	Clinical Characteristics and Outcomes of Patients With Severe COVID-19 Induced Acute Kidney Injury. Journal of Intensive Care Medicine, 2021, 36, 319-326.	2.8	26
13	The effect of thymosin α1 on mortality of critical COVID-19 patients: A multicenter retrospective study. International Immunopharmacology, 2021, 90, 107143.	3.8	21
14	Corticosteroid Therapy Is Associated With Improved Outcome in Critically III Patients With COVID-19 With Hyperinflammatory Phenotype. Chest, 2021, 159, 1793-1802.	0.8	51
15	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. Critical Care Medicine, 2021, 49, e219-e234.	0.9	289
16	Evolution Over Time of Ventilatory Management and Outcome of Patients With Neurologic Disease*. Critical Care Medicine, 2021, 49, 1095-1106.	0.9	17
17	Expert consensus statements for the management of COVID-19-related acute respiratory failure using a Delphi method. Critical Care, 2021, 25, 106.	5.8	121
18	Propensity-Adjusted Comparison of Mortality of Elderly Versus Very Elderly Ventilated Patients. Respiratory Care, 2021, 66, 814-821.	1.6	1

#	Article	IF	CITATIONS
19	Feasibility and efficacy of modified fixed citrate concentration protocol using only commercial preparations in critically ill patients: a prospective cohort study with a historical control group. BMC Anesthesiology, 2021, 21, 96.	1.8	1
20	Protocol for an international, multicentre, prospective, observational study of nosocomial pneumonia in intensive care units: the PneumoINSPIRE study. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 59-66.	0.1	0
21	Acute pancreatitis associated with hemorrhagic fever with renal syndrome: a cohort study of 346 patients. BMC Infectious Diseases, 2021, 21, 267.	2.9	9
22	Amikacin nebulization for the adjunctive therapy of gram-negative pneumonia in mechanically ventilated patients: a systematic review and meta-analysis of randomized controlled trials. Scientific Reports, 2021, 11, 6969.	3.3	9
23	A simple nomogram for predicting failure of non-invasive respiratory strategies in adults with COVID-19: a retrospective multicentre study. The Lancet Digital Health, 2021, 3, e166-e174.	12.3	63
24	A living WHO guideline on drugs to prevent covid-19. BMJ, The, 2021, 372, n526.	6.0	73
25	How the COVID-19 pandemic will change the future of critical care. Intensive Care Medicine, 2021, 47, 282-291.	8.2	132
26	Metagenomic next-generation sequencing for the diagnosis of suspected pneumonia in immunocompromised patients. Journal of Infection, 2021, 82, 22-27.	3.3	77
27	Exposure-Response Modeling to Support Dosing Selection for Phase IIb Development of Kukoamine B in Sepsis Patients. Frontiers in Pharmacology, 2021, 12, 645130.	3.5	4
28	Corticosteroids in COVID-19 and non-COVID-19 ARDS: a systematic review and meta-analysis. Intensive Care Medicine, 2021, 47, 521-537.	8.2	148
29	Machine learning predicts mortality based on analysis of ventilation parameters of critically ill patients: multi-centre validation. BMC Medical Informatics and Decision Making, 2021, 21, 152.	3.0	10
30	Effects of high-flow oxygen therapy on patients with hypoxemia after extubation and predictors of reintubation: a retrospective study based on the MIMIC-IV database. BMC Pulmonary Medicine, 2021, 21, 160.	2.0	26
31	Critical care after the COVID-19 outbreak in China: lessons and renaissance. Intensive Care Medicine, 2021, 47, 1017-1020.	8.2	3
32	Predictive value of change in effective arterial elastance in norepinephrine weaning: a retrospective study. Annals of Palliative Medicine, 2021, 10, 6325-6335.	1.2	0
33	The cuff leak test in critically ill patients: An international survey of intensivists. Acta Anaesthesiologica Scandinavica, 2021, 65, 1087-1094.	1.6	3
34	Association of fluid balance trajectories with clinical outcomes in patients with septic shock: a prospective multicenter cohort study. Military Medical Research, 2021, 8, 40.	3.4	3
35	Conservative oxygen therapy for critically ill patients: a meta-analysis of randomized controlled trials. Journal of Intensive Care, 2021, 9, 47.	2.9	10
36	Evaluation of Positive End-Expiratory Pressure Strategies in Patients With Coronavirus Disease 2019–Induced Acute Respiratory Distress Syndrome. Frontiers in Medicine, 2021, 8, 637747.	2.6	3

#	Article	IF	CITATIONS
37	Machine Learning Prediction Models for Mechanically Ventilated Patients: Analyses of the MIMIC-III Database. Frontiers in Medicine, 2021, 8, 662340.	2.6	29
38	International Critical Care—From an Indulgence of the Best-Funded Healthcare Systems to a Core Need for the Provision of Equitable Care. Critical Care Medicine, 2021, 49, 1589-1605.	0.9	1
39	COVID-19. Stem Cell Research, 2021, 55, 102468.	0.7	2
40	Clinical characteristics and outcomes of critically ill patients with coronavirus disease 2019 with hypotension in China: a retrospective cohort study. Annals of Palliative Medicine, 2021, 10, 8536-8546.	1.2	3
41	Driving Pressure Is a Risk Factor for ARDS in Mechanically Ventilated Subjects Without ARDS. Respiratory Care, 2021, 66, 1505-1513.	1.6	5
42	Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. Annals of the American Thoracic Society, 2021, 18, 1352-1359.	3.2	6
43	Association between the modified Nutrition Risk in Critically III (mNUTRIC) score and clinical outcomes in the intensive care unit: a secondary analysis of a large prospective observational study. BMC Anesthesiology, 2021, 21, 220.	1.8	15
44	Clinical Characteristics and Prognoses of Patients With Systemic Lupus Erythematosus Hospitalized for Pulmonary Infections. Frontiers in Medicine, 2021, 8, 732681.	2.6	3
45	Delayed Initiation of ECMO Is Associated With Poor Outcomes in Patients With Severe COVID-19: A Multicenter Retrospective Cohort Study. Frontiers in Medicine, 2021, 8, 716086.	2.6	17
46	Retrospective Study of Critically Ill COVID-19 Patients With and Without Extracorporeal Membrane Oxygenation Support in Wuhan, China. Frontiers in Medicine, 2021, 8, 659793.	2.6	8
47	Pulse oximetry waveform: A non-invasive physiological predictor for the return of spontaneous circulation in cardiac arrest patients A multicenter, prospective observational study. Resuscitation, 2021, 169, 189-197.	3.0	3
48	The story of critical care in Asia: a narrative review. Journal of Intensive Care, 2021, 9, 60.	2.9	10
49	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, e1063-e1143.	0.9	927
50	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, 1974-1982.	0.9	209
51	A Retrospective Paired Comparison Between Untargeted Next Generation Sequencing and Conventional Microbiology Tests With Wisely Chosen Metagenomic Sequencing Positive Criteria. Frontiers in Medicine, 2021, 8, 686247.	2.6	3
52	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247.	8.2	1,503
53	Learning for the next pandemic: the Wuhan experience of managing critically ill people. BMJ, The, 2021, 375, e066090.	6.0	4
54	Utilizing reclassification toâ€,exploreâ€,characteristics and prognosis of KDIGOSCr AKI subgroups: a retrospective analysis of a multicenter prospective cohort study. Renal Failure, 2021, 43, 1569-1576.	2.1	0

#	Article	IF	CITATIONS
55	Intravenous Immunoglobulin Therapy for Critically Ill COVID-19 Patients With Different Inflammatory Phenotypes: A Multicenter, Retrospective Study. Frontiers in Immunology, 2021, 12, 738532.	4.8	7

Assessment of melatonergics in prevention of delirium in critically ill patients. Medicine (United) Tj ETQq0 0 0 rgBT loverlock 10 Tf 50 70

57	Inter-country variability over time in the mortality of mechanically ventilated patients. Intensive Care Medicine, 2020, 46, 444-453.	8.2	39
58	Gastrointestinal bleeding prophylaxis for critically ill patients: a clinical practice guideline. BMJ, The, 2020, 368, l6722.	6.0	70
59	Body-mass index and long-term risk of sepsis-related mortality: a population-based cohort study of 0.5 million Chinese adults. Critical Care, 2020, 24, 534.	5.8	17
60	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically III Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1330.	7.4	1,855
61	A living WHO guideline on drugs for covid-19. BMJ, The, 2020, 370, m3379.	6.0	664
62	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. Trials, 2020, 21, 734.	1.6	30
63	Clinical characteristics and outcomes of critically ill patients with novel coronavirus infectious disease (COVID-19) in China: a retrospective multicenter study. Intensive Care Medicine, 2020, 46, 1863-1872.	8.2	145
64	Clinicopathological Features and Outcomes of Acute Kidney Injury in Critically III COVID-19 with Prolonged Disease Course: A Retrospective Cohort. Journal of the American Society of Nephrology: JASN, 2020, 31, 2205-2221.	6.1	86
65	The Prevalence, Risk Factors, and Outcomes of Sepsis in Critically III Patients in China: A Multicenter Prospective Cohort Study. Frontiers in Medicine, 2020, 7, 593808.	2.6	14
66	Etiologies and outcomes of rheumatology patients with acute respiratory failure requiring intensive care: a single-center medical records review study of 259 patients. Clinical Rheumatology, 2020, 39, 3479-3488.	2.2	2
67	Assessment of Chinese medicine for coronavirus-related pneumonia. Medicine (United States), 2020, 99, e20613.	1.0	2
68	Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. JAMA - Journal of the American Medical Association, 2020, 323, 1478.	7.4	419
69	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). Intensive Care Medicine, 2020, 46, 854-887.	8.2	1,536
70	Antiphospholipid Antibodies in Critically III Patients With COVIDâ€19. Arthritis and Rheumatology, 2020, 72, 1998-2004.	5.6	135
71	External validity of Adult Sepsis Event's simplified eSOFA criteria: a retrospective analysis of patients with confirmed infection in China. Annals of Intensive Care, 2020, 10, 14.	4.6	12
72	4â€^+â€^4 medical education: a word of caution. Lancet, The, 2020, 395, 688.	13.7	3

#	Article	IF	CITATIONS
73	Intensive care during the coronavirus epidemic. Intensive Care Medicine, 2020, 46, 576-578.	8.2	139
74	Clinical Characteristics of Coronavirus Disease 2019 in China. New England Journal of Medicine, 2020, 382, 1708-1720.	27.0	22,372
75	Critical care crisis and some recommendations during the COVID-19 epidemic in China. Intensive Care Medicine, 2020, 46, 837-840.	8.2	459
76	Clinical Characteristics of Patients Who Died of Coronavirus Disease 2019 in China. JAMA Network Open, 2020, 3, e205619.	5.9	272
77	Intensive care management of coronavirus disease 2019 (COVID-19): challenges and recommendations. Lancet Respiratory Medicine,the, 2020, 8, 506-517.	10.7	1,177
78	Coagulopathy and Antiphospholipid Antibodies in Patients with Covid-19. New England Journal of Medicine, 2020, 382, e38.	27.0	1,824
79	Assessment of Melatonergics in Prevention of Delirium: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2020, 11, 198.	2.4	6
80	Surviving Sepsis Campaign: Guidelines on the Management of Critically III Adults with Coronavirus Disease 2019 (COVID-19). Critical Care Medicine, 2020, 48, e440-e469.	0.9	816
81	Dose–response association between fluid overload and in-hospital mortality in critically ill patients: a multicentre, prospective, observational cohort study. BMJ Open, 2020, 10, e039875.	1.9	9
82	Multicenter International Cohort Validation of a Modified Sequential Organ Failure Assessment Score Using the Richmond Agitation-sedation Scale. Annals of Surgery, 2020, Publish Ahead of Print, .	4.2	2
83	Clinical features and mortality-related factors of extensive burns among young adults: the Kunshan disaster experience. Annals of Translational Medicine, 2020, 8, 1053.	1.7	0
84	Accuracy of qSOFA for the diagnosis of sepsis-3: a secondary analysis of a population-based cohort study. Journal of Thoracic Disease, 2019, 11, 2034-2042.	1.4	15
85	Easy prognostic assessment of concomitant organ failure in critically ill patients undergoing mechanical ventilation. European Journal of Internal Medicine, 2019, 70, 18-23.	2.2	8
86	Usefulness of qSOFA and SIRS scores for detection of incipient sepsis in general ward patients: A prospective cohort study. Journal of Critical Care, 2019, 51, 13-18.	2.2	22
87	Active Surveillance of Carbapenemase-Producing Organisms (CPO) Colonization With Xpert Carba-R Assay Plus Positive Patient Isolation Proves to Be Effective in CPO Containment. Frontiers in Cellular and Infection Microbiology, 2019, 9, 162.	3.9	10
88	Lung-protective ventilation during one-lung ventilation: known knowns, and known unknowns. Journal of Thoracic Disease, 2019, 11, S237-S240.	1.4	6
89	Terlipressin for septic shock patients: a meta-analysis of randomized controlled study. Journal of Intensive Care, 2019, 7, 16.	2.9	27
90	Epidemiology of Sepsis-3 in a sub-district of Beijing. Chinese Medical Journal, 2019, 132, 2039-2045.	2.3	16

#	Article	lF	CITATIONS
91	Epidemiology of acute kidney injury in intensive care units in Beijing: the multi-center BAKIT study. BMC Nephrology, 2019, 20, 468.	1.8	45
92	N-terminal pro-B-type natriuretic peptide for predicting fluid challenge in patients with septic shock. Annals of Translational Medicine, 2019, 7, 264-264.	1.7	2
93	ADJunctive Ulinastatin in Sepsis Treatment in China (ADJUST study): study protocol for a randomized controlled trial. Trials, 2018, 19, 133.	1.6	11
94	Response. Chest, 2018, 153, 283-284.	0.8	0
95	Effect of timing of renal replacement therapy on outcomes of critically ill patients in the intensive care unit. Nephrology, 2018, 23, 405-410.	1.6	5
96	High-flow oxygen therapy in immunocompromised patients with acute respiratory failure: A review and meta-analysis. Journal of Critical Care, 2018, 43, 300-305.	2.2	31
97	Pragmatic studies for acute kidney injury: Consensus report of the Acute Disease Quality Initiative (ADQI) 19 Workgroup. Journal of Critical Care, 2018, 44, 337-344.	2.2	3
98	Echinocandins for Pneumocystis jirovecii pneumonia in non‑HIV patients: A case report. Experimental and Therapeutic Medicine, 2018, 16, 3227-3232.	1.8	4
99	White paper: statement on conflicts of interest. Intensive Care Medicine, 2018, 44, 1657-1668.	8.2	10
100	Sepsis-related mortality in China: a descriptive analysis. Intensive Care Medicine, 2018, 44, 1071-1080.	8.2	102
101	Stress ulcer prophylaxis in intensive care unit patients receiving enteral nutrition: a systematic review and meta-analysis. Critical Care, 2018, 22, 20.	5.8	67
102	A global perspective on vasoactive agents in shock. Intensive Care Medicine, 2018, 44, 833-846.	8.2	69
103	Use of noninvasive ventilation in immunocompromised patients with acute respiratory failure: a systematic review and meta-analysis. Critical Care, 2017, 21, 4.	5.8	35
104	Severe hypercapnia and outcome of mechanically ventilated patients with moderate or severe acute respiratory distress syndrome. Intensive Care Medicine, 2017, 43, 200-208.	8.2	168
105	Does training improve diagnostic accuracy and inter-rater agreement in applying the Berlin radiographic definition of acute respiratory distress syndrome? A multicenter prospective study. Critical Care, 2017, 21, 12.	5.8	35
106	Positive End-Expiratory Pressure Effect of 3 High-Flow Nasal Cannula Devices. Respiratory Care, 2017, 62, 888-895.	1.6	35
107	Video Laryngoscopy for Endotracheal Intubation of Critically III Adults. Chest, 2017, 152, 510-517.	0.8	49
108	Population-Based Epidemiology of Sepsis in a Subdistrict of Beijing. Critical Care Medicine, 2017, 45, 1168-1176.	0.9	60

#	Article	IF	CITATIONS
109	Response. Chest, 2017, 152, 902-903.	0.8	0
110	Critical Care Resources in Mainland China. Critical Care Medicine, 2017, 45, 2113-2114.	0.9	1
111	Association between ventilatory settings and development of acute respiratory distress syndrome in mechanically ventilated patients due to brain injury. Journal of Critical Care, 2017, 38, 341-345.	2.2	54
112	Changes of central venous oxygen saturation define fluid responsiveness in patients with septic shock: A prospective observational study. Journal of Critical Care, 2017, 38, 13-19.	2.2	12
113	Study protocol for a multicentre, randomised, controlled trial to assess the effectiveness of antimicrobial central venous catheters versus ordinary central venous catheters at reducing catheter related infections in critically ill Chinese patients. BMJ Open, 2017, 7, e016564.	1.9	4
114	Comparison of Space Glucose Control and Routine Glucose Management Protocol for Glycemic Control in Critically III Patients. Chinese Medical Journal, 2017, 130, 2041-2049.	2.3	7
115	Could remifentanil reduce duration of mechanical ventilation in comparison with other opioids for mechanically ventilated patients? A systematic review and meta-analysis. Critical Care, 2017, 21, 206.	5.8	26
116	Procalcitonin-guided antibiotic therapy in intensive care unit patients: a systematic review and meta-analysis. Annals of Intensive Care, 2017, 7, 114.	4.6	66
117	Systemic inflammatory response syndrome, sequential organ failure assessment, and quick sequential organ failure assessment: more pieces needed in the sepsis puzzle. Journal of Thoracic Disease, 2017, 9, 452-454.	1.4	4
118	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. PLoS ONE, 2017, 12, e0176292.	2.5	95
119	Value of Kidney Disease Improving Global Outcomes Urine Output Criteria in Critically Ill Patients. Chinese Medical Journal, 2016, 129, 2050-2057.	2.3	15
120	Lung-protective Ventilation in Patients with Brain Injury. Chinese Medical Journal, 2016, 129, 1643-1651.	2.3	4
121	Dermatomyositis and Polymyositis in the Intensive Care Unit: A Single-Center Retrospective Cohort Study of 102 Patients. PLoS ONE, 2016, 11, e0154441.	2.5	34
122	Structure, Organization, and Delivery of Critical Care in Asian ICUs*. Critical Care Medicine, 2016, 44, e940-e948.	0.9	55
123	Consensus development of core competencies in intensive and critical care medicine training in China. Critical Care, 2016, 20, 330.	5.8	16
124	Prognostic factors for severe Pneumocystis jiroveci pneumonia of non-HIV patients in intensive care unit: a bicentric retrospective study. BMC Infectious Diseases, 2016, 16, 528.	2.9	24
125	Meningitis in a Chinese adult patient caused by Mycoplasma hominis: a rare infection and literature review. BMC Infectious Diseases, 2016, 16, 557.	2.9	18
126	Underlying renal insufficiency: the pivotal risk factor for Pneumocystis jirovecii pneumonia in immunosuppressed patients with non-transplant glomerular disease. International Urology and Nephrology, 2016, 48, 1863-1871.	1.4	18

#	Article	IF	CITATIONS
127	Current epidemiology of sepsis in mainland China. Annals of Translational Medicine, 2016, 4, 324-324.	1.7	37
128	Sources of Heterogeneity in Trials Reporting Hydroxyethyl Starch 130/0.4 or 0.42 Associated Excess Mortality in Septic Patients. Chinese Medical Journal, 2015, 128, 2374-2382.	2.3	21
129	Effect of a quality improvement program on weaning from mechanical ventilation: a cluster randomized trial. Intensive Care Medicine, 2015, 41, 1781-1790.	8.2	20
130	Weaning critically ill patients from mechanical ventilation: A prospective cohort study. Journal of Critical Care, 2015, 30, 862.e7-862.e13.	2.2	31
131	Management and outcome of mechanically ventilated patients after cardiac arrest. Critical Care, 2015, 19, 215.	5.8	54
132	Should cost considerations be included in medical decisions? No. Intensive Care Medicine, 2015, 41, 1841-1843.	8.2	3
133	Lung protective ventilation in patients undergoing major surgery: a systematic review incorporating a Bayesian approach. BMJ Open, 2015, 5, e007473.	1.9	17
134	Does pulse pressure variation predict fluid responsiveness in critically ill patients? A systematic review and meta-analysis. Critical Care, 2014, 18, 650.	5.8	183
135	Epidemiology and Outcome of Severe Sepsis and Septic Shock in Intensive Care Units in Mainland China. PLoS ONE, 2014, 9, e107181.	2.5	147
136	Lung protective ventilation in patients undergoing major surgery: a systematic review protocol. BMJ Open, 2014, 4, e004542.	1.9	1
137	A comparison of different diagnostic criteria of acute kidney injury in critically ill patients. Critical Care, 2014, 18, R144.	5.8	204
138	Access to urban acute care services in high- vs. middle-income countries: an analysis of seven cities. Intensive Care Medicine, 2014, 40, 342-352.	8.2	57
139	The Durban World Congress Ethics Round Table Conference Report: I. Differences between withholding and withdrawing life-sustaining treatments. Journal of Critical Care, 2014, 29, 890-895.	2.2	35
140	The Durban World Congress Ethics Round Table Conference Report: III. Withdrawing Mechanical ventilation—the approach should be individualized. Journal of Critical Care, 2014, 29, 902-907.	2.2	32
141	A Multidisciplinary Approach Is Key to the Development of Critical Care Medicine in Mainland China. Chest, 2014, 145, 1433.	0.8	0
142	Red cell distribution width: the crystal ball in the hands of intensivists?. Journal of Thoracic Disease, 2014, 6, 64-5.	1.4	0
143	Critical care research in mainland China: more needed on the international stage. Intensive Care Medicine, 2013, 39, 768-770.	8.2	5
144	Evolution of Mortality over Time in Patients Receiving Mechanical Ventilation. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 220-230.	5.6	999

#	Article	IF	CITATIONS
145	Avian influenza A (H7N9) infections: Intensivists as virus hunters in the new century. Journal of Critical Care, 2013, 28, 528-530.	2.2	4
146	Left Ventricular Systolic Function and Systolic Asynchrony in Patients With Septic Shock and Normal Left Ventricular Ejection Fraction. Shock, 2013, 40, 175-181.	2.1	8
147	Characteristics of Critically III Patients in ICUs in Mainland China*. Critical Care Medicine, 2013, 41, 84-92.	0.9	63
148	Prevalence, risk factors, clinical course, and outcome of acute kidney injury in Chinese intensive care units: a prospective cohort study. Chinese Medical Journal, 2013, 126, 4409-16.	2.3	13
149	Treatment of Sepsis-Related Organ Dysfunction. JAMA - Journal of the American Medical Association, 2012, 308, 1206.	7.4	1
150	The prognostic value of left ventricular systolic function measured by tissue Doppler imaging in septic shock. Critical Care, 2012, 16, R71.	5.8	65
151	Self-Reported Use of Personal Protective Equipment among Chinese Critical Care Clinicians during 2009 H1N1 Influenza Pandemic. PLoS ONE, 2012, 7, e44723.	2.5	51
152	Attitudes towards ethical problems in critical care medicine: the Chinese perspective. Intensive Care Medicine, 2011, 37, 655-664.	8.2	50
153	Knowledge and attitudes of healthcare workers in Chinese intensive care units regarding 2009 H1N1 influenza pandemic. BMC Infectious Diseases, 2011, 11, 24.	2.9	27
154	Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. BMJ: British Medical Journal, 2011, 342, d3245-d3245.	2.3	179
155	Practice of sedation and the perception of discomfort during mechanical ventilation in Chinese intensive care units. Journal of Critical Care, 2010, 25, 451-457.	2.2	25
156	Hospitalized adult patients with 2009 influenza A(H1N1) in Beijing, China: risk factors for hospital mortality. BMC Infectious Diseases, 2010, 10, 256.	2.9	88
157	Resuscitation fluid use in critically ill adults: an international cross sectional study in 391 intensive care units. Critical Care, 2010, 14, R185.	5.8	337
158	Clinical review: Critical care medicine in mainland China. Critical Care, 2010, 14, 206.	5.8	81
159	Sepsis-related stress response: known knowns, known unknowns, and unknown unknowns. Critical Care, 2010, 14, 179.	5.8	9
160	The world's major religions' points of viewon end-of-life decisionsin the intensive care unit. Intensive Care Medicine, 2008, 34, 423-430.	8.2	182
161	The Role of Serum Procalcitonin and Interleukin-6 in the Differentiation and Surveillance of Sepsis and Non-Infectious Systemic Inflammatory Response Syndrome Blood, 2004, 104, 3792-3792.	1.4	0
162	Restriction of third-generation cephalosporin use decreases infection-related mortality. Critical Care Medicine, 2003, 31, 1088-1093.	0.9	34

#	Article	IF	CITATIONS
163	Serum procalcitonin and interleukin-6 levels may help to differentiate systemic inflammatory response of infectious and non-infectious origin. Chinese Medical Journal, 2003, 116, 538-42.	2.3	22
164	Extended-spectrum beta-lactamase-producing Escherichia coli and Klebsiella pneumoniae bloodstream infection: risk factors and clinical outcome. Intensive Care Medicine, 2002, 28, 1718-1723.	8.2	185

11