
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5924203/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High-Performance Data Processing Workflow Incorporating Effect-Directed Analysis for Feature Prioritization in Suspect and Nontarget Screening. Environmental Science & Technology, 2022, 56, 1639-1651.	10.0	13
2	Receptor-based in vitro activities to assess human exposure to chemical mixtures and related health impacts. Environment International, 2021, 146, 106191.	10.0	30
3	Per- and polyfluoroalkyl substances (PFASs) in Swedish household dust and exposure of pet cats. Environmental Science and Pollution Research, 2021, 28, 39001-39013.	5.3	20
4	An annotation database for chemicals of emerging concern in exposome research. Environment International, 2021, 152, 106511.	10.0	29
5	Inter-laboratory mass spectrometry dataset based on passive sampling of drinking water for non-target analysis. Scientific Data, 2021, 8, 223.	5.3	14
6	Characterisation of (anti-)progestogenic and (anti-)androgenic activities in surface and wastewater using high resolution effectdirected analysis. Environment International, 2021, 153, 106536.	10.0	17
7	ldentification of mutagenic and endocrine disrupting compounds in surface water and wastewater treatment plant effluents using high-resolution effect-directed analysis. Water Research, 2020, 168, 115204.	11.3	57
8	The NORMAN Association and the European Partnership for Chemicals Risk Assessment (PARC): let's cooperate!. Environmental Sciences Europe, 2020, 32, .	5.5	46
9	Suspect and non-targeted screening of chemicals of emerging concern for human biomonitoring, environmental health studies and support to risk assessment: From promises to challenges and harmonisation issues. Environment International, 2020, 139, 105545.	10.0	133
10	Development of a high-throughput bioassay for screening of antibiotics in aquatic environmental samples. Science of the Total Environment, 2020, 729, 139028.	8.0	13
11	Compound Identification Using Liquid Chromatography and High-Resolution Noncontact Fraction Collection with a Solenoid Valve. SLAS Technology, 2019, 24, 543-555.	1.9	8
12	The role of analytical chemistry in exposure science: Focus on the aquatic environment. Chemosphere, 2019, 222, 564-583.	8.2	87
13	Occurrence of legacy and alternative plasticizers in indoor dust from various EU countries and implications for human exposure via dust ingestion and dermal absorption. Environmental Research, 2019, 171, 204-212.	7.5	62
14	Review of the analysis of insecticide residues and their levels in different matrices in Ghana. Ecotoxicology and Environmental Safety, 2019, 171, 361-372.	6.0	22
15	A review of semi-volatile organic compounds (SVOCs) in the indoor environment: occurrence in consumer products, indoor air and dust. Chemosphere, 2018, 201, 466-482.	8.2	245
16	Prenatal exposure to endocrine disrupting chemicals and risk of being born small for gestational age: Pooled analysis of seven European birth cohorts. Environment International, 2018, 115, 267-278.	10.0	60
17	High-Throughput Effect-Directed Analysis Using Downscaled in Vitro Reporter Gene Assays To Identify Endocrine Disruptors in Surface Water. Environmental Science & Technology, 2018, 52, 4367-4377.	10.0	49
18	Development of a luminescent mutagenicity test for high-throughput screening of aquatic samples. Toxicology in Vitro, 2018, 46, 350-360.	2.4	8

#	Article	IF	CITATIONS
19	Analysis of Lipid Metabolism, Immune Function, and Neurobehavior in Adult C57BL/6JxFVB Mice After Developmental Exposure to di (2-ethylhexyl) Phthalate. Frontiers in Endocrinology, 2018, 9, 684.	3.5	18
20	Import, disposal, and health impacts of pesticides in the East Africa Rift(EAR) zone: A review on management and policy analysis. Crop Protection, 2018, 112, 322-331.	2.1	47
21	Multigeneration toxicity of imidacloprid and thiacloprid to Folsomia candida. Ecotoxicology, 2017, 26, 320-328.	2.4	53
22	Miniaturization of a transthyretin binding assay using a fluorescent probe for high throughput screening of thyroid hormone disruption in environmental samples. Chemosphere, 2017, 171, 722-728.	8.2	22
23	European demonstration program on the effect-based and chemical identification and monitoring of organic pollutants in European surface waters. Science of the Total Environment, 2017, 601-602, 1849-1868.	8.0	151
24	Thyroid-stimulating hormone levels in newborns and early life exposure to endocrine-disrupting chemicals: analysis of three European mother–child cohorts. Pediatric Research, 2017, 82, 429-437.	2.3	21
25	Continuous fraction collection of gas chromatographic separations with parallel mass spectrometric detection applied to cell-based bioactivity analysis. Talanta, 2017, 168, 162-167.	5.5	11
26	From the exposome to mechanistic understanding of chemical-induced adverse effects. Environment International, 2017, 99, 97-106.	10.0	146
27	Improved androgen specificity of AR-EcoScreen by CRISPR based glucocorticoid receptor knockout. Toxicology in Vitro, 2017, 45, 1-9.	2.4	13
28	Non-target analysis of household dust and laundry dryer lint using comprehensive two-dimensional liquid chromatography coupled with time-of-flight mass spectrometry. Chemosphere, 2017, 166, 431-437.	8.2	53
29	Prenatal Exposure to Perfluoroalkyl Substances and Behavioral Development in Children. International Journal of Environmental Research and Public Health, 2016, 13, 511.	2.6	55
30	Demographic, Reproductive, and Dietary Determinants of Perfluorooctane Sulfonic (PFOS) and Perfluorooctanoic Acid (PFOA) Concentrations in Human Colostrum. Environmental Science & Technology, 2016, 50, 7152-7162.	10.0	19
31	Geotextile composition, application and ecotoxicology—A review. Journal of Hazardous Materials, 2016, 317, 640-655.	12.4	52
32	Highly Selective Screening of Estrogenic Compounds in Consumer-Electronics Plastics by Liquid Chromatography in Parallel Combined with Nanofractionation-Bioactivity Detection and Mass Spectrometry. Environmental Science & Technology, 2016, 50, 12385-12393.	10.0	17
33	Rapid Screening of Acetylcholinesterase Inhibitors by Effect-Directed Analysis Using LC × LC Fractionation, a High Throughput in Vitro Assay, and Parallel Identification by Time of Flight Mass Spectrometry. Analytical Chemistry, 2016, 88, 2353-2360.	6.5	32
34	Prenatal exposure to endocrine disrupting chemicals and birth weight—A prospective cohort study. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 178-185.	1.7	29
35	Changes in Neurotransmitter Profiles during Early Zebrafish (<i>Danio rerio</i>) Development and after Pesticide Exposure. Environmental Science & Technology, 2016, 50, 3222-3230.	10.0	84
36	Pesticide Mixture Toxicity in Surface Water Extracts in Snails (<i>Lymnaea stagnalis</i>) by an <i>in Vitro</i> Acetylcholinesterase Inhibition Assay and Metabolomics. Environmental Science & Technology, 2016, 50, 3937-3944.	10.0	36

#	Article	IF	CITATIONS
37	Effect-directed analysis supporting monitoring of aquatic environments — An in-depth overview. Science of the Total Environment, 2016, 544, 1073-1118.	8.0	288
38	Tracing thyroid hormone-disrupting compounds: database compilation and structure-activity evaluation for an effect-directed analysis of sediment. Analytical and Bioanalytical Chemistry, 2015, 407, 5625-5634.	3.7	60
39	Toxic pressure of herbicides on microalgae in Dutch estuarine and coastal waters. Journal of Sea Research, 2015, 102, 48-56.	1.6	21
40	Metabolomics to Explore Imidacloprid-Induced Toxicity in the Central Nervous System of the Freshwater Snail <i>Lymnaea stagnalis</i> . Environmental Science & Technology, 2015, 49, 14529-14536.	10.0	37
41	Cross-platform metabolic profiling: application to the aquatic model organism Lymnaea stagnalis. Analytical and Bioanalytical Chemistry, 2015, 407, 1901-1912.	3.7	14
42	Comprehensive two-dimensional liquid chromatography coupled to high resolution time of flight mass spectrometry for chemical characterization of sewage treatment plant effluents. Journal of Chromatography A, 2015, 1380, 139-145.	3.7	41
43	Perfluoroalkyl substances measured in breast milk and child neuropsychological development in a Norwegian birth cohort study. Environment International, 2015, 83, 176-182.	10.0	54
44	Rapid activity-directed screening of estrogens by parallel coupling of liquid chromatography with a functional gene reporter assay and mass spectrometry. Journal of Chromatography A, 2015, 1406, 165-174.	3.7	27
45	Simultaneous analysis of multiple neurotransmitters by hydrophilic interaction liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography A, 2015, 1395, 79-87.	3.7	75
46	Challenges in effect-directed analysis with a focus on biological samples. TrAC - Trends in Analytical Chemistry, 2015, 67, 179-191.	11.4	45
47	First Year Growth in Relation to Prenatal Exposure to Endocrine Disruptors — A Dutch Prospective Cohort Study. International Journal of Environmental Research and Public Health, 2014, 11, 7001-7021.	2.6	60
48	Prenatal exposure to endocrine disrupting chemicals in relation to thyroid hormone levels in infants – a Dutch prospective cohort study. Environmental Health, 2014, 13, 106.	4.0	86
49	Programming of metabolic effects in C57BL/6JxFVB mice by exposure to bisphenol A during gestation and lactation. Toxicology, 2014, 321, 40-52.	4.2	91
50	Tissue-Specific Metabolism of Benzo[a]pyrene in Rainbow Trout (<i>Oncorhynchus mykiss</i>): A Comparison between the Liver and Immune Organs. Drug Metabolism and Disposition, 2014, 42, 111-118.	3.3	24
51	Identification of Photosynthesis Inhibitors of Pelagic Marine Algae Using 96-Well Plate Microfractionation for Enhanced Throughput in Effect-Directed Analysis. Environmental Science & Technology, 2014, 48, 8003-8011.	10.0	50
52	EDA-EMERGE: an FP7 initial training network to equip the next generation of young scientists with the skills to address the complexity of environmental contamination with emerging pollutants. Environmental Sciences Europe, 2013, 25, .	5.5	13
53	Integrated chemical and biological analysis to explain estrogenic potency in bile extracts of red mullet (Mullus barbatus). Aquatic Toxicology, 2013, 134-135, 1-10.	4.0	18
54	Transthyretin-Binding Activity of Contaminants in Blood from Polar Bear (Ursus maritimus) Cubs. Environmental Science & Technology, 2013, 47, 4778-4786.	10.0	33

#	Article	lF	CITATIONS
55	Extraction tools for identification of chemical contaminants in estuarine and coastal waters to determine toxic pressure on primary producers. Chemosphere, 2013, 93, 107-114.	8.2	20
56	High-Resolution Fractionation after Gas Chromatography for Effect-Directed Analysis. Analytical Chemistry, 2013, 85, 8204-8211.	6.5	28
57	Effect-Directed Analysis To Explore the Polar Bear Exposome: Identification of Thyroid Hormone Disrupting Compounds in Plasma. Environmental Science & Technology, 2013, 47, 8902-8912.	10.0	80
58	<i>In vivo</i> effect confirmation of anti-androgenic compounds in sediment contact tests with <i>Potamopyrgus antipodarum</i> . Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 475-480.	1.7	5
59	Effectsâ€directed analysis (EDA) and toxicity identification evaluation (TIE): Complementary but different approaches for diagnosing causes of environmental toxicity. Environmental Toxicology and Chemistry, 2013, 32, 1935-1945.	4.3	101
60	Blood Plasma Sample Preparation Method for the Assessment of Thyroid Hormone-Disrupting Potency in Effect-Directed Analysis. Environmental Science & Technology, 2011, 45, 7936-7944.	10.0	52
61	Identification of Major Dioxin-Like Compounds and Androgen Receptor Antagonist in Acid-Treated Tissue Extracts of High Trophic-Level Animals. Environmental Science & Technology, 2011, 45, 10203-10211.	10.0	34
62	Polar Compounds Dominate in Vitro Effects of Sediment Extracts. Environmental Science & Technology, 2011, 45, 2384-2390.	10.0	90
63	Effect directed analysis of riverine sediments—The usefulness of Potamopyrgus antipodarum for in vivo effect confirmation of endocrine disruption. Aquatic Toxicology, 2011, 101, 237-243.	4.0	28
64	A harmonized European framework for method validation to support research on emerging pollutants. TrAC - Trends in Analytical Chemistry, 2011, 30, 1233-1242.	11.4	14
65	Effect-Directed Analysis of Municipal Landfill Soil Reveals Novel Developmental Toxicants in the Zebrafish <i>Danio rerio</i> . Environmental Science & Technology, 2011, 45, 8552-8558.	10.0	41
66	Identification strategy for unknown pollutants using high-resolution mass spectrometry: Androgen-disrupting compounds identified through effect-directed analysis. Analytical and Bioanalytical Chemistry, 2011, 400, 3141-3149.	3.7	68
67	Development of a polydimethylsiloxane filmâ€based passive dosing method in the in vitro DRâ€CALUX® assay. Environmental Toxicology and Chemistry, 2011, 30, 898-904.	4.3	17
68	Advanced GC–MS and LC–MS Tools for Structure Elucidation in Effect-Directed Analysis. Handbook of Environmental Chemistry, 2011, , 143-165.	0.4	3
69	Testing Endocrine Disruption in Biota Samples: A Method to Remove Interfering Lipids and Natural Hormones. Environmental Science & Technology, 2010, 44, 8322-8329.	10.0	26
70	Competitive Binding of Poly- and Perfluorinated Compounds to the Thyroid Hormone Transport Protein Transthyretin. Toxicological Sciences, 2009, 109, 206-216.	3.1	270
71	Masking effect of anti-androgens on androgenic activity in European river sediment unveiled by effect-directed analysis. Analytical and Bioanalytical Chemistry, 2009, 394, 1385-1397.	3.7	109
72	The influence of a surfactant, linear alkylbenzene sulfonate, on the estrogenic response to a mixture of (xeno)estrogens in vitro and in vivo. Aquatic Toxicology, 2009, 91, 95-98.	4.0	12

#	Article	IF	CITATIONS
73	Evidence of temperature-dependent effects on the estrogenic response of fish: Implications with regard to climate change. Science of the Total Environment, 2008, 397, 72-81.	8.0	37
74	Mixtures of Estrogenic Chemicals Enhance Vitellogenic Response in Sea Bass. Environmental Health Perspectives, 2007, 115, 115-121.	6.0	37
75	Evidence of Estrogenic Mixture Effects on the Reproductive Performance of Fish. Environmental Science & Technology, 2007, 41, 337-344.	10.0	170
76	Sample preparation method for the ER-CALUX bioassay screening of (xeno-)estrogenic activity in sediment extracts. Science of the Total Environment, 2007, 386, 134-144.	8.0	37
77	BIOMONITORING OF ESTROGENIC EXPOSURE AND IDENTIFICATION OF RESPONSIBLE COMPOUNDS IN BREAM FROM DUTCH SURFACE WATERS. Environmental Toxicology and Chemistry, 2007, 26, 898.	4.3	41
78	Biological Validation of a Sample Preparation Method for ER-CALUX Bioanalysis of Estrogenic Activity in Sediment Using Mixtures of Xeno-Estrogens. Environmental Science & Technology, 2006, 40, 2455-2461.	10.0	42
79	Estrogens counteract the masculinizing effect of tributyltin in zebrafish. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2006, 142, 151-155.	2.6	51
80	Estrogenic and dioxin-like compounds in sediment from Zierikzee harbour identified with CALUX assay-directed fractionation combined with one and two dimensional gas chromatography analyses. Chemosphere, 2006, 65, 2244-2252.	8.2	74
81	MODELKEY. Models for assessing and forecasting the impact of environmental key pollutants on freshwater and marine ecosystems and biodiversity (5 pp). Environmental Science and Pollution Research, 2005, 12, 252-256.	5.3	76
82	Accurate Prediction of the Response of Freshwater Fish to a Mixture of Estrogenic Chemicals. Environmental Health Perspectives, 2005, 113, 721-728.	6.0	332
83	A chemical and toxicological profile of Dutch North Sea surface sediments. Chemosphere, 2005, 58, 1579-1587.	8.2	88
84	TOXICOLOGICAL PROFILING OF SEDIMENTS USING IN VITRO BIOASSAYS, WITH EMPHASIS ON ENDOCRINE DISRUPTION. Environmental Toxicology and Chemistry, 2004, 23, 32.	4.3	87
85	Identification of Estrogenic Compounds in Fish Bile Using Bioassay-Directed Fractionation. Environmental Science & Technology, 2004, 38, 6415-6423.	10.0	147
86	Determination of diuron and the antifouling paint biocide Irgarol 1051 in Dutch marinas and coastal waters. Journal of Chromatography A, 2002, 970, 183-190.	3.7	130
87	Use of microdialysis for the on-line coupling of capillary isoelectric focusing with electrospray mass spectrometry. Journal of Chromatography A, 1997, 777, 31-39.	3.7	50
88	Use of heptakis(2,6-di-O-methyl)-β-cyclodextrin in on-line capillary zone electrophoresis-mass spectrometry for the chiral separation of ropivacaine. Journal of Chromatography A, 1996, 742, 235-242.	3.7	42
89	On-line coupling of micellar electrokinetic chromatography to electrospray mass spectrometry. Journal of Chromatography A, 1995, 712, 219-225.	3.7	53
90	On-capillary isotachophoresis for loadability enhancement in capillary zone electrophoresis/mass spectrometry of β-agonists. Biological Mass Spectrometry, 1994, 23, 339-345.	0.5	55

#	Article	IF	CITATIONS
91	Identification and quantitative determination of glutathione-related urinary metabolites of fotemustine, a new anti-cancer agent. Xenobiotica, 1993, 23, 935-947.	1.1	6
92	Determination of d-myo-1,2,6-inositol trisphosphate by ion-pair reversed-phase liquid chromatography with post-column ligand exchange and fluorescence detection. Journal of Chromatography A, 1990, 499, 617-625.	3.7	30