

Zhu-Hong You

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5924213/publications.pdf>

Version: 2024-02-01

186
papers

10,454
citations

31976

53
h-index

38395

95
g-index

190
all docs

190
docs citations

190
times ranked

4922
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNAs and complex diseases: from experimental results to computational models. <i>Briefings in Bioinformatics</i> , 2019, 20, 515-539.	6.5	507
2	Long non-coding RNAs and complex diseases: from experimental results to computational models. <i>Briefings in Bioinformatics</i> , 2017, 18, bbw060.	6.5	477
3	PBMDA: A novel and effective path-based computational model for miRNA-disease association prediction. <i>PLoS Computational Biology</i> , 2017, 13, e1005455.	3.2	387
4	WBSMDA: Within and Between Score for MiRNA-Disease Association prediction. <i>Scientific Reports</i> , 2016, 6, 21106.	3.3	314
5	BNPMDA: Bipartite Network Projection for MiRNA-Disease Association prediction. <i>Bioinformatics</i> , 2018, 34, 3178-3186.	4.1	307
6	A Nonnegative Latent Factor Model for Large-Scale Sparse Matrices in Recommender Systems via Alternating Direction Method. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016, 27, 579-592.	11.3	270
7	Prediction of protein-protein interactions from amino acid sequences with ensemble extreme learning machines and principal component analysis. <i>BMC Bioinformatics</i> , 2013, 14, S10.	2.6	232
8	A novel approach based on KATZ measure to predict associations of human microbiota with non-infectious diseases. <i>Bioinformatics</i> , 2017, 33, 733-739.	4.1	222
9	HGIMDA: Heterogeneous graph inference for miRNA-disease association prediction. <i>Oncotarget</i> , 2016, 7, 65257-65269.	1.8	219
10	Using manifold embedding for assessing and predicting protein interactions from high-throughput experimental data. <i>Bioinformatics</i> , 2010, 26, 2744-2751.	4.1	209
11	Incorporation of Efficient Second-Order Solvers Into Latent Factor Models for Accurate Prediction of Missing QoS Data. <i>IEEE Transactions on Cybernetics</i> , 2018, 48, 1216-1228.	9.5	207
12	IRWRLDA: improved random walk with restart for lncRNA-disease association prediction. <i>Oncotarget</i> , 2016, 7, 57919-57931.	1.8	200
13	Plant diseased leaf segmentation and recognition by fusion of superpixel, K-means and PHOG. <i>Optik</i> , 2018, 157, 866-872.	2.9	200
14	Leaf image based cucumber disease recognition using sparse representation classification. <i>Computers and Electronics in Agriculture</i> , 2017, 134, 135-141.	7.7	195
15	MCMDA: Matrix completion for MiRNA-disease association prediction. <i>Oncotarget</i> , 2017, 8, 21187-21199.	1.8	189
16	DroidDet: Effective and robust detection of android malware using static analysis along with rotation forest model. <i>Neurocomputing</i> , 2018, 272, 638-646.	5.9	146
17	A Computational-Based Method for Predicting Drug-Target Interactions by Using Stacked Autoencoder Deep Neural Network. <i>Journal of Computational Biology</i> , 2018, 25, 361-373.	1.6	140
18	Predicting Protein-Protein Interactions from Primary Protein Sequences Using a Novel Multi-Scale Local Feature Representation Scheme and the Random Forest. <i>PLoS ONE</i> , 2015, 10, e0125811.	2.5	136

#	ARTICLE	IF	CITATIONS
19	Sequence-based prediction of protein-protein interactions using weighted sparse representation model combined with global encoding. BMC Bioinformatics, 2016, 17, 184.	2.6	125
20	ACP-DL: A Deep Learning Long Short-Term Memory Model to Predict Anticancer Peptides Using High-Efficiency Feature Representation. Molecular Therapy - Nucleic Acids, 2019, 17, 1-9.	5.1	123
21	ILNCSIM: improved lncRNA functional similarity calculation model. Oncotarget, 2016, 7, 25902-25914.	1.8	122
22	Prediction of protein-protein interactions from amino acid sequences using a novel multi-scale continuous and discontinuous feature set. BMC Bioinformatics, 2014, 15, S9.	2.6	119
23	A Deep Learning Framework for Robust and Accurate Prediction of ncRNA-Protein Interactions Using Evolutionary Information. Molecular Therapy - Nucleic Acids, 2018, 11, 337-344.	5.1	116
24	Predicting protein-protein interactions from protein sequences by a stacked sparse autoencoder deep neural network. Molecular BioSystems, 2017, 13, 1336-1344.	2.9	114
25	Inverse-Free Extreme Learning Machine With Optimal Information Updating. IEEE Transactions on Cybernetics, 2016, 46, 1229-1241.	9.5	111
26	LMTRDA: Using logistic model tree to predict MiRNA-disease associations by fusing multi-source information of sequences and similarities. PLoS Computational Biology, 2019, 15, e1006865.	3.2	111
27	A MapReduce based parallel SVM for large-scale predicting protein-protein interactions. Neurocomputing, 2014, 145, 37-43.	5.9	109
28	Distributed Winner-Take-All in Dynamic Networks. IEEE Transactions on Automatic Control, 2017, 62, 577-589.	5.7	109
29	Highly Efficient Framework for Predicting Interactions Between Proteins. IEEE Transactions on Cybernetics, 2017, 47, 731-743.	9.5	107
30	Prediction of microbe-disease association from the integration of neighbor and graph with collaborative recommendation model. Journal of Translational Medicine, 2017, 15, 209.	4.4	105
31	FMLNCSIM: fuzzy measure-based lncRNA functional similarity calculation model. Oncotarget, 2016, 7, 45948-45958.	1.8	103
32	An Efficient Second-Order Approach to Factorize Sparse Matrices in Recommender Systems. IEEE Transactions on Industrial Informatics, 2015, 11, 946-956.	11.3	100
33	PBHMDA: Path-Based Human Microbe-Disease Association Prediction. Frontiers in Microbiology, 2017, 8, 233.	3.5	97
34	Novel Human miRNA-Disease Association Inference Based on Random Forest. Molecular Therapy - Nucleic Acids, 2018, 13, 568-579.	5.1	97
35	Using Weighted Sparse Representation Model Combined with Discrete Cosine Transformation to Predict Protein-Protein Interactions from Protein Sequence. BioMed Research International, 2015, 2015, 1-10.	1.9	94
36	RFDT: A Rotation Forest-based Predictor for Predicting Drug-Target Interactions Using Drug Structure and Protein Sequence Information. Current Protein and Peptide Science, 2018, 19, 445-454.	1.4	94

#	ARTICLE	IF	CITATIONS
37	Constructing prediction models from expression profiles for large scale lncRNA-miRNA interaction profiling. <i>Bioinformatics</i> , 2018, 34, 812-819.	4.1	91
38	A semi-supervised learning approach to predict synthetic genetic interactions by combining functional and topological properties of functional gene network. <i>BMC Bioinformatics</i> , 2010, 11, 343.	2.6	88
39	Plant disease leaf image segmentation based on superpixel clustering and EM algorithm. <i>Neural Computing and Applications</i> , 2019, 31, 1225-1232.	5.6	86
40	t-LSE: A Novel Robust Geometric Approach for Modeling Protein-Protein Interaction Networks. <i>PLoS ONE</i> , 2013, 8, e58368.	2.5	81
41	Graph convolution for predicting associations between miRNA and drug resistance. <i>Bioinformatics</i> , 2020, 36, 851-858.	4.1	77
42	DRMDA: deep representations-based miRNA-disease association prediction. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 472-485.	3.6	75
43	A Highly Efficient Approach to Protein Interactome Mapping Based on Collaborative Filtering Framework. <i>Scientific Reports</i> , 2015, 5, 7702.	3.3	72
44	A Learning-Based Method for lncRNA-Disease Association Identification Combing Similarity Information and Rotation Forest. <i>IScience</i> , 2019, 19, 786-795.	4.1	70
45	A Systematic Prediction of Drug-Target Interactions Using Molecular Fingerprints and Protein Sequences. <i>Current Protein and Peptide Science</i> , 2018, 19, 468-478.	1.4	69
46	MLMDA: a machine learning approach to predict and validate MicroRNA-disease associations by integrating of heterogenous information sources. <i>Journal of Translational Medicine</i> , 2019, 17, 260.	4.4	68
47	An Efficient Attribute-Based Encryption Scheme With Policy Update and File Update in Cloud Computing. <i>IEEE Transactions on Industrial Informatics</i> , 2019, 15, 6500-6509.	11.3	65
48	SEDMDroid: An Enhanced Stacking Ensemble Framework for Android Malware Detection. <i>IEEE Transactions on Network Science and Engineering</i> , 2021, 8, 984-994.	6.4	65
49	Graph representation learning in bioinformatics: trends, methods and applications. <i>Briefings in Bioinformatics</i> , 2022, 23, .	6.5	64
50	In silico prediction of drug-target interaction networks based on drug chemical structure and protein sequences. <i>Scientific Reports</i> , 2017, 7, 11174.	3.3	62
51	Prediction of Drug-Target Interaction Networks from the Integration of Protein Sequences and Drug Chemical Structures. <i>Molecules</i> , 2017, 22, 1119.	3.8	61
52	PCVMZM: Using the Probabilistic Classification Vector Machines Model Combined with a Zernike Moments Descriptor to Predict Protein-Protein Interactions from Protein Sequences. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1029.	4.1	61
53	NRDTD: a database for clinically or experimentally supported non-coding RNAs and drug targets associations. <i>Database: the Journal of Biological Databases and Curation</i> , 2017, 2017, .	3.0	60
54	HINGRL: predicting drug-disease associations with graph representation learning on heterogeneous information networks. <i>Briefings in Bioinformatics</i> , 2022, 23, .	6.5	60

#	ARTICLE	IF	CITATIONS
55	PSPEL: In Silico Prediction of Self-Interacting Proteins from Amino Acids Sequences Using Ensemble Learning. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2017, 14, 1165-1172.	3.0	56
56	A deep learning method for repurposing antiviral drugs against new viruses via multi-view nonnegative matrix factorization and its application to SARS-CoV-2. <i>Briefings in Bioinformatics</i> , 2022, 23, .	6.5	56
57	An improved sequence-based prediction protocol for protein-protein interactions using amino acids substitution matrix and rotation forest ensemble classifiers. <i>Neurocomputing</i> , 2017, 228, 277-282.	5.9	54
58	In Silico Prediction of Small Molecule-miRNA Associations Based on the HeteSim Algorithm. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 14, 274-286.	5.1	54
59	Assessing and predicting protein interactions by combining manifold embedding with multiple information integration. <i>BMC Bioinformatics</i> , 2012, 13, S3.	2.6	53
60	LDGRNMF: LncRNA-disease associations prediction based on graph regularized non-negative matrix factorization. <i>Neurocomputing</i> , 2021, 424, 236-245.	5.9	53
61	Improving network topology-based protein interactome mapping via collaborative filtering. <i>Knowledge-Based Systems</i> , 2015, 90, 23-32.	7.1	52
62	Increasing the reliability of protein-protein interaction networks via non-convex semantic embedding. <i>Neurocomputing</i> , 2013, 121, 99-107.	5.9	51
63	Large-Scale Protein-Protein Interactions Detection by Integrating Big Biosensing Data with Computational Model. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	51
64	Detection of Interactions between Proteins through Rotation Forest and Local Phase Quantization Descriptors. <i>International Journal of Molecular Sciences</i> , 2016, 17, 21.	4.1	51
65	Advancing the prediction accuracy of protein-protein interactions by utilizing evolutionary information from position-specific scoring matrix and ensemble classifier. <i>Journal of Theoretical Biology</i> , 2017, 418, 105-110.	1.7	50
66	DBMDA: A Unified Embedding for Sequence-Based miRNA Similarity Measure with Applications to Predict and Validate miRNA-Disease Associations. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 602-611.	5.1	49
67	A novel computational model based on super-disease and miRNA for potential miRNA-disease association prediction. <i>Molecular BioSystems</i> , 2017, 13, 1202-1212.	2.9	47
68	HEMD: a highly efficient random forest-based malware detection framework for Android. <i>Neural Computing and Applications</i> , 2018, 30, 3353-3361.	5.6	47
69	Attention-based Knowledge Graph Representation Learning for Predicting Drug-drug Interactions. <i>Briefings in Bioinformatics</i> , 2022, 23, .	6.5	46
70	Detecting Protein-Protein Interactions with a Novel Matrix-Based Protein Sequence Representation and Support Vector Machines. <i>BioMed Research International</i> , 2015, 2015, 1-9.	1.9	45
71	Construction of reliable protein-protein interaction networks using weighted sparse representation based classifier with pseudo substitution matrix representation features. <i>Neurocomputing</i> , 2016, 218, 131-138.	5.9	45
72	Predicting dynamic deformation of retaining structure by LSSVR-based time series method. <i>Neurocomputing</i> , 2014, 137, 165-172.	5.9	44

#	ARTICLE	IF	CITATIONS
73	Fusion of superpixel, expectation maximization and PHOG for recognizing cucumber diseases. Computers and Electronics in Agriculture, 2017, 140, 338-347.	7.7	43
74	Combining High Speed ELM Learning with a Deep Convolutional Neural Network Feature Encoding for Predicting Protein-RNA Interactions. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2020, 17, 972-980.	3.0	43
75	Modeling of signaling crosstalk-mediated drug resistance and its implications on drug combination. Oncotarget, 2016, 7, 63995-64006.	1.8	43
76	Large-scale prediction of drug-target interactions from deep representations. , 2016, , .		42
77	A heterogeneous label propagation approach to explore the potential associations between miRNA and disease. Journal of Translational Medicine, 2018, 16, 348.	4.4	41
78	Predicting lncRNA-miRNA Interaction via Graph Convolution Auto-Encoder. Frontiers in Genetics, 2019, 10, 758.	2.3	41
79	An ensemble approach for large-scale identification of protein-protein interactions using the alignments of multiple sequences. Oncotarget, 2017, 8, 5149-5159.	1.8	40
80	Identifying Spurious Interactions in the Protein-Protein Interaction Networks Using Local Similarity Preserving Embedding. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2017, 14, 345-352.	3.0	38
81	Detection of Protein-Protein Interactions from Amino Acid Sequences Using a Rotation Forest Model with a Novel PR-LPQ Descriptor. Lecture Notes in Computer Science, 2015, , 713-720.	1.3	37
82	Accurate prediction of protein-protein interactions by integrating potential evolutionary information embedded in PSSM profile and discriminative vector machine classifier. Oncotarget, 2017, 8, 23638-23649.	1.8	36
83	Highly Accurate Prediction of Protein-Protein Interactions via Incorporating Evolutionary Information and Physicochemical Characteristics. International Journal of Molecular Sciences, 2016, 17, 1396.	4.1	35
84	RPI-SE: a stacking ensemble learning framework for ncRNA-protein interactions prediction using sequence information. BMC Bioinformatics, 2020, 21, 60.	2.6	35
85	An improved efficient rotation forest algorithm to predict the interactions among proteins. Soft Computing, 2018, 22, 3373-3381.	3.6	34
86	Novel link prediction for large-scale miRNA-lncRNA interaction network in a bipartite graph. BMC Medical Genomics, 2018, 11, 113.	1.5	34
87	Predicting drug-disease associations via sigmoid kernel-based convolutional neural networks. Journal of Translational Medicine, 2019, 17, 382.	4.4	33
88	PRMDA: personalized recommendation-based MiRNA-disease association prediction. Oncotarget, 2017, 8, 85568-85583.	1.8	32
89	Improving protein-protein interactions prediction accuracy using protein evolutionary information and relevance vector machine model. Protein Science, 2016, 25, 1825-1833.	7.6	31
90	Learning distributed representations of RNA and protein sequences and its application for predicting lncRNA-protein interactions. Computational and Structural Biotechnology Journal, 2020, 18, 20-26.	4.1	31

#	ARTICLE	IF	CITATIONS
91	Protein-Protein Interactions Prediction via Multimodal Deep Polynomial Network and Regularized Extreme Learning Machine. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 1290-1303.	6.3	30
92	Prediction of Self-Interacting Proteins from Protein Sequence Information Based on Random Projection Model and Fast Fourier Transform. <i>International Journal of Molecular Sciences</i> , 2019, 20, 930.	4.1	30
93	Accurate Prediction of ncRNA-Protein Interactions From the Integration of Sequence and Evolutionary Information. <i>Frontiers in Genetics</i> , 2018, 9, 458.	2.3	29
94	An Efficient Ensemble Learning Approach for Predicting Protein-Protein Interactions by Integrating Protein Primary Sequence and Evolutionary Information. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2019, 16, 809-817.	3.0	29
95	Increasing reliability of protein interactome by fast manifold embedding. <i>Pattern Recognition Letters</i> , 2013, 34, 372-379.	4.2	28
96	Detection of Interactions between Proteins by Using Legendre Moments Descriptor to Extract Discriminatory Information Embedded in PSSM. <i>Molecules</i> , 2017, 22, 1366.	3.8	28
97	Predicting Drug-Disease Associations via Using Gaussian Interaction Profile and Kernel-Based Autoencoder. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	28
98	Using Two-dimensional Principal Component Analysis and Rotation Forest for Prediction of Protein-Protein Interactions. <i>Scientific Reports</i> , 2018, 8, 12874.	3.3	27
99	PCLPred: A Bioinformatics Method for Predicting Protein-Protein Interactions by Combining Relevance Vector Machine Model with Low-Rank Matrix Approximation. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1029.	4.1	27
100	CGMDA: An Approach to Predict and Validate MicroRNA-Disease Associations by Utilizing Chaos Game Representation and LightGBM. <i>IEEE Access</i> , 2019, 7, 133314-133323.	4.2	27
101	LNRLMI: Linear neighbour representation for predicting lncRNA-miRNA interactions. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 79-87.	3.6	27
102	Prediction of Protein-Protein Interactions with Clustered Amino Acids and Weighted Sparse Representation. <i>International Journal of Molecular Sciences</i> , 2015, 16, 10855-10869.	4.1	26
103	Improved protein-protein interactions prediction via weighted sparse representation model combining continuous wavelet descriptor and PseAA composition. <i>BMC Systems Biology</i> , 2016, 10, 120.	3.0	25
104	Identification of self-interacting proteins by exploring evolutionary information embedded in PSI-BLAST-constructed position specific scoring matrix. <i>Oncotarget</i> , 2016, 7, 82440-82449.	1.8	24
105	An Ensemble Classifier with Random Projection for Predicting Protein-Protein Interactions Using Sequence and Evolutionary Information. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 89.	2.5	24
106	FCGCNMDA: predicting miRNA-disease associations by applying fully connected graph convolutional networks. <i>Molecular Genetics and Genomics</i> , 2020, 295, 1197-1209.	2.1	23
107	SANE: A sequence combined attentive network embedding model for COVID-19 drug repositioning. <i>Applied Soft Computing Journal</i> , 2021, 111, 107831.	7.2	23
108	Discovery of Novel DPP-IV Inhibitors as Potential Candidates for the Treatment of Type 2 Diabetes mellitus Predicted by 3D QSAR Pharmacophore Models, Molecular Docking and de novo Evolution. <i>Molecules</i> , 2019, 24, 2870.	3.8	22

#	ARTICLE	IF	CITATIONS
109	Ens-PPI: A Novel Ensemble Classifier for Predicting the Interactions of Proteins Using Autocovariance Transformation from PSSM. <i>BioMed Research International</i> , 2016, 2016, 1-8.	1.9	21
110	Orthogonal locally discriminant spline embedding for plant leaf recognition. <i>Computer Vision and Image Understanding</i> , 2014, 119, 116-126.	4.7	20
111	Using the Relevance Vector Machine Model Combined with Local Phase Quantization to Predict Protein-Protein Interactions from Protein Sequences. <i>BioMed Research International</i> , 2016, 2016, 1-9.	1.9	20
112	Drug-Target Interaction Prediction Based on Drug Fingerprint Information and Protein Sequence. <i>Molecules</i> , 2019, 24, 2999.	3.8	20
113	Improving Prediction of Self-interacting Proteins Using Stacked Sparse Auto-Encoder with PSSM profiles. <i>International Journal of Biological Sciences</i> , 2018, 14, 983-991.	6.4	19
114	A survey of current trends in computational predictions of protein-protein interactions. <i>Frontiers of Computer Science</i> , 2020, 14, 1.	2.4	19
115	Robust and accurate prediction of protein self-interactions from amino acids sequence using evolutionary information. <i>Molecular BioSystems</i> , 2016, 12, 3702-3710.	2.9	17
116	Prediction of protein-protein interactions by label propagation with protein evolutionary and chemical information derived from heterogeneous network. <i>Journal of Theoretical Biology</i> , 2017, 430, 9-20.	1.7	17
117	Predicting Protein Interactions Using a Deep Learning Method-Stacked Sparse Autoencoder Combined with a Probabilistic Classification Vector Machine. <i>Complexity</i> , 2018, 2018, 1-12.	1.6	17
118	Prediction of protein self-interactions using stacked long short-term memory from protein sequences information. <i>BMC Systems Biology</i> , 2018, 12, 129.	3.0	17
119	An Ensemble Classifier to Predict Protein-Protein Interactions by Combining PSSM-based Evolutionary Information with Local Binary Pattern Model. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3511.	4.1	17
120	MIPDH: A Novel Computational Model for Predicting microRNA-mRNA Interactions by DeepWalk on a Heterogeneous Network. <i>ACS Omega</i> , 2020, 5, 17022-17032.	3.5	17
121	CIPPN: computational identification of protein pupylation sites by using neural network. <i>Oncotarget</i> , 2017, 8, 108867-108879.	1.8	16
122	Sequence-based Prediction of Protein-Protein Interactions Using Gray Wolf Optimizer-Based Relevance Vector Machine. <i>Evolutionary Bioinformatics</i> , 2019, 15, 117693431984452.	1.2	15
123	RVMAB: Using the Relevance Vector Machine Model Combined with Average Blocks to Predict the Interactions of Proteins from Protein Sequences. <i>International Journal of Molecular Sciences</i> , 2016, 17, 757.	4.1	14
124	A SVM-Based System for Predicting Protein-Protein Interactions Using a Novel Representation of Protein Sequences. <i>Lecture Notes in Computer Science</i> , 2013, , 629-637.	1.3	14
125	MISSIM: Improved miRNA-Disease Association Prediction Model Based on Chaos Game Representation and Broad Learning System. <i>Lecture Notes in Computer Science</i> , 2019, , 392-398.	1.3	13
126	Integrative Construction and Analysis of Molecular Association Network in Human Cells by Fusing Node Attribute and Behavior Information. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 498-506.	5.1	13

#	ARTICLE	IF	CITATIONS
127	FMSM: a novel computational model for predicting potential miRNA biomarkers for various human diseases. BMC Systems Biology, 2018, 12, 121.	3.0	12
128	Computational Methods for the Prediction of Drug-Target Interactions from Drug Fingerprints and Protein Sequences by Stacked Auto-Encoder Deep Neural Network. Lecture Notes in Computer Science, 2017, , 46-58.	1.3	12
129	EPMDA: an expression-profile based computational model for microRNA-disease association prediction. Oncotarget, 2017, 8, 87033-87043.	1.8	12
130	Prediction of β-Hairpins in Proteins Using Physicochemical Properties and Structure Information. Protein and Peptide Letters, 2010, 17, 1123-1128.	0.9	11
131	Improved Method for Predicting π-Turns in Proteins Using a Two-Stage Classifier. Protein and Peptide Letters, 2010, 17, 1117-1122.	0.9	11
132	Jaccard distance based weighted sparse representation for coarse-to-fine plant species recognition. PLoS ONE, 2017, 12, e0178317.	2.5	11
133	Improved Prediction of Protein-Protein Interactions Using Descriptors Derived From PSSM via Gray Level Co-Occurrence Matrix. IEEE Access, 2019, 7, 49456-49465.	4.2	11
134	Construction and Analysis of Molecular Association Network by Combining Behavior Representation and Node Attributes. Frontiers in Genetics, 2019, 10, 1106.	2.3	11
135	A Novel Network-Based Algorithm for Predicting Protein-Protein Interactions Using Gene Ontology. Frontiers in Microbiology, 2021, 12, 735329.	3.5	11
136	Learning from Deep Representations of Multiple Networks for Predicting Drug—Target Interactions. Lecture Notes in Computer Science, 2019, , 151-161.	1.3	10
137	Global Vectors Representation of Protein Sequences and Its Application for Predicting Self-Interacting Proteins with Multi-Grained Cascade Forest Model. Genes, 2019, 10, 924.	2.4	10
138	RP-FIRF: Prediction of Self-interacting Proteins Using Random Projection Classifier Combining with Finite Impulse Response Filter. Lecture Notes in Computer Science, 2018, , 232-240.	1.3	10
139	Learning from low-rank multimodal representations for predicting disease-drug associations. BMC Medical Informatics and Decision Making, 2021, 21, 308.	3.0	10
140	A Localization Algorithm nin Wireless Sensor Networks Using a Mobile Beacon Node. , 2007, , .		8
141	Environment-Map-free Robot Navigation Based on Wireless Sensor Networks. , 2007, , .		8
142	Discovering an Integrated Network in Heterogeneous Data for Predicting lncRNA-miRNA Interactions. Lecture Notes in Computer Science, 2018, , 539-545.	1.3	8
143	A Novel Hybrid Method of Gene Selection and Its Application on Tumor Classification. Lecture Notes in Computer Science, 2008, , 1055-1068.	1.3	7
144	A novel method to predict protein-protein interactions based on the information of protein sequence. , 2012, , .		7

#	ARTICLE	IF	CITATIONS
145	Using discriminative vector machine model with 2DPCA to predict interactions among proteins. BMC Bioinformatics, 2019, 20, 694.	2.6	7
146	Privacy-Preserving Global Structural Balance Computation in Signed Networks. IEEE Transactions on Computational Social Systems, 2020, 7, 164-177.	4.4	7
147	GraphTGI: an attention-based graph embedding model for predicting TF-target gene interactions. Briefings in Bioinformatics, 2022, 23, .	6.5	7
148	Data fusion based on RBF and nonparametric estimation for localization in Wireless Sensor Networks. , 2007, , .		5
149	Using Chou's amphiphilic Pseudo-Amino Acid Composition and Extreme Learning Machine for prediction of Protein-protein interactions. , 2014, , .		5
150	Learning Latent Patterns in Molecular Data for Explainable Drug Side Effects Prediction. , 2018, , .		5
151	Precise Prediction of Pathogenic Microorganisms Using 16S rRNA Gene Sequences. Lecture Notes in Computer Science, 2019, , 138-150.	1.3	5
152	Ensemble Learning Prediction of Drug-Target Interactions Using GIST Descriptor Extracted from PSSM-Based Evolutionary Information. BioMed Research International, 2020, 2020, 1-10.	1.9	5
153	SP-NN: A novel neural network approach for path planning. , 2007, , .		4
154	Predicting of Drug-Disease Associations via Sparse Auto-Encoder-Based Rotation Forest. Lecture Notes in Computer Science, 2019, , 369-380.	1.3	4
155	Identification of self-interacting proteins by integrating random projection classifier and finite impulse response filter. BMC Genomics, 2019, 20, 928.	2.8	4
156	Comparison of DNA Truncated Barcodes and Full-Barcodes for Species Identification. Lecture Notes in Computer Science, 2010, , 108-114.	1.3	4
157	Discriminant WSRC for Large-Scale Plant Species Recognition. Computational Intelligence and Neuroscience, 2017, 2017, 1-10.	1.7	3
158	Combining High Speed ELM with a CNN Feature Encoding to Predict LncRNA-Disease Associations. Lecture Notes in Computer Science, 2019, , 406-417.	1.3	3
159	Efficient framework for predicting MiRNA-disease associations based on improved hybrid collaborative filtering. BMC Medical Informatics and Decision Making, 2021, 21, 254.	3.0	3
160	Identifying Spurious Interactions in the Protein-Protein Interaction Networks Using Local Similarity Preserving Embedding. Lecture Notes in Computer Science, 2014, , 138-148.	1.3	3
161	Efficient Framework for Predicting ncRNA-Protein Interactions Based on Sequence Information by Deep Learning. Lecture Notes in Computer Science, 2018, , 337-344.	1.3	3
162	A Novel Approach to Modelling Protein-Protein Interaction Networks. Lecture Notes in Computer Science, 2012, , 49-57.	1.3	3

#	ARTICLE	IF	CITATIONS
163	SAWRPI: A Stacking Ensemble Framework With Adaptive Weight for Predicting ncRNA-Protein Interactions Using Sequence Information. <i>Frontiers in Genetics</i> , 2022, 13, 839540.	2.3	3
164	BioChemDDI: Predicting Drug-Drug Interactions by Fusing Biochemical and Structural Information through a Self-Attention Mechanism. <i>Biology</i> , 2022, 11, 758.	2.8	3
165	A Localization Error Estimation Method Based on Maximum Likelihood for Wireless Sensor Networks. , 2007, , .		2
166	Predicting Protein-Protein Interactions from Amino Acid Sequences Using SaE-ELM Combined with Continuous Wavelet Descriptor and PseAA Composition. <i>Lecture Notes in Computer Science</i> , 2015, , 634-645.	1.3	2
167	Combining LSTM Network Model and Wavelet Transform for Predicting Self-interacting Proteins. <i>Lecture Notes in Computer Science</i> , 2019, , 166-174.	1.3	2
168	Prediction of Protein-Protein Interactions from Protein Sequences by Combining MatPCA Feature Extraction Algorithms and Weighted Sparse Representation Models. <i>Mathematical Problems in Engineering</i> , 2020, 2020, 1-11.	1.1	2
169	Self-Interacting Proteins Prediction from PSSM Based on Evolutionary Information. <i>Scientific Programming</i> , 2021, 2021, 1-10.	0.7	2
170	FWHT-RF: A Novel Computational Approach to Predict Plant Protein-Protein Interactions via an Ensemble Learning Method. <i>Scientific Programming</i> , 2021, 2021, 1-11.	0.7	2
171	A Gated Recurrent Unit Model for Drug Repositioning by Combining Comprehensive Similarity Measures and Gaussian Interaction Profile Kernel. <i>Lecture Notes in Computer Science</i> , 2019, , 344-353.	1.3	2
172	Integration of Genomic and Proteomic Data to Predict Synthetic Genetic Interactions Using Semi-supervised Learning. <i>Lecture Notes in Computer Science</i> , 2009, , 635-644.	1.3	2
173	An Efficient LightGBM Model to Predict Protein Self-interacting Using Chebyshev Moments and Bi-gram. <i>Lecture Notes in Computer Science</i> , 2019, , 453-459.	1.3	2
174	Prediction of LncRNA-Disease Associations Based on Network Representation Learning. , 2020, , .		2
175	A Novel Ensemble Learning-Based Computational Method to Predict Protein-Protein Interactions from Protein Primary Sequences. <i>Biology</i> , 2022, 11, 775.	2.8	2
176	Combining <i>k</i> -Nearest Neighbor With Nonnegative Matrix Factorization for Predicting Circrna-Disease Associations. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2022, , 1-10.	3.0	2
177	A quadtree based neural network approach to real-time path planning. , 2007, , .		1
178	A visual localization method for mobile robot based on background subtraction and optical flow tracking. , 2008, , .		1
179	Combining Evolutionary Information and Sparse Bayesian Probability Model to Accurately Predict Self-interacting Proteins. <i>Lecture Notes in Computer Science</i> , 2019, , 460-467.	1.3	1
180	In Silico Identification of Anticancer Peptides with Stacking Heterogeneous Ensemble Learning Model and Sequence Information. <i>Lecture Notes in Computer Science</i> , 2019, , 313-323.	1.3	1

#	ARTICLE	IF	CITATIONS
181	Research on Signaling Pathways Reconstruction by Integrating High Content RNAi Screening and Functional Gene Network. Lecture Notes in Computer Science, 2013, , 1-10.	1.3	1
182	A learning-based method to predict LncRNA-disease associations by combining CNN and ELM. BMC Bioinformatics, 2021, 22, 622.	2.6	1
183	Predicting Protein-Protein Interactions via Random Ferns with Evolutionary Matrix Representation. Computational and Mathematical Methods in Medicine, 2022, 2022, 1-11.	1.3	1
184	Predicting Protein-Protein Interactions Based on Ensemble Learning-Based Model from Protein Sequence. Biology, 2022, 11, 995.	2.8	1
185	Advances in the compression of high-throughput DNA sequencing data. Shenzhen Daxue Xuebao (Ligong Ban)/Journal of Shenzhen University Science and Engineering, 2013, 30, 409-415.	0.2	0
186	Identification of Autistic Risk Genes Using Developmental Brain Gene Expression Data. Lecture Notes in Computer Science, 2020, , 326-338.	1.3	0