

Nele Famaey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5924726/publications.pdf>

Version: 2024-02-01

63
papers

1,071
citations

361413

20
h-index

454955

30
g-index

67
all docs

67
docs citations

67
times ranked

1254
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Growth and remodeling in the pulmonary autograft: Computational evaluation using kinematic growth models and constrained mixture theory. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2022, 38, e3545. | 2.1 | 5 |
| 2 | Understanding Pulmonary Autograft Remodeling After the Ross Procedure: Stick to the Facts. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 829120. | 2.4 | 6 |
| 3 | Layer-specific fiber distribution in arterial tissue modeled as a constrained mixture. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2022, , e3608. | 2.1 | 0 |
| 4 | Possible Contexts of Use for <i>In Silico</i> Trials Methodologies: A Consensus-Based Review. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 3977-3982. | 6.3 | 21 |
| 5 | A homogenized constrained mixture model of restenosis and vascular remodelling after balloon angioplasty. <i>Journal of the Royal Society Interface</i> , 2021, 18, 20210068. | 3.4 | 9 |
| 6 | An in silico Framework of Cartilage Degeneration That Integrates Fibril Reorientation and Degradation Along With Altered Hydration and Fixed Charge Density Loss. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 680257. | 4.1 | 6 |
| 7 | Back to the root: a large animal model of the Ross procedure. <i>Annals of Cardiothoracic Surgery</i> , 2021, 10, 444-453. | 1.7 | 3 |
| 8 | Investigation of tissue level tolerance for cerebral contusion in a controlled cortical impact porcine model. <i>Traffic Injury Prevention</i> , 2021, 22, 616-622. | 1.4 | 2 |
| 9 | Guide to mechanical characterization of articular cartilage and hydrogel constructs based on a systematic in silico parameter sensitivity analysis. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 124, 104795. | 3.1 | 5 |
| 10 | A Machine Learning Approach to Investigate the Uncertainty of Tissue-Level Injury Metrics for Cerebral Contusion. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 714128. | 4.1 | 7 |
| 11 | Towards animal surrogates for characterising large strain dynamic mechanical properties of human brain tissue. <i>Brain Multiphysics</i> , 2020, 1, 100018. | 2.3 | 25 |
| 12 | Regional characterization of the dynamic mechanical properties of human brain tissue by microindentation. <i>International Journal of Engineering Science</i> , 2020, 155, 103355. | 5.0 | 24 |
| 13 | Collagen fibre orientation in human bridging veins. <i>Biomechanics and Modeling in Mechanobiology</i> , 2020, 19, 2455-2489. | 2.8 | 7 |
| 14 | Mechano-biological adaptation of the pulmonary artery exposed to systemic conditions. <i>Scientific Reports</i> , 2020, 10, 2724. | 3.3 | 12 |
| 15 | A Chemomechanobiological Model of the Long-Term Healing Response of Arterial Tissue to a Clamping Injury. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 589889. | 4.1 | 2 |
| 16 | How to implement user-defined fiber-reinforced hyperelastic materials in finite element software. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 110, 103737. | 3.1 | 14 |
| 17 | Mechanical characterization of squid giant axon membrane sheath and influence of the collagenous endoneurium on its properties. <i>Scientific Reports</i> , 2019, 9, 8969. | 3.3 | 4 |
| 18 | Combined enzymatic degradation of proteoglycans and collagen significantly alters intratissue strains in articular cartilage during cyclic compression. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 98, 383-394. | 3.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Constrained mixture modeling affects material parameter identification from planar biaxial tests. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 95, 124-135. | 3.1 | 20 |
| 20 | Development of an improved parameter fitting method for planar biaxial testing using rakes. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2019, 35, e3174. | 2.1 | 4 |
| 21 | Biomechanical characterization of human dura mater. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 79, 122-134. | 3.1 | 41 |
| 22 | Comparison of in vivo vs. ex situ obtained material properties of sheep common carotid artery. <i>Medical Engineering and Physics</i> , 2018, 55, 16-24. | 1.7 | 4 |
| 23 | The role of biomechanics in aortic aneurysm management: requirements, open problems and future prospects. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 77, 295-307. | 3.1 | 23 |
| 24 | Biomechanical evaluation of a personalized external aortic root support applied in the Ross procedure. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 78, 164-174. | 3.1 | 17 |
| 25 | Cartilage defect location and stiffness predispose the tibiofemoral joint to aberrant loading conditions during stance phase of gait. <i>PLoS ONE</i> , 2018, 13, e0205842. | 2.5 | 14 |
| 26 | Reinforcing the pulmonary artery autograft in the aortic position with a textile mesh: a histological evaluation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 27, 566-573. | 1.1 | 18 |
| 27 | Cartilage-on-cartilage contact: effect of compressive loading on tissue deformations and structural integrity of bovine articular cartilage. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1699-1709. | 1.3 | 21 |
| 28 | How important is sample alignment in planar biaxial testing of anisotropic soft biological tissues? A finite element study. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 88, 201-216. | 3.1 | 5 |
| 29 | Numerical simulation of arterial remodeling in pulmonary autografts. <i>ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik</i> , 2018, 98, 2239-2257. | 1.6 | 22 |
| 30 | Rupture risk in abdominal aortic aneurysms: A realistic assessment of the explicit GPU approach. <i>Journal of Biomechanics</i> , 2017, 56, 1-9. | 2.1 | 5 |
| 31 | InÂvivo evidence of significant levator ani muscle stretch onÂMR images of a live childbirth. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 194.e1-194.e8. | 1.3 | 19 |
| 32 | GPGPU-based explicit finite element computations for applications in biomechanics: the performance of material models, element technologies, and hardware generations. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 1643-1657. | 1.6 | 7 |
| 33 | Biomechanical Characterization of Ascending Aortic Aneurysms. <i>Biomechanics and Modeling in Mechanobiology</i> , 2017, 16, 705-720. | 2.8 | 19 |
| 34 | On the assessment of bridging vein rupture associated acute subdural hematoma through finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 530-539. | 1.6 | 12 |
| 35 | Support of the aortic wall: a histological study in sheep comparing a macroporous mesh with low-porosity vascular graft of the same polyethylene terephthalate material. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017, 25, 89-95. | 1.1 | 23 |
| 36 | A validated methodology for patient specific computational modeling of self-expandable transcatheter aortic valve implantation. <i>Journal of Biomechanics</i> , 2016, 49, 2824-2830. | 2.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | GPU-Based Fast Finite Element Solution for Nonlinear Anisotropic Material Behavior and Comparison of Integration Strategies. , 2016, , 97-105. | | 2 |
| 38 | Cognitive AutonomouS CAtheters Operating in Dynamic Environments. Journal of Medical Robotics Research, 2016, 01, 1640011. | 1.2 | 4 |
| 39 | Intuitive Control Strategies for Teleoperation of Active Catheters in Endovascular Surgery. Journal of Medical Robotics Research, 2016, 01, 1640012. | 1.2 | 7 |
| 40 | Patient Specific Vascular Benchtop Models for Development and Validation of Medical Devices for Minimally Invasive Procedures. Journal of Medical Robotics Research, 2016, 01, 1640008. | 1.2 | 4 |
| 41 | Planar biaxial testing of soft biological tissue using rakes: A critical analysis of protocol and fitting process. Journal of the Mechanical Behavior of Biomedical Materials, 2016, 61, 135-151. | 3.1 | 50 |
| 42 | Atherosclerosis Alters Loading-Induced Arterial Damage: Implications for Robotic Surgery. PLoS ONE, 2016, 11, e0156936. | 2.5 | 3 |
| 43 | Arterial Vasoreactivity is Equally Affected by <i>In Vivo&/i> Cross-Clamping with Increasing Loads in Young and Middle-Aged Mice Aortas. Annals of Thoracic and Cardiovascular Surgery, 2016, 22, 38-43. | 0.8 | 4 |
| 44 | Biomechanical and biochemical properties of the thoracic aorta in warmblood horses, Friesian horses, and Friesians with aortic rupture. BMC Veterinary Research, 2015, 11, 285. | 1.9 | 12 |
| 45 | Non-invasive, energy-based assessment of patient-specific material properties of arterial tissue. Biomechanics and Modeling in Mechanobiology, 2015, 14, 1045-1056. | 2.8 | 28 |
| 46 | Strain assessment in the carotid artery wall using ultrasound speckle tracking: validation in a sheep model. Physics in Medicine and Biology, 2015, 60, 1107-1123. | 3.0 | 16 |
| 47 | Analyzing the potential of GPGPUs for real-time explicit finite element analysis of soft tissue deformation using CUDA. Finite Elements in Analysis and Design, 2015, 105, 79-89. | 3.2 | 22 |
| 48 | Human thoracic and abdominal aortic aneurysmal tissues: Damage experiments, statistical analysis and constitutive modeling. Journal of the Mechanical Behavior of Biomedical Materials, 2015, 41, 92-107. | 3.1 | 76 |
| 49 | Structural and mechanical characterisation of bridging veins: A review. Journal of the Mechanical Behavior of Biomedical Materials, 2015, 41, 222-240. | 3.1 | 35 |
| 50 | Characterisation of Mechanical Properties of Human Pulmonary and Aortic Tissue. IFMBE Proceedings, 2015, , 387-390. | 0.3 | 3 |
| 51 | <i>In situ</i> Evolution of the Mechanical Properties of Stretchable and Non-Stretchable ePTFE Vascular Grafts and Adjacent Native Vessels. International Journal of Artificial Organs, 2014, 37, 900-910. | 1.4 | 11 |
| 52 | Mechanics of the mitral valve. Biomechanics and Modeling in Mechanobiology, 2013, 12, 1053-1071. | 2.8 | 70 |
| 53 | Assessment of longitudinal strain in the carotid artery wall using ultrasound-based Speckle tracking - Validation in a sheep model. , 2013, , . | | 0 |
| 54 | A three-constituent damage model for arterial clamping in computer-assisted surgery. Biomechanics and Modeling in Mechanobiology, 2013, 12, 123-136. | 2.8 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Cardiovascular Tissue Damage: An Experimental and Computational Framework. , 2013, , 129-148. | | 0 |
| 56 | Design and in vivo validation of a force-measuring manipulator for MIS providing synchronized video, motion and force data. , 2013, , . | | 6 |
| 57 | Intraoperative Damage Monitoring of Endoclamp Balloon Expansion Using Real-Time Finite Element Modeling. , 2013, , 39-47. | | 2 |
| 58 | Arterial clamping: Finite element simulation and in vivo validation. Journal of the Mechanical Behavior of Biomedical Materials, 2012, 12, 107-118. | 3.1 | 39 |
| 59 | In vivo soft tissue damage assessment for applications in surgery. Medical Engineering and Physics, 2010, 32, 437-443. | 1.7 | 31 |
| 60 | Acoustical analysis of mechanical heart valve sounds for early detection of malfunction. Medical Engineering and Physics, 2010, 32, 934-939. | 1.7 | 4 |
| 61 | Cyclically stretching developing tissue in vivo enhances mechanical strength and organization of vascular grafts. Acta Biomaterialia, 2010, 6, 2448-2456. | 8.3 | 27 |
| 62 | Off-Label use of Stretchable Polytetrafluoroethylene: Overexpansion of Synthetic Shunts. International Journal of Artificial Organs, 2010, 33, 263-270. | 1.4 | 5 |
| 63 | Soft tissue modelling for applications in virtual surgery and surgical robotics. Computer Methods in Biomechanics and Biomedical Engineering, 2008, 11, 351-366. | 1.6 | 86 |