

# Nadia Azzolini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5926383/publications.pdf>

Version: 2024-02-01

37  
papers

1,755  
citations

331670

21  
h-index

345221

36  
g-index

37  
all docs

37  
docs citations

37  
times ranked

2398  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic lung allograft pathology lesions in two rat strain combinations. <i>Journal of Thoracic Disease</i> , 2021, 13, 2833-2843.	1.4	1
2	Transplantation-Induced Ischemia-Reperfusion Injury Modulates Antigen Presentation by Donor Renal CD11c+F4/80+ Macrophages through IL-1R8 Regulation. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 517-531.	6.1	16
3	Vein Suturing Results in Worse Lung Graft Outcomes Compared to the Cuff Method. <i>European Surgical Research</i> , 2019, 60, 106-116.	1.3	2
4	Effect of Timing and Complement Receptor Antagonism on Intra-graft Recruitment and Protolerogenic Effects of Mesenchymal Stromal Cells in Murine Kidney Transplantation. <i>Transplantation</i> , 2019, 103, 1121-1130.	1.0	14
5	Complement Alternative Pathway Deficiency in Recipients Protects Kidney Allograft From Ischemia/Reperfusion Injury and Alloreactive T Cell Response. <i>American Journal of Transplantation</i> , 2017, 17, 2312-2325.	4.7	32
6	AAV9-mediated engineering of autotransplanted kidney of non-human primates. <i>Gene Therapy</i> , 2017, 24, 308-313.	4.5	0
7	Experimental Evaluation of Kidney Regeneration by Organ Scaffold Recellularization. <i>Scientific Reports</i> , 2017, 7, 43502.	3.3	52
8	Extracellular vesicles derived from T regulatory cells suppress T cell proliferation and prolong allograft survival. <i>Scientific Reports</i> , 2017, 7, 11518.	3.3	89
9	Simplified Method to Measure Glomerular Filtration Rate by Iohexol Plasma Clearance in Conscious Rats. <i>Nephron</i> , 2016, 133, 62-70.	1.8	9
10	An Unanticipated Role for Survivin in Organ Transplant Damage. <i>American Journal of Transplantation</i> , 2014, 14, 1046-1060.	4.7	9
11	<i>In vivo</i> Regeneration of Elastic Lamina on Fibroin Biodegradable Vascular Scaffold. <i>International Journal of Artificial Organs</i> , 2013, 36, 166-174.	1.4	40
12	In Vivo Maturation of Functional Renal Organoids Formed from Embryonic Cell Suspensions. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1857-1868.	6.1	156
13	Localization of Mesenchymal Stromal Cells Dictates Their Immune or Proinflammatory Effects in Kidney Transplantation. <i>American Journal of Transplantation</i> , 2012, 12, 2373-2383.	4.7	151
14	Prolonged cold ischemia accelerates cellular and humoral chronic rejection in a rat model of kidney allotransplantation. <i>Transplant International</i> , 2012, 25, 347-356.	1.6	19
15	Both Darbepoetin Alfa and Carbamylated Erythropoietin Prevent Kidney Graft Dysfunction Due to Ischemia/Reperfusion in Rats. <i>Transplantation</i> , 2011, 92, 271-279.	1.0	25
16	Embryonic Stem Cells, Derived Either after In Vitro Fertilization or Nuclear Transfer, Prolong Survival of Semiallogeneic Heart Transplants. <i>Journal of Immunology</i> , 2011, 186, 4164-4174.	0.8	9
17	The Toll-IL-1R Member Tir8/SIGIRR Negatively Regulates Adaptive Immunity against Kidney Grafts. <i>Journal of Immunology</i> , 2009, 183, 4249-4260.	0.8	46
18	Complement-Mediated Dysfunction of Glomerular Filtration Barrier Accelerates Progressive Renal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1158-1167.	6.1	63

#	ARTICLE	IF	CITATIONS
19	Pretransplant Infusion of Mesenchymal Stem Cells Prolongs the Survival of a Semiallogeneic Heart Transplant through the Generation of Regulatory T Cells. <i>Journal of Immunology</i> , 2008, 181, 3933-3946.	0.8	405
20	Propionyl-L-carnitine prevents early graft dysfunction in allogeneic rat kidney transplantation. <i>Kidney International</i> , 2008, 74, 1420-1428.	5.2	6
21	Effect of Seliciclib (CYC202, R-Roscovitine) on Lymphocyte Alloreactivity and Acute Kidney Allograft Rejection in Rat. <i>Transplantation</i> , 2008, 85, 1476-1482.	1.0	5
22	Role of thymic- and graft-dependent mechanisms in tolerance induction to rat kidney transplant by donor PBMC infusion. <i>Kidney International</i> , 2007, 71, 1132-1141.	5.2	3
23	DnIKK2-Transfected Dendritic Cells Induce a Novel Population of Inducible Nitric Oxide Synthase-Expressing CD4+CD25+ Cells with Tolerogenic Properties. <i>Transplantation</i> , 2007, 83, 474-484.	1.0	21
24	Adeno-Associated Virus-Mediated CTLA4lg Gene Transfer Protects MHC-Mismatched Renal Allografts from Chronic Rejection. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1665-1672.	6.1	31
25	Dendritic Cells Genetically Engineered with Adenoviral Vector Encoding dnIKK2 Induce the Formation of Potent CD4+ T-Regulatory Cells. <i>Transplantation</i> , 2005, 79, 1056-1061.	1.0	32
26	Effect of a Novel Immunosuppressant, ST1959, on the Immune System and Renal Allograft Survival in Rats. <i>Transplantation</i> , 2005, 80, 231-236.	1.0	2
27	Pretransplant Donor Peripheral Blood Mononuclear Cells Infusion Induces Transplantation Tolerance by Generating Regulatory T Cells. <i>Transplantation</i> , 2005, 79, 1034-1039.	1.0	27
28	Inhibition of the chemokine receptor CXCR2 prevents kidney graft function deterioration due to ischemia/reperfusion. <i>Kidney International</i> , 2005, 67, 1753-1761.	5.2	126
29	Favorable Effect of Cotransfection with TGF- $\beta$ and CTLA4lg of the Donor Kidney on Allograft Survival. <i>American Journal of Nephrology</i> , 2004, 24, 275-283.	3.1	12
30	ACE inhibition limits chronic injury of kidney transplant even with treatment started when lesions are established. <i>Kidney International</i> , 2003, 64, 2253-2261.	5.2	30
31	Propionyl-l-carnitine prevents renal function deterioration due to ischemia/reperfusion. <i>Kidney International</i> , 2002, 61, 1064-1078.	5.2	61
32	Thymic Microchimerism Correlates with the Outcome of Tolerance-Inducing Protocols for Solid Organ Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2815-2826.	6.1	25
33	Combined Treatment with Mycophenolate Mofetil and an Angiotensin II Receptor Antagonist Fully Protects from Chronic Rejection in a Rat Model of Renal Allograft. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1937-1946.	6.1	32
34	CTLA4lg Gene Transfer Prolongs Survival and Induces Donor-Specific Tolerance in a Rat Renal Allograft. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 747-752.	6.1	64
35	Nature and mediators of renal lesions in kidney transplant patients given cyclosporine for more than one year. <i>Kidney International</i> , 1999, 55, 674-685.	5.2	93
36	Peripheral donor leukocytes prolong survival of rat renal allografts. <i>Kidney International</i> , 1999, 56, 1101-1112.	5.2	33

#	ARTICLE	IF	CITATIONS
37	Peripheral donor leukocytes prolong survival of rat renal allografts. <i>Kidney International</i> , 1999, 56, 1101.	5.2	14