
Ji Ming Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5927895/publications.pdf Version: 2024-02-01



LI MING WANG

#	Article	IF	CITATIONS
1	The G-Protein Coupled Formyl Peptide Receptors and Their Role in the Progression of Digestive Tract Cancer. Technology in Cancer Research and Treatment, 2020, 19, 153303382097328.	1.9	5
2	The Contribution of Chemoattractant GPCRs, Formylpeptide Receptors, to Inflammation and Cancer. Frontiers in Endocrinology, 2020, 11, 17.	3.5	23
3	A Critical Role of Formyl Peptide Receptors in Host Defense against <i>Escherichia coli</i> . Journal of Immunology, 2020, 204, 2464-2473.	0.8	17
4	Chemotactic Ligands that Activate G-Protein-Coupled Formylpeptide Receptors. International Journal of Molecular Sciences, 2019, 20, 3426.	4.1	34
5	The Critical Role of the Antimicrobial Peptide LL-37/ CRAMP in Protection of Colon Microbiota Balance, Mucosal Homeostasis, Anti-Inflammatory Responses, and Resistance to Carcinogenesis. Critical Reviews in Immunology, 2019, 39, 83-92.	0.5	25
6	The Antimicrobial Peptide CRAMP Is Essential for Colon Homeostasis by Maintaining Microbiota Balance. Journal of Immunology, 2018, 200, 2174-2185.	0.8	56
7	Deficiency in Fpr2 results in reduced numbers of Linâ^'cKit+Sca1+ myeloid progenitor cells. Journal of Biological Chemistry, 2018, 293, 13452-13463.	3.4	7
8	Regulation of inflammation by members of the formyl-peptide receptor family. Journal of Autoimmunity, 2017, 85, 64-77.	6.5	103
9	Formylpeptide receptor 1 mediates the tumorigenicity of human hepatocellular carcinoma cells. Oncolmmunology, 2016, 5, e1078055.	4.6	13
10	Formylpeptide Receptors Mediate Rapid Neutrophil Mobilization to Accelerate Wound Healing. PLoS ONE, 2014, 9, e90613.	2.5	57
11	The Role of Chemoattractant Receptors in Shaping the Tumor Microenvironment. BioMed Research International, 2014, 2014, 1-33.	1.9	35
12	Neutrophil swarms require LTB4 and integrins at sites of cell death in vivo. Nature, 2013, 498, 371-375.	27.8	800
13	Formylpeptide receptor-2 contributes to colonic epithelial homeostasis, inflammation, and tumorigenesis. Journal of Clinical Investigation, 2013, 123, 1694-1704.	8.2	89
14	G protein-coupled receptor FPR1 as a pharmacologic target in inflammation and human glioblastoma. International Immunopharmacology, 2012, 14, 283-288.	3.8	55
15	Cutting Edge: A Critical Role for the G Protein-Coupled Receptor mFPR2 in Airway Inflammation and Immune Responses. Journal of Immunology, 2010, 184, 3331-3335.	0.8	112
16	International Union of Basic and Clinical Pharmacology. LXXIII. Nomenclature for the Formyl Peptide Receptor (FPR) Family. Pharmacological Reviews, 2009, 61, 119-161.	16.0	677
17	G-protein coupled chemoattractant receptors and cancer. Frontiers in Bioscience - Landmark, 2008, Volume, 3352.	3.0	33
18	Formyl-peptide receptors revisited. Trends in Immunology, 2002, 23, 541-548.	6.8	566

#	Article	IF	CITATIONS
19	Ll-37, the Neutrophil Granule–And Epithelial Cell–Derived Cathelicidin, Utilizes Formyl Peptide Receptor–Like 1 (Fprl1) as a Receptor to Chemoattract Human Peripheral Blood Neutrophils, Monocytes, and T Cells. Journal of Experimental Medicine, 2000, 192, 1069-1074.	8.5	1,094