
Thierry Heitz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/592836/publications.pdf Version: 2024-02-01



THIEDDV HEITZ

#	Article	IF	CITATIONS
1	Broadâ€spectrum stress tolerance conferred by suppressing jasmonate signaling attenuation in Arabidopsis JASMONIC ACID OXIDASE mutants. Plant Journal, 2022, 109, 856-872.	5.7	10
2	Arabidopsis CHROMATIN REMODELING 19 acts as a transcriptional repressor and contributes to plant pathogen resistance. Plant Cell, 2022, 34, 1100-1116.	6.6	13
3	Lipids Jasmonate Metabolism: Shaping Signals for Plant Stress Adaptation and Development. , 2021, , 790-803.		1
4	OsJAZ9 overexpression modulates jasmonic acid biosynthesis and potassium deficiency responses in rice. Plant Molecular Biology, 2020, 104, 397-410.	3.9	27
5	Stress―and pathwayâ€specific impacts of impaired jasmonoylâ€isoleucine (JAâ€ile) catabolism on defense signalling and biotic stress resistance. Plant, Cell and Environment, 2020, 43, 1558-1570.	5.7	29
6	Arabidopsis SDG8 Potentiates the Sustainable Transcriptional Induction of the Pathogenesis-Related Genes PR1 and PR2 During Plant Defense Response. Frontiers in Plant Science, 2020, 11, 277.	3.6	36
7	Characterization of Jasmonoyl-Isoleucine (JA-Ile) Hormonal Catabolic Pathways in Rice upon Wounding and Salt Stress. Rice, 2019, 12, 45.	4.0	31
8	Metabolic Control within the Jasmonate Biochemical Pathway. Plant and Cell Physiology, 2019, 60, 2621-2628.	3.1	26
9	Jasmonic Acid Oxidase 2 Hydroxylates Jasmonic Acid and Represses Basal Defense and Resistance Responses against Botrytis cinerea Infection. Molecular Plant, 2017, 10, 1159-1173.	8.3	102
10	Dynamics of Jasmonate Metabolism upon Flowering and across Leaf Stress Responses in Arabidopsis thaliana. Plants, 2016, 5, 4.	3.5	25
11	The Rise and Fall of Jasmonate Biological Activities. Sub-Cellular Biochemistry, 2016, 86, 405-426.	2.4	53
12	CYP94-mediated jasmonoyl-isoleucine hormone oxidation shapes jasmonate profiles and attenuates defence responses to Botrytis cinerea infection. Journal of Experimental Botany, 2015, 66, 3879-3892.	4.8	70
13	A Route for the Total Synthesis of Enantiomerically Enriched Jasmonates 12â€COOHâ€JA and 12â€COOHâ€JAâ€I European Journal of Organic Chemistry, 2015, 2015, 1130-1136.	e. 2.4	6
14	Sequential oxidation of Jasmonoyl-Phenylalanine and Jasmonoyl-Isoleucine by multiple cytochrome P450 of the CYP94 family through newly identified aldehyde intermediates. Phytochemistry, 2015, 117, 388-399.	2.9	28
15	Involvement of the caleosin/peroxygenase RD20 in the control of cell death during Arabidopsis responses to pathogens. Plant Signaling and Behavior, 2015, 10, e991574.	2.4	27
16	ldentification of the 12-oxojasmonoyl-isoleucine, a new intermediate of jasmonate metabolism in Arabidopsis, by combining chemical derivatization and LC–MS/MS analysis. Metabolomics, 2015, 11, 991-997.	3.0	7
17	Phospholipase A in Plant Immunity. Signaling and Communication in Plants, 2014, , 183-205.	0.7	3
18	Sporopollenin Biosynthetic Enzymes Interact and Constitute a Metabolon Localized to the Endoplasmic Reticulum of Tapetum Cells. Plant Physiology, 2013, 162, 616-625.	4.8	113

THIERRY HEITZ

#	Article	IF	CITATIONS
19	The Amidohydrolases IAR3 and ILL6 Contribute to Jasmonoyl-Isoleucine Hormone Turnover and Generate 12-Hydroxyjasmonic Acid Upon Wounding in Arabidopsis Leaves. Journal of Biological Chemistry, 2013, 288, 31701-31714.	3.4	102
20	Cytochromes P450 CYP94C1 and CYP94B3 Catalyze Two Successive Oxidation Steps of Plant Hormone Jasmonoyl-isoleucine for Catabolic Turnover. Journal of Biological Chemistry, 2012, 287, 6296-6306.	3.4	238
21	Chromatin modification and remodelling: a regulatory landscape for the control of Arabidopsis defence responses upon pathogen attack. Cellular Microbiology, 2012, 14, 829-839.	2.1	65
22	<i>LAP6/POLYKETIDE SYNTHASE A</i> and <i>LAP5/POLYKETIDE SYNTHASE B</i> Encode Hydroxyalkyl α-Pyrone Synthases Required for Pollen Development and Sporopollenin Biosynthesis in <i>Arabidopsis thaliana</i> Â Â Â. Plant Cell, 2011, 22, 4045-4066.	6.6	188
23	Vitis vinifera VvNPR1.1 is the functional ortholog of AtNPR1 and its overexpression in grapevine triggers constitutive activation of PR genes and enhanced resistance to powdery mildew. Planta, 2011, 234, 405-417.	3.2	72
24	Analysis of <i>TETRAKETIDE α-PYRONE REDUCTASE</i> Function in <i>Arabidopsis thaliana</i> Reveals a Previously Unknown, but Conserved, Biochemical Pathway in Sporopollenin Monomer Biosynthesis Â. Plant Cell, 2011, 22, 4067-4083.	6.6	181
25	Arabidopsis Histone Methyltransferase SET DOMAIN GROUP8 Mediates Induction of the Jasmonate/Ethylene Pathway Genes in Plant Defense Response to Necrotrophic Fungi Â. Plant Physiology, 2010, 154, 1403-1414.	4.8	181
26	The interplay of lipid acyl hydrolases in inducible plant defense. Plant Signaling and Behavior, 2010, 5, 1181-1186.	2.4	21
27	Patatin-related phospholipase A: nomenclature, subfamilies and functions in plants. Trends in Plant Science, 2010, 15, 693-700.	8.8	145
28	A BAHD acyltransferase is expressed in the tapetum of Arabidopsis anthers and is involved in the synthesis of hydroxycinnamoyl spermidines. Plant Journal, 2009, 58, 246-259.	5.7	171
29	The <i>Arabidopsis</i> Patatin-Like Protein 2 (PLP2) Plays an Essential Role in Cell Death Execution and Differentially Affects Biosynthesis of Oxylipins and Resistance to Pathogens. Molecular Plant-Microbe Interactions, 2009, 22, 469-481.	2.6	141
30	A pathogen-inducible patatin-like lipid acyl hydrolase facilitates fungal and bacterial host colonization in Arabidopsis. Plant Journal, 2005, 44, 810-825.	5.7	148
31	Metabolic reprogramming in plant innate immunity: the contributions of phenylpropanoid and oxylipin pathways. Immunological Reviews, 2004, 198, 267-284.	6.0	272
32	Des dérivés d'acides gras dans la résistance des plantes aux attaques microbiennes : à la recherche d'acyle hydrolases impliquées dans la synthÃïse des oxylipines. Oleagineux Corps Gras Lipides, 2002, 9, 37-42.	0.2	0
33	Spatio-temporal expression of patatin-like lipid acyl hydrolases and accumulation of jasmonates in elicitor-treated tobacco leaves are not affected by endogenous levels of salicylic acid. Plant Journal, 2002, 32, 749-762.	5.7	63
34	Soluble phospholipase A2 activity is induced before oxylipin accumulation in tobacco mosaic virus-infected tobacco leaves and is contributed by patatin-like enzymes. Plant Journal, 2000, 23, 431-440.	5.7	158
35	Antimicrobial proteins in induced plant defense. Current Opinion in Immunology, 1998, 10, 16-22.	5.5	188
36	Local and Systemic Accumulationof Pathogenesis-Related Proteins in Tobacco PlantsInfected with Tobacco Mosaic Virus. Molecular Plant-Microbe Interactions, 1994, 7, 776.	2.6	22

		INIEKKTIIEIIZ		
#	Article	IF	CITATIONS	
37	Two Apoplastic α-Amylases Are Induced in Tobacco by Virus Infection. Plant Physiology, 1991, 97, 65	51-656. 4.8	3 27	