

# Karin N Westlund

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5931198/publications.pdf>

Version: 2024-02-01

185  
papers

12,972  
citations

15495

65  
h-index

25770

108  
g-index

187  
all docs

187  
docs citations

187  
times ranked

6454  
citing authors

#	ARTICLE	IF	CITATIONS
1	Trigeminal neuropathic pain is alleviated by inhibition of Ca <sup>v</sup> <sub>3.3</sub> T-type calcium channels in mice. <i>Channels</i> , 2021, 15, 31-37.	1.5	18
2	Effect of acetyl-L-carnitine on hypersensitivity in acute recurrent caerulein-induced pancreatitis and microglial activation along the brain's pain circuitry. <i>World Journal of Gastroenterology</i> , 2021, 27, 794-814.	1.4	2
3	Single-chain Fragment variable antibody targeting cholecystokinin-B receptor for pain reduction. <i>Neurobiology of Pain (Cambridge, Mass )</i> , 2021, 10, 100067.	1.0	8
4	Single-Dose P2 X4R Single-Chain Fragment Variable Antibody Permanently Reverses Chronic Pain in Male Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13612.	1.8	4
5	Manganese-enhanced MRI reveals changes within brain anxiety and aversion circuitry in rats with chronic neuropathic pain- and anxiety-like behaviors. <i>NeuroImage</i> , 2020, 223, 117343.	2.1	21
6	The Therapeutic Effectiveness of Full Spectrum Hemp Oil Using a Chronic Neuropathic Pain Model. <i>Life</i> , 2020, 10, 69.	1.1	4
7	Tyrosine Kinase Inhibitors Reduce NMDA NR1 Subunit Expression, Nuclear Translocation, and Behavioral Pain Measures in Experimental Arthritis. <i>Frontiers in Physiology</i> , 2020, 11, 440.	1.3	3
8	Building and Testing PPAR <sup>γ</sup> Therapeutic ELB00824 with an Improved Therapeutic Window for Neuropathic Pain. <i>Molecules</i> , 2020, 25, 1120.	1.7	5
9	Minimally Invasive Oral Surgery Induction of the FRICT-ION Chronic Neuropathic Pain Model. <i>Bio-protocol</i> , 2020, 10, e3591.	0.2	13
10	Sustained relief of trigeminal neuropathic pain by a blood-brain barrier penetrable PPAR gamma agonist. <i>Molecular Pain</i> , 2019, 15, 174480691988449.	1.0	10
11	Combination Drug Therapy of Pioglitazone and D-cycloserine Attenuates Chronic Orofacial Neuropathic Pain and Anxiety by Improving Mitochondrial Function Following Trigeminal Nerve Injury. <i>Clinical Journal of Pain</i> , 2018, 34, 168-177.	0.8	14
12	Histone deacetylase inhibitors prevent persistent hypersensitivity in an orofacial neuropathic pain model. <i>Molecular Pain</i> , 2018, 14, 174480691879676.	1.0	33
13	Punctate Midline Myelotomy Reduces Pain Responses in a Rat Model of Lumbar Spine Pain: Evidence that the Postsynaptic Dorsal Column Pathway Conveys Pain from the Axial Spine. <i>Cureus</i> , 2018, 10, e2371.	0.2	3
14	PPAR <sup>γ</sup> Agonists Attenuate Trigeminal Neuropathic Pain. <i>Clinical Journal of Pain</i> , 2017, 33, 1071-1080.	0.8	21
15	Inflammatory "double hit" model of temporomandibular joint disorder with elevated CCL <sub>2</sub> , CXCL <sub>9</sub> , CXCL <sub>10</sub> , RANTES and behavioural hypersensitivity in TNFR1/R2 <sup>-/-</sup> mice. <i>European Journal of Pain</i> , 2017, 21, 1209-1223.	1.4	12
16	Ensuring due process in the IACUC and animal welfare setting: considerations in developing noncompliance policies and procedures for institutional animal care and use committees and institutional officials. <i>FASEB Journal</i> , 2017, 31, 4216-4225.	0.2	19
17	Disulfide high mobility group box-1 causes bladder pain through bladder Toll-like receptor 4. <i>BMC Physiology</i> , 2017, 17, 6.	3.6	22
18	The noradrenergic locus coeruleus as a chronic pain generator. <i>Journal of Neuroscience Research</i> , 2017, 95, 1336-1346.	1.3	93

#	ARTICLE	IF	CITATIONS
19	MIF Mediates Pelvic Inflammation and Pain. , 2017, , 145-155.		0
20	A Mouse Model of Chronic Pancreatitis Induced by an Alcohol and High Fat Diet. Open Pain Journal, 2017, 10, 81-89.	0.4	0
21	Transdermal cannabidiol reduces inflammation and pain-related behaviours in a rat model of arthritis. European Journal of Pain, 2016, 20, 936-948.	1.4	205
22	GABA-A receptor activity in the noradrenergic locus coeruleus drives trigeminal neuropathic pain in the rat; contribution of NA $\pm$ 1 receptors in the medial prefrontal cortex. Neuroscience, 2016, 334, 148-159.	1.1	35
23	Efficacy of Herpes Simplex Virus Vector Encoding the Human Preproenkephalin Gene for Treatment of Facial Pain in Mice. Journal of Oral and Facial Pain and Headache, 2016, 30, 42-50.	0.7	9
24	Protease-Activated Receptor 4 Induces Bladder Pain through High Mobility Group Box-1. PLoS ONE, 2016, 11, e0152055.	1.1	23
25	Prevalence of Pancreatitis in Female and Male Pediatric Patients in Eastern Kentucky in the United States. Journal of Family Medicine & Community Health, 2016, 3, .	0.0	0
26	Persistent Neuropathic Pain Influences Persistence Behavior in Rats. Journal of Oral and Facial Pain and Headache, 2015, 29, 183-192.	0.7	6
27	Macrophage Migration Inhibitory Factor Mediates PAR-Induced Bladder Pain. PLoS ONE, 2015, 10, e0127628.	1.1	24
28	Catechol-O-methyltransferase inhibition alters pain and anxiety-related volitional behaviors through activation of $\beta$ -adrenergic receptors in the rat. Neuroscience, 2015, 290, 561-569.	1.1	25
29	Dysregulated TNF $\pm$ promotes cytokine proteome profile increases and bilateral orofacial hypersensitivity. Neuroscience, 2015, 300, 493-507.	1.1	28
30	Trigeminal Inflammatory Compression (TIC) injury induces chronic facial pain and susceptibility to anxiety-related behaviors. Neuroscience, 2015, 295, 126-138.	1.1	29
31	Alcohol and high fat induced chronic pancreatitis: TRPV4 antagonist reduces hypersensitivity. Neuroscience, 2015, 311, 166-179.	1.1	23
32	Pain System. , 2015, , 703-731.		1
33	Pharmacological attenuation of chronic alcoholic pancreatitis induced hypersensitivity in rats. World Journal of Gastroenterology, 2015, 21, 836.	1.4	18
34	Pine Oil Effects on Chemical and Thermal Injury in Mice and Cultured Mouse Dorsal Root Ganglion Neurons. Phytotherapy Research, 2014, 28, 252-260.	2.8	8
35	Cannabinoid Receptor 2 Agonist Attenuates Pain Related Behavior in Rats with Chronic Alcohol/High Fat Diet Induced Pancreatitis. Molecular Pain, 2014, 10, 1744-8069-10-66.	1.0	19
36	A rat knockout model implicates TRPC4 in visceral pain sensation. Neuroscience, 2014, 262, 165-175.	1.1	34

#	ARTICLE	IF	CITATIONS
37	Pain Pathways. , 2014, , 87-98.e5.		3
38	Excitatory amino acids display compartmental disparity between plasma and synovial fluid in clinical arthropathies. International Journal of Clinical and Experimental Pathology, 2013, 6, 492-7.	0.5	1
39	Rat Models of Pancreatitis Pain. Methods in Molecular Biology, 2012, 851, 223-238.	0.4	3
40	Orofacial neuropathic pain mouse model induced by Trigeminal Inflammatory Compression (TIC) of the infraorbital nerve. Molecular Brain, 2012, 5, 44.	1.3	56
41	Pain System. , 2012, , 1144-1186.		4
42	Chronic inflammation and pain in a tumor necrosis factor receptor (TNFR) (p55/p75 <sup>-/-</sup> ) dual deficient murine model. Translational Research, 2012, 160, 84-94.	2.2	26
43	Trigeminal Nerve Injury ErbB3/ErbB2 Promotes Mechanical Hypersensitivity. Anesthesiology, 2012, 117, 381-388.	1.3	16
44	Gene expression profiling and endothelin in acute experimental pancreatitis. World Journal of Gastroenterology, 2012, 18, 4257.	1.4	10
45	Animal Models of Visceral Pain. Neuromethods, 2011, , 41-68.	0.2	1
46	Impact of Central and Peripheral TRPV1 and ROS Levels on Proinflammatory Mediators and Nociceptive Behavior. Molecular Pain, 2010, 6, 1744-8069-6-46.	1.0	57
47	A peripheral neuroimmune link: glutamate agonists upregulate NMDA NR1 receptor mRNA and protein, vimentin, TNF- $\alpha$ , and RANTES in cultured human synoviocytes. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R584-R598.	0.9	30
48	Gene therapy for pancreatitis pain. Gene Therapy, 2009, 16, 483-492.	2.3	16
49	Tumor Necrosis Factor-Alpha (TNF- $\alpha$ ) Enhances Functional Thermal and Chemical Responses of TRP Cation Channels in Human Synoviocytes. Molecular Pain, 2009, 5, 1744-8069-5-49.	1.0	77
50	Reactive Oxygen Species Mediate TNFR1 Increase after TRPV1 Activation in Mouse DRG Neurons. Molecular Pain, 2009, 5, 1744-8069-5-31.	1.0	75
51	fMRI of supraspinal areas after morphine and one week pancreatic inflammation in rats. NeuroImage, 2009, 44, 23-34.	2.1	26
52	Central Lateral Thalamic Neurons Receive Noxious Visceral Mechanical and Chemical Input in Rats. Journal of Neurophysiology, 2009, 102, 244-258.	0.9	31
53	Joint capsule treatment with enkephalin-encoding HSV-1 recombinant vector reduces inflammatory damage and behavioural sequelae in rat CFA monoarthritis. European Journal of Neuroscience, 2008, 27, 1153-1165.	1.2	21
54	Enkephalin-Encoding Herpes Simplex Virus-1 Decreases Inflammation and Hotplate Sensitivity in a Chronic Pancreatitis Model. Molecular Pain, 2008, 4, 1744-8069-4-8.	1.0	39

#	ARTICLE	IF	CITATIONS
55	Treatment of Inflamed Pancreas with Enkephalin Encoding HSV-1 Recombinant Vector Reduces Inflammatory Damage and Behavioral Sequelae. <i>Molecular Therapy</i> , 2007, 15, 1812-1819.	3.7	40
56	Plasticity in intact A $\delta$ - and C-fibers contributes to cold hypersensitivity in neuropathic rats. <i>Neuroscience</i> , 2007, 150, 182-193.	1.1	41
57	Increased Release of Serotonin in the Spinal Cord During Low, But Not High, Frequency Transcutaneous Electric Nerve Stimulation in Rats With Joint Inflammation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1137-1140.	0.5	94
58	Chapter 9 The dorsal horn and hyperalgesia. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2006, 81, 103-125.	1.0	7
59	Thermosensitive TRP ion channels mediate cytosolic calcium response in human synoviocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 291, C424-C432.	2.1	105
60	Transcriptional profiling of spinal cord injury-induced central neuropathic pain. <i>Journal of Neurochemistry</i> , 2005, 95, 998-1014.	2.1	142
61	Exogenous Bcl-xl fusion protein spares neurons after spinal cord injury. <i>Journal of Neuroscience Research</i> , 2005, 79, 628-637.	1.3	65
62	Proton-sensing G protein-coupled receptor mobilizes calcium in human synovial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 289, C601-C608.	2.1	22
63	Role of Neurogenic Inflammation in Pancreatitis and Pancreatic Pain. <i>NeuroSignals</i> , 2005, 14, 158-165.	0.5	41
64	Upregulation of the phosphorylated form of CREB in spinothalamic tract cells following spinal cord injury: Relation to central neuropathic pain. <i>Neuroscience Letters</i> , 2005, 384, 139-144.	1.0	40
65	Oxygen treatment after perinatal hypoxia-ischemia reduces neuronal damage at short survival times, but worsens injury with long-term survival. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S444-S444.	2.4	1
66	Pain System. , 2004, , 853-890.		6
67	Pain System. , 2004, , 1125-1170.		14
68	Excitatory amino acids, TNF-alpha , and chemokine levels in synovial fluids of patients with active arthropathies. <i>Clinical and Experimental Immunology</i> , 2004, 137, 621-627.	1.1	96
69	Restoration of spontaneous exploratory behaviors with an intrathecal NMDA receptor antagonist or a PKC inhibitor in rats with acute pancreatitis. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 145-153.	1.3	28
70	Attenuation of nociception in a model of acute pancreatitis by an NK-1 antagonist. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 631-640.	1.3	29
71	NMDA receptors and associated signaling pathways: a role in knee joint blood flow regulation. <i>European Journal of Pharmacology</i> , 2004, 499, 155-161.	1.7	11
72	Intrathecal Gabapentin Enhances the Analgesic Effects of Subtherapeutic Dose Morphine in a Rat Experimental Pancreatitis Model. <i>Anesthesiology</i> , 2004, 101, 759-765.	1.3	54

#	ARTICLE	IF	CITATIONS
73	Comparison of microdialysis and push-pull perfusion for retrieval of serotonin and norepinephrine in the spinal cord dorsal horn. <i>Journal of Neuroscience Methods</i> , 2003, 126, 187-194.	1.3	12
74	Mechanical sensation and pain thresholds in patients with chronic arthropathies. <i>Journal of Pain</i> , 2003, 4, 203-211.	0.7	106
75	Intrathecal Coadministration of D-APV and Morphine Is Maximally Effective in a Rat Experimental Pancreatitis Model. <i>Anesthesiology</i> , 2003, 98, 734-740.	1.3	15
76	Nociception in Persistent Pancreatitis in Rats. <i>Anesthesiology</i> , 2003, 98, 474-484.	1.3	73
77	Group I Metabotropic Glutamate Receptor Antagonists Block Secondary Thermal Hyperalgesia in Rats with Knee Joint Inflammation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 149-156.	1.3	54
78	Rapid changes in expression of glutamate transporters after spinal cord injury. <i>Brain Research</i> , 2002, 927, 104-110.	1.1	74
79	DNA microarray analysis of the contused spinal cord: Effect of NMDA receptor inhibition. <i>Journal of Neuroscience Research</i> , 2002, 68, 406-423.	1.3	103
80	Do nociceptive signals from the pancreas travel in the dorsal column?. <i>Pain</i> , 2001, 89, 207-220.	2.0	51
81	Arthritic calcitonin/Î± calcitonin gene-related peptide knockout mice have reduced nociceptive hypersensitivity. <i>Pain</i> , 2001, 89, 265-273.	2.0	145
82	Responses of rat dorsal column neurons to pancreatic nociceptive stimulation. <i>NeuroReport</i> , 2001, 12, 2527-2530.	0.6	28
83	The role of the dorsal column pathway in visceral nociception. <i>Current Pain and Headache Reports</i> , 2001, 5, 20-26.	1.3	45
84	Effects of baclofen on colon inflammation-induced Fos, CGRP and SP expression in spinal cord and brainstem. <i>Brain Research</i> , 2001, 889, 118-130.	1.1	52
85	Bcl-xL Expression after Contusion to the Rat Spinal Cord. <i>Journal of Neurotrauma</i> , 2001, 18, 1267-1278.	1.7	40
86	Visceral nociception. <i>Current Review of Pain</i> , 2000, 4, 478-487.	0.8	25
87	Punctate midline myelotomy for the relief of visceral cancer pain. <i>Journal of Neurosurgery: Spine</i> , 2000, 92, 125-130.	0.9	70
88	Increased Blood Pressure in Î±-Calcitonin Gene-Related Peptide/Calcitonin Gene Knockout Mice. <i>Hypertension</i> , 2000, 35, 470-475.	1.3	141
89	Amino acid release into the knee joint: key role in nociception and inflammation. <i>Pain</i> , 2000, 86, 69-74.	2.0	150
90	Rodent Model of Chronic Central Pain After Spinal Cord Contusion Injury and Effects of Gabapentin. <i>Journal of Neurotrauma</i> , 2000, 17, 1205-1217.	1.7	151

#	ARTICLE	IF	CITATIONS
91	The role of type 1 metabotropic glutamate receptors in the generation of dorsal root reflexes induced by acute arthritis or the spinal infusion of 4-aminopyridine in the anesthetized rat. <i>Journal of Pain</i> , 2000, 1, 151-161.	0.7	12
92	Reversal of weightlessness-induced musculoskeletal losses with androgens: quantification by MRI. <i>Journal of Applied Physiology</i> , 1999, 86, 1841-1846.	1.2	54
93	A visceral pain pathway in the dorsal column of the spinal cord. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 7675-7679.	3.3	228
94	Ascending projections from the area around the spinal cord central canal: APhaseolus vulgaris leucoagglutinin study in rats. , 1999, 415, 341-367.		110
95	Nicotinic cholinergic receptors: potential targets for inflammatory pain relief. <i>Pain</i> , 1999, 80, 291-299.	2.0	57
96	Dorsal column lesion prevents mechanical hyperalgesia and allodynia in osteotomy model. <i>Pain</i> , 1999, 82, 73-80.	2.0	18
97	Receptor for calcitonin gene-related peptide: localization in the dorsal and ventral spinal cord. <i>Neuroscience</i> , 1999, 92, 1389-1397.	1.1	50
98	Dihydropyridine receptor isoform expression in adult rat skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , 1998, 436, 309-314.	1.3	21
99	Changes in nitric oxide synthase isoforms in the spinal cord of rat following induction of chronic arthritis. <i>Experimental Brain Research</i> , 1998, 118, 457-465.	0.7	79
100	Correspondence. <i>Pain</i> , 1998, 74, 101-102.	2.0	0
101	Blockade of joint inflammation and secondary hyperalgesia by L-NAME, a nitric oxide synthase inhibitor. <i>NeuroReport</i> , 1997, 8, 895-899.	0.6	57
102	Dorsal column lesions reverse the reduction of homecage activity in rats with pancreatitis. <i>NeuroReport</i> , 1997, 8, 3795-3800.	0.6	72
103	Sensitization of postsynaptic dorsal column neuronal responses by colon inflammation. <i>NeuroReport</i> , 1997, 8, 3267-3273.	0.6	102
104	Surgical interruption of a midline dorsal column visceral pain pathway. <i>Journal of Neurosurgery</i> , 1997, 86, 538-542.	0.9	131
105	Excitatory amino acid receptor involvement in peripheral nociceptive transmission in rats. <i>European Journal of Pharmacology</i> , 1997, 324, 169-177.	1.7	213
106	Enhanced withdrawal responses to mechanical and thermal stimuli after bone injury. <i>Pain</i> , 1997, 73, 325-337.	2.0	22
107	Nucleus Gracilis: An Integrator for Visceral and Somatic Information. <i>Journal of Neurophysiology</i> , 1997, 78, 521-527.	0.9	92
108	Differential roles of neurokinin 1 and neurokinin 2 receptors in the development and maintenance of heat hyperalgesia induced by acute inflammation. <i>British Journal of Pharmacology</i> , 1997, 120, 1263-1273.	2.7	73

#	ARTICLE	IF	CITATIONS
109	Is there a pathway in the posterior funiculus that signals visceral pain?. Pain, 1996, 67, 291-305.	2.0	183
110	Dorsal root reflexes in articular afferents occur bilaterally in a chronic model of arthritis in rats. Journal of Neurophysiology, 1996, 76, 4190-4193.	0.9	78
111	Visceral nociceptive input into the ventral posterolateral nucleus of the thalamus: a new function for the dorsal column pathway. Journal of Neurophysiology, 1996, 76, 2661-2674.	0.9	244
112	Pelvic visceral input into the nucleus gracilis is largely mediated by the postsynaptic dorsal column pathway. Journal of Neurophysiology, 1996, 76, 2675-2690.	0.9	237
113	An I2 imidazoline ligand, RS 45041, potentiates hyperalgesia in acute arthritis. NeuroReport, 1996, 7, 1497-1501.	0.6	16
114	Ultrastructural localization of glutamate receptor subunits (NMDAR1, AMPA GluR1 and GluR2/3) and spinothalamic tract cells. NeuroReport, 1996, 7, 2581-2586.	0.6	40
115	Potential of thalamic responses to colorectal distension by visceral inflammation. NeuroReport, 1996, 7, 1635-1639.	0.6	42
116	Association of spinal lamina I projections with brainstem catecholamine neurons in the monkey. Experimental Brain Research, 1996, 110, 151-62.	0.7	61
117	NGF-producing transfected 3T3 cells: Behavioral and histological assessment of transplants in nigral lesioned rats. Journal of Neuroscience Research, 1995, 41, 367-373.	1.3	13
118	The efferent projections of the periaqueductal gray in the rat: APhaseolus vulgaris-leucoagglutinin study. I. Ascending projections. Journal of Comparative Neurology, 1995, 351, 568-584.	0.9	155
119	The efferent projections of the periaqueductal gray in the rat: APhaseolus vulgaris-leucoagglutinin study. II. Descending projections. Journal of Comparative Neurology, 1995, 351, 585-601.	0.9	263
120	Dexamethasone and activators of the protein kinase A and C signal transduction pathways regulate neuronal calcitonin gene-related peptide expression and release. Brain Research, 1995, 686, 77-86.	1.1	45
121	Fiber types contributing to dorsal root reflexes induced by joint inflammation in cats and monkeys. Journal of Neurophysiology, 1995, 74, 981-989.	0.9	79
122	Enhanced Neuronal Expression of Calcitonin Gene-Related Peptide in Mineralocorticoid-Salt Hypertension. Hypertension, 1995, 25, 1333-1338.	1.3	26
123	Joint inflammation is reduced by dorsal rhizotomy and not by sympathectomy or spinal cord transection.. Annals of the Rheumatic Diseases, 1994, 53, 309-314.	0.5	71
124	Differential effects of N-methyl-D-aspartate (NMDA) and non-NMDA receptor antagonists on spinal release of amino acids after development of acute arthritis in rats. Brain Research, 1994, 664, 77-84.	1.1	59
125	Reduction in joint swelling and hyperalgesia following post-treatment with a non-NMDA glutamate receptor antagonist. Pain, 1994, 59, 95-100.	2.0	65
126	Do dorsal root reflexes augment peripheral inflammation?. NeuroReport, 1994, 5, 821-824.	0.6	158



#	ARTICLE	IF	CITATIONS
127	Central Control of Peripheral Joint Inflammation and Heat Hyperalgesia. <i>Progress in Pain Research and Management</i> , 1994, 2, 359-371.	0.0	1
128	Spinal cord amino acid release and content in an arthritis model: the effects of pretreatment with non-NMDA, NMDA, and NK1 receptor antagonists. <i>Brain Research</i> , 1993, 627, 89-103.	1.1	98
129	Intracellular distribution of monoamine oxidase A in selected regions of rat and monkey brain and spinal cord. <i>Brain Research</i> , 1993, 612, 221-230.	1.1	78
130	An experimental arthritis model in rats: The effects of NMDA and non-NMDA antagonists on aspartate and glutamate release in the dorsal horn. <i>Neuroscience Letters</i> , 1993, 149, 99-102.	1.0	73
131	Centrally administered non-NMDA but not NMDA receptor antagonists block peripheral knee joint inflammation. <i>Pain</i> , 1993, 55, 217-225.	2.0	111
132	Behavioral and immunohistochemical changes in an experimental arthritis model in rats. <i>Pain</i> , 1993, 55, 367-377.	2.0	159
133	Effects of nerve growth factor and acetyl-L-carnitine arginyl amide on the human neuronal line HCN-1A. <i>International Journal of Developmental Neuroscience</i> , 1992, 10, 361-373.	0.7	17
134	Neural changes in acute arthritis in monkeys. I. Parallel enhancement of responses of spinothalamic tract neurons to mechanical stimulation and excitatory amino acids. <i>Brain Research Reviews</i> , 1992, 17, 1-13.	9.1	199
135	Neural changes in acute arthritis in monkeys. II. Increased glutamate immunoreactivity in the medial articular nerve. <i>Brain Research Reviews</i> , 1992, 17, 15-27.	9.1	86
136	Neural changes in acute arthritis in monkeys. III. Changes in substance P, calcitonin gene-related peptide and glutamate in the dorsal horn of the spinal cord. <i>Brain Research Reviews</i> , 1992, 17, 29-38.	9.1	139
137	Neural changes in acute arthritis in monkeys. IV. Time-course of amino acid release into the lumbar dorsal horn. <i>Brain Research Reviews</i> , 1992, 17, 39-50.	9.1	149
138	An experimental arthritis in rats: Dorsal horn aspartate and glutamate increases. <i>Neuroscience Letters</i> , 1992, 145, 141-144.	1.0	132
139	Serotonin is found in myelinated axons of the dorsolateral funiculus in monkeys. <i>Neuroscience Letters</i> , 1992, 141, 35-38.	1.0	9
140	Spinal projections of the locus coeruleus and the nucleus subcoeruleus in the Harlan and the Sasco Sprague-Dawley rat. <i>Brain Research</i> , 1992, 579, 67-73.	1.1	84
141	Glutamate-immunoreactive terminals synapse on primate spinothalamic tract cells. <i>Journal of Comparative Neurology</i> , 1992, 322, 519-527.	0.9	42
142	GABA-immunoreactive terminals synapse on primate spinothalamic tract cells. <i>Journal of Comparative Neurology</i> , 1992, 322, 528-537.	0.9	76
143	Decreased spinal cord content of calcitonin gene-related peptide in the spontaneously hypertensive rat. <i>Neuroscience Letters</i> , 1991, 131, 183-186.	1.0	21
144	Noradrenergic innervation of somatosensory thalamus and spinal cord. <i>Progress in Brain Research</i> , 1991, 88, 77-88.	0.9	29

#	ARTICLE	IF	CITATIONS
145	Hypothalamic regulatory peptides and their receptors: Cytochemical studies of their role in regulation at the adenohypophyseal level. <i>Journal of Electron Microscopy Technique</i> , 1991, 19, 21-41.	1.1	9
146	Serotonergic and noradrenergic projections to the ventral posterolateral nucleus of the monkey thalamus. <i>Journal of Comparative Neurology</i> , 1990, 295, 197-207.	0.9	42
147	Direct catecholaminergic innervation of primate spinothalamic tract neurons. <i>Journal of Comparative Neurology</i> , 1990, 299, 178-186.	0.9	61
148	Calcitonin gene-related peptide containing primary afferent fibers synapse on primate spinothalamic tract cells. <i>Neuroscience Letters</i> , 1990, 109, 76-81.	1.0	56
149	Changes in calcitonin gene-related peptide immunoreactivity in the rat dorsal horn following electrical stimulation of the sciatic nerve. <i>Neuroscience Letters</i> , 1990, 115, 149-154.	1.0	30
150	Percentages of dorsal root axons immunoreactive for galanin are higher than those immunoreactive for calcitonin gene-related peptide in the rat. <i>Brain Research</i> , 1990, 519, 97-101.	1.1	41
151	Peptide immunoreactivity of unmyelinated primary afferent axons in rat lumbar dorsal roots.. <i>Journal of Histochemistry and Cytochemistry</i> , 1989, 37, 1047-1052.	1.3	53
152	Characterization of Anterior Pituitary Target Cells for Arginine Vasopressin: Including Cells that Store Adrenocorticotropin, Thyrotropin- $\beta$ 2, and Both Hormones*. <i>Endocrinology</i> , 1989, 125, 554-559.	1.4	51
153	Immunohistochemical localization of seven different peptides in the human spinal cord. <i>Journal of Comparative Neurology</i> , 1989, 280, 158-170.	0.9	48
154	Isolation, characterization, and application of monoclonal antibodies to rat tyrosine hydroxylase. <i>Journal of Neuroscience Research</i> , 1989, 23, 316-325.	1.3	4
155	Glutamate immunoreactivity in rat dorsal root axons. <i>Neuroscience Letters</i> , 1989, 96, 13-17.	1.0	96
156	Adrenergic fibers in the spinal cord of the monkey: light and electron microscopic study. <i>Journal of the Autonomic Nervous System</i> , 1989, 28, 203-210.	1.9	12
157	Aspartate immunoreactive axons in normal rat L4 dorsal roots. <i>Brain Research</i> , 1989, 489, 347-351.	1.1	45
158	Calcitonin gene-related peptide (CGRP) in the human spinal cord: A light and electron microscopic analysis. <i>Journal of Comparative Neurology</i> , 1988, 269, 371-380.	0.9	86
159	Localization of distinct monoamine oxidase a and monoamine oxidase b cell populations in human brainstem. <i>Neuroscience</i> , 1988, 25, 439-456.	1.1	335
160	Dietary calcium modulates spinal cord content of calcitonin gene-related peptide in the rat. <i>Neuroscience Letters</i> , 1988, 95, 335-340.	1.0	16
161	Immunocytochemical localization of monoamine oxidases A and B in human peripheral tissues and brain.. <i>Journal of Histochemistry and Cytochemistry</i> , 1987, 35, 23-32.	1.3	159
162	Immunocytochemical localization of dopamine- $\beta$ -hydroxylase in neurons of the human brain stem. <i>Neuroscience</i> , 1987, 23, 981-989.	1.1	42

#	ARTICLE	IF	CITATIONS
163	Distinct monoamine oxidase A and B populations in primate brain. <i>Science</i> , 1985, 230, 181-183.	6.0	477
164	Characterization of a potent biotin-conjugated CRF analog and the response of anterior pituitary corticotropes. <i>Peptides</i> , 1984, 5, 627-634.	1.2	44
165	Origins and terminations of descending noradrenergic projections to the spinal cord of monkey. <i>Brain Research</i> , 1984, 292, 1-16.	1.1	286
166	Somatostatin fibers and their relationship to specific cell types (GH and TSH) in the rat anterior pituitary. <i>Peptides</i> , 1983, 4, 557-562.	1.2	24
167	Cytochemical characterization of pituitary target cells for biotinylated gonadotropin releasing hormone. <i>Peptides</i> , 1983, 4, 549-555.	1.2	55
168	Descending serotonergic, peptidergic and cholinergic pathways from the raphe nuclei: A multiple transmitter complex. <i>Brain Research</i> , 1983, 288, 33-48.	1.1	366
169	A study of some of the ascending and descending vestibular pathways in the pigeon ( <i>Columba livia</i> ) using anterograde transneuronal autoradiography. <i>Brain Research</i> , 1983, 278, 53-61.	1.1	22
170	Noradrenergic projections to the spinal cord of the rat. <i>Brain Research</i> , 1983, 263, 15-31.	1.1	473
171	A combined retrograde transport and immunocytochemical staining method for demonstrating the origins of serotonergic projections.. <i>Journal of Histochemistry and Cytochemistry</i> , 1982, 30, 805-810.	1.3	73
172	Organization of Descending Serotonergic Projections to the Spinal Cord. <i>Progress in Brain Research</i> , 1982, 57, 239-265.	0.9	141
173	Descending Noradrenergic Projections and their Spinal Terminations. <i>Progress in Brain Research</i> , 1982, 57, 219-238.	0.9	243
174	LOCALIZATION OF SEROTONIN FIBERS IN THE RAT ADENOHYPHYSIS. <i>Endocrinology</i> , 1982, 111, 1761-1763.	1.4	88
175	Transmitters of the raphe-spinal complex: Immunocytochemical studies. <i>Peptides</i> , 1982, 3, 291-298.	1.2	85
176	Origins of serotonergic projections to the lumbar spinal cord in the monkey using a combined retrograde transport and immunocytochemical technique. <i>Brain Research Bulletin</i> , 1982, 9, 271-278.	1.4	30
177	The relationship of the medullary catecholamine containing neurones to the vagal motor nuclei. <i>Neuroscience</i> , 1982, 7, 1471-1482.	1.1	61
178	Serotonergic projections to the caudal brain stem: a double label study using horseradish peroxidase and serotonin immunocytochemistry. <i>Brain Research</i> , 1982, 239, 258-264.	1.1	87
179	Organization of ascending auditory pathways in the pigeon ( <i>Columbia livia</i> ) as determined by autoradiographic methods. <i>Brain Research</i> , 1982, 234, 205-212.	1.1	25
180	Origins of serotonergic projections to the spinal cord in rat: An immunocytochemical-retrograde transport study. <i>Brain Research</i> , 1981, 226, 187-199.	1.1	309

#	ARTICLE	IF	CITATIONS
181	Origins of spinal noradrenergic pathways demonstrated by retrograde transport of antibody to dopamine- $\beta$ -hydroxylase. <i>Neuroscience Letters</i> , 1981, 25, 243-249.	1.0	108
182	Serotonergic projections to the spinal cord from the midbrain in the rat: An immunocytochemical and retrograde transport study. <i>Neuroscience Letters</i> , 1981, 24, 221-226.	1.0	64
183	Descending projections of the locus coeruleus and subcoeruleus/medial parabrachial nuclei in monkey: Axonal transport studies and dopamine- $\beta$ -hydroxylase immunocytochemistry. <i>Brain Research Reviews</i> , 1980, 2, 235-264.	9.1	399
184	Cortical, Tectal and Medullary Descending Pathways to the Cervical Spinal Cord. <i>Progress in Brain Research</i> , 1979, 50, 263-279.	0.9	60
185	Steroid induction of nerve growth factor synthesis in cell culture. <i>Life Sciences</i> , 1977, 21, 1535-1543.	2.0	82