List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5933859/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Direct evidence of the impact of aqueous self-assembly on biological behavior of amphiphilic molecules: The case study of molecular immunomodulators Sulfavants. Journal of Colloid and Interface Science, 2022, 611, 129-136.	9.4	4
2	Identification of the Marine Alkaloid Lepadin A as Potential Inducer of Immunogenic Cell Death. Biomolecules, 2022, 12, 246.	4.0	8
3	Fractionation Protocol of Marine Metabolites. Methods in Molecular Biology, 2022, , 307-313.	0.9	1
4	Antitumor Potential of Immunomodulatory Natural Products. Marine Drugs, 2022, 20, 386.	4.6	18
5	Sulfavant A as the first synthetic TREM2 ligand discloses a homeostatic response of dendritic cells after receptor engagement. Cellular and Molecular Life Sciences, 2022, 79, .	5.4	7
6	A Glucuronic Acid-Palmitoylethanolamide Conjugate (GLUPEA) Is an Innovative Drug Delivery System and a Potential Bioregulator. Cells, 2021, 10, 450.	4.1	2
7	UHPLC-MS Method for the Analysis of the Molecular Adjuvant Sulfavant A. Applied Sciences (Switzerland), 2021, 11, 1451.	2.5	1
8	Fermentation of Biodegradable Organic Waste by the Family Thermotogaceae. Resources, 2021, 10, 34.	3.5	13
9	Synthesis of Marine Natural Products and Molecules Inspired by Marine Substances. Marine Drugs, 2021, 19, 208.	4.6	5
10	Implementation in lipid extraction and analysis from phytoplankton: Skeletonema marinoi as case study. Marine Chemistry, 2021, 232, 103964.	2.3	3
11	Autotrophic vs. Heterotrophic Cultivation of the Marine Diatom Cyclotella cryptica for EPA Production. Marine Drugs, 2021, 19, 355.	4.6	18
12	Improvement of CO2 and Acetate Coupling into Lactic Acid by Genetic Manipulation of the Hyperthermophilic Bacterium Thermotoga neapolitana. Microorganisms, 2021, 9, 1688.	3.6	4
13	Synthesis of Marine Natural Products and Molecules Inspired by Marine Substances II. Marine Drugs, 2021, 19, 518.	4.6	Ο
14	Effect of Cultivation Parameters on Fermentation and Hydrogen Production in the Phylum Thermotogae. International Journal of Molecular Sciences, 2021, 22, 341.	4.1	20
15	Probing the Therapeutic Potential of Marine Phyla by SPE Extraction. Marine Drugs, 2021, 19, 640.	4.6	3
16	Short Gram-Scale Synthesis of Sulfavant A. Organic Process Research and Development, 2020, 24, 2728-2733.	2.7	7
17	A New Bioassay Platform Design for the Discovery of Small Molecules with Anticancer Immunotherapeutic Activity. Marine Drugs, 2020, 18, 604.	4.6	10
18	Preparation, Supramolecular Aggregation and Immunological Activity of the Bona Fide Vaccine Adjuvant Sulfavant S. Marine Drugs, 2020, 18, 451.	4.6	8

#	Article	IF	CITATIONS
19	Identification of the hydantoin alkaloids parazoanthines as novel CXCR4 antagonists by computational and in vitro functional characterization. Bioorganic Chemistry, 2020, 105, 104337.	4.1	4
20	Diatoms synthesize sterols by inclusion of animal and fungal genes in the plant pathway. Scientific Reports, 2020, 10, 4204.	3.3	21
21	Synthesis of the Major Mammalian Metabolites of THCV. Journal of Natural Products, 2020, 83, 2060-2065.	3.0	1
22	Lipoxygenase Pathways in Diatoms: Occurrence and Correlation with Grazer Toxicity in Four Benthic Species. Marine Drugs, 2020, 18, 66.	4.6	9
23	Potent Cytotoxic Analogs of Amphidinolides from the Atlantic Octocoral Stragulum bicolor. Marine Drugs, 2019, 17, 58.	4.6	10
24	Capnophilic Lactic Fermentation from Thermotoga neapolitana: A Resourceful Pathway to Obtain Almost Enantiopure L-lactic Acid. Fermentation, 2019, 5, 34.	3.0	12
25	Diasteroselective Colloidal Self-Assembly Affects the Immunological Response of the Molecular Adjuvant Sulfavant. ACS Omega, 2019, 4, 7807-7814.	3.5	13
26	UPLC–MS/MS Identification of Sterol Sulfates in Marine Diatoms. Marine Drugs, 2019, 17, 10.	4.6	16
27	Immunostimulatory Phosphatidylmonogalactosyldiacylglycerols (PGDG) from the Marine Diatom Thalassiosira weissflogii: Inspiration for a Novel Synthetic Toll-Like Receptor 4 Agonist. Marine Drugs, 2019, 17, 103.	4.6	9
28	Monoacylglycerides from the Diatom Skeletonema marinoi Induce Selective Cell Death in Cancer Cells. Marine Drugs, 2019, 17, 625.	4.6	23
29	Amphilectene Diterpene Isonitriles and Formamido Derivatives from the Hainan Nudibranch Phyllidia Coelestis. Marine Drugs, 2019, 17, 603.	4.6	7
30	Patatin-like lipolytic acyl hydrolases and galactolipid metabolism in marine diatoms of the genus Pseudo-nitzschia. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2019, 1864, 181-190.	2.4	13
31	Lipoxygenases and Lipoxygenase Products in Marine Diatoms. Methods in Enzymology, 2018, 605, 69-100.	1.0	18
32	Sterol Sulfates and Sulfotransferases in Marine Diatoms. Methods in Enzymology, 2018, 605, 101-138.	1.0	6
33	A new marine-derived sulfoglycolipid triggers dendritic cell activation and immune adjuvant response. Scientific Reports, 2017, 7, 6286.	3.3	46
34	Chemical Synthesis of Marine-Derived Sulfoglycolipids, a New Class of Molecular Adjuvants. Marine Drugs, 2017, 15, 288.	4.6	14
35	Profiling of complex lipids in marine microalgae by UHPLC/tandem mass spectrometry. Algal Research, 2016, 17, 348-358.	4.6	47
36	Glycolipids synthesis: improved hydrazinolysis conditions for preparation of 1,2-polyunsaturated fatty acyl-l²-monogalactosyl-glycerols. Carbohydrate Research, 2016, 424, 21-23.	2.3	10

#	Article	IF	CITATIONS
37	Synthesis of parazoanthine B and analogs. Tetrahedron, 2015, 71, 4379-4384.	1.9	8
38	Design and synthesis of fluorescent galactolipid probes. Tetrahedron Letters, 2014, 55, 3521-3524.	1.4	3
39	Packaging and Delivery of Chemical Weapons: A Defensive Trojan Horse Stratagem in Chromodorid Nudibranchs. PLoS ONE, 2013, 8, e62075.	2.5	37
40	Design and Synthesis of Pro-Apoptotic Compounds Inspired by Diatom Oxylipins. Marine Drugs, 2013, 11, 4527-4543.	4.6	7
41	Synthesis of Phidianidine B, a highly cytotoxic 1,2,4-oxadiazole marine metabolite. Arkivoc, 2013, 2012, 220-228.	0.5	16
42	Chemistry of the Nudibranch Aldisa andersoni: Structure and Biological Activity of Phorbazole Metabolites. Marine Drugs, 2012, 10, 1799-1811.	4.6	25
43	Biosynthetic Studies Through Feeding Experiments in Marine Organismsâ^—. , 2012, , 895-946.		3
44	Chemo-enzymatic preparation of α-6-sulfoquinovosyl-1,2-O-diacylglycerols. Tetrahedron, 2012, 68, 10169-10175.	1.9	7
45	The first record of neolignans from the marine phanerogam Posidonia oceanica. Phytochemistry Letters, 2012, 5, 696-699.	1.2	11
46	First synthesis of parazoanthine-A and its O-Me derivative. Tetrahedron Letters, 2012, 53, 7083-7084.	1.4	9
47	An efficient and versatile chemical synthesis of bioactive glyco-glycerolipids. Tetrahedron Letters, 2012, 53, 879-881.	1.4	42
48	Fulvynes, antimicrobial polyoxygenated acetylenes from the Mediterranean sponge Haliclona fulva. Tetrahedron, 2012, 68, 754-760.	1.9	39
49	Chemical synthesis of funicone analogs. Tetrahedron, 2012, 68, 4107-4111.	1.9	9
50	Bioactive Terpenes from <i>Spongia officinalis</i> . Journal of Natural Products, 2011, 74, 1241-1247.	3.0	27
51	Evaluation of the antifouling properties of 3-alyklpyridine compounds. Biofouling, 2011, 27, 99-109.	2.2	29
52	Structure and Synthesis of a Unique Isonitrile Lipid Isolated from the Marine MolluskActinocyclus papillatus. Organic Letters, 2011, 13, 1897-1899.	4.6	21
53	Tritoniopsins A–D, Cladiellane-Based Diterpenes from the South China Sea Nudibranch <i>Tritoniopsis elegans</i> and Its Prey <i>Cladiella krempfi</i> . Journal of Natural Products, 2011, 74, 1902-1907.	3.0	33
54	LIPOXYGENASE PRODUCTS IN MARINE DIATOMS: A CONCISE ANALYTICAL METHOD TO EXPLORE THE FUNCTIONAL POTENTIAL OF OXYLIPINS1. Journal of Phycology, 2011, 47, 233-243.	2.3	48

#	Article	IF	CITATIONS
55	Anti-biofilm activity of an exopolysaccharide from a sponge-associated strain of Bacillus licheniformis. Microbial Cell Factories, 2011, 10, 74.	4.0	102
56	Crucigasterins A–E, antimicrobial amino alcohols from the Mediterranean colonial ascidian Pseudodistoma crucigaster. Tetrahedron, 2010, 66, 7533-7538.	1.9	20
57	Chemical analysis of flavonoid constituents of the seagrass Halophila stipulacea: First finding of malonylated derivatives in marine phanerogams. Biochemical Systematics and Ecology, 2010, 38, 686-690.	1.3	31
58	Occurence and Bioactivities of Funicone-Related Compounds. International Journal of Molecular Sciences, 2009, 10, 1430-1444.	4.1	29
59	Diterpene content of the alga Dictyota ciliolata from a Moroccan lagoon. Phytochemistry Letters, 2009, 2, 211-215.	1.2	22
60	Aplysiopsenes: an additional example of marine polyketides with a mixed acetate/propionate pathway. Tetrahedron Letters, 2009, 50, 527-529.	1.4	15
61	Aromatic Cyclic Peroxides and Related Keto-Compounds from the <i>Plakortis</i> sp. Component of a Sponge Consortium. Journal of Natural Products, 2009, 72, 1547-1551.	3.0	19
62	Bioprospecting for antagonistic Penicillium strains as a resource of new antitumor compounds. World Journal of Microbiology and Biotechnology, 2008, 24, 189-195.	3.6	19
63	Chemical characterisation of the terpenoid constituents of the Algerian plant Launaea arborescens. Phytochemistry, 2008, 69, 2984-2992.	2.9	22
64	Cytosporin-related compounds from the marine-derived fungus Eutypella scoparia. Tetrahedron, 2008, 64, 5365-5369.	1.9	53
65	Studies on puupehenone-metabolites of a Dysidea sp.: structure and biological activity. Tetrahedron, 2007, 63, 1380-1384.	1.9	33
66	Aplysiols A and B, squalene-derived polyethers from the mantle of the sea hare Aplysia dactylomela. Tetrahedron, 2007, 63, 9970-9978.	1.9	44
67	New diastereomeric bis-sesquiterpenes from Hainan marine sponges Axinyssa variabilis and Lipastrotethya ana. Tetrahedron, 2007, 63, 11108-11113.	1.9	34
68	New bioactive hydrogenated linderazulene-derivatives from the gorgonian Echinogorgia complexa. Tetrahedron Letters, 2007, 48, 2569-2571.	1.4	22
69	Production and fungitoxic activity of Sch 642305, a secondary metabolite of Penicillium canescens. Mycopathologia, 2007, 163, 295-301.	3.1	51
70	Chemistry of Glossodoris Nudibranchs: Specific Occurrence of 12-Keto Scalaranes. Journal of Chemical Ecology, 2007, 33, 2325-2336.	1.8	25
71	New Caulerpenyne-derived Metabolites of an Elysia Sacoglossan from the South Indian Coast. Molecules, 2006, 11, 808-816.	3.8	13
72	New Î ³ -pyrone propionates from the Indian Ocean sacoglossan Placobranchus ocellatus. Tetrahedron Letters, 2005, 46, 465-468.	1.4	56

#	Article	IF	CITATIONS
73	Structure and absolute stereochemistry of novel C15-halogenated acetogenins from the anaspidean mollusc Aplysia dactylomela. Tetrahedron, 2005, 61, 7456-7460.	1.9	29
74	Structural and stereochemical revision of isocyanide and isothiocyanate amphilectenes from the Caribbean marine sponge Cribochalina sp Tetrahedron, 2005, 61, 8049-8053.	1.9	27
75	Ceratamines, Structurally Simple Microtubule-Stabilizing Antimitotic Agents with Unusual Cellular Effects. Cancer Research, 2005, 65, 3040-3043.	0.9	39
76	New C21 Δ20 pregnanes, inhibitors of mitochondrial respiratory chain, from Indopacific octocoral Carijoa sp Tetrahedron Letters, 2004, 45, 7745-7748.	1.4	24
77	Isocyanide Terpene Metabolites ofPhyllidiellapustulosa, a Nudibranch from the South China Sea. Journal of Natural Products, 2004, 67, 1701-1704.	3.0	47
78	Ceratamines A and B, Antimitotic Heterocyclic Alkaloids Isolated from the Marine SpongePseudoceratinasp. Collected in Papua New Guinea. Organic Letters, 2003, 5, 4591-4594.	4.6	56
79	Reaction of cyclic ketals with ceric ammonium nitrate in acetonitrile/water. Tetrahedron, 2002, 58, 129-133.	1.9	10
80	Solvent Effect on the Isomeric Equilibrium of Carbohydrates:  The Superior Ability of 2,2,2-Trifluoroethanol for Intramolecular Hydrogen Bond Stabilization. Journal of the American Chemical Society, 2001, 123, 12605-12610.	13.7	14
81	Presence of β-glycosyl linkages in caryophyllan: the main polysaccharide from the Pseudomonas caryophylli LPS fraction. Carbohydrate Research, 1998, 307, 167-172.	2.3	8