## Yu M Andreev

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5935766/publications.pdf

Version: 2024-02-01

421 papers

19,070 citations

68 h-index 22832 112 g-index

433 all docs 433 docs citations

times ranked

433

9560 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}}=2.76$ -mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
5	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
6	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
7	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
8	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
9	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
10	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
11	Suppression of non-prompt J/ $\hat{\Gamma}$ , prompt J/ $\hat{\Gamma}$ , and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
12	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
13	Measurement of the differential cross section for top quark pair production in pp collisions at $$$ sqrt ${s} = 8$ ,ext ${TeV} $ \$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
14	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $q_{NN}=2.76$ mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	181
15	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179

#	Article	IF	Citations
19	Measurement of the inclusive W and Z production cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
20	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	154
21	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\frac{1}{5} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	3.9	147
22	Strange particle production in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	139
23	Prompt and non-prompt J/ $\tilde{\Gamma}$ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	135
24	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$ . European Physical Journal C, 2012, 72, 1.	3.9	129
25	Measurement of differential top-quark-pair production cross sections in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	125
26	Evidence for the 125 GeV Higgs boson decaying to a pair of $\ddot{\text{l}}_{\text{w}}$ leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
27	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
28	Measurements of inclusive W and Z cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
29	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
30	Searches for long-lived charged particles in pp collisions at $q=0$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
31	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$ sqrt $\{s\}$ = 7;TeV $\$ .  Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
32	Charged particle multiplicities in pp interactions at \$ sqrt $\{s\}$ = 0.9 \$ , 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	106
33	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm}N\}$ ; mathrm $\{N\}\}$ = $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
34	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
35	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
36	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $q=1.76 \ TeV$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	99

#	Article	IF	CITATIONS
37	Search for new phenomena with the $M_{mathrm {T2}}$ M T 2 variable in the all-hadronic final state produced in protonâe"proton collisions at $s$ qrt $s$ = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
38	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\}$ = 7 $\$ TeV and comparison with $\$ sqrt $\{s\}$ = 0.9 $\$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
39	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=0$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
40	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
41	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
42	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at $\$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
43	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
44	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $q=1.76$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
45	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
46	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $$$ sqrt $\{s\}$ $$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
47	Study of the production of charged pions, kaons, and protons in pPb collisions at $\frac{NN}{} = 0$ \$\\$ s N N = 5.02 \$\\$, ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
48	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a}\hat{s}<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>s<\hat{i}>$	1.2	84
49	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
50	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{W\}^{pm}+X$ p p → W ± + X production at $\{q\}^{pm} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
51	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
52	Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)=0$ and $f(s)=0$ for production in PbPb collisions at $f(s)=0$ for European Physical Journal C, 2017, 77, 252.	3.9	82
53	J/ $\hat{\Gamma}$ and $\hat{\Gamma}$ (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81
54	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81

#	Article	IF	CITATIONS
55	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
56	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt{ $s$ }= $8 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
57	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
58	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q = 1.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
59	Study of exclusive two-photon production of W+W $\hat{a}$ in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
60	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{NN}}{1.00} = 5.02$ , s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
61	Measurement of the $\{\{\text{mathrm}\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\ W + W - cross section in pp collisions at $\{\text{s} = 8\}$ \$\ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
62	Measurement of the X(3872) production cross section via decays to J/l̈́ l̄ € + l̄ € ∠in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
63	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
64	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at $ = 8 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
65	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
66	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ $q^{t}$ FeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
67	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
68	Search for anomalous production of multilepton events in pp collisions at $\$$ sqrt $\{s\}$ = 7,TeV $\$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
69	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
70	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at sqrts= 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
71	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
72	Measurement of the $f$ {mathrm $f$ }overline{mathrm $f$ }}\$\$ t t $\hat{A}^-$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68

#	Article	IF	Citations
73	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
74	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$\$qrt\{s\}=7$ ,ext $TeV$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
75	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	3.9	64
76	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
77	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
78	Measurement of the W+W $\hat{a}$ cross section in pp collisions at $\frac{1}{2} = \frac{1}{2}$ and limits on anomalous $\hat{a}$ and $\hat{a}$ and $\hat{b}$ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
79	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
80	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
81	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
82	Measurement of prompt $J/\tilde{l}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
83	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $q=7 \mod 7$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
84	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
85	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state.  Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
86	Jet production rates in association with W and Z bosons in pp collisions at $\$ $ sqrt $\$ $ = 7 $\{ ext\{TeV\} \}$ $\$ $ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
87	Studies of jet mass in dijet and $W/Z$ + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
88	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{y}}{TeV}$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
89	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58

#	Article	IF	Citations
91	Search for \$ $\{\text{ext}\{B\}\}_{\text{ext}\{s\}}^0$ \$ $\hat{a}^{\dagger}$ $\hat{i}^{1}/_{4}$ + $\hat{i}^{1}/_{4}$ $\hat{a}^{\bullet}$ and BO $\hat{a}^{\dagger}$ $\hat{i}^{1}/_{4}$ + $\hat{i}^{1}/_{4}$ $\hat{a}^{\bullet}$ decays. Journal of High Energy Physics, 2012, 1.	2012,	57
92	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	3.9	57
93	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
94	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
95	Charged particle transverse momentum spectra in pp collisions at sqrt s = 0.9 and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	56
96	Exclusive $\hat{1}^3\hat{1}^3$ â†' $\hat{1}^1\!\!/_4$ + $\hat{1}^1\!\!/_4$ â^' production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	56
97	Event activity dependence of $Y $ (nS) production in $\frac{5}{5} = 5.02$ TeV pPb and $\frac{5}{5} = 2.76$ TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
98	Measurement of masses in the $mathrm{t}$ overline $mathrm{t}$ system by kinematic endpoints in pp collisions at $q=0$ mathrm $q=0$ . European Physical Journal C, 2013, 73, 2494.	3.9	55
99	Measurement of associated W + charm production in pp collisions at $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
100	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
101	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$ s = 7 $\$$ ,ext $\{TeV\}$ \$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
102	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to $2.76 $ and $7 $ TeV. Journal of High Energy Physics, $2017, 2017, 1$ .	4.7	54
103	Measurement of the $\{m t\}$ $production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section and the top quark mass in the dilepton channel in pp collisions at production cross section cross section and the top quark mass in the dilepton channel in pp collisions at production cross section cross sectio$	4.7	53
104	Measurement of prompt and nonprompt $\mbox{mathrm{J}/{psi}}$J/\ddot{p}}$ production in $\mbox{mathrm {p}mathrm {p}}$ p Pb collisions at \mbox{psqrt{s_{mathrm {NN}}}} = 5.02,ext {TeV} $$ s. European Physical Journal C, 2017, 77, 269.$	3.9	53
105	Measurement of the $\$$ toverline $\{t\}$ $\$$ production cross section in the dilepton channel in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
106	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=8$ s = 8 \$,ext {TeV}\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
107	Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p â†' Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z â†' 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
108	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ <sup>-2</sup> production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51

#	Article	IF	Citations
109	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
110	First measurement of the underlying event activity at $\hat{A}$ the $\hat{A}$ LHC $\hat{A}$ with $\hat{A}$ \$sqrt{s} = 0.9\$ $\hat{A}$ TeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
111	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
112	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$\$qrt\{s\}=13$ ,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.	3.9	50
113	Search for new physics with jets and missing transverse momentum in pp collisions at  sqrt  sqrt  and  TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
114	Search for leptonic decays of $W\hat{a}\in ^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
115	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
116	Search for new physics in events with same-sign dileptons and jets in pp collisions at $q = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
117	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
118	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton $\hat{\epsilon}$ proton collisions at $\frac{13}{\text{c}} = 13$ , ext $\frac{10}{\text{c}} = 13$ Te. European Physical Journal C, 2019, 79, 364.	3.9	48
119	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at	4.7	47
120	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
121	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
122	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
123	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ sqrt $\{s\}=13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
124	Search for heavy bottom-like quarks in 4.9 fb $\hat{a}$ of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
125	Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
126	Search for a light charged Higgs boson decaying to c s $\hat{A}^-$ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44

#	Article	lF	Citations
127	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
128	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
129	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
130	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
131	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton $a \in \text{``proton collisions at $$sqrt{s} = 8,ext {TeV} $$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.}$	3.9	43
132	Measurement of the top-quark mass in $\mathrm{TeV}\$ . European Physical Journal C, 2012, 72, 1.	3.9	42
133	Evidence for exclusive $\hat{I}^3\hat{I}^3$ $\hat{a}^4$ W + W $\hat{a}^2$ production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
134	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
135	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
136	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
137	Measurement of the $\mbox{mathrm{t}overline{mathrm{t}}}$$ t t \hat{A}^- production cross section in the all-jets final state in pp collisions at \mbox{sqrt{s}=8}$ s = 8 $$,ext {TeV}$$ TeV. European Physical Journal C, 2016, 76, 128.$	3.9	41
138	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
139	Search for same-sign top-quark pair production at	4.7	40
140	Measurement of the $\frac{t}{\operatorname{e}}$ mathrm{t}overline{mathrm{t}} \$\$ t t $\hat{A}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\hat{I}$ /4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
141	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
142	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
143	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{1}{5} = 13$ ,ext $\frac{1}{7}$ \$\$. European Physical Journal C, 2021, 81, 378.	3.9	40
144	Search for resonances in the dilepton mass distribution in pp collisions at  sqrt  = 7  TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39

#	Article	IF	Citations
145	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
146	Measurement of the $Z/\hat{l}^3*\hat{a} \in \infty+\hat{a} \in \infty$ b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
147	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
148	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,, "2â,, "′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
149	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
150	Measurement of differential cross sections for $f(z)$ boson production in association with jets in proton-proton collisions at $f(z)$ at $f(z)$ so $f(z)$ so $f(z)$ boson production in association with jets in proton-proton collisions at $f(z)$ so $f(z)$ s	3.9	39
151	Search for heavy stable charged particles in pp collisions at $ \sqrt{s} = 7; {ext{TeV}} $ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	38
152	Measurement of the top-quark mass in $\mbox{mathrm}\{t\}$ overline{mathrm $\{t\}$ } verents with lepton+jets final states in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
153	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
154	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
155	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying I,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
156	Measurement of the $\frac{t}{t}}$ production cross section in pp collisions at $\frac{s}{t}$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
157	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
158	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$$ TeV and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
159	Measurement of the Drell-Yan cross section in pp collisions at  sqrt  sqrt  and  sqrt  but  and  sqrt  and  sqrt  sq	4.7	36
160	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$ , " $\hat{1}^1/2\hat{a}$ ," " $\hat{1}^1/$	4.7	36
161	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ where $\frac{1}{2}$ has a surface of the top-quark mass in all-jets $\frac{1}{2}$ h	3.9	35
162	Search for heavy Majorana neutrinos in eÂ $\pm$ eÂ $\pm$ + jets and eÂ $\pm$ Î $^1$ 4 Â $\pm$ + jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35

#	Article	IF	CITATIONS
163	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
164	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
165	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
166	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
167	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\$\$ = \{ext\{7TeV\}\} \$\$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
168	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\hat{a}$ % $\pm 3$ b-quark jets in 7 TeV pp collisions using the variable $\hat{l}$ ± T. Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
169	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
170	Measurement of $\mbox{mathrm {t}overline{mathrm {t}}}$ t t $\mbox{\^A}^-$ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
171	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to $7\mbox{$\hat{A}$}$ ,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
172	Measurement of the top quark mass with lepton+jets final states using $\mbox{mathrm } \{p\}$ collisions at $\mbox{sqrt} \{r\} = 13$ , ext $\{r\} = 13$ , European Physical Journal C, 2018, 78, 891.	3.9	34
173	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ $\in$ "proton collisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
174	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
175	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ feV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
176	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
177	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\}\}$ $\{0\}$ \$\$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm}}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
178	Search for dark matter produced in association with a leptonically decaying $f(Z)$ \$\$ boson in protonâe"proton collisions at $f(z)$ \$\$=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
179	Search for top squark pair production using dilepton final states in $\{x \in \{p\}\}$ (ext $\{p\}$ ) scollision data collected at $\{x \in \{p\}\}$ s. European Physical Journal C, 2021, 81, 3.	3.9	33
180	Measurement of $hox {t}{ar{hbox {t}}}$ normalised multi-differential cross sections in $f(x) = 13$ , ext $f($	3.9	33

#	Article	IF	CITATIONS
181	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s}\} = 7, \{\text{ext}\{\text{TeV}\}\}$ \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
182	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
183	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
184	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
185	Measurements of the $\frac{Z}$ \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 l 2 l l 2 channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
186	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
187	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\ \sqrt{s}=7$ ; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
188	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
189	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
190	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = $2.76$ \$\$ sqrt{s_{mathrm{NN}}}= $2.76$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
191	Search for top squark pair production in pp collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
192	A multi-dimensional search for new heavy resonances decaying to boosted $\{W }_{}$ \$\\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$	3.9	31
193	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
194	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\$ sqrt $\{s\} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
195	Search for a Higgs boson in the decay channel H $\hat{a}$ † $ZZ(*)$ $\hat{a}$ † $\hat{q}$ overline {ext{q}} \$ $\hat{a}$ ," $\hat{a}$ " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
196	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
197	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
198	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,," $\hat{l}\frac{1}{2}$ b b $\hat{A}^-$ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30

#	Article	IF	CITATIONS
199	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{qrt\{s\}\} = 8$ , ext $TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
200	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
201	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $$$ sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
202	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
203	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ $\$$ \$ $\hat{I}$ ± T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
204	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
205	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
206	Search for $\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
207	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
208	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt $\{s_{mathrm}\}$ =2.76 $\$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
209	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
210	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $$$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
211	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
212	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \le  s  = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
213	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
214	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\$ sqrt $\{s\} = 7, \{ext\{TeV\}\} \$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	26
215	Search for resonant $\mbox{mathrm}\{t\}$ overline{mathrm $\{t\}$ } production in lepton+jets events in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
216	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonâ $\in$ proton collisions at $q=7 \text{ mathrm}$ European Physical Journal C, 2012, 72, 1.	3.9	26

#	Article	IF	CITATIONS
217	Search for the standard model Higgs boson in the H â†' ZZ â†' 2â,,"2ν channel in pp collisions = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	at \$ sqrt {	{ext{s}}
218	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$$ sqrt $\{s\} = 7; \text{TeV }\$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
219	Search for $W\hat{a}\in \hat{a}$ at the decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
220	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
221	Measurement of the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 2.76$ ,ext $\{TeV\}$ $\$$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
222	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
223	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$\$qrt{s} = 8\$\$ s = 8\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
224	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
225	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the $\ddot{l}$ ,+jets channel in pp collisions at $q=1$ mbox $q=1$ mb	3.9	24
226	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt{s} $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
227	Search for third-generation scalar leptoquarks in the tï,, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
228	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
229	Measurements of $f^{p} {\mathrm{p}} {\mathrm{p}}$	3.9	24
230	Inclusive b-hadron production cross section with muons in pp collisions at sqrt s= 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
231	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
232	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
233	Measurement of the jet mass in highly boosted ${\rm mathrm\{t\}}$ overline ${\rm mathrm\{t\}}$ events from pp collisions at ${\rm s}$ or ${\rm coll}$ s. European Physical Journal C, 2017, 77, 467.	3.9	23
234	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23

#	Article	IF	Citations
235	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
236	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	3.9	23
237	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.05$ s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
238	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{s}=13$ , {ext {TeV}} \$5. European Physical Journal C, 2020, 80, 752.	3.9	23
239	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
240	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
241	Search for physics beyond the standard model in events with $\ddot{I}$ , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{7}$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
242	Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
243	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
244	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
245	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\ddot{l}_{s}$ , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
246	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}}\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
247	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
248	Sleptons at post-WMAP benchmark points at LHC (CMS). Physics of Atomic Nuclei, 2005, 68, 340-347.	0.4	21
249	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\} = 8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
250	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
251	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
252	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\$ $ sqrt $\$ $ = 7 $\$ $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20

#	Article	IF	Citations
253	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=0$ FeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
254	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
255	Measurements of the \$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt $\{s\}$ \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
256	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
257	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
258	Search for $\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
259	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
260	Search for rare decays of $\frac{Z}$ \$ Z and Higgs bosons to $\frac{J}{psi}$ 3 J / $\dot{\Gamma}$ and a photon in proton-proton collisions at $\frac{s}$ \$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
261	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
262	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
263	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
264	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in protonâ $\in$ proton collisions at $\frac{1}{5} = 13,\{ext \{TeV\}\} $ \$. European Physical Journal C, 2021, 81, 723.	3.9	19
265	Search for quark compositeness in dijet angular distributions from pp collisions at  sqrt  = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
266	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
267	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$ ;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
268	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
269	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
270	MUSiC: a model-unspecific search for new physics in protonâ€"proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18

#	Article	IF	Citations
271	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
272	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
273	Search for stopped long-lived particles produced in pp collisions at	4.7	17
274	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
275	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
276	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
277	and B± â†' J/ſ`K ± and ℬ B c ± â†' J / Ĭ` Ï€ ± Ï€ ± Ï€ â°" / ℬ B c ± â†' J / Ï` Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm} }{pi}^{pm} Tj ETQq1 1 0.	784314 rş	gBT_lOverlock
278	2015, 1.  Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
279	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. Journal of Instrumentation, 2016, 11, T10004-T10004.	1.2	17
280	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
281	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
282	Measurement of electroweak-induced production of $W\hat{I}^3$ with two jets in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
283	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
284	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
285	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
286	Measurement of charged particle spectra in minimum-bias events from protonâ $\in$ proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
287	Electroweak production of two jets in association with a Z boson in proton $\hat{s}$ proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
288	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17

#	Article	IF	Citations
289	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	4.7	16
290	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
291	Measurement of the hadronic activity in events with a $Z$ and two jets and extraction of the cross section for the electroweak production of a $Z$ with two jets in pp collisions at $q = 7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
292	Measurement of jet multiplicity distributions in $\frac{t}{\text{TeV}} $ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
293	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
294	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
295	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
296	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
297	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$ ,mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
298	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
299	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	3.9	16
300	Search for a fermiophobic Higgs boson in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
301	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
302	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
303	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
304	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
305	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
306	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15

#	Article	IF	Citations
307	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
308	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
309	Search for s channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
310	Search for supersymmetry in pp collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
311	Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
312	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
313	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
314	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
315	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
316	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 $\hat{a}$ — ( 5840 ) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
325	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
326	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
327	Measurement of the underlying event activity in inclusive Z boson production in proton-collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
328	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
329	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
330	Muon bremsstrahlung on heavy atoms. Physical Review D, 1997, 55, 1233-1243.	4.7	12
331	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
332	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
333	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
334	Search for dark matter produced in association with a Higgs boson decaying to $\hat{l}^3\hat{l}^3$ or $\ddot{l}_3$ + $\ddot{l}_3$ and $\hat{l}^3$ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
335	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
336	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at $13\text{TeV}$ . Journal of High Energy Physics, $2019, 2019, 1$ .	4.7	12
337	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893.	3.9	12
338	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
339	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
340	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
341	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $\frac{1}{5} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	11
342	Search for the standard model Higgs boson in the H → ZZ → â""+â""â~'Ï"+Ï"â~' decay channel in pp collisions at {s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	\$ şart	11

#	Article	IF	Citations
343	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
344	Search for electroweak production of charginos in final states with two $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
345	Measurement of the semileptonic t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ + $\hat{I}^3$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
346	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
347	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
348	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
349	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
350	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
351	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at  sqrt  sqrt  TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
352	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
353	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
354	Radiation damage in silicon photomultipliers exposed to neutron radiation. Journal of Instrumentation, 2017, 12, C07030-C07030.	1.2	10
355	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
356	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$sqrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
357	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / $\hat{I}^3$ â^— â†' Ï,, Ï,, cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
358	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
359	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
360	Using the e $\hat{A}\pm\hat{A}\mu\hat{a}^{**}$ + E T miss signature in the search for supersymmetry and lepton-flavor violation in neutralino decays. Physics of Atomic Nuclei, 2007, 70, 1717-1724.	0.4	9

#	Article	IF	CITATIONS
361	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
362	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
363	Search for a heavy vector resonance decaying to a $f(z)_{mathrm{Z}}_{mathrm{Z}}^{mathrm{Z}}$ Aboson and a Higgs boson in proton-proton collisions at $f(z) = 13$ , ext $f(z) = 13$ , European Physical Journal C, 2021, 81, 688.	3.9	9
364	Searches for Wâ $\in$ 2 bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
365	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$\$$ and $8.16$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
366	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$ , "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
367	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$ , ext $f(x) = 13$ ,	3.9	8
368	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
369	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
370	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
371	Search for high-mass $Z\hat{I}^3$ resonances in e+eâ <sup>-</sup> $\hat{I}^3$ and $\hat{I}^4$ + $\hat{I}^4$ â <sup>-</sup> $\hat{I}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	7
372	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\}$ = 5.02 $\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
373	Measurement of the cross section for production of $\$$ boverline b $X$ $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
374	Comparison of the $Z \hat{i}^3 = -+$ jets to $\hat{i}^3 +$ jets cross sections in pp collisions at $s = 8 $ \$\$ sqrt $\{s\} = 8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
375	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
376	Measurement of the mass of the top quark in decays with a J/ $\ddot{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
377	Radiation damage of prototype SiPMs for the CMS HCAL Barrel phase I upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 912, 359-362.	1.6	6
378	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6

#	Article	IF	CITATIONS
379	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\$ mathrm{p}mathrm{p}\$\$ collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	3.9	6
380	Search for the associated production of the Higgs boson with a top-quark pair., 2014, 2014, 1.		6
381	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
382	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
383	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
384	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
385	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
386	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
387	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
388	Search for the pair production of light top squarks in the e± $\hat{1}$ / $4\hat{a}$ ° final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
389	Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV. , 2011, 2011, 1.		5
390	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
391	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
392	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
393	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
394	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
395	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
396	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4

#	Article	IF	CITATIONS
397	Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
398	Measurement of differential cross sections in the kinematic angular variable $\ddot{i}^*$ for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
399	Search for ZZ resonances in the $2\hat{a}$ , " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
400	Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ€"proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
401	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
402	Study of hadronic event-shape variables in multijet final states in pp collisions at $s=7$ \$\$ sqrt{ $s$ } = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
403	Search for W′ → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
404	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
405	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
406	Measurement of the (toverline $\{t\}$ ) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$ ) = 8 TeV., 2014, 2014, 1.		3
407	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ ) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell ) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt $\{s\}$ = 13,ext $\{TeV\}$ )., 2018, 78, 1.		3
408	THE MSSM WITH LARGE GLUINO MASS. Modern Physics Letters A, 2009, 24, 1317-1324.	1.2	2
409	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
410	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
411	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $sqrt{s}=8$ ) TeV. , 2013, 2013, 1.		2
412	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
413	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
414	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2

## Yu M Andreev

#	Article	IF	CITATIONS
415	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
416	CMS Collaboration. Nuclear Physics A, 2016, 956, 945-963.	1.5	1
417	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. Journal of Instrumentation, 2018, 13, P01002-P01002.	1.2	1
418	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
419	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
420	The CMS Collaboration. Nuclear Physics A, 2009, 830, 946c-956c.	1.5	0
421	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. Journal of Instrumentation, 2017, 12, P12034-P12034.	1.2	0