
Xiaoqing Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5939236/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | β-Catenin Deletion in Regional Neural Progenitors Leads to Congenital Hydrocephalus in Mice. Neuroscience Bulletin, 2022, 38, 81-94. | 2.9 | 5 |
| 2 | Recognition of asymptomatic hypercholanemia of pregnancy: Different clinical features, fetal outcomes and bile acids metabolism from intrahepatic cholestasis of pregnancy. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2022, 1868, 166269. | 3.8 | 7 |
| 3 | Development of Mitochondria-Targeted Small-Molecule Dyes for Myocardial PET and Fluorescence Bimodal Imaging. Journal of Medicinal Chemistry, 2022, 65, 497-506. | 6.4 | 8 |
| 4 | Transcriptomic mapping uncovers Purkinje neuron plasticity driving learning. Nature, 2022, 605, 722-727. | 27.8 | 24 |
| 5 | Dual-Template Magnetic Molecularly Imprinted Polymer for Simultaneous Determination of Spot Urine Metanephrines and 3-Methoxytyramine for the Diagnosis of Pheochromocytomas and Paragangliomas. Molecules, 2022, 27, 3520. | 3.8 | 1 |
| 6 | Fentanyl inhibits acute myeloid leukemia differentiated cells and committed progenitors via opioid receptorâ€independent suppression of Ras and STAT5 pathways. Fundamental and Clinical Pharmacology, 2021, 35, 174-183. | 1.9 | 10 |
| 7 | Putative carboxylesterase gene identification and their expression patterns in <i>Hyphantria cunea</i> (Drury). PeerJ, 2021, 9, e10919. | 2.0 | 5 |
| 8 | Protocol for genome-scale CRISPR screening in engineered lineage reporter hPSCs to study cell fate determination. STAR Protocols, 2021, 2, 100548. | 1.2 | 0 |
| 9 | Interleukin-18: A Novel Participant in the Occurrence, Development, and Drug Therapy of Obliterative Bronchiolitis Postlung Transplantation. Disease Markers, 2021, 2021, 1-11. | 1.3 | 0 |
| 10 | Azide-Dye Unexpected Bone Targeting for Near-Infrared Window II Osteoporosis Imaging. Journal of Medicinal Chemistry, 2021, 64, 11543-11553. | 6.4 | 13 |
| 11 | Developmental programming and lineage branching of early human telencephalon. EMBO Journal, 2021, 40, e107277. | 7.8 | 10 |
| 12 | A pseudo-targeted metabolomics study based on serum bile acids profiling for the differential diagnosis of benign and malignant breast lesions. Steroids, 2021, 175, 108914. | 1.8 | 6 |
| 13 | Mapping germ-layer specification preventing genes in hPSCs via genome-scale CRISPR screening. IScience, 2021, 24, 101926. | 4.1 | 4 |
| 14 | Lithium chloride ameliorates cognition dysfunction induced by sevoflurane anesthesia in rats. FEBS Open Bio, 2020, 10, 251-258. | 2.3 | 6 |
| 15 | Detection of spot urinary free metanephrines and 3-methoxytyramine with internal reference correction for the diagnosis of pheochromocytomas and paragangliomas. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1156, 122306. | 2.3 | 5 |
| 16 | Molecular basis for the inhibitory effects of 5-hydroxycyclopenicillone on the conformational transition of Aî²40 monomer. Journal of Biomolecular Structure and Dynamics, 2020, 39, 1-12. | 3.5 | 2 |
| 17 | Near-infrared triggered on-demand local anesthesia using a jammed microgels system. Journal of Biomaterials Science, Polymer Edition, 2020, 31, 2252-2267. | 3.5 | 4 |
| 18 | Generation of hypoimmunogenic human pluripotent stem cells via expression of membrane-bound and secreted β2m-HLA-G fusion proteins. Stem Cells, 2020, 38, 1423-1437. | 3.2 | 34 |

XIAOQING ZHANG

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Visualization of translocator protein (18ÂkDa) (TSPO) in the retina of diabetic retinopathy rats using fluorine-18-DPA-714. Annals of Nuclear Medicine, 2020, 34, 675-681. | 2.2 | 4 |
| 20 | Downregulation of CDK5 Restores Sevoflurane-Induced Cognitive Dysfunction by Promoting SIRT1-Mediated Autophagy. Cellular and Molecular Neurobiology, 2020, 40, 955-965. | 3.3 | 12 |
| 21 | Human Pluripotent Stem Cells and Neural Regeneration. Learning Materials in Biosciences, 2020, , 159-172. | 0.4 | 0 |
| 22 | The urinary bile acid profiling analysis of asymptomatic hypercholanemia of pregnancy: A pseudo-targeted metabolomics study. Clinica Chimica Acta, 2019, 497, 67-75. | 1.1 | 12 |
| 23 | Genomeâ€Wide Analysis of DNA Methylation and Antituberculosis Drugâ€Induced Liver Injury in the Han Chinese Population. Clinical Pharmacology and Therapeutics, 2019, 106, 1389-1397. | 4.7 | 16 |
| 24 | FK506 combined with GM6001 prevents tracheal obliteration in a mouse model of heterotopic tracheal transplantation. Transplant Immunology, 2019, 57, 101244. | 1.2 | 1 |
| 25 | Discovery of Novel Biomarkers of Therapeutic Responses in Han Chinese Pemetrexed-Based Treated Advanced NSCLC Patients. Frontiers in Pharmacology, 2019, 10, 944. | 3.5 | 9 |
| 26 | WNT/NOTCH Pathway Is Essential for the Maintenance and Expansion of Human MGE Progenitors. Stem Cell Reports, 2019, 12, 934-949. | 4.8 | 17 |
| 27 | Protection of ZIKV infection-induced neuropathy by abrogation of acute antiviral response in human neural progenitors. Cell Death and Differentiation, 2019, 26, 2607-2621. | 11.2 | 27 |
| 28 | Comparing MicroRNA Profilings of Purified HER-2-Negative and HER-2-Positive Cells Validates miR-362-5p/Sema3A as Characteristic Molecular Change in Triple-Negative Breast Cancers. Disease Markers, 2019, 2019, 1-12. | 1.3 | 4 |
| 29 | The Transcriptional Regulator SnoN Promotes the Proliferation of Cerebellar Granule Neuron Precursors in the Postnatal Mouse Brain. Journal of Neuroscience, 2019, 39, 44-62. | 3.6 | 12 |
| 30 | Drug screening with human SMN2 reporter identifies SMN protein stabilizers to correct SMA pathology. Life Science Alliance, 2019, 2, e201800268. | 2.8 | 13 |
| 31 | High specificity of spot urinary free metanephrines in diagnosis and prognosis of pheochromocytomas and paragangliomas by HPLC with electrochemical detection. Clinica Chimica Acta, 2018, 478, 82-89. | 1.1 | 13 |
| 32 | Diagnostic and therapeutic profiles of serum bile acids in women with intrahepatic cholestasis of pregnancy-a pseudo-targeted metabolomics study. Clinica Chimica Acta, 2018, 483, 135-141. | 1.1 | 34 |
| 33 | Targeted metabolomics of sulfated bile acids in urine for the diagnosis and grading of intrahepatic cholestasis of pregnancy. Genes and Diseases, 2018, 5, 358-366. | 3.4 | 24 |
| 34 | Genetic Engineering of Human Embryonic Stem Cells for Precise Cell Fate Tracing during Human Lineage Development. Stem Cell Reports, 2018, 11, 1257-1271. | 4.8 | 16 |
| 35 | Selective enrichment of CD133+/SOX2+ glioblastoma stem cells via adherent culture. Oncology Letters, 2018, 16, 4567-4576. | 1.8 | 0 |
| 36 | CXCR4/SDF1 signalling promotes sensory neuron clustering in vitro. Biology Open, 2018, 7, . | 1.2 | 10 |

XIAOQING ZHANG

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Dysregulation of the SIRT1/OCT6 Axis Contributes to Environmental Stress-Induced Neural Induction Defects. Stem Cell Reports, 2017, 8, 1270-1286. | 4.8 | 16 |
| 38 | Roscovitine, a CDK5 Inhibitor, Alleviates Sevoflurane-Induced Cognitive Dysfunction via Regulation Tau/GSK3β and ERK/PPARγ/CREB Signaling. Cellular Physiology and Biochemistry, 2017, 44, 423-435. | 1.6 | 27 |
| 39 | Urinary metabolomic analysis of intrahepatic cholestasis of pregnancy based on high performance liquid chromatography/mass spectrometry. Clinica Chimica Acta, 2017, 471, 292-297. | 1.1 | 17 |
| 40 | Smad5 acts as an intracellular pH messenger and maintains bioenergetic homeostasis. Cell Research, 2017, 27, 1083-1099. | 12.0 | 34 |
| 41 | An electrochemical sensor for indole in plasma based on MWCNTs-chitosan modified screen-printed carbon electrode. Biosensors and Bioelectronics, 2017, 98, 392-397. | 10.1 | 37 |
| 42 | Neonatal Repeated Exposure to Isoflurane not Sevoflurane in Mice Reversibly Impaired Spatial Cognition at Juvenile-Age. Neurochemical Research, 2017, 42, 595-605. | 3.3 | 33 |
| 43 | Efficient and Fast Differentiation of Human Neural Stem Cells from Human Embryonic Stem Cells for Cell Therapy. Stem Cells International, 2017, 2017, 1-11. | 2.5 | 15 |
| 44 | Nucleosome eviction along with H3K9ac deposition enhances Sox2 binding during human neuroectodermal commitment. Cell Death and Differentiation, 2017, 24, 1121-1131. | 11.2 | 21 |
| 45 | Smad2 and Smad3 have differential sensitivity in relaying TGFβ signaling and inversely regulate early lineage specification. Scientific Reports, 2016, 6, 21602. | 3.3 | 78 |
| 46 | The Dorsoventral Patterning of Human Forebrain Follows an Activation/Transformation Model. Cerebral Cortex, 2016, 27, bhw152. | 2.9 | 27 |
| 47 | Efficient CRISPR/Cas9-Mediated Versatile, Predictable, and Donor-Free Gene Knockout in Human Pluripotent Stem Cells. Stem Cell Reports, 2016, 7, 496-507. | 4.8 | 40 |
| 48 | Targeted Differentiation of Regional Ventral Neuroprogenitors and Related Neuronal Subtypes from Human Pluripotent Stem Cells. Stem Cell Reports, 2016, 7, 941-954. | 4.8 | 21 |
| 49 | Association between serum bile acid profiles and gestational diabetes mellitus: A targeted metabolomics study. Clinica Chimica Acta, 2016, 459, 63-72. | 1.1 | 48 |
| 50 | Capillary electrophoresis with electrochemiluminescence detection for the simultaneous determination of cisatracurium besylate and its degradation products in pharmaceutical preparations. Journal of Separation Science, 2015, 38, 2332-2339. | 2.5 | 15 |
| 51 | Abnormal mitochondrial transport and morphology as early pathological changes in human models of spinal muscular atrophy. DMM Disease Models and Mechanisms, 2015, 9, 39-49. | 2.4 | 53 |
| 52 | Effects of Sevoflurane on Young Male Adult C57BL/6 Mice Spatial Cognition. PLoS ONE, 2015, 10, e0134217. | 2.5 | 17 |
| 53 | Spinal SIRT1 Activation Attenuates Neuropathic Pain in Mice. PLoS ONE, 2014, 9, e100938. | 2.5 | 66 |
| 54 | Determination of total, free, and reduced homocysteine and related aminothiols in uremic patients undergoing hemodialysis by precolumn derivatization HPLC with fluorescence detection. RSC Advances, 2014, 4, 58412-58416. | 3.6 | 5 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | High-performance liquid chromatography assay with programmed flow elution for cisatracurium in human plasma: Application to pharmacokinetics in infants and children. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 955-956, 58-63. | 2.3 | 5 |
| 56 | Identification of potential microRNA–target pairs associated with osteopetrosis by deep sequencing, iTRAQ proteomics and bioinformatics. European Journal of Human Genetics, 2014, 22, 625-632. | 2.8 | 32 |
| 57 | Effects of different concentration and duration time of isoflurane on acute and long-term neurocognitive function of young adult C57BL/6 mouse. International Journal of Clinical and Experimental Pathology, 2014, 7, 5828-36. | 0.5 | 27 |
| 58 | Recapitulation of spinal motor neuron-specific disease phenotypes in a human cell model of spinal muscular atrophy. Cell Research, 2013, 23, 378-393. | 12.0 | 50 |
| 59 | Medial ganglionic eminence–like cells derived from human embryonic stem cells correct learning and memory deficits. Nature Biotechnology, 2013, 31, 440-447. | 17.5 | 231 |
| 60 | Induced Pluripotent Stem Cell-Derived Neural Cells Survive and Mature in the Nonhuman Primate Brain. Cell Reports, 2013, 3, 646-650. | 6.4 | 126 |
| 61 | A highly sensitive electrically driven electrochemiluminescent assay for quantification of bile acids in human serum. Analyst, The, 2013, 138, 5074. | 3.5 | 5 |
| 62 | Specific expression pattern of a novel Otx2 splicing variant during neural differentiation. Gene, 2013, 523, 33-38. | 2.2 | 8 |
| 63 | iPS cell modeling of Best disease: insights into the pathophysiology of an inherited macular degeneration. Human Molecular Genetics, 2013, 22, 593-607. | 2.9 | 194 |
| 64 | Deficits in human trisomy 21 iPSCs and neurons. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9962-9967. | 7.1 | 177 |
| 65 | Human Embryonic Stem Cell-Derived GABA Neurons Correct Locomotion Deficits in Quinolinic Acid-Lesioned Mice. Cell Stem Cell, 2012, 10, 455-464. | 11.1 | 258 |
| 66 | Fibroblast Growth Factor Regulates Human Neuroectoderm Specification Through ERK1/2-PARP-1 Pathway. Stem Cells, 2011, 29, 1975-1982. | 3.2 | 40 |
| 67 | Fezf2 Regulates Telencephalic Precursor Differentiation from Mouse Embryonic Stem Cells. Cerebral Cortex, 2011, 21, 2177-2186. | 2.9 | 17 |
| 68 | Pax6 Is a Human Neuroectoderm Cell Fate Determinant. Cell Stem Cell, 2010, 7, 90-100. | 11.1 | 396 |
| 69 | Neural differentiation of human induced pluripotent stem cells follows developmental principles but with variable potency. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4335-4340. | 7.1 | 927 |
| 70 | Coordination of sonic hedgehog and Wnt signaling determines ventral and dorsal telencephalic neuron types from human embryonic stem cells. Development (Cambridge), 2009, 136, 4055-4063. | 2.5 | 276 |
| 71 | Simultaneous determination of tryptophan and kynurenine in plasma samples of children patients with Kawasaki disease by high-performance liquid chromatography with programmed wavelength ultraviolet detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2009. 877. 1678-1682. | 2.3 | 49 |
| 72 | Differentiation of Neural Precursors and Dopaminergic Neurons from Human Embryonic Stem Cells. Methods in Molecular Biology, 2009, 584, 355-366. | 0.9 | 91 |

XIAOQING ZHANG

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Postâ€endocytic fates of δâ€opioid receptor are regulated by GRK2â€mediated receptor phosphorylation and distinct βâ€arrestin isoforms. Journal of Neurochemistry, 2008, 106, 781-792. | 3.9 | 41 |
| 74 | Hypothalamic IKKβ/NF-κB and ER Stress Link Overnutrition to Energy Imbalance and Obesity. Cell, 2008, 135, 61-73. | 28.9 | 1,188 |
| 75 | Phosphorylation State of μ-Opioid Receptor Determines the Alternative Recycling of Receptor via Rab4 or Rab11 Pathway. Molecular Endocrinology, 2008, 22, 1881-1892. | 3.7 | 26 |
| 76 | β-Arrestin1 and β-arrestin2 are differentially required for phosphorylation-dependent and -independent internalization of δ-opioid receptors. Journal of Neurochemistry, 2005, 95, 169-178. | 3.9 | 59 |
| 77 | A Nuclear Function of \hat{l}^2 -Arrestin1 in GPCR Signaling: Regulation of Histone Acetylation and Gene Transcription. Cell, 2005, 123, 833-847. | 28.9 | 294 |
| 78 | Chronic morphine treatment and withdrawal induce up-regulation of c-jun n-terminal kinase 3 gene expression in rat brain. Neuroscience, 2003, 122, 997-1002. | 2.3 | 38 |
| 79 | Differential regulation of β-arrestin 1 and β-arrestin 2 gene expression in rat brain by morphine. Neuroscience, 2003, 117, 383-389. | 2.3 | 63 |
| 80 | Agonist-induced Formation of Opioid Receptor-G Protein-coupled Receptor Kinase (GRK)-Gβγ Complex on Membrane Is Required for GRK2 Function in Vivo. Journal of Biological Chemistry, 2003, 278, 30219-30226. | 3.4 | 40 |
| 81 | Acute and chronic morphine treatments and morphine withdrawal differentially regulate GRK2 and GRK5 gene expression in rat brain. Neuropharmacology, 2002, 43, 809-816. | 4.1 | 51 |