

Xiaoqing Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5944947/publications.pdf>

Version: 2024-02-01

133
papers

8,606
citations

34105

52
h-index

49909

87
g-index

134
all docs

134
docs citations

134
times ranked

5844
citing authors

#	ARTICLE	IF	CITATIONS
1	Dendrite-Free Zinc Deposition Induced by Multifunctional CNT Frameworks for Stable Flexible Zn-Ion Batteries. <i>Advanced Materials</i> , 2019, 31, e1903675.	21.0	780
2	Vanillin-Derived High-Performance Flame Retardant Epoxy Resins: Facile Synthesis and Properties. <i>Macromolecules</i> , 2017, 50, 1892-1901.	4.8	343
3	Bio-based epoxy resin from itaconic acid and its thermosets cured with anhydride and comonomers. <i>Green Chemistry</i> , 2013, 15, 245-254.	9.0	261
4	Rosin-based acid anhydrides as alternatives to petrochemical curing agents. <i>Green Chemistry</i> , 2009, 11, 1018.	9.0	221
5	Zeolitic Imidazolate Frameworks as Zn ²⁺ Modulation Layers to Enable Dendrite-Free Zn Anodes. <i>Advanced Science</i> , 2020, 7, 2002173.	11.2	199
6	Advances in sustainable thermosetting resins: From renewable feedstock to high performance and recyclability. <i>Progress in Polymer Science</i> , 2021, 113, 101353.	24.7	189
7	Research progress on bio-based thermosetting resins. <i>Polymer International</i> , 2016, 65, 164-173.	3.1	173
8	Aromatic organic molecular crystal with enhanced π - π stacking interaction for ultrafast Zn-ion storage. <i>Energy and Environmental Science</i> , 2020, 13, 2515-2523.	30.8	166
9	High-Performing and Fire-Resistant Biobased Epoxy Resin from Renewable Sources. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 7589-7599.	6.7	154
10	Synthesis and properties of a bio-based epoxy resin from 2,5-furandicarboxylic acid (FDCA). <i>RSC Advances</i> , 2015, 5, 15930-15939.	3.6	148
11	Regenerated cellulose/graphene nanocomposite films prepared in DMAC/LiCl solution. <i>Carbohydrate Polymers</i> , 2012, 88, 26-30.	10.2	147
12	Synthesis and Properties of a Bio-Based Epoxy Resin with High Epoxy Value and Low Viscosity. <i>ChemSusChem</i> , 2014, 7, 555-562.	6.8	147
13	Polyesters derived from itaconic acid for the properties and bio-based content enhancement of soybean oil-based thermosets. <i>Green Chemistry</i> , 2015, 17, 2383-2392.	9.0	144
14	Synthesis and properties of full bio-based thermosetting resins from rosin acid and soybean oil: the role of rosin acid derivatives. <i>Green Chemistry</i> , 2013, 15, 1300.	9.0	139
15	Synthesis and properties of phosphorus-containing bio-based epoxy resin from itaconic acid. <i>Science China Chemistry</i> , 2014, 57, 379-388.	8.2	139
16	Modification of poly(ethylene 2,5-furandicarboxylate) with 1,4-cyclohexanedimethylene: Influence of composition on mechanical and barrier properties. <i>Polymer</i> , 2016, 103, 1-8.	3.8	138
17	Rosin-derived imide-diacids as epoxy curing agents for enhanced performance. <i>Bioresource Technology</i> , 2010, 101, 2520-2524.	9.6	130
18	The crystallization behavior and mechanical properties of polylactic acid in the presence of a crystal nucleating agent. <i>Journal of Applied Polymer Science</i> , 2012, 125, 1108-1115.	2.6	130

#	ARTICLE	IF	CITATIONS
19	Synthesis of bio-based unsaturated polyester resins and their application in waterborne UV-curable coatings. <i>Progress in Organic Coatings</i> , 2015, 78, 49-54.	3.9	124
20	Facile synthesis of bio-based reactive flame retardant from vanillin and guaiacol for epoxy resin. <i>Composites Part B: Engineering</i> , 2020, 190, 107926.	12.0	119
21	How a bio-based epoxy monomer enhanced the properties of diglycidyl ether of bisphenol A (DGEBA)/graphene composites. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5081.	10.3	112
22	Interlayer Engineering of MoO_3 Modulates Selective Hydronium Intercalation in Neutral Aqueous Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 896-903.	13.8	108
23	Synthesis of biobased epoxy and curing agents using rosin and the study of cure reactions. <i>Green Chemistry</i> , 2008, 10, 1190.	9.0	107
24	Biobased Poly(ethylene 2,5-furancoate): No Longer an Alternative, but an Irreplaceable Polyester in the Polymer Industry. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8471-8485.	6.7	106
25	Synthesis of high performance polybenzoxazine networks from bio-based furfurylamine: Furan vs benzene ring. <i>Polymer</i> , 2017, 122, 258-269.	3.8	104
26	Biobased Nitrogen- and Oxygen-Codoped Carbon Materials for High-Performance Supercapacitor. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 2763-2773.	6.7	95
27	Hyperbranched flame retardant for epoxy resin modification: Simultaneously improved flame retardancy, toughness and strength as well as glass transition temperature. <i>Chemical Engineering Journal</i> , 2022, 428, 131226.	12.7	95
28	Itaconic Acid as a Green Alternative to Acrylic Acid for Producing a Soybean Oil-Based Thermoset: Synthesis and Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1228-1236.	6.7	94
29	Bio-based tetrafunctional crosslink agent from gallic acid and its enhanced soybean oil-based UV-cured coatings with high performance. <i>RSC Advances</i> , 2014, 4, 23036.	3.6	92
30	Synthesis of rosin-based flexible anhydride-type curing agents and properties of the cured epoxy. <i>Polymer International</i> , 2009, 58, 1435-1441.	3.1	91
31	A COF-Like N-Rich Conjugated Microporous Polytriphenylamine Cathode with Pseudocapacitive Anion Storage Behavior for High-Energy Aqueous Zinc Dual-Ion Batteries. <i>Advanced Materials</i> , 2021, 33, e2101857.	21.0	90
32	Forest-like Laser-Induced Graphene Film with Ultrahigh Solar Energy Utilization Efficiency. <i>ACS Nano</i> , 2021, 15, 19490-19502.	14.6	90
33	Highly recoverable rosin-based shape memory polyurethanes. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3263.	10.3	87
34	Making Benzoxazine Greener and Stronger: Renewable Resource, Microwave Irradiation, Green Solvent, and Excellent Thermal Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8715-8723.	6.7	86
35	Biobased Benzoxazine Derived from Daidzein and Furfurylamine: Microwave-Assisted Synthesis and Thermal Properties Investigation. <i>ChemSusChem</i> , 2018, 11, 3175-3183.	6.8	84
36	High bio-based content waterborne UV-curable coatings with excellent adhesion and flexibility. <i>Progress in Organic Coatings</i> , 2015, 87, 197-203.	3.9	82

#	ARTICLE	IF	CITATIONS
37	Challenges and Strategies for Constructing Highly Reversible Zinc Anodes in Aqueous Zinc-Ion Batteries: Recent Progress and Future Perspectives. <i>Advanced Sustainable Systems</i> , 2020, 4, 2000082.	5.3	81
38	Synthesis of a bio-based polyamidoamine-epichlorohydrin resin and its application for soy-based adhesives. <i>International Journal of Adhesion and Adhesives</i> , 2013, 44, 237-242.	2.9	76
39	New insight into the mechanism for the excellent gas properties of poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 642-650.	5.4	76
40	How Does the Hydrogen Bonding Interaction Influence the Properties of Polybenzoxazine? An Experimental Study Combined with Computer Simulation. <i>Macromolecules</i> , 2018, 51, 4782-4799.	4.8	75
41	Synthesis of bio-based poly(ethylene 2,5-furandicarboxylate) copolyesters: Higher glass transition temperature, better transparency, and good barrier properties. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3298-3307.	2.3	69
42	A high-energy-density aqueous zinc-manganese battery with a La-Ca co-doped $\mu\text{-MnO}_2$ cathode. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11642-11648.	10.3	69
43	Soybean oil-based UV-curable coatings strengthened by crosslink agent derived from itaconic acid together with 2-hydroxyethyl methacrylate phosphate. <i>Progress in Organic Coatings</i> , 2016, 97, 210-215.	3.9	67
44	Copolyesters Based on 2,5-Furandicarboxylic Acid (FDCA): Effect of 2,2,4,4-Tetramethyl-1,3-Cyclobutanediol Units on Their Properties. <i>Polymers</i> , 2017, 9, 305.	4.5	66
45	Stable and durable laser-induced graphene patterns embedded in polymer substrates. <i>Carbon</i> , 2020, 163, 85-94.	10.3	66
46	Synthesis of bio-based fire-resistant epoxy without addition of flame retardant elements. <i>Composites Part B: Engineering</i> , 2019, 179, 107523.	12.0	64
47	Modification of poly(ethylene 2,5-furandicarboxylate) (PEF) with 1, 4-cyclohexanedimethanol: Influence of stereochemistry of 1,4-cyclohexylene units. <i>Polymer</i> , 2018, 137, 173-185.	3.8	63
48	Synthesis of an intrinsically flame retardant bio-based benzoxazine resin. <i>Polymer</i> , 2016, 97, 418-427.	3.8	62
49	2,5-Furandicarboxylic Acid- and Itaconic Acid-Derived Fully Biobased Unsaturated Polyesters and Their Cross-Linked Networks. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 2650-2657.	3.7	58
50	Hexahydro- <i>s</i> -triazine: A Trial for Acid-Degradable Epoxy Resins with High Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4683-4689.	6.7	57
51	Zincophilic Cu Sites Induce Dendrite-Free Zn Anodes for Robust Alkaline/Neutral Aqueous Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	57
52	Synthesis of Biobased Benzoxazines Suitable for Vacuum-Assisted Resin Transfer Molding Process via Introduction of Soft Silicon Segment. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 3091-3102.	3.7	56
53	High-Voltage Rechargeable Aqueous Zinc-Based Batteries: Latest Progress and Future Perspectives. <i>Small Science</i> , 2021, 1, 2000066.	9.9	56
54	Flexible Zn-Ion batteries based on manganese oxides: Progress and prospect. , 2020, 2, 387-407.		55

#	ARTICLE	IF	CITATIONS
55	Pyrrolic-Dominated Nitrogen Redox Enhances Reaction Kinetics of Pitch-Derived Carbon Materials in Aqueous Zinc Ion Hybrid Supercapacitors. , 2021, 3, 1291-1299.		54
56	Biobased Amorphous Polyesters with High T_g : Trade-Off between Rigid and Flexible Cyclic Diols. ACS Sustainable Chemistry and Engineering, 2019, 7, 6401-6411.	6.7	53
57	Recent development on bio-based thermosetting resins. Journal of Polymer Science, 2021, 59, 1474-1490.	3.8	50
58	UV-thermal dual cured anti-bacterial thiol-ene networks with superior performance from renewable resources. Polymer, 2017, 108, 215-222.	3.8	48
59	Fully bio-based polyesters derived from 2,5-furandicarboxylic acid (2,5-FDCA) and dodecanedioic acid (DDCA): From semicrystalline thermoplastic to amorphous elastomer. Journal of Applied Polymer Science, 2018, 135, 46076.	2.6	47
60	Neuroprotective Effects of Bone Marrow Stem Cells Overexpressing Glial Cell Line-Derived Neurotrophic Factor on Rats With Intracerebral Hemorrhage and Neurons Exposed to Hypoxia/Reoxygenation. Neurosurgery, 2011, 68, 691-704.	1.1	46
61	Synthesis of an Epoxy Monomer from Bio-Based 2,5-Furandimethanol and Its Toughening via Diels-Alder Reaction. Industrial & Engineering Chemistry Research, 2017, 56, 8508-8516.	3.7	46
62	Recent Progress on Bio-Based Polyesters Derived from 2,5-Furandicarboxylic Acid (FDCA). Polymers, 2022, 14, 625.	4.5	45
63	Synthesis of eugenol-based multifunctional monomers via a thiol-ene reaction and preparation of UV curable resins together with soybean oil derivatives. RSC Advances, 2016, 6, 17857-17866.	3.6	44
64	Synthesis of Eugenol-Based Silicon-Containing Benzoxazines and Their Applications as Bio-Based Organic Coatings. Coatings, 2018, 8, 88.	2.6	44
65	Making organic coatings greener: Renewable resource, solvent-free synthesis, UV curing and reparability. European Polymer Journal, 2020, 123, 109439.	5.4	44
66	Taking advantages of intramolecular hydrogen bonding to prepare mechanically robust and catalyst-free vitrimer. Polymer, 2020, 210, 123004.	3.8	44
67	Free-standing laser-induced graphene films for high-performance electromagnetic interference shielding. Carbon, 2021, 183, 600-611.	10.3	44
68	Green Synthesis of a Bio-Based Epoxy Curing Agent from Isosorbide in Aqueous Condition and Shape Memory Properties Investigation of the Cured Resin. Macromolecular Chemistry and Physics, 2016, 217, 1439-1447.	2.2	43
69	Mechanically robust and flame-retardant polylactide composites based on molecularly-engineered polyphosphoramides. Composites Part A: Applied Science and Manufacturing, 2021, 144, 106317.	7.6	41
70	Cobalt-Based Electrocatalysts as Air Cathodes in Rechargeable Zn-Air Batteries: Advances and Challenges. Small Structures, 2021, 2, 2100144.	12.0	40
71	Highly crystalline polyesters synthesized from furandicarboxylic acid (FDCA): Potential bio-based engineering plastic. European Polymer Journal, 2018, 109, 379-390.	5.4	38
72	Melting behaviors, crystallization kinetics, and spherulitic morphologies of poly(butylene succinate) and its copolyester modified with rosin maleopimaric acid anhydride. Journal of Polymer Science, Part B: Polymer Physics, 2006, 44, 900-913.	2.1	37

#	ARTICLE	IF	CITATIONS
73	Enhancing Zn ²⁺ Ion Storage Capability of Hydrated Vanadium Pentoxide by the Strategic Introduction of La ³⁺ . <i>ChemSusChem</i> , 2020, 13, 1568-1574.	6.8	37
74	Synthesis, Characterization of a Rosin-based Epoxy Monomer and its Comparison with a Petroleum-based Counterpart. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2013, 50, 321-329.	2.2	36
75	Origin of highly recoverable shape memory polyurethanes (SMPUs) with non-planar ring structures: a single molecule force spectroscopy investigation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20010-20016.	10.3	36
76	Soft segment free thermoplastic polyester elastomers with high performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13637-13641.	10.3	36
77	How Does the Hydrogen Bonding Interaction Influence the Properties of Furan-Based Epoxy Resins. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 10929-10938.	3.7	36
78	Effects of Various 1,3-Propanediols on the Properties of Poly(propylene furandicarboxylate). <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 3282-3291.	6.7	36
79	Synthesis of Mechanically Robust and Self-Healing UV-Curable Materials from Renewable Feedstock. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 16842-16852.	6.7	36
80	Outlook on ecologically improved composites for aviation interior and secondary structures. <i>CEAS Aeronautical Journal</i> , 2018, 9, 533-543.	1.7	33
81	A New Sight into Bio-Based Polybenzoxazine: From Tunable Thermal and Mechanical Properties to Excellent Marine Antifouling Performance. <i>ACS Omega</i> , 2020, 5, 3763-3773.	3.5	32
82	High-performance biobased epoxy derived from rosin. <i>Polymer International</i> , 2010, 59, 607-609.	3.1	31
83	Bio-based shape memory epoxy resin synthesized from rosin acid. <i>Iranian Polymer Journal (English)</i> Tj ETQq1 1 0.784314 rgBT /Overlook 2.4 31	2.4	31
84	A quinone electrode with reversible phase conversion for long-life rechargeable aqueous aluminum-metal batteries. <i>Chemical Communications</i> , 2021, 57, 6931-6934.	4.1	31
85	Synthesis, characterization and properties of poly(butylene succinate) modified with rosin maleopimaric acid anhydride. <i>Polymer International</i> , 2006, 55, 545-551.	3.1	30
86	Preparation and characterization of regenerated cellulose/poly (vinylidene fluoride) (PVDF) blend films. <i>Carbohydrate Polymers</i> , 2012, 89, 67-71.	10.2	30
87	Mesenchymal stem cells contribute to the chemoresistance of hepatocellular carcinoma cells in inflammatory environment by inducing autophagy. <i>Cell and Bioscience</i> , 2014, 4, 22.	4.8	29
88	Hyperbranched flame retardant to simultaneously improve the fire-safety, toughness and glass transition temperature of epoxy resin. <i>European Polymer Journal</i> , 2021, 157, 110638.	5.4	28
89	Study of dextrin-derived curing agent for waterborne epoxy adhesive. <i>Carbohydrate Polymers</i> , 2011, 83, 1180-1184.	10.2	27
90	2,5-Furandicarboxylic acid as a sustainable alternative to isophthalic acid for synthesis of amorphous poly(ethylene terephthalate) copolyester with enhanced performance. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47186.	2.6	27

#	ARTICLE	IF	CITATIONS
91	Bismuth nanoparticles@carbon composite as a stable and high capacity anode for high-voltage bismuth-manganese batteries. <i>Energy Storage Materials</i> , 2021, 41, 623-630.	18.0	27
92	2020 Roadmap on Zinc Metal Batteries. <i>Chemistry - an Asian Journal</i> , 2020, 15, 3696-3708.	3.3	26
93	A sustainable strategy for remediation of oily sewage: Clean and safe. <i>Separation and Purification Technology</i> , 2020, 240, 116592.	7.9	26
94	Bio-Based Polybenzoxazine Modified Melamine Sponges for Selective Absorption of Organic Solvent in Water. <i>Advanced Sustainable Systems</i> , 2019, 3, 1800126.	5.3	24
95	A synergetic strategy of well dispersing hydrophilic Ti ₃ C ₂ T _x MXene into hydrophobic polybenzoxazine composites for improved comprehensive performances. <i>Composites Science and Technology</i> , 2022, 219, 109248.	7.8	24
96	Methods for Rational Design of Advanced Zn-Based Batteries. <i>Small Methods</i> , 2022, 6, .	8.6	24
97	Copolyesters developed from bio-based 2,5-furandicarboxylic acid: Synthesis, sequence distribution, mechanical, and barrier properties of poly(propylene-co-1,4-cyclohexanedimethylene) Tj ETQq1 1 0.784314 rgBTz4 Overlook	4.1	24
98	Bio-Based Epoxy Resins Derived From Eugenol With Low Dielectric Constant. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2017, 139, .	1.8	22
99	Initiating Highly Effective Hydrolysis of Regenerated Cellulose by Controlling Transition of Crystal Form with Sulfolane under Microwave Radiation. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1507-1511.	6.7	21
100	Comparative Study on the Properties of Epoxy Derived from Aromatic and Heteroaromatic Compounds: The Role of Hydrogen Bonding. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 1914-1924.	3.7	20
101	Poly(1,4-butylene-co-1,4-cyclohexanedimethylene 2,5-furandicarboxylate) copolyester: Potential bio-based engineering plastic. <i>European Polymer Journal</i> , 2021, 147, 110317.	5.4	20
102	Preparation of a New Type of Polyamidoamine and Its Application for Soy Flour-Based Adhesives. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2013, 90, 265-272.	1.9	19
103	Preparation and characterization of regenerated cellulose blend films containing high amount of poly(vinyl alcohol) (PVA) in ionic liquid. <i>Macromolecular Research</i> , 2012, 20, 703-708.	2.4	18
104	Synthesis and properties of the bio-based isomeric benzoxazine resins: Revealing the effect of the neglected short alkyl substituents. <i>European Polymer Journal</i> , 2021, 157, 110671.	5.4	14
105	Non-isothermal crystallization kinetics and melting behaviors of poly(butylene succinate) and its copolyester modified with trimellitic imide units. <i>Journal of Applied Polymer Science</i> , 2006, 102, 2493-2499.	2.6	13
106	Patterning of thermosetting resins via laser engraving towards efficient thermal management. <i>Nano Energy</i> , 2022, 100, 107477.	16.0	13
107	Crystallization behavior and morphology of poly(butylene succinate) modified with rosin maleopimaric acid anhydride. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 2694-2704.	2.1	12
108	Synthesis of multifunctional monomers from rosin for the properties enhancement of soybean-oil based thermosets. <i>Science China Technological Sciences</i> , 2017, 60, 1332-1338.	4.0	12

#	ARTICLE	IF	CITATIONS
109	Increased Susceptibility to Ischemic Brain Injury in Neuroplastin 65-Deficient Mice Likely via Glutamate Excitotoxicity. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 110.	3.7	12
110	Synthesis, Characterization and Properties of Poly(butylene succinate) Reinforced by Trimellitic Imide Units. <i>Macromolecular Chemistry and Physics</i> , 2006, 207, 694-700.	2.2	11
111	High molecular weight poly(butylene terephthalate- <i>co</i> -butylene 2,5-furan dicarboxylate) copolyesters: From synthesis to thermomechanical and barrier properties. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49365.	2.6	11
112	Research Progress on Formaldehyde-Free Wood Adhesive Derived from Soy Flour. , 0, , .		10
113	Synthesis of epoxy curing agents containing different ring structures and properties investigation of the cured resins. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	9
114	Completely amorphous high thermal resistant copolyesters from bio-based 2,5-furandicarboxylic acid. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50627.	2.6	9
115	Reusable, magnetic laser-induced graphene for efficient removal of organic pollutants from water. <i>Carbon Letters</i> , 2022, 32, 1047-1064.	5.9	9
116	Synthesis of bio-based polyesters with crystallization properties comparable to poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	3.2	9
117	A high-voltage aqueous antimony-manganese hybrid battery based on all stripping/plating mechanism. <i>Energy Storage Materials</i> , 2022, 49, 529-536.	18.0	9
118	The study of regenerated cellulose films toughened with thermoplastic polyurethane elastomers. <i>Cellulose</i> , 2012, 19, 121-126.	4.9	8
119	Non-growing season soil CO ₂ efflux and its changes in an alpine meadow ecosystem of the Qilian Mountains, Northwest China. <i>Journal of Arid Land</i> , 2013, 5, 488-499.	2.3	8
120	Manipulating the Properties of Poly(1,4-cyclohexylenedimethylene Terephthalate) (PCT) Just by Tuning Steric Configuration of 1,4-cyclohexanedimethanol (CHDM). <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1800172.	2.2	7
121	Regulating the performance of polybenzoxazine via the regiochemistry of amide substituents. <i>Polymer</i> , 2019, 181, 121807.	3.8	7
122	Investigation on the Effects of Bridging Groups in Aromatic Diphenol-Based Benzoxazines: Curing Reaction and H Bonds. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 12085-12095.	3.7	7
123	Design of bio-based organic phase change materials containing a "safety valve". <i>Green Chemistry</i> , 2021, 23, 8643-8656.	9.0	6
124	The role of a biobased epoxy monomer in the preparation of diglycidyl ether of bisphenol A/MWCNT composites. <i>Polymer Composites</i> , 2017, 38, 1640-1645.	4.6	5
125	Structurally reconstituted calcium manganate nanoparticles as a high-performance cathode for aqueous Zn-ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 5053-5059.	10.3	5
126	Epoxy resin with excellent ultraviolet resistance and mechanical properties derived from renewable camphoric acid. <i>Polymers for Advanced Technologies</i> , 2021, 32, 3701-3713.	3.2	5

#	ARTICLE	IF	CITATIONS
127	A deep insight into polybenzoxazole formation in the heterocycle-containing polybenzoxazine: An enlightening thought for smarter precursor design. <i>Polymer</i> , 2021, 226, 123789.	3.8	5
128	Using Azo-Compounds to Endow Biobased Thermosetting Coatings with Potential Application for Reversible Information Storage. <i>ACS Applied Polymer Materials</i> , 2020, 2, 4551-4558.	4.4	4
129	Comparison of Three Instruments for Activity Disability in Acute Ischemic Stroke Survivors. <i>Canadian Journal of Neurological Sciences</i> , 2021, 48, 94-104.	0.5	4
130	Design of controllable degradable epoxy resin: High performance and feasible upcycling. <i>Polymers for Advanced Technologies</i> , 2022, 33, 1665-1676.	3.2	4
131	Enhancing Li ⁺ Affinity of Molybdenum Dioxide/Carbon Fabric to Achieve High Pseudocapacitance. <i>Small</i> , 2021, 17, e2104178.	10.0	3
132	Synthesis of a fire-retardant and high Tg biobased polyester from 2,5-furandicarboxylic acid. <i>Polymer Journal</i> , 2022, 54, 995-1008.	2.7	3
133	Biopolymers and Biocomposites. , 2020, , 231-275.		1