
Tatjana AvŠiČ Å½upanc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/594885/publications.pdf Version: 2024-02-01



TATIANA AVÅLÄGE Å1/2110ANC

#	Article	IF	CITATIONS
1	Zika Virus Associated with Microcephaly. New England Journal of Medicine, 2016, 374, 951-958.	27.0	2,492
2	Taxonomy of the order Bunyavirales: update 2019. Archives of Virology, 2019, 164, 1949-1965.	2.1	285
3	Temporal and spatial analysis of the 2014–2015 Ebola virus outbreak in West Africa. Nature, 2015, 524, 97-101.	27.8	272
4	Tick-borne encephalitis in Europe and Russia: Review of pathogenesis, clinical features, therapy, and vaccines. Antiviral Research, 2019, 164, 23-51.	4.1	248
5	Hantavirus infections. Clinical Microbiology and Infection, 2019, 21, e6-e16.	6.0	190
6	Characterization of Dobrava virus: A hantavirus from Slovenia, Yugoslavia. Journal of Medical Virology, 1992, 38, 132-137.	5.0	189
7	2020 taxonomic update for phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales. Archives of Virology, 2020, 165, 3023-3072.	2.1	184
8	Unique human immune signature of Ebola virus disease in Guinea. Nature, 2016, 533, 100-104.	27.8	170
9	Socioâ€economic factors in the differential upsurge of tickâ€borne encephalitis in central and Eastern Europe. Reviews in Medical Virology, 2008, 18, 81-95.	8.3	136
10	Clinical Evaluation of the cobas SARS-CoV-2 Test and a Diagnostic Platform Switch during 48 Hours in the Midst of the COVID-19 Pandemic. Journal of Clinical Microbiology, 2020, 58, .	3.9	124
11	Taxonomy of the order Bunyavirales: second update 2018. Archives of Virology, 2019, 164, 927-941.	2.1	115
12	Interacting Roles of Immune Mechanisms and Viral Load in the Pathogenesis of Crimean-Congo Hemorrhagic Fever. Vaccine Journal, 2010, 17, 1086-1093.	3.1	109
13	Viral Load as Predictor of Crimean-Congo Hemorrhagic Fever Outcome. Emerging Infectious Diseases, 2007, 13, 1769-1772.	4.3	104
14	Hantavirus infections in Europe: from virus carriers to a major public-health problem. Expert Review of Anti-Infective Therapy, 2009, 7, 205-217.	4.4	103
15	Complex evolution and epidemiology of Dobrava-Belgrade hantavirus: definition of genotypes and their characteristics. Archives of Virology, 2013, 158, 521-529.	2.1	98
16	Tick-borne Encephalitis Associated with Consumption of Raw Goat Milk, Slovenia, 2012. Emerging Infectious Diseases, 2013, 19, 806-8.	4.3	94
17	The importance of tick-borne encephalitis virus RNA detection for early differential diagnosis of tick-borne encephalitis. Journal of Clinical Virology, 2005, 33, 331-335.	3.1	92
18	Performance of the rapid high-throughput automated electrochemiluminescence immunoassay targeting total antibodies to the SARS-CoV-2 spike protein receptor binding domain in comparison to the neutralization assay. Journal of Clinical Virology, 2021, 139, 104820.	3.1	91

#	Article	IF	CITATIONS
19	Rickettsia hoogstraalii sp. nov., isolated from hard- and soft-bodied ticks. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 977-984.	1.7	85
20	Genetic analysis of wild-type Dobrava hantavirus in Slovenia: co-existence of two distinct genetic lineages within the same natural focus. Microbiology (United Kingdom), 2000, 81, 1747-1755.	1.8	73
21	Novel one-step real-time RT-PCR assay for rapid and specific diagnosis of Crimean-Congo hemorrhagic fever encountered in the Balkans. Journal of Virological Methods, 2006, 133, 175-179.	2.1	69
22	Diagnostic Assays for Crimean-Congo Hemorrhagic Fever. Emerging Infectious Diseases, 2012, 18, 1958-1965.	4.3	66
23	Variable spikes in tick-borne encephalitis incidence in 2006 independent of variable tick abundance but related to weather. Parasites and Vectors, 2008, 1, 44.	2.5	65
24	A cynomolgus macaque model for Crimean–Congo haemorrhagic fever. Nature Microbiology, 2018, 3, 556-562.	13.3	62
25	2021 Taxonomic update of phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales. Archives of Virology, 2021, 166, 3513-3566.	2.1	62
26	Canine babesiosis in Slovenia: Molecular evidence ofBabesia caniscanisandBabesia canis vogeli. Veterinary Research, 2004, 35, 363-368.	3.0	60
27	Serum levels of inflammatory and regulatory cytokines in patients with hemorrhagic fever with renal syndrome. BMC Infectious Diseases, 2011, 11, 142.	2.9	59
28	Infection with Anaplasma phagocytophila in cervids from Slovenia: evidence of two genotypic lineages. Wiener Klinische Wochenschrift, 2002, 114, 641-7.	1.9	57
29	Influence of climatic factors on dynamics of questing Ixodes ricinus ticks in Slovenia. Veterinary Parasitology, 2009, 164, 275-281.	1.8	56
30	Patterns of Tick-Borne Encephalitis Virus Infection in Rodents in Slovenia. Vector-Borne and Zoonotic Diseases, 2012, 12, 236-242.	1.5	56
31	ICTV Virus Taxonomy Profile: Nairoviridae. Journal of General Virology, 2020, 101, 798-799.	2.9	56
32	Dobrava Virus RNA Load in Patients Who Have Hemorrhagic Fever with Renal Syndrome. Journal of Infectious Diseases, 2008, 197, 681-685.	4.0	55
33	Tick-Borne Encephalitis Virus Infects Rat Astrocytes but Does Not Affect Their Viability. PLoS ONE, 2014, 9, e86219.	2.5	52
34	Behavioural responses to perceived risk of tick-borne encephalitis: Vaccination and avoidance in the Baltics and Slovenia. Vaccine, 2008, 26, 2580-2588.	3.8	50
35	Tickâ€borne encephalitis in patients vaccinated against this disease. Journal of Internal Medicine, 2017, 282, 142-155.	6.0	49
36	Tick-borne encephalitis in Slovenia from 2000 to 2004: Comparison of the course in adult and elderly patients. Wiener Klinische Wochenschrift, 2006, 118, 702-707.	1.9	48

Τατμανα ΑνμιάŒ μ1⁄2 υρανς

#	Article	IF	CITATIONS
37	First European Pediatric Case of Human Granulocytic Ehrlichiosis. Journal of Clinical Microbiology, 2001, 39, 4591-4592.	3.9	47
38	Multiple Co-infections of Rodents with Hantaviruses, <i>Leptospira,</i> and <i>Babesia</i> in Croatia. Vector-Borne and Zoonotic Diseases, 2012, 12, 388-392.	1.5	45
39	Zika Virus–Associated Micrencephaly: A Thorough Description of Neuropathologic Findings in the Fetal Central Nervous System. Archives of Pathology and Laboratory Medicine, 2017, 141, 73-81.	2.5	43
40	Prospective Assessment of the Etiology of Acute Febrile Illness after a Tick Bite in Slovenia. Clinical Infectious Diseases, 2001, 33, 503-510.	5.8	42
41	Detection and Identification of Spotted Fever Group Rickettsiae in Ticks Collected in Southern Croatia. Experimental and Applied Acarology, 2002, 28, 169-176.	1.6	42
42	Neurotropic Viruses, Astrocytes, and COVID-19. Frontiers in Cellular Neuroscience, 2021, 15, 662578.	3.7	40
43	HFRS and hantaviruses in the Balkans/South-East Europe. Virus Research, 2014, 187, 27-33.	2.2	39
44	Biosafety standards for working with Crimean-Congo hemorrhagic fever virus. Journal of General Virology, 2016, 97, 2799-2808.	2.9	39
45	Evidence of an autochthonous Toscana virus strain in Croatia. Journal of Clinical Virology, 2012, 55, 4-7.	3.1	38
46	The long-term outcome of tick-borne encephalitis in Central Europe. Ticks and Tick-borne Diseases, 2018, 9, 369-378.	2.7	38
47	Molecular Characterization of Human Pathogen Babesia EU1 in Ixodes ricinus Ticks From Slovenia. Journal of Parasitology, 2005, 91, 463-465.	0.7	37
48	The complete genome sequence of a Crimean-Congo Hemorrhagic Fever virus isolated from an endemic region in Kosovo. Virology Journal, 2008, 5, 7.	3.4	37
49	Molecular Identification of Rickettsia felis-like Bacteria in Haemaphysalis sulcata Ticks Collected from Domestic Animals in Southern Croatia. Annals of the New York Academy of Sciences, 2006, 1078, 347-351.	3.8	36
50	Cross-neutralisation of viruses of the tick-borne encephalitis complex following tick-borne encephalitis vaccination and/or infection. Npj Vaccines, 2017, 2, 5.	6.0	36
51	Astrogliopathology in the infectious insults of the brain. Neuroscience Letters, 2019, 689, 56-62.	2.1	36
52	Molecular detection ofBartonellaspecies infecting rodents in Slovenia. FEMS Immunology and Medical Microbiology, 2007, 50, 45-50.	2.7	35
53	Tick-borne encephalitis in children: an update on epidemiology and diagnosis. Expert Review of Anti-Infective Therapy, 2009, 7, 1251-1260.	4.4	35
54	Gene expression profile suggests that pigs (Sus scrofa) are susceptible to Anaplasma phagocytophilum but control infection. Parasites and Vectors, 2012, 5, 181.	2.5	35

#	Article	IF	CITATIONS
55	Discovery and genome characterization of three new Jeilongviruses, a lineage of paramyxoviruses characterized by their unique membrane proteins. BMC Genomics, 2018, 19, 617.	2.8	35
56	Prevalence and Molecular Characterization of Tick-Borne Encephalitis Virus in <i>Ixodes ricinus</i> Ticks Collected in Slovenia. Vector-Borne and Zoonotic Diseases, 2011, 11, 659-664.	1.5	34
57	The hantaviral load in tissues of naturally infected rodents. Microbes and Infection, 2009, 11, 344-351.	1.9	33
58	Prevalence of Crimean-Congo Hemorrhagic Fever Virus in Healthy Population, Livestock and Ticks in Kosovo. PLoS ONE, 2014, 9, e110982.	2.5	33
59	Epidemiological, clinical and laboratory characteristics of patients with human granulocytic anaplasmosis in Slovenia. Wiener Klinische Wochenschrift, 2006, 118, 708-713.	1.9	32
60	Quality control assessment for the serological diagnosis of tick borne encephalitis virus infections. Journal of Clinical Virology, 2007, 38, 260-264.	3.1	32
61	HLA-Associated Hemorrhagic Fever with Renal Syndrome Disease Progression in Slovenian Patients. Vaccine Journal, 2011, 18, 1435-1440.	3.1	32
62	Severe Human Granulocytic Anaplasmosis Transmitted by Blood Transfusion. Emerging Infectious Diseases, 2012, 18, 1354-1357.	4.3	32
63	Analysis of Diagnostic Findings From the European Mobile Laboratory in Guéckédou, Guinea, March 2014 Through March 2015. Journal of Infectious Diseases, 2016, 214, S250-S257.	4.0	32
64	ZIKV Strains Differentially Affect Survival of Human Fetal Astrocytes versus Neurons and Traffic of ZIKV-Laden Endocytotic Compartments. Scientific Reports, 2019, 9, 8069.	3.3	32
65	Tick-borne encephalitis after vaccination: Vaccine failure or misdiagnosis. Vaccine, 2010, 28, 7396-7400.	3.8	31
66	Factors associated with severity of tick-borne encephalitis: A prospective observational study. Travel Medicine and Infectious Disease, 2018, 26, 25-31.	3.0	31
67	Antigenic properties and diagnostic potential of recombinant Dobrava virus nucleocapsid protein. Journal of Medical Virology, 2000, 61, 266-274.	5.0	30
68	First International External Quality Assessment of Molecular Detection of Crimean-Congo Hemorrhagic Fever Virus. PLoS Neglected Tropical Diseases, 2012, 6, e1706.	3.0	30
69	The European Virus Archive goes global: A growing resource for research. Antiviral Research, 2018, 158, 127-134.	4.1	30
70	Investigation of <i>Anaplasma phagocytophila</i> Infections in <i>Ixodes ricinus</i> and <i>Dermacentor reticulatus</i> Ticks in Austria. Annals of the New York Academy of Sciences, 2003, 990, 94-97.	3.8	29
71	Quality control assessment for the PCR diagnosis of tick-borne encephalitis virus infections. Journal of Clinical Virology, 2007, 38, 73-77.	3.1	29
72	Phylogeographic Characterization of Tick-Borne Encephalitis Virus from Patients, Rodents and Ticks in Slovenia. PLoS ONE, 2012, 7, e48420.	2.5	29

Τατμανά Ανμιά Α1/2 μρανς

#	Article	IF	CITATIONS
73	Virus RNA Load in Patients with Tick-Borne Encephalitis, Slovenia. Emerging Infectious Diseases, 2018, 24, 1315-1323.	4.3	28
74	The prevalence of Coxiella burnetii in ticks and animals in Slovenia. BMC Veterinary Research, 2019, 15, 368.	1.9	27
75	Laboratory management of Crimean-Congo haemorrhagic fever virus infections: perspectives from two European networks. Eurosurveillance, 2019, 24, .	7.0	27
76	An evaluation of serological methods to diagnose tick-borne encephalitis from serum and cerebrospinal fluid. Journal of Clinical Virology, 2019, 120, 78-83.	3.1	26
77	Dobrava virus as a new hantavirus: Evidenced by comparative sequence analysis. Journal of Medical Virology, 1993, 39, 152-155.	5.0	25
78	Hemorrhagic fever with renal syndrome in the Pomurje region of Slovenia – An 18-year survey. Wiener Klinische Wochenschrift, 2005, 117, 398-405.	1.9	25
79	Molecular detection of Theileria sp. in ticks and naturally infected sheep. Veterinary Parasitology, 2008, 151, 327-331.	1.8	25
80	Serological Evidence of Tick-Borne Encephalitis Virus Infection in Rodents Captured at Four Sites in Switzerland. Journal of Medical Entomology, 2012, 49, 436-439.	1.8	25
81	Correlation of TBE Incidence with Red Deer and Roe Deer Abundance in Slovenia. PLoS ONE, 2013, 8, e66380.	2.5	25
82	Kinetics of Soluble Mediators of the Host Response in Ebola Virus Disease. Journal of Infectious Diseases, 2018, 218, S496-S503.	4.0	25
83	Characterization of Biomarker Levels in Crimean–Congo Hemorrhagic Fever and Hantavirus Fever with Renal Syndrome. Viruses, 2019, 11, 686.	3.3	25
84	Comparative specificity and sensitivity of NS1-based serological assays for the detection of flavivirus immune response. PLoS Neglected Tropical Diseases, 2020, 14, e0008039.	3.0	25
85	Phylogeographic Diversity of Pathogenic and Non-Pathogenic Hantaviruses in Slovenia. Viruses, 2013, 5, 3071-3087.	3.3	24
86	Puumala virus in Croatia in the 2002 HFRS outbreak. Journal of Medical Virology, 2005, 77, 290-294.	5.0	23
87	Genetic evidence for the presence of two distinct hantaviruses associated with <i>Apodemus</i> mice in Croatia and analysis of local strains. Journal of Medical Virology, 2011, 83, 108-114.	5.0	23
88	Tick-borne encephalitis: Possibly a fatal disease in its acute stage. PCR amplification of TBE RNA from postmortem brain tissue. Infection, 1997, 25, 41-43.	4.7	22
89	Concomitant Tickborne Encephalitis and Human Granulocytic Ehrlichiosis. Emerging Infectious Diseases, 2005, 11, 485-488.	4.3	22
90	Case report: Severe neurological manifestation of dobrava hantavirus infection. Journal of Medical Virology, 2007, 79, 1841-1843.	5.0	22

Τατμανά Ανμιά Α1/2 μρανς

#	Article	IF	CITATIONS
91	Tick-borne encephalitis after active immunization. International Journal of Medical Microbiology, 2008, 298, 309-313.	3.6	22
92	Indirect Immunofluorescence Assay for the Simultaneous Detection of Antibodies against Clinically Important Old and New World Hantaviruses. PLoS Neglected Tropical Diseases, 2013, 7, e2157.	3.0	22
93	Truncated Recombinant Dobrava Hantavirus Nucleocapsid Proteins Induce Strong, Long-Lasting Immune Responses in Mice. Intervirology, 2006, 49, 253-260.	2.8	20
94	Molecular Epidemiology of Crimean-Congo Hemorrhagic Fever Virus in Kosovo. PLoS Neglected Tropical Diseases, 2014, 8, e2647.	3.0	20
95	Molecular detection of Babesia canis in Dermacentor reticulatus ticks collected in Slovakia. Biologia (Poland), 2006, 61, 231-233.	1.5	19
96	First molecular evidence of Tula hantavirus in Microtus voles in Slovenia. Virus Research, 2009, 144, 318-322.	2.2	19
97	Procalcitonin in hantavirus infections. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 287-291.	1.2	19
98	Second External Quality Assurance Study for the Serological Diagnosis of Hantaviruses in Europe. PLoS Neglected Tropical Diseases, 2012, 6, e1607.	3.0	18
99	Isolation of a Strain of a Hantaan Virus from a Fatal Case of Hemorrhagic Fever with Renal Syndrome in Slovenia. American Journal of Tropical Medicine and Hygiene, 1994, 51, 393-400.	1.4	18
100	Comparison of patients fulfilling criteria for confirmed and probable human granulocytic ehrlichiosis. Scandinavian Journal of Infectious Diseases, 2004, 36, 817-822.	1.5	17
101	Puumala hantavirus in Slovenia: Analyses of S and M segment sequences recovered from patients and rodents. Virus Research, 2007, 123, 204-210.	2.2	17
102	An integrated database on ticks and tick-borne zoonoses in the tropics and subtropics with special reference to developing and emerging countries. Experimental and Applied Acarology, 2011, 54, 65-83.	1.6	17
103	Molecular evidence and high genetic diversity of shrew-borne Seewis virus in Slovenia. Virus Research, 2013, 177, 113-117.	2.2	17
104	Comprehensive response to Usutu virus following first isolation in blood donors in the Friuli Venezia Giulia region of Italy: Development of recombinant NS1-based serology and sensitivity to antiviral drugs. PLoS Neglected Tropical Diseases, 2020, 14, e0008156.	3.0	17
105	Seroprevalence of severe acute respiratory syndrome coronavirus 2 in Slovenia: results of two rounds of a nationwide population study on a probability-based sample, challenges and lessons learned. Clinical Microbiology and Infection, 2021, 27, 1039.e1-1039.e7.	6.0	17
106	Epidemiology of Crimean-Congo Hemorrhagic Fever in the Balkans. , 2007, , 75-88.		17
107	HMCB1 Is a Potential Biomarker for Severe Viral Hemorrhagic Fevers. PLoS Neglected Tropical Diseases, 2016, 10, e0004804.	3.0	17
108	Quantitative Evaluation of the Severity of Acute Illness in Adult Patients with Tick-Borne Encephalitis. BioMed Research International, 2014, 2014, 1-5.	1.9	16

ΤΑΤJΑΝΑ ΑνÅΙÄŒ ŽUPANC

#	Article	IF	CITATIONS
109	Detection, identification and genotyping of Borrellia spp. in rodents in Slovenia by PCR and culture. BMC Veterinary Research, 2015, 11, 188.	1.9	16
110	Asian and African lineage Zika viruses show differential replication and innate immune responses in human dendritic cells and macrophages. Scientific Reports, 2019, 9, 15710.	3.3	15
111	Inflammatory Immune Responses in Patients with Tick-Borne Encephalitis: Dynamics and Association with the Outcome of the Disease. Microorganisms, 2019, 7, 514.	3.6	15
112	Inflammatory Immune Responses in the Pathogenesis of Tick-Borne Encephalitis. Journal of Clinical Medicine, 2019, 8, 731.	2.4	15
113	Case of <i>Babesia crassa</i> –Like Infection, Slovenia, 2014. Emerging Infectious Diseases, 2020, 26, 1038-1040.	4.3	14
114	Clinical and Laboratory Features of the First Detected Cases of <i>A. phagocytophila</i> Infections in Dogs from Slovenia. Annals of the New York Academy of Sciences, 2003, 990, 424-428.	3.8	13
115	Anaplasma phagocytophilum in ticks in Slovenia. Parasites and Vectors, 2010, 3, 102.	2.5	13
116	Ebola: missed opportunities for Europe–Africa research. Lancet Infectious Diseases, The, 2015, 15, 1254-1255.	9.1	13
117	Sequential assessment of clinical and laboratory parameters in patients with hemorrhagic fever with renal syndrome. PLoS ONE, 2018, 13, e0197661.	2.5	13
118	SARS-CoV-2 Virions or Ubiquitous Cell Structures? Actual Dilemma in COVID-19 Era. Kidney International Reports, 2020, 5, 1608-1610.	0.8	13
119	Clinical and Laboratory Characteristics and Outcome of Illness Caused by Tick-Borne Encephalitis Virus without Central Nervous System Involvement. Emerging Infectious Diseases, 2022, 28, 291-301.	4.3	13
120	Early serodiagnosis of acute human Crimean-Congo hemorrhagic fever virus infections by novel capture assays. Journal of Clinical Virology, 2010, 48, 294-295.	3.1	12
121	Diversity of ankA and msp4 genes of Anaplasma phagocytophilum in Slovenia. Ticks and Tick-borne Diseases, 2015, 6, 164-166.	2.7	12
122	Relationship between circulating vascular endothelial growth factor and its soluble receptor in patients with hemorrhagic fever with renal syndrome. Emerging Microbes and Infections, 2018, 7, 1-9.	6.5	12
123	Comparison of Clinical, Laboratory and Immune Characteristics of the Monophasic and Biphasic Course of Tick-Borne Encephalitis. Microorganisms, 2021, 9, 796.	3.6	12
124	Crimean-Congo hemorrhagic fever virus nucleoprotein suppresses IFN-beta-promoter-mediated gene expression. Archives of Virology, 2014, 159, 345-348.	2.1	11
125	Pediatric Human Granulocytic Anaplasmosis is Rare in Europe. Pediatric Infectious Disease Journal, 2016, 35, 358-359.	2.0	11

History and classification of Aigai virus (formerly Crimean $\hat{a}\in$ Congo haemorrhagic fever virus genotype) Tj ETQq0 0.0 rgBT /Overlock 10 2.9 rgBT /Overlock 10

Τατμανά Ανμιά Α1/2 μρανς

#	Article	IF	CITATIONS
127	Comparison of laboratory and immune characteristics of the initial and second phase of tick-borne encephalitis. Emerging Microbes and Infections, 2022, 11, 1647-1656.	6.5	11
128	Tick borne encephalitis without cerebrospinal fluid pleocytosis. BMC Infectious Diseases, 2014, 14, 614.	2.9	10
129	Delayed Interferon Type 1-Induced Antiviral State Is a Potential Factor for Hemorrhagic Fever With Renal Syndrome Severity. Journal of Infectious Diseases, 2018, 217, 926-932.	4.0	10
130	Geographical Variability Affects CCHFV Detection by RT–PCR: A Tool for In-Silico Evaluation of Molecular Assays. Viruses, 2019, 11, 953.	3.3	10
131	West Nile Virus in Slovenia. Viruses, 2020, 12, 720.	3.3	10
132	Seroprevalence of Human Anaplasmosis in Slovene Forestry Workers. Annals of the New York Academy of Sciences, 2006, 1078, 92-94.	3.8	9
133	Azithromycin for acute Q fever in pregnancy. Wiener Klinische Wochenschrift, 2009, 121, 469-472.	1.9	9
134	Zika: an old virus with a new face. Zdravstveno Varstvo, 2016, 55, 228-230.	0.9	9
135	Lack of Zika virus antibody response in confirmed patients in non-endemic countries. Journal of Clinical Virology, 2018, 99-100, 31-34.	3.1	9
136	Prevalence and Risk Factors for Lymphocytic Choriomeningitis Virus Infection in Continental Croatian Regions. Tropical Medicine and Infectious Disease, 2021, 6, 67.	2.3	9
137	Evaluation of two commercial amplification assays for detection ofMycobacterium tuberculosis complex in respiratory specimens. Infection, 1995, 23, 216-221.	4.7	8
138	The European Virus Archive: A new resource for virology research. Antiviral Research, 2012, 95, 167-171.	4.1	8
139	Comparison of clinical and laboratory characteristics of patients fulfilling criteria for proven and probable human granulocytic anaplasmosis. Microbes and Infection, 2015, 17, 829-833.	1.9	8
140	African Tick-Bite Fever in Traveler Returning to Slovenia from Uganda. Emerging Infectious Diseases, 2016, 22, 1848-9.	4.3	8
141	Differential Regulation of PAI-1 in Hantavirus Cardiopulmonary Syndrome and Hemorrhagic Fever With Renal Syndrome. Open Forum Infectious Diseases, 2018, 5, ofy021.	0.9	8
142	Meeting report: Eleventh International Conference on Hantaviruses. Antiviral Research, 2020, 176, 104733.	4.1	8
143	Chlamydia pneumoniae Infections in Patients with Community-acquired Pneumonia in Slovenia. Scandinavian Journal of Infectious Diseases, 2002, 34, 172-176.	1.5	7
144	Emerging Zika Virus Infection: A Rapidly Evolving Situation. Advances in Experimental Medicine and Biology, 2016, 972, 61-86.	1.6	7

#	Article	IF	CITATIONS
145	Cluster of ulceroglandular tularemia cases in Slovenia. Ticks and Tick-borne Diseases, 2016, 7, 1193-1197.	2.7	7
146	Are Patients with Erythema Migrans Who Have Leukopenia and/or Thrombocytopenia Coinfected with Anaplasma phagocytophilum or Tick-Borne Encephalitis Virus?. PLoS ONE, 2014, 9, e103188.	2.5	7
147	Comparative Evaluation of Six SARS-CoV-2 Real-Time RT-PCR Diagnostic Approaches Shows Substantial Genomic Variant–Dependent Intra- and Inter-Test Variability, Poor Interchangeability of Cycle Threshold and Complementary Turn-Around Times. Pathogens, 2022, 11, 462.	2.8	7
148	Imported Dengue Hemorrhagic Fever, Europe. Emerging Infectious Diseases, 2008, 14, 1329-1330.	4.3	6
149	The sequences ofgroESLoperon ofAnaplasma phagocytophilumamong human patients in Slovenia: 1. FEMS Immunology and Medical Microbiology, 2012, 64, 123-125.	2.7	6
150	A Sentinel Serological Study in Selected Zoo Animals to Assess Early Detection of West Nile and Usutu Virus Circulation in Slovenia. Viruses, 2021, 13, 626.	3.3	6
151	Case report: first symptomatic Candidatus Neoehrlichia mikurensis infection in Slovenia. BMC Infectious Diseases, 2021, 21, 579.	2.9	6
152	Severe tick-borne encephalitis in Slovenia: epidemiological, clinical and laboratory findings. Wiener Klinische Wochenschrift, 2002, 114, 623-6.	1.9	6
153	An abortive form of tick-borne encephalitis (TBE)–a rare clinical manifestation of infection with TBE virus. Wiener Klinische Wochenschrift, 2002, 114, 627-9.	1.9	6
154	Serum levels of metalloproteinases and their inhibitors during infection with pathogens having integrin receptor-mediated cellular entry. Scandinavian Journal of Infectious Diseases, 2012, 44, 663-669.	1.5	5
155	Non-randomised Ebola trials—lessons for optimal outbreak research. Lancet Infectious Diseases, The, 2016, 16, 407-408.	9.1	5
156	Complete Coding Sequence of a Chikungunya Virus Strain Imported into Slovenia from Thailand in Late 2018. Microbiology Resource Announcements, 2019, 8, .	0.6	5
157	Antibiotic Use and Long-Term Outcome in Patients with Tick-Borne Encephalitis and Co-Infection with Borrelia Burgdorferi Sensu Lato in Central Europe. A Retrospective Cohort Study. Journal of Clinical Medicine, 2019, 8, 1740.	2.4	5
158	Low Virus-Specific IgG Antibodies in Adverse Clinical Course and Outcome of Tick-Borne Encephalitis. Microorganisms, 2021, 9, 332.	3.6	5
159	Detection of Antibodies against Tick-Borne Encephalitis Virus in Zoo Animals Using Non-Invasive Blood Sampling with Medicinal Leeches (Hirudo medicinalis). Pathogens, 2021, 10, 952.	2.8	5
160	Complete Genome Sequencing of Tick-Borne Encephalitis Virus Directly from Clinical Samples: Comparison of Shotgun Metagenomic and Targeted Amplicon-Based Sequencing. Viruses, 2022, 14, 1267.	3.3	5
161	Evaluation of Two Broadly Used Commercial Methods for Detection of Respiratory Viruses with a Recently Added New Target for Detection of SARS-CoV-2. Viruses, 2022, 14, 1530.	3.3	5
162	Native valve endocarditis due to Bartonella henselae in an immunocompetent man. Wiener Klinische Wochenschrift, 2008, 120, 246-249.	1.9	4

#	Article	IF	CITATIONS
163	Acute myositis associated with the initial phase of tick-borne encephalitis. Journal of Clinical Virology, 2011, 51, 276-278.	3.1	4
164	Hantavirus Infections. , 2014, , 25-36.		4
165	Revisiting the genetic diversity of emerging hantaviruses circulating in Europe using a pan-viral resequencing microarray. Scientific Reports, 2019, 9, 12404.	3.3	4
166	Development of a Comparative European Orthohantavirus Microneutralization Assay With Multi- Species Validation and Evaluation in a Human Diagnostic Cohort. Frontiers in Cellular and Infection Microbiology, 2020, 10, 580478.	3.9	4
167	Comparison of Lymphocyte Populations in Patients With Dobrava or Puumala orthohantavirus Infection. Frontiers in Cellular and Infection Microbiology, 2020, 10, 566149.	3.9	4
168	Specialist laboratory networks as preparedness and response tool - the Emerging Viral Diseases-Expert Laboratory Network and the Chikungunya outbreak, Thailand, 2019. Eurosurveillance, 2020, 25, .	7.0	4
169	Human Herpesvirus 6 Infection Presenting as an Acute Febrile Illness Associated with Thrombocytopenia and Leukopenia. Case Reports in Pediatrics, 2016, 2016, 1-3.	0.4	3
170	Mosquito-only flaviviruses, isolated from Aedes albopictus in Slovenia: results of a pilot mosquito monitoring program. Biologia (Poland), 2018, 73, 1277-1282.	1.5	3
171	Upregulated Intrathecal Expression of VEGF-A and Long Lasting Global Upregulation of Proinflammatory Immune Mediators in Vaccine Breakthrough Tick-Borne Encephalitis. Frontiers in Cellular and Infection Microbiology, 2021, 11, 696337.	3.9	3
172	Impact of pre-existing treatment with statins on the course and outcome of tick-borne encephalitis. PLoS ONE, 2018, 13, e0204773.	2.5	2
173	External quality assurance studies for the serological and PCR diagnostics of tick-borne encephalitis virus infections. International Journal of Medical Microbiology, 2008, 298, 333-335.	3.6	1
174	New vector-transmitted pathogens. Clinical Microbiology and Infection, 2015, 21, 611-613.	6.0	1
175	Characterization of Tularemia Cases in Slovenia with Multiple-Locus Variable-Number Tandem Repeat Analysis. Vector-Borne and Zoonotic Diseases, 2021, 21, 351-357.	1.5	1
176	Detection of Antibodies Against Tick-Borne Encephalitis Virus and Other Flaviviruses in a Zoological Collection in Slovenia. Frontiers in Veterinary Science, 2021, 8, 688904.	2.2	1
177	Multi-laboratory evaluation of ReaScan TBE IgM rapid test, 2016 to 2017. Eurosurveillance, 2020, 25, .	7.0	1
178	Genetic Variation of <i>Bartonella henselae</i> Detected in Lymph Nodes from Patients with Cat Scratch Disease in Slovenia. Annals of the New York Academy of Sciences, 2003, 990, 393-396.	3.8	0
179	lmunogenost poživitvenega cepljenja proti klopnemu meningoencefalitisu. ZdravniÅ _i ki Vestnik, 2016, 85, .	0.1	0

