Lars Gt Berglund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5954981/publications.pdf

Version: 2024-02-01

25014 24961 12,453 145 57 109 citations h-index g-index papers 148 148 148 14448 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Substituting dietary saturated for monounsaturated fat impairs insulin sensitivity in healthy men and women: The KANWU study. Diabetologia, 2001, 44, 312-319.	2.9	965
2	Use of Multiple Biomarkers to Improve the Prediction of Death from Cardiovascular Causes. New England Journal of Medicine, 2008, 358, 2107-2116.	13.9	792
3	Reduced fetal growth rate and increased risk of death from ischaemic heart disease: cohort study of 15Â000 Swedish men and women born 1915-29. BMJ: British Medical Journal, 1998, 317, 241-245.	2.4	692
4	Relation of size at birth to non-insulin dependent diabetes and insulin concentrations in men aged 50-60 years. BMJ: British Medical Journal, 1996, 312, 406-410.	2.4	623
5	Failure to realise growth potential in utero and adult obesity in relation to blood pressure in 50 year old Swedish men. BMJ: British Medical Journal, 1996, 312, 401-406.	2.4	371
6	Plasma Parathyroid Hormone and the Risk of Cardiovascular Mortality in the Community. Circulation, 2009, 119, 2765-2771.	1.6	351
7	Plasma total homocysteine and cysteine in relation to glomerular filtration rate in diabetes mellitus. Kidney International, 1999, 55, 1028-1035.	2.6	290
8	Pentadecanoic acid in serum as a marker for intake of milk fat: relations between intake of milk fat and metabolic risk factors. American Journal of Clinical Nutrition, 1999, 69, 22-29.	2.2	272
9	Conjugated linoleic acid (CLA) reduced abdominal adipose tissue in obese middle-aged men with signs of the metabolic syndrome: a randomised controlled trial. International Journal of Obesity, 2001, 25, 1129-1135.	1.6	246
10	Plasma vitamin D and mortality in older men: a community-based prospective cohort study. American Journal of Clinical Nutrition, 2010, 92, 841-848.	2.2	238
11	Total mortality after changes in leisure time physical activity in 50 year old men: 35 year follow-up of population based cohort. BMJ: British Medical Journal, 2009, 338, b688-b688.	2.4	209
12	Prevalence of exercise-induced bronchoconstriction and exercise-induced laryngeal obstruction in a general adolescent population. Thorax, 2015, 70, 57-63.	2.7	191
13	Serum Adiponectin Is a Predictor of Coronary Heart Disease: A Population-Based 10-Year Follow-Up Study in Elderly Men. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 571-576.	1.8	187
14	Determining Vitamin D Status: A Comparison between Commercially Available Assays. PLoS ONE, 2010, 5, e11555.	1.1	184
15	Construction of an evidence-based integrated morphology cleavage embryo score for implantation potential of embryos scored and transferred on day 2 after oocyte retrieval. Human Reproduction, 2007, 22, 548-557.	0.4	182
16	Antibodies Against Cardiolipin and Oxidatively Modified LDL in 50-Year-Old Men Predict Myocardial Infarction. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 17, 3159-3163.	1.1	181
17	Endothelial Function in Resistance and Conduit Arteries and 5-Year Risk of Cardiovascular Disease. Circulation, 2011, 123, 1545-1551.	1.6	180
18	Enhanced early insulin response to glucose in relation to insulin resistance in women with polycystic ovary syndrome and normal glucose tolerance. Journal of Clinical Endocrinology and Metabolism, 1994, 78, 1052-1058.	1.8	179

#	Article	IF	CITATIONS
19	Effects of dietary saturated, monounsaturated, and nâ^3 fatty acids on blood pressure in healthy subjects. American Journal of Clinical Nutrition, 2006, 83, 221-226.	2.2	170
20	Effects of dietary saturated, monounsaturated and n-3 fatty acids on fasting lipoproteins, LDL size and post-prandial lipid metabolism in healthy subjects. Atherosclerosis, 2003, 167, 149-158.	0.4	168
21	Factors associated with adolescent use of doping agents: anabolic-androgenic steroids. Addiction, 1999, 94, 543-553.	1.7	154
22	Serum calcium: A new, independent, prospective risk factor for myocardial infarction in middle-aged men followed for 18 years. Journal of Clinical Epidemiology, 1997, 50, 967-973.	2.4	150
23	Education, lifestyle factors and mortality from cardiovascular disease and cancer. A 25-year follow-up of Swedish 50-year-old men. International Journal of Epidemiology, 2001, 30, 1119-1126.	0.9	145
24	Prognostic significance of 24-h ambulatory blood pressure characteristics for cardiovascular morbidity in a population of elderly men. Journal of Hypertension, 2004, 22, 1691-1697.	0.3	140
25	Studies of the Pro12Ala polymorphism of the peroxisome proliferator-activated receptor-γ2 (PPAR-γ2) gene in relation to insulin sensitivity among glucose tolerant Caucasians. Diabetologia, 2001, 44, 1170-1176.	2.9	134
26	Estimated intake of milk fat is negatively associated with cardiovascular risk factors and does not increase the risk of a first acute myocardial infarction. A prospective caseâ€"control study. British Journal of Nutrition, 2004, 91, 635-642.	1.2	131
27	Re-evaluation of the ferrous oxidation in xylenol orange assay for the measurement of plasma lipid hydroperoxides. Journal of Proteomics, 1998, 37, 137-146.	2.4	127
28	Sagittal abdominal diameter compared with other anthropometric measurements in relation to cardiovascular risk. International Journal of Obesity, 2000, 24, 497-501.	1.6	122
29	Which factors are most predictive for live birth after inÂvitro fertilization and intracytoplasmic sperm injection (IVF/ICSI) treatments? Analysis of 100 prospectively recorded variables in 8,400 IVF/ICSI single-embryo transfers. Fertility and Sterility, 2017, 107, 641-648.e2.	0.5	122
30	Leisure Physical Activity and the Risk of Fracture in Men. PLoS Medicine, 2007, 4, e199.	3.9	121
31	Antim $\tilde{A}^{1}\!\!/\!\!a$ llerian Hormone Levels Are Strongly Associated With Live-Birth Rates After Assisted Reproduction. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 1107-1114.	1.8	120
32	Sagittal Abdominal Diameter Is a Strong Anthropometric Marker of Insulin Resistance and Hyperproinsulinemia in Obese Men. Diabetes Care, 2004, 27, 2041-2046.	4.3	119
33	GDF-15 for Prognostication of Cardiovascular and Cancer Morbidity and Mortality in Men. PLoS ONE, 2013, 8, e78797.	1.1	108
34	Preference for tomatoes, affected by sensory attributes and information about growth conditions. Food Quality and Preference, 1999, 10, 289-298.	2.3	101
35	Increase in blood glucose concentration during antihypertensive treatment as a predictor of myocardial infarction: population based cohort study. BMJ: British Medical Journal, 2003, 326, 681-681.	2.4	100
36	The serum cholesterol ester fatty acid composition but not the serum concentration of alpha tocopherol predicts the development of myocardial infarction in 50-year-old men: 19 years follow-up. Atherosclerosis, 1996, 127, 65-71.	0.4	96

#	Article	IF	CITATIONS
37	Reliability of anthropometric measurements in overweight and lean subjects: consequences for correlations between anthropometric and other variables. International Journal of Obesity, 2000, 24, 652-657.	1.6	95
38	Plasminogen Activator Inhibitor-1 Activity Is Independently Related to Both Insulin Sensitivity and Serum Triglycerides in 70-Year-Old Men. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 18, 258-264.	1.1	94
39	Normalized dyslipidaemia after parathyroidectomy in mild primary hyperparathyroidism: population-based study over five years. Clinical Endocrinology, 2002, 56, 253-260.	1.2	92
40	Plasma parathyroid hormone and risk of congestive heart failure in the community. European Journal of Heart Failure, 2010, 12, 1186-1192.	2.9	92
41	Plasma 25-Hydroxyvitamin D Levels and Fracture Risk in a Community-Based Cohort of Elderly Men in Sweden. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 2637-2645.	1.8	88
42	Bone loss in elderly women prevented by ultralow doses of parenteral $17\hat{l}^2$ -estradiol. American Journal of Obstetrics and Gynecology, 1997, 177, 115-119.	0.7	87
43	Bright white light therapy in depression: A critical review of the evidence. Journal of Affective Disorders, 2015, 182, 1-7.	2.0	87
44	Menstrual cycle length is an age-independent marker of female fertility: results from 6271 treatment cycles of in vitro fertilization. Fertility and Sterility, 2008, 90, 1656-1661.	0.5	82
45	Changes in food habits in healthy Swedish adolescents during the transition from adolescence to adulthood. European Journal of Clinical Nutrition, 2002, 56, 532-538.	1.3	79
46	Long-Term Predictors of Insulin Resistance. Diabetes Care, 2007, 30, 2928-2933.	4.3	79
47	Using the ovarian sensitivity index to define poor, normal, and high response after controlled ovarian hyperstimulation in the long gonadotropin-releasing hormone-agonist protocol: suggestions for a new principle to solve an old problem. Fertility and Sterility, 2013, 100, 1270-1276.e3.	0.5	78
48	Variants Within the Calpain-10 Gene on Chromosome 2q37 (NIDDM1) and Relationships to Type 2 Diabetes, Insulin Resistance, and Impaired Acute Insulin Secretion Among Scandinavian Caucasians. Diabetes, 2002, 51, 3561-3567.	0.3	75
49	Indices of fatty acid desaturase activity in healthy human subjects: effects of different types of dietary fat. British Journal of Nutrition, 2013, 110, 871-879.	1.2	75
50	Dietary (n-3) Fatty Acids Reduce Plasma F2-Isoprostanes but Not Prostaglandin F2α in Healthy Humans. Journal of Nutrition, 2006, 136, 1222-1228.	1.3	73
51	Studies of the genetic variability of the coding region of the hepatocyte nuclear factor-4α in Caucasians with maturity onset NIDDM. Diabetologia, 1997, 40, 980-983.	2.9	71
52	Doping among high school students in Uppsala, Sweden: A presentation of the attitudes, distribution, side effects, and extent of use. Scandinavian Journal of Public Health, 1998, 26, 71-74.	0.6	70
53	Effects of altered ration levels on sensory characteristics, lipid content and fatty acid composition of rainbow trout (Oncorhynchus mykiss). Food Quality and Preference, 2000, 11, 247-254.	2.3	69
54	The risk to develop NIDDM is related to the fatty acid composition of the serum cholesterol esters. Diabetes, 1994, 43, 1353-1357.	0.3	69

#	Article	IF	CITATIONS
55	Replacing dairy fat with rapeseed oil causes rapid improvement of hyperlipidaemia: a randomized controlled study. Journal of Internal Medicine, 2011, 270, 356-364.	2.7	64
56	Circulating Immune Complexes in 50-Year-Old Men as a Strong and Independent Risk Factor for Myocardial Infarction. Circulation, 2000, 102, 2576-2581.	1.6	60
57	Both habitual short sleepers and long sleepers are at greater risk of obesity: a population-based 10-year follow-up in women. Sleep Medicine, 2014, 15, 1204-1211.	0.8	60
58	Temporary Preservation of \hat{A} -Cell Function by Diazoxide Treatment in Childhood Type 1 Diabetes. Diabetes Care, 2004, 27, 2191-2197.	4.3	59
59	Cardiac troponin-l and risk of heart failure: a community-based cohort study. European Heart Journal, 2008, 30, 773-781.	1.0	59
60	Search for variants of the gene-promoter and the potential phosphotyrosine encoding sequence of the insulin receptor substrate-2 gene: evaluation of their relation with alterations in insulin secretion and insulin sensitivity. Diabetologia, 1999, 42, 1244-1249.	2.9	58
61	Sleep duration and central obesity in women – Differences between short sleepers and long sleepers. Sleep Medicine, 2012, 13, 1079-1085.	0.8	58
62	Risk factors for coronary heart disease among immigrant women from Iran and Turkey, compared to women of Swedish ethnicity. Ethnicity and Disease, 2005, 15, 213-20.	1.0	56
63	Evaluation of a scoring scheme, including proinsulin and the apolipoprotein B/apolipoprotein A1 ratio, for the risk of acute coronary events in middle-aged men: Uppsala Longitudinal Study of Adult Men (ULSAM). American Heart Journal, 2004, 148, 596-601.	1.2	55
64	Which set of embryo variables is most predictive for live birth? A prospective study in 6252 single embryo transfers to construct an embryo score for the ranking and selection of embryos. Human Reproduction, 2015, 30, 28-36.	0.4	55
65	Antral follicle counts are strongly associated with live-birth rates after assisted reproduction, with superior treatment outcome in women with polycystic ovaries. Fertility and Sterility, 2011, 96, 594-599.	0.5	53
66	A Doppler-derived index of combined left ventricular systolic and diastolic function is an independent predictor of cardiovascular mortality in elderly men. American Heart Journal, 2005, 149, 902-907.	1.2	52
67	Identification of Incident Injuries in Hospital Discharge Registers. Epidemiology, 2008, 19, 860-867.	1.2	52
68	Associations between the intake of dairy fat and calcium and abdominal obesity. International Journal of Obesity, 2004, 28, 1427-1434.	1.6	51
69	High-sensitive cardiac troponin T and its relations to cardiovascular risk factors, morbidity, and mortality in elderly men. American Heart Journal, 2013, 166, 541-548.e1.	1.2	50
70	Prediction models for insulin resistance in the polycystic ovary syndrome. Human Reproduction, 2000, 15, 2098-2102.	0.4	47
71	Sagittal Abdominal Diameter as a Screening Tool in Clinical Research: Cutoffs for Cardiometabolic Risk. Journal of Obesity, 2010, 2010, 1-7.	1.1	47
72	Useful tests of usefulness of new risk factors: Tools for assessing reclassification and discrimination. Scandinavian Journal of Public Health, 2011, 39, 439-441.	1.2	47

#	Article	IF	CITATIONS
73	A programme of behaviour modification and nutrition counselling in the treatment of obesity: a randomised 2-y clinical trial. International Journal of Obesity, 2003, 27, 1127-1135.	1.6	44
74	Agreement between physicians' and patients' ratings on the Montgomery–Åsberg Depression Rating Scale. Journal of Affective Disorders, 2011, 135, 148-153.	2.0	43
75	A diet containing rapeseed oil-based fats does not increase lipid peroxidation in humans when compared to a diet rich in saturated fatty acids. European Journal of Clinical Nutrition, 2001, 55, 922-931.	1.3	42
76	NT-proBNP is a powerful predictor for incident atrial fibrillation — Validation of a multimarker approach. International Journal of Cardiology, 2016, 223, 74-81.	0.8	42
77	The combined contribution of albuminuria and glomerular filtration rate to the prediction of cardiovascular mortality in elderly men. Nephrology Dialysis Transplantation, 2011, 26, 2820-2827.	0.4	41
78	Comparing four ovarian reserve markers – associations with ovarian response and live births after assisted reproduction. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1056-1063.	1.3	39
79	Relationships between muscle morphology and insulin sensitivity are improved after adjustment for intra-individual variability in 70-year-old men. Acta Physiologica Scandinavica, 2000, 169, 125-132.	2.3	37
80	Omentectomy in addition to gastric bypass surgery and influence on insulin sensitivity: A randomized double blind controlled trial. Clinical Nutrition, 2014, 33, 991-996.	2.3	37
81	Size at Birth and Hypertension in Longitudinally Followed 50-70-Year-Old Men. Blood Pressure, 1997, 6, 223-228.	0.7	36
82	Fatty fish in the diet of patients with type 2 diabetes: comparison of the metabolic effects of foods rich in n–3 and n–6 fatty acids. American Journal of Clinical Nutrition, 2011, 94, 26-33.	2,2	36
83	Test–retest reliability of new and conventional echocardiographic parameters of left ventricular systolic function. Clinical Research in Cardiology, 2019, 108, 355-365.	1.5	35
84	Sensory evaluation of carrots from ecological and conventional growing systems. Food Quality and Preference, 1998, 10, 23-29.	2.3	34
85	Peripheral atherosclerosis and serum lipoprotein(a) in diabetes. Diabetes Care, 1999, 22, 93-98.	4.3	34
86	Elevated plasma levels of neuropeptide Y in female fibromyalgia patients. European Journal of Pain, 1999, 3, 19-30.	1.4	34
87	Dual-task tests discriminate between dementia, mild cognitive impairment, subjective cognitive impairment, and healthy controls – a cross-sectional cohort study. BMC Geriatrics, 2020, 20, 258.	1.1	33
88	Poor chest compression quality with mechanical compressions in simulated cardiopulmonary resuscitation: A randomized, cross-over manikin study. Resuscitation, 2011, 82, 1332-1337.	1.3	30
89	Regression dilution bias: Tools for correction methods and sample size calculation. Upsala Journal of Medical Sciences, 2012, 117, 279-283.	0.4	30
90	Prediction of fracture risk in men: A cohort study. Journal of Bone and Mineral Research, 2012, 27, 797-807.	3.1	29

#	Article	IF	CITATIONS
91	Seasonal variations of insulin sensitivity from a euglycemic insulin clamp in elderly men. Upsala Journal of Medical Sciences, 2012, 117, 35-40.	0.4	28
92	Effects of ration level in rainbow trout, Oncorhynchus mykiss (Walbaum), on sensory characteristics, lipid content and fatty acid composition. Aquaculture Nutrition, 1995, 1, 59-66.	1.1	27
93	High basal LH levels in combination with low basal FSH levels are associated with high success rates at assisted reproduction. Human Reproduction, 2009, 24, 2755-2759.	0.4	27
94	Dual-Task Performance and Neurodegeneration: Correlations Between Timed Up-and-Go Dual-Task Test Outcomes and Alzheimer's Disease Cerebrospinal Fluid Biomarkers. Journal of Alzheimer's Disease, 2019, 71, S75-S83.	1.2	27
95	Deconstructing the â€~black box' of the Camberwell assessment of need score in mental health services evaluation. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 714-719.	1.6	25
96	Follicular fluid and blood levels of persistent organic pollutants and reproductive outcomes among women undergoing assisted reproductive technologies. Environmental Research, 2022, 208, 112626.	3.7	25
97	Polymorphism in the glycogen-associated regulatory subunit of type 1 protein phosphatase (PPP1R3) gene and insulin sensitivity. Diabetes, 2000, 49, 298-301.	0.3	23
98	Single nucleotide polymorphisms in the apolipoprotein B and low density lipoprotein receptor genes affect response to antihypertensive treatment. BMC Cardiovascular Disorders, 2004, 4, 16.	0.7	23
99	The alterations in insulin sensitivity during angiotensin converting enzyme inhibitor treatment are related to changes in the calcium/magnesium balance. American Journal of Hypertension, 1997, 10, 145-151.	1.0	21
100	The relation between alcohol intake and physical activity and the fatty acids 14: 0, 15: 0 and 17: 0 in serum phospholipids and adipose tissue used as markers for dairy fat intake. British Journal of Nutrition, 2005, 93, 115-121.	1.2	21
101	Education and supervision of health care professionals to initiate, implement and improve management of obesity. Patient Education and Counseling, 2005, 58, 127-136.	1.0	21
102	Genetic determinants of warfarin maintenance dose and time in therapeutic treatment range: a RE-LY genomics substudy. Pharmacogenomics, 2016, 17, 1425-1439.	0.6	21
103	In Vitro and In Vivo Studies of a Naturally Occurring Variant of the Human p85Â Regulatory Subunit of the Phosphoinositide 3-Kinase: Inhibition of Protein Kinase B and Relationships With Type 2 Diabetes, Insulin Secretion, Glucose Disappearance Constant, and Insulin Sensitivity. Diabetes, 2001, 50, 690-693.	0.3	20
104	Ankle brachial index most important to identify polyvascular disease in patients with non-ST elevation or ST-elevation myocardial infarction. European Journal of Internal Medicine, 2016, 30, 55-60.	1.0	20
105	Kidney function and discrimination of cardiovascular risk in middleâ€aged men. Journal of Internal Medicine, 2009, 266, 406-413.	2.7	19
106	Low serum adiponectin concentrations are associated with insulin sensitivity independent of obesity in Sudanese subjects with type 2 diabetes mellitus. Diabetology and Metabolic Syndrome, 2013, 5, 15.	1.2	19
107	Reduced live-birth rates after IVF/ICSI in women with previous unilateral oophorectomy: results of a multicentre cohort study. Human Reproduction, 2018, 33, 238-247.	0.4	19
108	Timed Up-and-Go Dual-Task Testing in the Assessment of Cognitive Function: A Mixed Methods Observational Study for Development of the UDDGait Protocol. International Journal of Environmental Research and Public Health, 2020, 17, 1715.	1.2	18

#	Article	IF	Citations
109	Plasma endothelin-1 and total insulin exposure in diabetes mellitus. Clinical Science, 1999, 97, 149-156.	1.8	17
110	Dermatophytosis: fluorostaining enhances speed and sensitivity in direct microscopy of skin, nail and hair specimens from dermatology outpatients. Mycoses, 2016, 59, 436-441.	1.8	17
111	Prediction Models for Insulin Resistance. Blood Pressure, 1996, 5, 274-277.	0.7	15
112	Validation of an Oscillometric Blood Pressure Measuring Device: A Substudy of the HOT Study. Blood Pressure, 1998, 7, 149-152.	0.7	15
113	The utility of coagulation activity for prediction of risk of mortality and cardiovascular events in guideline-treated myocardial infarction patients. Upsala Journal of Medical Sciences, 2017, 122, 224-233.	0.4	15
114	11C-Methionine Kinetics in Pregnant Rhesus Monkeys Studied by Positron Emission Tomography: A New Approach to Feto-Maternal Metabolism. Acta Obstetricia Et Gynecologica Scandinavica, 1984, 63, 641-645.	1.3	14
115	Androgen levels, insulin sensitivity, and early insulin response in women with polycystic ovary syndrome: a long-term follow-up study. Fertility and Sterility, 2011, 95, 1146-1148.	0.5	14
116	Effects of sauna bath on heart failure: A systematic review and metaâ€analysis. Clinical Cardiology, 2018, 41, 1491-1501.	0.7	13
117	A high activity index of stearoyl-CoA desaturase is associated with increased risk of fracture in men. Osteoporosis International, 2008, 19, 929-934.	1.3	12
118	The Interaction between Impaired Acute Insulin Response and Insulin Resistance Predict Type 2 Diabetes and Impairment of Fasting Glucose. Upsala Journal of Medical Sciences, 2008, 113, 117-130.	0.4	12
119	A proposal for an additional clinical trial outcome measure assessing preventive effect as delay of events. European Journal of Epidemiology, 2012, 27, 903-909.	2.5	12
120	Insulin-mediated vasodilation and glucose uptake are independently related to fasting serum nonesterified fatty acids in elderly men. Journal of Internal Medicine, 1999, 246, 529-537.	2.7	10
121	Extraction of gait parameters from marker-free video recordings of Timed Up-and-Go tests: Validity, inter- and intra-rater reliability. Gait and Posture, 2021, 90, 489-495.	0.6	10
122	Contribution of a manually coded part in an optically readable, precoded sevenday food record for the intake of energy, nutrients and foods. Scandinavian Journal of Nutrition, 2003, 47, 123-131.	0.2	9
123	Correction for regression dilution bias using replicates from subjects with extreme first measurements. Statistics in Medicine, 2007, 26, 2246-2257.	0.8	9
124	Comparison of 2D radiography and a semi-automatic CT-based 3D method for measuring change in dorsal angulation over time in distal radius fractures. Skeletal Radiology, 2016, 45, 763-769.	1.2	9
125	Relation between Cardiovascular Disease Risk Markers and Brain Infarcts Detected by Magnetic Resonance Imaging in an Elderly Population. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 312-318.	0.7	8
126	Repeated measures of body mass index and waist circumference in the assessment of mortality risk in patients with myocardial infarction. Upsala Journal of Medical Sciences, 2019, 124, 78-82.	0.4	8

#	Article	IF	CITATIONS
127	Dual-Task Tests Predict Conversion to Dementiaâ€"A Prospective Memory-Clinic-Based Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 8129.	1.2	8
128	Insulin resistance and atherosclerosis in diabetes mellitus. Metabolism: Clinical and Experimental, 2002, 51, 941-948.	1.5	7
129	The Impact of Age and Intrauterine Contraception on the Clinical Course of Pelvic Inflammatory Disease. Gynecologic and Obstetric Investigation, 2006, 61, 65-71.	0.7	7
130	Timed "Up & Go―Dual-Task Tests: Age- and Sex-Specific Reference Values and Test–Retest Reliability in Cognitively Healthy Controls. Physical Therapy, 2021, 101, .	1.1	7
131	â€ ⁻ Older' age is a risk factor for pelvic inflammatory disease in intrauterine device users. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 1202-1207.	1.3	6
132	Construction and validation of a prediction model to minimize twin rates at preserved high live birth rates after IVF. Reproductive BioMedicine Online, 2019, 38, 22-29.	1.1	6
133	Plasma endothelin-1 and total insulin exposure in diabetes mellitus. Clinical Science, 1999, 97, 149.	1.8	4
134	Maximum likelihood estimation of correction for dilution bias in simple linear regression using replicates from subjects with extreme first measurements. Statistics in Medicine, 2008, 27, 4397-4407.	0.8	4
135	Early insulin response and insulin sensitivity are equally important as predictors of glucose tolerance after correction for measurement errors. Diabetes Research and Clinical Practice, 2009, 86, 219-224.	1.1	3
136	hUNC-93B1, a novel gene mainly expressed in the heart, is related to left ventricular diastolic function, heart failure morbidity and mortality in elderly men. European Journal of Heart Failure, 2005, 7, 958-965.	2.9	2
137	Levelâ€adjusted funnel plots based on predicted marginal expectations: an application to prophylactic antibiotics in gallstone surgery. Statistics in Medicine, 2014, 33, 3655-3675.	0.8	2
138	Low Walking Impairment Questionnaire score after a recent myocardial infarction identifies patients with polyvascular disease. JRSM Cardiovascular Disease, 2019, 8, 204800401984197.	0.4	2
139	Effects of captopril related to increased levels of prostacyclin and angiotensin-(1-7) in essential hypertension. Journal of Hypertension, 1996, 14, 1380-1381.	0.3	1
140	The Met Needs Index: a new metric for outcome assessment in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 425-432.	1.6	1
141	Predicting disagreement between physicians and patients on depression response and remission. International Clinical Psychopharmacology, 2013, 28, 134-140.	0.9	1
142	Reply: Is single ovary a detrimental factor for live-birth rate in IVF? Understanding the real clinical effect of unilateral oophorectomy. Human Reproduction, 2018, 33, 540-541.	0.4	1
143	Antral Follicle Counts Are Strongly Associated With Live Birth Rates After Assisted Reproduction, With Superior Treatment Outcome in Women With Polycystic Ovaries. Obstetrical and Gynecological Survey, 2012, 67, 29-30.	0.2	0
144	Dietary investigations - what are the effects of invalid selection procedures and measurement errors?. Nängsforskning: Referattidskrift I Nängsforskningsfrågor, 1998, 42, 60-62.	0.0	0

#	Article	IF	CITATIONS
145	A diet containing rapeseed oil-based fats does not increase lipid peroxidation in humans when compared to a diet rich in saturated fatty acids. European Journal of Clinical Nutrition, 0, 55, 922-931.	1.3	0