

# Lars Gt Berglund

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5954981/publications.pdf>

Version: 2024-02-01

145  
papers

12,453  
citations

25034

57  
h-index

24982

109  
g-index

148  
all docs

148  
docs citations

148  
times ranked

14448  
citing authors

#	ARTICLE	IF	CITATIONS
1	Follicular fluid and blood levels of persistent organic pollutants and reproductive outcomes among women undergoing assisted reproductive technologies. <i>Environmental Research</i> , 2022, 208, 112626.	7.5	25
2	Timed "Up & Go" Dual-Task Tests: Age- and Sex-Specific Reference Values and Test "Retest Reliability in Cognitively Healthy Controls. <i>Physical Therapy</i> , 2021, 101, .	2.4	7
3	Extraction of gait parameters from marker-free video recordings of Timed Up-and-Go tests: Validity, inter- and intra-rater reliability. <i>Gait and Posture</i> , 2021, 90, 489-495.	1.4	10
4	Dual-Task Tests Predict Conversion to Dementia" A Prospective Memory-Clinic-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8129.	2.6	8
5	Dual-task tests discriminate between dementia, mild cognitive impairment, subjective cognitive impairment, and healthy controls " a cross-sectional cohort study. <i>BMC Geriatrics</i> , 2020, 20, 258.	2.7	33
6	Timed Up-and-Go Dual-Task Testing in the Assessment of Cognitive Function: A Mixed Methods Observational Study for Development of the UDDGait Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1715.	2.6	18
7	Dual-Task Performance and Neurodegeneration: Correlations Between Timed Up-and-Go Dual-Task Test Outcomes and Alzheimer's Disease Cerebrospinal Fluid Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S75-S83.	2.6	27
8	Low Walking Impairment Questionnaire score after a recent myocardial infarction identifies patients with polyvascular disease. <i>JRSM Cardiovascular Disease</i> , 2019, 8, 204800401984197.	0.7	2
9	Test "retest reliability of new and conventional echocardiographic parameters of left ventricular systolic function. <i>Clinical Research in Cardiology</i> , 2019, 108, 355-365.	3.3	35
10	Construction and validation of a prediction model to minimize twin rates at preserved high live birth rates after IVF. <i>Reproductive BioMedicine Online</i> , 2019, 38, 22-29.	2.4	6
11	Repeated measures of body mass index and waist circumference in the assessment of mortality risk in patients with myocardial infarction. <i>Uppsala Journal of Medical Sciences</i> , 2019, 124, 78-82.	0.9	8
12	Reply: Is single ovary a detrimental factor for live-birth rate in IVF? Understanding the real clinical effect of unilateral oophorectomy. <i>Human Reproduction</i> , 2018, 33, 540-541.	0.9	1
13	Reduced live-birth rates after IVF/ICSI in women with previous unilateral oophorectomy: results of a multicentre cohort study. <i>Human Reproduction</i> , 2018, 33, 238-247.	0.9	19
14	Effects of sauna bath on heart failure: A systematic review and meta-analysis. <i>Clinical Cardiology</i> , 2018, 41, 1491-1501.	1.8	13
15	Which factors are most predictive for live birth after in vitro fertilization and intracytoplasmic sperm injection (IVF/ICSI) treatments? Analysis of 100 prospectively recorded variables in 8,400 IVF/ICSI single-embryo transfers. <i>Fertility and Sterility</i> , 2017, 107, 641-648.e2.	1.0	122
16	The utility of coagulation activity for prediction of risk of mortality and cardiovascular events in guideline-treated myocardial infarction patients. <i>Uppsala Journal of Medical Sciences</i> , 2017, 122, 224-233.	0.9	15
17	Genetic determinants of warfarin maintenance dose and time in therapeutic treatment range: a RE-LY genomics substudy. <i>Pharmacogenomics</i> , 2016, 17, 1425-1439.	1.3	21
18	NT-proBNP is a powerful predictor for incident atrial fibrillation " Validation of a multimarker approach. <i>International Journal of Cardiology</i> , 2016, 223, 74-81.	1.7	42

#	ARTICLE	IF	CITATIONS
19	Dermatophytosis: fluorostaining enhances speed and sensitivity in direct microscopy of skin, nail and hair specimens from dermatology outpatients. <i>Mycoses</i> , 2016, 59, 436-441.	4.0	17
20	Ankle brachial index most important to identify polyvascular disease in patients with non-ST elevation or ST-elevation myocardial infarction. <i>European Journal of Internal Medicine</i> , 2016, 30, 55-60.	2.2	20
21	Comparison of 2D radiography and a semi-automatic CT-based 3D method for measuring change in dorsal angulation over time in distal radius fractures. <i>Skeletal Radiology</i> , 2016, 45, 763-769.	2.0	9
22	Comparing four ovarian reserve markers " associations with ovarian response and live births after assisted reproduction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 1056-1063.	2.8	39
23	Which set of embryo variables is most predictive for live birth? A prospective study in 6252 single embryo transfers to construct an embryo score for the ranking and selection of embryos. <i>Human Reproduction</i> , 2015, 30, 28-36.	0.9	55
24	Relation between Cardiovascular Disease Risk Markers and Brain Infarcts Detected by Magnetic Resonance Imaging in an Elderly Population. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 312-318.	1.6	8
25	Prevalence of exercise-induced bronchoconstriction and exercise-induced laryngeal obstruction in a general adolescent population. <i>Thorax</i> , 2015, 70, 57-63.	5.6	191
26	Bright white light therapy in depression: A critical review of the evidence. <i>Journal of Affective Disorders</i> , 2015, 182, 1-7.	4.1	87
27	Level-adjusted funnel plots based on predicted marginal expectations: an application to prophylactic antibiotics in gallstone surgery. <i>Statistics in Medicine</i> , 2014, 33, 3655-3675.	1.6	2
28	Both habitual short sleepers and long sleepers are at greater risk of obesity: a population-based 10-year follow-up in women. <i>Sleep Medicine</i> , 2014, 15, 1204-1211.	1.6	60
29	Omentectomy in addition to gastric bypass surgery and influence on insulin sensitivity: A randomized double blind controlled trial. <i>Clinical Nutrition</i> , 2014, 33, 991-996.	5.0	37
30	Low serum adiponectin concentrations are associated with insulin sensitivity independent of obesity in Sudanese subjects with type 2 diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 15.	2.7	19
31	Using the ovarian sensitivity index to define poor, normal, and high response after controlled ovarian hyperstimulation in the long gonadotropin-releasing hormone-agonist protocol: suggestions for a new principle to solve an old problem. <i>Fertility and Sterility</i> , 2013, 100, 1270-1276.e3.	1.0	78
32	Antimüllerian Hormone Levels Are Strongly Associated With Live-Birth Rates After Assisted Reproduction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1107-1114.	3.6	120
33	High-sensitive cardiac troponin T and its relations to cardiovascular risk factors, morbidity, and mortality in elderly men. <i>American Heart Journal</i> , 2013, 166, 541-548.e1.	2.7	50
34	Indices of fatty acid desaturase activity in healthy human subjects: effects of different types of dietary fat. <i>British Journal of Nutrition</i> , 2013, 110, 871-879.	2.3	75
35	Predicting disagreement between physicians and patients on depression response and remission. <i>International Clinical Psychopharmacology</i> , 2013, 28, 134-140.	1.7	1
36	GDF-15 for Prognostication of Cardiovascular and Cancer Morbidity and Mortality in Men. <i>PLoS ONE</i> , 2013, 8, e78797.	2.5	108

#	ARTICLE	IF	CITATIONS
37	Seasonal variations of insulin sensitivity from a euglycemic insulin clamp in elderly men. Upsala Journal of Medical Sciences, 2012, 117, 35-40.	0.9	28
38	Regression dilution bias: Tools for correction methods and sample size calculation. Upsala Journal of Medical Sciences, 2012, 117, 279-283.	0.9	30
39	Sleep duration and central obesity in women – Differences between short sleepers and long sleepers. Sleep Medicine, 2012, 13, 1079-1085.	1.6	58
40	A proposal for an additional clinical trial outcome measure assessing preventive effect as delay of events. European Journal of Epidemiology, 2012, 27, 903-909.	5.7	12
41	Prediction of fracture risk in men: A cohort study. Journal of Bone and Mineral Research, 2012, 27, 797-807.	2.8	29
42	Antral Follicle Counts Are Strongly Associated With Live Birth Rates After Assisted Reproduction, With Superior Treatment Outcome in Women With Polycystic Ovaries. Obstetrical and Gynecological Survey, 2012, 67, 29-30.	0.4	0
43	Androgen levels, insulin sensitivity, and early insulin response in women with polycystic ovary syndrome: a long-term follow-up study. Fertility and Sterility, 2011, 95, 1146-1148.	1.0	14
44	Antral follicle counts are strongly associated with live-birth rates after assisted reproduction, with superior treatment outcome in women with polycystic ovaries. Fertility and Sterility, 2011, 96, 594-599.	1.0	53
45	Poor chest compression quality with mechanical compressions in simulated cardiopulmonary resuscitation: A randomized, cross-over manikin study. Resuscitation, 2011, 82, 1332-1337.	3.0	30
46	Replacing dairy fat with rapeseed oil causes rapid improvement of hyperlipidaemia: a randomized controlled study. Journal of Internal Medicine, 2011, 270, 356-364.	6.0	64
47	Agreement between physicians' and patients' ratings on the Montgomery-Åsberg Depression Rating Scale. Journal of Affective Disorders, 2011, 135, 148-153.	4.1	43
48	Fatty fish in the diet of patients with type 2 diabetes: comparison of the metabolic effects of foods rich in n-3 and n-6 fatty acids. American Journal of Clinical Nutrition, 2011, 94, 26-33.	4.7	36
49	Useful tests of usefulness of new risk factors: Tools for assessing reclassification and discrimination. Scandinavian Journal of Public Health, 2011, 39, 439-441.	2.3	47
50	Endothelial Function in Resistance and Conduit Arteries and 5-Year Risk of Cardiovascular Disease. Circulation, 2011, 123, 1545-1551.	1.6	180
51	The combined contribution of albuminuria and glomerular filtration rate to the prediction of cardiovascular mortality in elderly men. Nephrology Dialysis Transplantation, 2011, 26, 2820-2827.	0.7	41
52	The Met Needs Index: a new metric for outcome assessment in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 425-432.	3.1	1
53	Sagittal Abdominal Diameter as a Screening Tool in Clinical Research: Cutoffs for Cardiometabolic Risk. Journal of Obesity, 2010, 2010, 1-7.	2.7	47
54	Determining Vitamin D Status: A Comparison between Commercially Available Assays. PLoS ONE, 2010, 5, e11555.	2.5	184

#	ARTICLE	IF	CITATIONS
55	Plasma vitamin D and mortality in older men: a community-based prospective cohort study. American Journal of Clinical Nutrition, 2010, 92, 841-848.	4.7	238
56	Plasma 25-Hydroxyvitamin D Levels and Fracture Risk in a Community-Based Cohort of Elderly Men in Sweden. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 2637-2645.	3.6	88
57	Plasma parathyroid hormone and risk of congestive heart failure in the community. European Journal of Heart Failure, 2010, 12, 1186-1192.	7.1	92
58	Plasma Parathyroid Hormone and the Risk of Cardiovascular Mortality in the Community. Circulation, 2009, 119, 2765-2771.	1.6	351
59	High basal LH levels in combination with low basal FSH levels are associated with high success rates at assisted reproduction. Human Reproduction, 2009, 24, 2755-2759.	0.9	27
60	Total mortality after changes in leisure time physical activity in 50 year old men: 35 year follow-up of population based cohort. BMJ: British Medical Journal, 2009, 338, b688-b688.	2.3	209
61	Kidney function and discrimination of cardiovascular risk in middle-aged men. Journal of Internal Medicine, 2009, 266, 406-413.	6.0	19
62	Early insulin response and insulin sensitivity are equally important as predictors of glucose tolerance after correction for measurement errors. Diabetes Research and Clinical Practice, 2009, 86, 219-224.	2.8	3
63	Deconstructing the "black box" of the Camberwell assessment of need score in mental health services evaluation. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 714-719.	3.1	25
64	A high activity index of stearyl-CoA desaturase is associated with increased risk of fracture in men. Osteoporosis International, 2008, 19, 929-934.	3.1	12
65	Maximum likelihood estimation of correction for dilution bias in simple linear regression using replicates from subjects with extreme first measurements. Statistics in Medicine, 2008, 27, 4397-4407.	1.6	4
66	Use of Multiple Biomarkers to Improve the Prediction of Death from Cardiovascular Causes. New England Journal of Medicine, 2008, 358, 2107-2116.	27.0	792
67	Menstrual cycle length is an age-independent marker of female fertility: results from 6271 treatment cycles of in vitro fertilization. Fertility and Sterility, 2008, 90, 1656-1661.	1.0	82
68	The Interaction between Impaired Acute Insulin Response and Insulin Resistance Predict Type 2 Diabetes and Impairment of Fasting Glucose. Upsala Journal of Medical Sciences, 2008, 113, 117-130.	0.9	12
69	Cardiac troponin-I and risk of heart failure: a community-based cohort study. European Heart Journal, 2008, 30, 773-781.	2.2	59
70	Identification of Incident Injuries in Hospital Discharge Registers. Epidemiology, 2008, 19, 860-867.	2.7	52
71	Long-Term Predictors of Insulin Resistance. Diabetes Care, 2007, 30, 2928-2933.	8.6	79
72	Construction of an evidence-based integrated morphology cleavage embryo score for implantation potential of embryos scored and transferred on day 2 after oocyte retrieval. Human Reproduction, 2007, 22, 548-557.	0.9	182

#	ARTICLE	IF	CITATIONS
73	Serum Adiponectin Is a Predictor of Coronary Heart Disease: A Population-Based 10-Year Follow-Up Study in Elderly Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 571-576.	3.6	187
74	Correction for regression dilution bias using replicates from subjects with extreme first measurements. <i>Statistics in Medicine</i> , 2007, 26, 2246-2257.	1.6	9
75	Leisure Physical Activity and the Risk of Fracture in Men. <i>PLoS Medicine</i> , 2007, 4, e199.	8.4	121
76	Dietary (n-3) Fatty Acids Reduce Plasma F2-Isoprostanes but Not Prostaglandin F2 $\alpha$ in Healthy Humans. <i>Journal of Nutrition</i> , 2006, 136, 1222-1228.	2.9	73
77	Effects of dietary saturated, monounsaturated, and n $\omega$ -3 fatty acids on blood pressure in healthy subjects. <i>American Journal of Clinical Nutrition</i> , 2006, 83, 221-226.	4.7	170
78	The Impact of Age and Intrauterine Contraception on the Clinical Course of Pelvic Inflammatory Disease. <i>Gynecologic and Obstetric Investigation</i> , 2006, 61, 65-71.	1.6	7
79	The relation between alcohol intake and physical activity and the fatty acids 14: 0, 15: 0 and 17: 0 in serum phospholipids and adipose tissue used as markers for dairy fat intake. <i>British Journal of Nutrition</i> , 2005, 93, 115-121.	2.3	21
80	Education and supervision of health care professionals to initiate, implement and improve management of obesity. <i>Patient Education and Counseling</i> , 2005, 58, 127-136.	2.2	21
81	â€œOlderâ€™ age is a risk factor for pelvic inflammatory disease in intrauterine device users. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2005, 84, 1202-1207.	2.8	6
82	hUNC-93B1, a novel gene mainly expressed in the heart, is related to left ventricular diastolic function, heart failure morbidity and mortality in elderly men. <i>European Journal of Heart Failure</i> , 2005, 7, 958-965.	7.1	2
83	A Doppler-derived index of combined left ventricular systolic and diastolic function is an independent predictor of cardiovascular mortality in elderly men. <i>American Heart Journal</i> , 2005, 149, 902-907.	2.7	52
84	Risk factors for coronary heart disease among immigrant women from Iran and Turkey, compared to women of Swedish ethnicity. <i>Ethnicity and Disease</i> , 2005, 15, 213-20.	2.3	56
85	Temporary Preservation of Î-Cell Function by Diazoxide Treatment in Childhood Type 1 Diabetes. <i>Diabetes Care</i> , 2004, 27, 2191-2197.	8.6	59
86	Sagittal Abdominal Diameter Is a Strong Anthropometric Marker of Insulin Resistance and Hyperproinsulinemia in Obese Men. <i>Diabetes Care</i> , 2004, 27, 2041-2046.	8.6	119
87	Associations between the intake of dairy fat and calcium and abdominal obesity. <i>International Journal of Obesity</i> , 2004, 28, 1427-1434.	3.4	51
88	Single nucleotide polymorphisms in the apolipoprotein B and low density lipoprotein receptor genes affect response to antihypertensive treatment. <i>BMC Cardiovascular Disorders</i> , 2004, 4, 16.	1.7	23
89	Evaluation of a scoring scheme, including proinsulin and the apolipoprotein B/apolipoprotein A1 ratio, for the risk of acute coronary events in middle-aged men: Uppsala Longitudinal Study of Adult Men (ULSAM). <i>American Heart Journal</i> , 2004, 148, 596-601.	2.7	55
90	Estimated intake of milk fat is negatively associated with cardiovascular risk factors and does not increase the risk of a first acute myocardial infarction. A prospective caseâ€“control study. <i>British Journal of Nutrition</i> , 2004, 91, 635-642.	2.3	131

#	ARTICLE	IF	CITATIONS
91	Prognostic significance of 24-h ambulatory blood pressure characteristics for cardiovascular morbidity in a population of elderly men. <i>Journal of Hypertension</i> , 2004, 22, 1691-1697.	0.5	140
92	A programme of behaviour modification and nutrition counselling in the treatment of obesity: a randomised 2-y clinical trial. <i>International Journal of Obesity</i> , 2003, 27, 1127-1135.	3.4	44
93	Effects of dietary saturated, monounsaturated and n-3 fatty acids on fasting lipoproteins, LDL size and post-prandial lipid metabolism in healthy subjects. <i>Atherosclerosis</i> , 2003, 167, 149-158.	0.8	168
94	Increase in blood glucose concentration during antihypertensive treatment as a predictor of myocardial infarction: population based cohort study. <i>BMJ: British Medical Journal</i> , 2003, 326, 681-681.	2.3	100
95	Contribution of a manually coded part in an optically readable, precoded seven-day food record for the intake of energy, nutrients and foods. <i>Scandinavian Journal of Nutrition</i> , 2003, 47, 123-131.	0.2	9
96	Variants Within the Calpain-10 Gene on Chromosome 2q37 ( <i>NIDDM1</i> ) and Relationships to Type 2 Diabetes, Insulin Resistance, and Impaired Acute Insulin Secretion Among Scandinavian Caucasians. <i>Diabetes</i> , 2002, 51, 3561-3567.	0.6	75
97	Insulin resistance and atherosclerosis in diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 941-948.	3.4	7
98	Normalized dyslipidaemia after parathyroidectomy in mild primary hyperparathyroidism: population-based study over five years. <i>Clinical Endocrinology</i> , 2002, 56, 253-260.	2.4	92
99	Changes in food habits in healthy Swedish adolescents during the transition from adolescence to adulthood. <i>European Journal of Clinical Nutrition</i> , 2002, 56, 532-538.	2.9	79
100	Substituting dietary saturated for monounsaturated fat impairs insulin sensitivity in healthy men and women: The KANWU study. <i>Diabetologia</i> , 2001, 44, 312-319.	6.3	965
101	Studies of the Pro12Ala polymorphism of the peroxisome proliferator-activated receptor- $\beta$ (PPAR- $\beta$ ) gene in relation to insulin sensitivity among glucose tolerant Caucasians. <i>Diabetologia</i> , 2001, 44, 1170-1176.	6.3	134
102	Conjugated linoleic acid (CLA) reduced abdominal adipose tissue in obese middle-aged men with signs of the metabolic syndrome: a randomised controlled trial. <i>International Journal of Obesity</i> , 2001, 25, 1129-1135.	3.4	246
103	Education, lifestyle factors and mortality from cardiovascular disease and cancer. A 25-year follow-up of Swedish 50-year-old men. <i>International Journal of Epidemiology</i> , 2001, 30, 1119-1126.	1.9	145
104	In Vitro and In Vivo Studies of a Naturally Occurring Variant of the Human p85 $\beta$ Regulatory Subunit of the Phosphoinositide 3-Kinase: Inhibition of Protein Kinase B and Relationships With Type 2 Diabetes, Insulin Secretion, Glucose Disappearance Constant, and Insulin Sensitivity. <i>Diabetes</i> , 2001, 50, 690-693.	0.6	20
105	A diet containing rapeseed oil-based fats does not increase lipid peroxidation in humans when compared to a diet rich in saturated fatty acids. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 922-931.	2.9	42
106	Relationships between muscle morphology and insulin sensitivity are improved after adjustment for intra-individual variability in 70-year-old men. <i>Acta Physiologica Scandinavica</i> , 2000, 169, 125-132.	2.2	37
107	Sagittal abdominal diameter compared with other anthropometric measurements in relation to cardiovascular risk. <i>International Journal of Obesity</i> , 2000, 24, 497-501.	3.4	122
108	Reliability of anthropometric measurements in overweight and lean subjects: consequences for correlations between anthropometric and other variables. <i>International Journal of Obesity</i> , 2000, 24, 652-657.	3.4	95



#	ARTICLE	IF	CITATIONS
109	Polymorphism in the glycogen-associated regulatory subunit of type 1 protein phosphatase (PPP1R3) gene and insulin sensitivity. <i>Diabetes</i> , 2000, 49, 298-301.	0.6	23
110	Prediction models for insulin resistance in the polycystic ovary syndrome. <i>Human Reproduction</i> , 2000, 15, 2098-2102.	0.9	47
111	Effects of altered ration levels on sensory characteristics, lipid content and fatty acid composition of rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Food Quality and Preference</i> , 2000, 11, 247-254.	4.6	69
112	Circulating Immune Complexes in 50-Year-Old Men as a Strong and Independent Risk Factor for Myocardial Infarction. <i>Circulation</i> , 2000, 102, 2576-2581.	1.6	60
113	Pentadecanoic acid in serum as a marker for intake of milk fat: relations between intake of milk fat and metabolic risk factors. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 22-29.	4.7	272
114	Peripheral atherosclerosis and serum lipoprotein(a) in diabetes. <i>Diabetes Care</i> , 1999, 22, 93-98.	8.6	34
115	Elevated plasma levels of neuropeptide Y in female fibromyalgia patients. <i>European Journal of Pain</i> , 1999, 3, 19-30.	2.8	34
116	Factors associated with adolescent use of doping agents: anabolic&ndash;androgenic steroids. <i>Addiction</i> , 1999, 94, 543-553.	3.3	154
117	Insulin-mediated vasodilation and glucose uptake are independently related to fasting serum nonesterified fatty acids in elderly men. <i>Journal of Internal Medicine</i> , 1999, 246, 529-537.	6.0	10
118	Plasma total homocysteine and cysteine in relation to glomerular filtration rate in diabetes mellitus. <i>Kidney International</i> , 1999, 55, 1028-1035.	5.2	290
119	Search for variants of the gene-promoter and the potential phosphotyrosine encoding sequence of the insulin receptor substrate-2 gene: evaluation of their relation with alterations in insulin secretion and insulin sensitivity. <i>Diabetologia</i> , 1999, 42, 1244-1249.	6.3	58
120	Preference for tomatoes, affected by sensory attributes and information about growth conditions. <i>Food Quality and Preference</i> , 1999, 10, 289-298.	4.6	101
121	Plasma endothelin-1 and total insulin exposure in diabetes mellitus. <i>Clinical Science</i> , 1999, 97, 149-156.	4.3	17
122	Plasma endothelin-1 and total insulin exposure in diabetes mellitus. <i>Clinical Science</i> , 1999, 97, 149.	4.3	4
123	Re-evaluation of the ferrous oxidation in xynol orange assay for the measurement of plasma lipid hydroperoxides. <i>Journal of Proteomics</i> , 1998, 37, 137-146.	2.4	127
124	Sensory evaluation of carrots from ecological and conventional growing systems. <i>Food Quality and Preference</i> , 1998, 10, 23-29.	4.6	34
125	Reduced fetal growth rate and increased risk of death from ischaemic heart disease: cohort study of 15&thousand Swedish men and women born 1915-29. <i>BMJ: British Medical Journal</i> , 1998, 317, 241-245.	2.3	692
126	Doping among high school students in Uppsala, Sweden: A presentation of the attitudes, distribution, side effects, and extent of use. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 71-74.	0.6	70



#	ARTICLE	IF	CITATIONS
127	Plasminogen Activator Inhibitor-1 Activity Is Independently Related to Both Insulin Sensitivity and Serum Triglycerides in 70-Year-Old Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 258-264.	2.4	94
128	Validation of an Oscillometric Blood Pressure Measuring Device: A Substudy of the HOT Study. <i>Blood Pressure</i> , 1998, 7, 149-152.	1.5	15
129	Dietary investigations - what are the effects of invalid selection procedures and measurement errors?. <i>N�ringsforskning: Referattidskrift I N�ringsforskningsfr�gor</i> , 1998, 42, 60-62.	0.1	0
130	Size at Birth and Hypertension in Longitudinally Followed 50-70-Year-Old Men. <i>Blood Pressure</i> , 1997, 6, 223-228.	1.5	36
131	Serum calcium: A new, independent, prospective risk factor for myocardial infarction in middle-aged men followed for 18 years. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 967-973.	5.0	150
132	The alterations in insulin sensitivity during angiotensin converting enzyme inhibitor treatment are related to changes in the calcium/magnesium balance. <i>American Journal of Hypertension</i> , 1997, 10, 145-151.	2.0	21
133	Bone loss in elderly women prevented by ultralow doses of parenteral 17�-estradiol. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 115-119.	1.3	87
134	Studies of the genetic variability of the coding region of the hepatocyte nuclear factor-4� in Caucasians with maturity onset NIDDM. <i>Diabetologia</i> , 1997, 40, 980-983.	6.3	71
135	Antibodies Against Cardiolipin and Oxidatively Modified LDL in 50-Year-Old Men Predict Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3159-3163.	2.4	181
136	The serum cholesterol ester fatty acid composition but not the serum concentration of alpha tocopherol predicts the development of myocardial infarction in 50-year-old men: 19 years follow-up. <i>Atherosclerosis</i> , 1996, 127, 65-71.	0.8	96
137	Effects of captopril related to increased levels of prostacyclin and angiotensin-(1-7) in essential hypertension. <i>Journal of Hypertension</i> , 1996, 14, 1380-1381.	0.5	1
138	Prediction Models for Insulin Resistance. <i>Blood Pressure</i> , 1996, 5, 274-277.	1.5	15
139	Failure to realise growth potential in utero and adult obesity in relation to blood pressure in 50 year old Swedish men. <i>BMJ: British Medical Journal</i> , 1996, 312, 401-406.	2.3	371
140	Relation of size at birth to non-insulin dependent diabetes and insulin concentrations in men aged 50-60 years. <i>BMJ: British Medical Journal</i> , 1996, 312, 406-410.	2.3	623
141	Effects of ration level in rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), on sensory characteristics, lipid content and fatty acid composition. <i>Aquaculture Nutrition</i> , 1995, 1, 59-66.	2.7	27
142	Enhanced early insulin response to glucose in relation to insulin resistance in women with polycystic ovary syndrome and normal glucose tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 1052-1058.	3.6	179
143	The risk to develop NIDDM is related to the fatty acid composition of the serum cholesterol esters. <i>Diabetes</i> , 1994, 43, 1353-1357.	0.6	69
144	11C-Methionine Kinetics in Pregnant Rhesus Monkeys Studied by Positron Emission Tomography: A New Approach to Feto-Maternal Metabolism. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1984, 63, 641-645.	2.8	14

#	ARTICLE	IF	CITATIONS
145	A diet containing rapeseed oil-based fats does not increase lipid peroxidation in humans when compared to a diet rich in saturated fatty acids. European Journal of Clinical Nutrition, 0, 55, 922-931.	2.9	0