

Douglas W Houston

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5955252/publications.pdf>

Version: 2024-02-01

46
papers

3,021
citations

279798

23
h-index

233421

45
g-index

47
all docs

47
docs citations

47
times ranked

3285
citing authors

#	ARTICLE	IF	CITATIONS
1	Topologically correct central projections of tetrapod inner ear afferents require Fzd3. Scientific Reports, 2019, 9, 10298.	3.3	13
2	A single KH domain in Bicaudal-C links mRNA binding and translational repression functions to maternal development. Development (Cambridge), 2019, 146, .	2.5	11
3	Culture and Host Transfer of Xenopus Oocytes for Maternal mRNA Depletion and Genome Editing Experiments. Methods in Molecular Biology, 2019, 1920, 1-16.	0.9	2
4	Identification of <i>Isthmin 1</i> as a Novel Clefing and Craniofacial Patterning Gene in Humans. Genetics, 2018, 208, 283-296.	2.9	18
5	Oocyte Host-Transfer and Maternal mRNA Depletion Experiments in <i>Xenopus</i> . Cold Spring Harbor Protocols, 2018, 2018, pdb.prot096982.	0.3	10
6	Cell Polarity in Oocyte Development. , 2018, , 1-29.		1
7	Transplantation of Ears Provides Insights into Inner Ear Afferent Pathfinding Properties. Developmental Neurobiology, 2018, 78, 1064-1080.	3.0	15
8	Vertebrate Axial Patterning: From Egg to Asymmetry. Advances in Experimental Medicine and Biology, 2017, 953, 209-306.	1.6	27
9	Role of maternal <i>Xenopus</i> syntabulin in germ plasm aggregation and primordial germ cell specification. Developmental Biology, 2017, 432, 237-247.	2.0	10
10	RNA Localization in the Vertebrate Oocyte: Establishment of Oocyte Polarity and Localized mRNA Assemblages. Results and Problems in Cell Differentiation, 2017, 63, 189-208.	0.7	14
11	The β -Protocadherin-C3 isoform inhibits canonical Wnt signalling by binding to and stabilizing Axin1 at the membrane. Scientific Reports, 2016, 6, 31665.	3.3	34
12	Genome evolution in the allotetraploid frog <i>Xenopus laevis</i> . Nature, 2016, 538, 336-343.	27.8	849
13	A gradient of maternal Bicaudal-C controls vertebrate embryogenesis via translational repression of mRNAs encoding cell fate regulators. Development (Cambridge), 2016, 143, 864-71.	2.5	17
14	Ear manipulations reveal a critical period for survival and dendritic development at the single-cell level in <i>Mauthner</i> neurons. Developmental Neurobiology, 2015, 75, 1339-1351.	3.0	23
15	Sensory afferent segregation in three-eared frogs resemble the dominance columns observed in three-eyed frogs. Scientific Reports, 2015, 5, 8338.	3.3	24
16	The dynamics of plus end polarization and microtubule assembly during <i>Xenopus</i> cortical rotation. Developmental Biology, 2015, 401, 249-263.	2.0	15
17	Regulation of Cell Polarity and RNA Localization in Vertebrate Oocytes. International Review of Cell and Molecular Biology, 2013, 306, 127-185.	3.2	46
18	Copy number variation analysis implicates the cell polarity gene glypican 5 as a human spina bifida candidate gene. Human Molecular Genetics, 2013, 22, 1097-1111.	2.9	29

#	ARTICLE	IF	CITATIONS
19	Regulation of neurogenesis by Fgf8a requires Cdc42 signaling and a novel Cdc42 effector protein. <i>Developmental Biology</i> , 2013, 382, 385-399.	2.0	4
20	Maternal Dead-End1 is required for vegetal cortical microtubule assembly during <i>Xenopus</i> axis specification. <i>Development (Cambridge)</i> , 2013, 140, 2334-2344.	2.5	35
21	Interferon Regulatory Factor 6 Promotes Differentiation of the Periderm by Activating Expression of Grainyhead-Like 3. <i>Journal of Investigative Dermatology</i> , 2013, 133, 68-77.	0.7	114
22	Transplantation of <i>Xenopus laevis</i> Tissues to Determine the Ability of Motor Neurons to Acquire a Novel Target. <i>PLoS ONE</i> , 2013, 8, e55541.	2.5	25
23	Maternal mRNA Knock-down Studies: Antisense Experiments Using the Host-Transfer Technique in <i>Xenopus laevis</i> and <i>Xenopus tropicalis</i> . <i>Methods in Molecular Biology</i> , 2012, 917, 167-182.	0.9	24
24	Differential Role of Axin RGS Domain Function in Wnt Signaling during Anteroposterior Patterning and Maternal Axis Formation. <i>PLoS ONE</i> , 2012, 7, e44096.	2.5	15
25	Cortical rotation and messenger RNA localization in <i>Xenopus</i> axis formation. <i>Wiley Interdisciplinary Reviews: Developmental Biology</i> , 2012, 1, 371-388.	5.9	38
26	Use of fully modified 2'-O-methyl antisense oligos for loss-of-function studies in vertebrate embryos. <i>Genesis</i> , 2011, 49, 117-123.	1.6	15
27	Fertilization of <i>Xenopus</i> oocytes using the Host Transfer Method. <i>Journal of Visualized Experiments</i> , 2010, , .	0.3	11
28	Identification of germ plasm-associated transcripts by microarray analysis of <i>Xenopus</i> vegetal cortex RNA. <i>Developmental Dynamics</i> , 2010, 239, 1838-1848.	1.8	40
29	The use of antisense oligonucleotides in <i>Xenopus</i> oocytes. <i>Methods</i> , 2010, 51, 75-81.	3.8	28
30	Maternal Interferon Regulatory Factor 6 is required for the differentiation of primary superficial epithelia in <i>Danio</i> and <i>Xenopus</i> embryos. <i>Developmental Biology</i> , 2009, 325, 249-262.	2.0	64
31	Vegetally localized <i>Xenopus trim36</i> regulates cortical rotation and dorsal axis formation. <i>Development (Cambridge)</i> , 2009, 136, 3057-3065.	2.5	48
32	Maternal Tgif1 regulates <i>nodal</i> gene expression in <i>Xenopus</i> . <i>Developmental Dynamics</i> , 2008, 237, 2862-2873.	1.8	13
33	Calcium fluxes in dorsal forerunner cells antagonize β -catenin and alter left-right patterning. <i>Development (Cambridge)</i> , 2008, 135, 75-84.	2.5	61
34	Maternal <i>Xenopus</i> Zic2 negatively regulates Nodal-related gene expression during anteroposterior patterning. <i>Development (Cambridge)</i> , 2005, 132, 4845-4855.	2.5	39
35	The <i>Xenopus</i> LIM-homeodomain protein Xlim5 regulates the differential adhesion properties of early ectoderm cells. <i>Development (Cambridge)</i> , 2003, 130, 2695-2704.	2.5	14
36	A novel role for a nodal-related protein; Xnr3 regulates convergent extension movements via the FGF receptor. <i>Development (Cambridge)</i> , 2003, 130, 2199-2212.	2.5	84

#	ARTICLE	IF	CITATIONS
37	Cloning and expression of Xenopus Lrp5 and Lrp6 genes. Mechanisms of Development, 2002, 117, 337-342.	1.7	26
38	Repression of organizer genes in dorsal and ventral Xenopus cells mediated by maternal XTcf3. Development (Cambridge), 2002, 129, 4015-4025.	2.5	82
39	<i>pygopus</i> encodes a nuclear protein essential for Wingless/Wnt signaling. Development (Cambridge), 2002, 129, 4089-4101.	2.5	155
40	Repression of organizer genes in dorsal and ventral Xenopus cells mediated by maternal XTcf3. Development (Cambridge), 2002, 129, 4015-25.	2.5	44
41	<i>pygopus</i> Encodes a nuclear protein essential for wingless/Wnt signaling. Development (Cambridge), 2002, 129, 4089-101.	2.5	80
42	The Role of Maternal Axin in Patterning the Xenopus Embryo. Developmental Biology, 2001, 237, 183-201.	2.0	53
43	Germ plasm and molecular determinants of germ cell fate. Current Topics in Developmental Biology, 2000, 50, 155-IN2.	2.2	171
44	DEADSouth is a germ plasm specific DEAD-box RNA helicase in Xenopus related to eIF4A. Mechanisms of Development, 2000, 95, 291-295.	1.7	78
45	Xcat RNA is a translationally sequestered germ plasm component in Xenopus. Mechanisms of Development, 1999, 84, 75-88.	1.7	69
46	The Role of Maternal VegT in Establishing the Primary Germ Layers in Xenopus Embryos. Cell, 1998, 94, 515-524.	28.9	433