

Junkal Garmendia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5956092/publications.pdf>

Version: 2024-02-01

69
papers

3,710
citations

117625

34
h-index

133252

59
g-index

71
all docs

71
docs citations

71
times ranked

4150
citing authors

#	ARTICLE	IF	CITATIONS
1	Bacterial metabolism and pathogenesis intimate intertwining: time for metabolic modelling to come into action. <i>Microbial Biotechnology</i> , 2022, 15, 95-102.	4.2	8
2	Interrogation of Essentiality in the Reconstructed <i>Haemophilus influenzae</i> Metabolic Network Identifies Lipid Metabolism Antimicrobial Targets: Preclinical Evaluation of a FabH \hat{I}^2 -Ketoacyl-ACP Synthase Inhibitor. <i>MSystems</i> , 2022, 7, e0145921.	3.8	4
3	Development and multimodal characterization of an elastase-induced emphysema mouse disease model for the COPD frequent bacterial exacerbator phenotype. <i>Virulence</i> , 2021, 12, 1672-1688.	4.4	2
4	Exploration of Galectin Ligands Displayed on Gram-Negative Respiratory Bacterial Pathogens with Different Cell Surface Architectures. <i>Biomolecules</i> , 2021, 11, 595.	4.0	4
5	Phase Variation in HMW1A Controls a Phenotypic Switch in <i>Haemophilus influenzae</i> Associated with Pathoadaptation during Persistent Infection. <i>MBio</i> , 2021, 12, e0078921.	4.1	8
6	Nontypeable <i>Haemophilus influenzae</i> P5 Binds Human C4b-Binding Protein, Promoting Serum Resistance. <i>Journal of Immunology</i> , 2021, 207, 1566-1577.	0.8	6
7	Learning from “omics strategies applied to uncover <i>Haemophilus influenzae</i> host-pathogen interactions: Current status and perspectives. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 3042-3050.	4.1	5
8	<i>Haemophilus influenzae</i> Glucose Catabolism Leading to Production of the Immunometabolite Acetate Has a Key Contribution to the Host Airway-Pathogen Interplay. <i>ACS Infectious Diseases</i> , 2020, 6, 406-421.	3.8	15
9	Moonlighting of <i>Haemophilus influenzae</i> heme acquisition systems contributes to the host airway-pathogen interplay in a coordinated manner. <i>Virulence</i> , 2019, 10, 315-333.	4.4	16
10	Lung Surfactant Lipids Provide Immune Protection Against <i>Haemophilus influenzae</i> Respiratory Infection. <i>Frontiers in Immunology</i> , 2019, 10, 458.	4.8	18
11	Preclinical Evaluation of the Antimicrobial-Immunomodulatory Dual Action of Xenohormetic Molecules against <i>Haemophilus influenzae</i> Respiratory Infection. <i>Biomolecules</i> , 2019, 9, 891.	4.0	10
12	Modulation of <i>Haemophilus influenzae</i> interaction with hydrophobic molecules by the VacJ/MlaA lipoprotein impacts strongly on its interplay with the airways. <i>Scientific Reports</i> , 2018, 8, 6872.	3.3	19
13	Differential recognition of <i>Haemophilus influenzae</i> whole bacterial cells and isolated lipooligosaccharides by galactose-specific lectins. <i>Scientific Reports</i> , 2018, 8, 16292.	3.3	10
14	Antagonistic Pleiotropy in the Bifunctional Surface Protein FadL (OmpP1) during Adaptation of <i>Haemophilus influenzae</i> to Chronic Lung Infection Associated with Chronic Obstructive Pulmonary Disease. <i>MBio</i> , 2018, 9, .	4.1	39
15	Bacterial Surface Glycans: Microarray and QCM Strategies for Glycophenotyping and Exploration of Recognition by Host Receptors. <i>Methods in Enzymology</i> , 2018, 598, 37-70.	1.0	8
16	Resveratrol therapeutics combines both antimicrobial and immunomodulatory properties against respiratory infection by nontypeable <i>Haemophilus influenzae</i> . <i>Scientific Reports</i> , 2017, 7, 12860.	3.3	27
17	Inactivation of the Thymidylate Synthase <i>thyA</i> in Non-typeable <i>Haemophilus influenzae</i> Modulates Antibiotic Resistance and Has a Strong Impact on Its Interplay with the Host Airways. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 266.	3.9	10
18	Apoptosis, Toll-like, RIG-I-like and NOD-like Receptors Are Pathways Jointly Induced by Diverse Respiratory Bacterial and Viral Pathogens. <i>Frontiers in Microbiology</i> , 2017, 8, 276.	3.5	22

#	ARTICLE	IF	CITATIONS
19	Transformed Recombinant Enrichment Profiling Rapidly Identifies HMW1 as an Intracellular Invasion Locus in <i>Haemophilus influenzae</i> . <i>PLoS Pathogens</i> , 2016, 12, e1005576.	4.7	16
20	Combined Bacteria Microarray and Quartz Crystal Microbalance Approach for Exploring Glycosignatures of Nontypeable <i>Haemophilus influenzae</i> and Recognition by Host Lectins. <i>Analytical Chemistry</i> , 2016, 88, 5950-5957.	6.5	29
21	<i>Klebsiella pneumoniae</i> survives within macrophages by avoiding delivery to lysosomes. <i>Cellular Microbiology</i> , 2015, 17, 1537-1560.	2.1	116
22	Relative Contribution of P5 and Hap Surface Proteins to Nontypable <i>Haemophilus influenzae</i> Interplay with the Host Upper and Lower Airways. <i>PLoS ONE</i> , 2015, 10, e0123154.	2.5	21
23	Molecular Characterization of Fluoroquinolone Resistance in Nontypeable <i>Haemophilus influenzae</i> Clinical Isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 461-466.	3.2	41
24	Novel <i>bla</i> _{ROB-1} -Bearing Plasmid Conferring Resistance to β -Lactams in <i>Haemophilus parasuis</i> Isolates from Healthy Weaning Pigs. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3255-3267.	3.1	45
25	Relationship between Azithromycin Susceptibility and Administration Efficacy for Nontypeable <i>Haemophilus influenzae</i> Respiratory Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 2700-2712.	3.2	15
26	Genome Expression Profiling-Based Identification and Administration Efficacy of Host-Directed Antimicrobial Drugs against Respiratory Infection by Nontypeable <i>Haemophilus influenzae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 7581-7592.	3.2	15
27	Deciphering tissue-induced <i>Klebsiella pneumoniae</i> lipid A structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6369-78.	7.1	97
28	Characterization of Nontypable <i>Haemophilus influenzae</i> Isolates Recovered from Adult Patients with Underlying Chronic Lung Disease Reveals Genotypic and Phenotypic Traits Associated with Persistent Infection. <i>PLoS ONE</i> , 2014, 9, e97020.	2.5	29
29	Complete Genome Sequence of <i>Haemophilus influenzae</i> Strain 375 from the Middle Ear of a Pediatric Patient with Otitis Media. <i>Genome Announcements</i> , 2014, 2, .	0.8	14
30	Increased Biofilm Formation by Nontypeable <i>Haemophilus influenzae</i> Isolates from Patients with Invasive Disease or Otitis Media versus Strains Recovered from Cases of Respiratory Infections. <i>Applied and Environmental Microbiology</i> , 2014, 80, 7088-7095.	3.1	30
31	<i>Klebsiella pneumoniae</i> targets an EGF receptor-dependent pathway to subvert inflammation. <i>Cellular Microbiology</i> , 2013, 15, 1212-1233.	2.1	46
32	Relative Contributions of Lipooligosaccharide Inner and Outer Core Modifications to Nontypeable <i>Haemophilus influenzae</i> Pathogenesis. <i>Infection and Immunity</i> , 2013, 81, 4100-4111.	2.2	48
33	Modeling <i>Klebsiella pneumoniae</i> Pathogenesis by Infection of the Wax Moth <i>Galleria mellonella</i> . <i>Infection and Immunity</i> , 2013, 81, 3552-3565.	2.2	167
34	Role of Bacterial Surface Structures on the Interaction of <i>Klebsiella pneumoniae</i> with Phagocytes. <i>PLoS ONE</i> , 2013, 8, e56847.	2.5	119
35	Impact of cigarette smoke exposure on host-bacterial pathogen interactions. <i>European Respiratory Journal</i> , 2012, 39, 467-477.	6.7	81
36	Host cell kinases, β 5 and β 1 integrins, and Rac1 signalling on the microtubule cytoskeleton are important for non-typable <i>Haemophilus influenzae</i> invasion of respiratory epithelial cells. <i>Microbiology (United Kingdom)</i> , 2012, 156, 107-115.	0.0	10

#	ARTICLE	IF	CITATIONS
37	Distribution of genes involved in sialic acid utilization in strains of <i>Haemophilus parasuis</i> . <i>Microbiology (United Kingdom)</i> , 2012, 158, 2117-2124.	1.8	35
38	Genotypic and phenotypic diversity of the noncapsulated <i>Haemophilus influenzae</i> : adaptation and pathogenesis in the human airways. <i>International Microbiology</i> , 2012, 15, 159-72.	2.4	18
39	Nontypable <i>Haemophilus influenzae</i> Displays a Prevalent Surface Structure Molecular Pattern in Clinical Isolates. <i>PLoS ONE</i> , 2011, 6, e21133.	2.5	22
40	<i>Klebsiella pneumoniae</i> subverts the activation of inflammatory responses in a NOD1-dependent manner. <i>Cellular Microbiology</i> , 2011, 13, 135-153.	2.1	61
41	Evidence for a non-replicative intracellular stage of nontypable <i>Haemophilus influenzae</i> in epithelial cells. <i>Microbiology (United Kingdom)</i> , 2011, 157, 234-250.	1.8	79
42	<i>Klebsiella pneumoniae</i> Outer Membrane Protein A Is Required to Prevent the Activation of Airway Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 9956-9967.	3.4	67
43	Dissection of Host Cell Signal Transduction during <i>Acinetobacter baumannii</i> " Triggered Inflammatory Response. <i>PLoS ONE</i> , 2010, 5, e10033.	2.5	57
44	<i>Klebsiella pneumoniae</i> Capsule Polysaccharide Impedes the Expression of β -Defensins by Airway Epithelial Cells. <i>Infection and Immunity</i> , 2010, 78, 5352-5352.	2.2	0
45	<i>Klebsiella pneumoniae</i> Capsule Polysaccharide Impedes the Expression of β -Defensins by Airway Epithelial Cells. <i>Infection and Immunity</i> , 2010, 78, 1135-1146.	2.2	97
46	Nontypeable <i>Haemophilus influenzae</i> Clearance by Alveolar Macrophages Is Impaired by Exposure to Cigarette Smoke. <i>Infection and Immunity</i> , 2009, 77, 4232-4242.	2.2	115
47	<i>Klebsiella pneumoniae</i> Increases the Levels of Toll-Like Receptors 2 and 4 in Human Airway Epithelial Cells. <i>Infection and Immunity</i> , 2009, 77, 714-724.	2.2	74
48	<i>Klebsiella pneumoniae</i> triggers a cytotoxic effect on airway epithelial cells. <i>BMC Microbiology</i> , 2009, 9, 156.	3.3	51
49	À la carte transcriptional regulators: unlocking responses of the prokaryotic enhancer-binding protein XylR to non-natural effectors. <i>Molecular Microbiology</i> , 2008, 42, 47-59.	2.5	72
50	Tracing explosives in soil with transcriptional regulators of <i>Pseudomonas putida</i> evolved for responding to nitrotoluenes. <i>Microbial Biotechnology</i> , 2008, 1, 236-246.	4.2	79
51	Lipopolysaccharide-binding protein and CD14 are increased in the bronchoalveolar lavage fluid of smokers. <i>European Respiratory Journal</i> , 2008, 33, 273-281.	6.7	40
52	SseL, a <i>Salmonella</i> deubiquitinase required for macrophage killing and virulence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3502-3507.	7.1	208
53	TccP2 of O157:H7 and Non-O157 Enterohemorrhagic <i>Escherichia coli</i> (EHEC): Challenging the Dogma of EHEC-Induced Actin Polymerization. <i>Infection and Immunity</i> , 2007, 75, 604-612.	2.2	40
54	TccP2-mediated subversion of actin dynamics by EPEC 2 " a distinct evolutionary lineage of enteropathogenic <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 1743-1755.	1.8	28

#	ARTICLE	IF	CITATIONS
55	Subversion of actin dynamics by EPEC and EHEC. <i>Current Opinion in Microbiology</i> , 2006, 9, 40-45.	5.1	102
56	Surveying biotransformations with <i>à la carte</i> genetic traps: translating dehydrochlorination of lindane (gamma-hexachlorocyclohexane) into <i>lacZ</i> -based phenotypes. <i>Environmental Microbiology</i> , 2006, 8, 546-555.	3.8	65
57	A novel category of enteropathogenic <i>Escherichia coli</i> simultaneously utilizes the Nck and TccP pathways to induce actin remodelling. <i>Cellular Microbiology</i> , 2006, 8, 999-1008.	2.1	27
58	Characterization of TccP-mediated N-WASP activation during enterohaemorrhagic <i>Escherichia coli</i> infection. <i>Cellular Microbiology</i> , 2006, 8, 1444-1455.	2.1	47
59	Function and distribution of EspG2, a type III secretion system effector of enteropathogenic <i>Escherichia coli</i> . <i>Microbes and Infection</i> , 2006, 8, 2220-2227.	1.9	17
60	Role of Intimin-Tir Interactions and the Tir-Cytoskeleton Coupling Protein in the Colonization of Calves and Lambs by <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 2006, 74, 758-764.	2.2	58
61	Operon structure and gene expression of the <i>espJ</i> - <i>tccP</i> locus of enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>FEMS Microbiology Letters</i> , 2005, 247, 137-145.	1.8	20
62	Distribution of <i>tccP</i> in Clinical Enterohemorrhagic and Enteropathogenic <i>Escherichia coli</i> Isolates. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5715-5720.	3.9	68
63	Enteropathogenic <i>Escherichia coli</i> Type III Effectors EspG and EspG2 Disrupt the Microtubule Network of Intestinal Epithelial Cells. <i>Infection and Immunity</i> , 2005, 73, 4385-4390.	2.2	61
64	Enteropathogenic and Enterohemorrhagic <i>Escherichia coli</i> Infections: Translocation, Translocation, Translocation. <i>Infection and Immunity</i> , 2005, 73, 2573-2585.	2.2	363
65	TccP is an enterohaemorrhagic <i>Escherichia coli</i> O157:H7 type III effector protein that couples Tir to the actin-cytoskeleton+. <i>Cellular Microbiology</i> , 2004, 6, 1167-1183.	2.1	261
66	The roles of SsrA and SsrB and OmpR and EnvZ in the regulation of genes encoding the <i>Salmonella typhimurium</i> SPI-2 type III secretion system. <i>Microbiology (United Kingdom)</i> , 2003, 149, 2385-2396.	1.8	133
67	Deciphering the action of aromatic effectors on the prokaryotic enhancer-binding protein XylR: a structural model of its N-terminal domain. <i>Environmental Microbiology</i> , 2002, 4, 29-41.	3.8	40
68	The role of the interdomain B linker in the activation of the XylR protein of <i>Pseudomonas putida</i> . <i>Molecular Microbiology</i> , 2000, 38, 401-410.	2.5	39
69	Identification of an Effector Specificity Subregion within the Aromatic-Responsive Regulators DmpR and XylR by DNA Shuffling. <i>Journal of Bacteriology</i> , 2000, 182, 3008-3016.	2.2	53