

Angela M Crawley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5962577/publications.pdf>

Version: 2024-02-01

30
papers

673
citations

643344

15
h-index

651938

25
g-index

30
all docs

30
docs citations

30
times ranked

1051
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | BATL: Bayesian annotations for targeted lipidomics. <i>Bioinformatics</i> , 2022, 38, 1593-1599. | 1.8 | 3 |
| 2 | Selective killing of human M1 macrophages by Smac mimetics alone and M2 macrophages by Smac mimetics and caspase inhibition. <i>Journal of Leukocyte Biology</i> , 2021, 110, 693-710. | 1.5 | 7 |
| 3 | The 9th Canadian Symposium on Hepatitis C Virus: Advances in HCV research and treatment towards elimination. <i>Canadian Liver Journal</i> , 2021, 4, 59-71. | 0.3 | 2 |
| 4 | Symptoms, Pulmonary Function, and Functional Capacity Four Months after COVID-19. <i>Annals of the American Thoracic Society</i> , 2021, 18, 1912-1917. | 1.5 | 53 |
| 5 | TLR-4 Agonist Induces IFN- γ Production Selectively in Proinflammatory Human M1 Macrophages through the PI3K-mTOR and JNK-MAPK Activated p70S6K Pathway. <i>Journal of Immunology</i> , 2021, 207, 2310-2324. | 0.4 | 15 |
| 6 | Relative Ratios of Human Seasonal Coronavirus Antibodies Predict the Efficiency of Cross-Neutralization of SARS-CoV-2 Spike Binding to ACE2. <i>EBioMedicine</i> , 2021, 74, 103700. | 2.7 | 37 |
| 7 | Expression of Inhibitory Receptors on T and NK Cells Defines Immunological Phenotypes of HCV Patients with Advanced Liver Fibrosis. <i>IScience</i> , 2020, 23, 101513. | 1.9 | 11 |
| 8 | IL-7 induces sCD127 release and mCD127 downregulation in human CD8 ⁺ T cells by distinct yet overlapping mechanisms, both of which are impaired in HIV infection. <i>European Journal of Immunology</i> , 2020, 50, 1537-1549. | 1.6 | 5 |
| 9 | In Vitro Hepatitis C Virus Infection and Hepatic Choline Metabolism. <i>Viruses</i> , 2020, 12, 108. | 1.5 | 23 |
| 10 | Evaluation of Safety and Effectiveness of Elvitegravir/Cobicistat/Emtricitabine/Tenofovir Alafenamide Switch Followed by Ledipasvir/Sofosbuvir HCV Therapy in HIV-HCV Coinfection. <i>Open Forum Infectious Diseases</i> , 2019, 6, . | 0.4 | 5 |
| 11 | Direct-Acting Antiviral Treatment of HCV Infection Does Not Resolve the Dysfunction of Circulating CD8 ⁺ T-Cells in Advanced Liver Disease. <i>Frontiers in Immunology</i> , 2019, 10, 1926. | 2.2 | 41 |
| 12 | Chronic Hepatitis C Virus Infection Impairs M1 Macrophage Differentiation and Contributes to CD8 ⁺ T-Cell Dysfunction. <i>Cells</i> , 2019, 8, 374. | 1.8 | 23 |
| 13 | Hepatitis C Direct Acting Antivirals and Ribavirin Modify Lipid but not Glucose Parameters. <i>Cells</i> , 2019, 8, 252. | 1.8 | 33 |
| 14 | Hepatitis C virus core protein reduces CD8 ⁺ T cell proliferation, perforin production and degranulation but increases STAT5 activation. <i>Immunology</i> , 2018, 154, 156-165. | 2.0 | 14 |
| 15 | Increased soluble IL-7 receptor concentrations associate with improved IL-7 therapy outcomes in SIV-infected ART-treated Rhesus macaques. <i>PLoS ONE</i> , 2017, 12, e0188427. | 1.1 | 12 |
| 16 | Influence of female sex on hepatitis C virus infection progression and treatment outcomes. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 405-411. | 0.8 | 12 |
| 17 | Generalized Liver- and Blood-Derived CD8 ⁺ T-Cell Impairment in Response to Cytokines in Chronic Hepatitis C Virus Infection. <i>PLoS ONE</i> , 2016, 11, e0157055. | 1.1 | 15 |
| 18 | Complexed soluble IL-7 receptor α and IL-7 increase IL-7-mediated proliferation and viability of CD8 ⁺ T-cells in vitro. <i>Cellular Immunology</i> , 2015, 293, 122-125. | 1.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Jak/STAT and PI3K signaling pathways have both common and distinct roles in IL-7-mediated activities in human CD8+ T cells. <i>Journal of Leukocyte Biology</i> , 2013, 95, 117-127. | 1.5 | 23 |
| 20 | In Vitro HIV Type 1 Infection Indirectly Alters CD127 Expression on CD8+ T Cells. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 295-298. | 0.5 | 2 |
| 21 | The influence of HIV on CD127 expression and its potential implications for IL-7 therapy. <i>Seminars in Immunology</i> , 2012, 24, 231-240. | 2.7 | 31 |
| 22 | Expression of Î³ chain cytokine receptors on CD8 + T cells in HIV infection with a focus on IL-7RÎ± (CD127). <i>Immunology and Cell Biology</i> , 2012, 90, 379-387. | 1.0 | 4 |
| 23 | Interleukin-4 downregulates CD127 expression and activity on human thymocytes and mature CD8 + T cells. <i>European Journal of Immunology</i> , 2010, 40, 1396-1407. | 1.6 | 17 |
| 24 | Interleukin-7 enhances memory CD8 ⁺ T cell recall responses in health but its activity is impaired in human immunodeficiency virus infection. <i>Immunology</i> , 2010, 131, 525-536. | 2.0 | 18 |
| 25 | Soluble IL-7RÎ± (sCD127) Inhibits IL-7 Activity and Is Increased in HIV Infection. <i>Journal of Immunology</i> , 2010, 184, 4679-4687. | 0.4 | 84 |
| 26 | IL-7-dependent STAT-5 activation and CD8+ T cell proliferation are impaired in HIV infection. <i>Journal of Leukocyte Biology</i> , 2010, 89, 499-506. | 1.5 | 25 |
| 27 | Development of a Quantitative Bead Capture Assay for Soluble IL-7 Receptor Alpha in Human Plasma. <i>PLoS ONE</i> , 2009, 4, e6690. | 1.1 | 13 |
| 28 | IL-2 receptor Î³ chain cytokines differentially regulate human CD8+CD127+ and CD8+CD127- T cell division and susceptibility to apoptosis. <i>International Immunology</i> , 2009, 21, 29-42. | 1.8 | 15 |
| 29 | IL-7 decreases IL-7 receptor Î± (CD127) expression and induces the shedding of CD127 by human CD8+ T cells. <i>International Immunology</i> , 2007, 19, 1329-1339. | 1.8 | 76 |
| 30 | Genetic selection for high and low immune response in pigs: Effects on immunoglobulin isotype expression. <i>Veterinary Immunology and Immunopathology</i> , 2005, 108, 71-76. | 0.5 | 37 |