
## Lara R Fairall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5965702/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	8.4	436
2	Task shifting of antiretroviral treatment from doctors to primary-care nurses in South Africa (STRETCH): a pragmatic, parallel, cluster-randomised trial. Lancet, The, 2012, 380, 889-898.	13.7	243
3	Temporal changes in programme outcomes among adult patients initiating antiretroviral therapy across South Africa, 2002–2007. Aids, 2010, 24, 2263-2270.	2.2	198
4	Effectiveness of Antiretroviral Treatment in a South African Program <subtitle>A Cohort Study</subtitle> . Archives of Internal Medicine, 2008, 168, 86.	3.8	160
5	Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: pragmatic cluster randomised controlled trial. BMJ: British Medical Journal, 2005, 331, 750-754.	2.3	133
6	A Morbidity Survey of South African Primary Care. PLoS ONE, 2012, 7, e32358.	2.5	96
7	Integrating mental health into chronic care in South Africa: The development of a district mental healthcare plan. British Journal of Psychiatry, 2016, 208, s29-s39.	2.8	87
8	Implementing nurse-initiated and managed antiretroviral treatment (NIMART) in South Africa: a qualitative process evaluation of the STRETCH trial. Implementation Science, 2012, 7, 66.	6.9	86
9	Handheld computers for survey and trial data collection in resource-poor settings: Development and evaluation of PDACT, a Palmâ,,¢ Pilot interviewing system. International Journal of Medical Informatics, 2009, 78, 721-731.	3.3	81
10	Outcomes in patients waiting for antiretroviral treatment in the Free State Province, South Africa: prospective linkage study. Aids, 2010, 24, 2717-2725.	2.2	78
11	Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002178.	8.4	74
12	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. Lancet Psychiatry,the, 2019, 6, 174-186.	7.4	72
13	Highly active antiretroviral treatment and health related quality of life in South African adults with human immunodeficiency virus infection: A cross-sectional analytical study. BMC Public Health, 2007, 7, 244.	2.9	63
14	Outreach education for integration of HIV/AIDS care, antiretroviral treatment, and tuberculosis care in primary care clinics in South Africa: PALSA PLUS pragmatic cluster randomised trial. BMJ: British Medical Journal, 2011, 342, d2022-d2022.	2.3	63
15	Innovating to improve primary care in less developed countries: towards a global model: TableÂ1. BMJ Innovations, 2015, 1, 196-203.	1.7	58
16	Hope is the pillar of the universe: Health-care providers' experiences of delivering anti-retroviral therapy in primary health-care clinics in the Free State province of South Africa. Social Science and Medicine, 2007, 64, 954-964.	3.8	54
17	The Practical Approach to Care Kit (PACK) guide: developing a clinical decision support tool to simplify, standardise and strengthen primary healthcare delivery. BMJ Clobal Health, 2018, 3, e000962.	4.7	51
18	Comorbidities between tuberculosis and common mental disorders: a scoping review of epidemiological patterns and person-centred care interventions from low-to-middle income and BRICS countries. Infectious Diseases of Poverty, 2020, 9, 4.	3.7	50

Lara R Fairall

#	Article	IF	CITATIONS
19	Expanding access to ART in South Africa: The role of nurse-initiated treatment. South African Medical Journal, 2010, 100, 210.	0.6	48
20	Multimorbidity, control and treatment of non- communicable diseases among primary healthcare attenders in the Western Cape, South Africa. South African Medical Journal, 2015, 105, 642.	0.6	45
21	Evaluation of a collaborative care model for integrated primary care of common mental disorders comorbid with chronic conditions in South Africa. BMC Psychiatry, 2019, 19, 107.	2.6	45
22	Monitoring the South African National Antiretroviral Treatment Programme, 2003-2007: the leDEA Southern Africa collaboration. South African Medical Journal, 2009, 99, 653-60.	0.6	44
23	Optimizing lay counsellor services for chronic care in South Africa: A qualitative systematic review. Patient Education and Counseling, 2014, 95, 201-210.	2.2	39
24	Cost-effectiveness of educational outreach to primary care nurses to increase tuberculosis case detection and improve respiratory care: economic evaluation alongside a randomised trial. Tropical Medicine and International Health, 2010, 15, 277-286.	2.3	38
25	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	1.6	36
26	Methods for analyzing cost effectiveness data from cluster randomized trials. Cost Effectiveness and Resource Allocation, 2007, 5, 12.	1.5	35
27	Diagnostic accuracy of an integrated respiratory guideline in identifying patients with respiratory symptoms requiring screening for pulmonary tuberculosis: a cross-sectional study. BMC Pulmonary Medicine, 2006, 6, 22.	2.0	34
28	Development of a South African integrated syndromic respiratory disease guideline for primary care. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2008, 17, 156-163.	2.3	30
29	Task shifting and integration of HIV care into primary care in South Africa: The development and content of the streamlining tasks and roles to expand treatment and care for HIV (STRETCH) intervention. Implementation Science, 2011, 6, 86.	6.9	29
30	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Ethiopia. BMJ Global Health, 2019, 3, e001108.	4.7	27
31	Costâ€effectiveness of nurseâ€led versus doctorâ€led antiretroviral treatment in South Africa: pragmatic cluster randomised trial. Tropical Medicine and International Health, 2013, 18, 769-777.	2.3	25
32	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. Trials, 2018, 19, 192.	1.6	25
33	Socioeconomic predictors and consequences of depression among primary care attenders with non-communicable diseases in the Western Cape, South Africa: cohort study within a randomised trial. BMC Public Health, 2015, 15, 1194.	2.9	24
34	Streamlining tasks and roles to expand treatment and care for HIV: randomised controlled trial protocol. Trials, 2008, 9, 21.	1.6	23
35	Crossing borders: the PACK experience of spreading a complex health system intervention across low-income and middle-income countries. BMJ Global Health, 2018, 3, e001088.	4.7	21
36	From PALSA PLUS to PALM PLUS: adapting and developing a South African guideline and training intervention to better integrate HIV/AIDS care with primary care in rural health centers in Malawi. Implementation Science, 2011, 6, 82.	6.9	20

Lara R Fairall

#	Article	IF	CITATIONS
37	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Brazil. BMJ Global Health, 2018, 3, e001016.	4.7	19
38	Differences in access and patient outcomes across antiretroviral treatment clinics in the Free State province: A prospective cohort study. South African Medical Journal, 2010, 100, 675.	0.6	18
39	The Practical Approach to Care Kit (PACK) training programme: scaling up and sustaining support for health workers to improve primary care. BMJ Global Health, 2018, 3, e001124.	4.7	18
40	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial Journal of Affective Disorders, 2021, 282, 112-121.	4.1	18
41	Strengthening health human resources and improving clinical outcomes through an integrated guideline and educational outreach in resource-poor settings: a cluster-randomized trial. Trials, 2010, 11, 118.	1.6	17
42	Supporting middle-cadre health care workers in Malawi: lessons learned during implementation of the PALM PLUS package. BMC Health Services Research, 2014, 14, S8.	2.2	17
43	Integration of HIV Care into Primary Care in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, e94-e100.	2.1	16
44	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Nigeria. BMJ Global Health, 2018, 3, e001079.	4.7	16
45	e-PC101: an electronic clinical decision support tool developed in South Africa for primary care in low-income and middle-income countries. BMJ Global Health, 2019, 3, e001093.	4.7	16
46	Evaluating a streamlined clinical tool and educational outreach intervention for health care workers in Malawi: the PALM PLUS case study. BMC International Health and Human Rights, 2011, 11, S11.	2.5	15
47	PACK Child: the development of a practical guide to extend the scope of integrated primary care for children and young adolescents. BMJ Global Health, 2018, 3, e000957.	4.7	13
48	Integrating primary care of chronic respiratory disease, cardiovascular disease and diabetes in Brazil: Practical Approach to Care Kit (PACK Brazil): study protocol for randomised controlled trials. Journal of Thoracic Disease, 2018, 10, 4667-4677.	1.4	11
49	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. Global Health Action, 2022, 15, 1987044.	1.9	11
50	Empowering frontline providers to deliver universal primary healthcare using the Practical Approach to Care Kit. BMJ: British Medical Journal, 2018, 363, k4451.	2.3	10
51	Effects of PACK guide training on the management of asthma and chronic obstructive pulmonary disease by primary care clinicians: a pragmatic cluster randomised controlled trial in Florianópolis, Brazil. BMJ Global Health, 2019, 4, e001921.	4.7	10
52	Addressing the quality and scope of paediatric primary care in South Africa: evaluating contextual impacts of the introduction of the Practical Approach to Care Kit for children (PACK Child). BMC Health Services Research, 2020, 20, 479.	2.2	10
53	Implementation and Scale-Up of Integrated Depression Care in South Africa: An Observational Implementation Research Protocol. Psychiatric Services, 2021, 72, 1065-1075.	2.0	10
54	Health workers are vital to sustainable development goals and universal health coverage. BMJ: British Medical Journal, 2017, 356, j1357.	2.3	9

LARA R FAIRALL

#	Article	IF	CITATIONS
55	Systems for the management of respiratory disease in primary care — an international series: South Africa. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2009, 18, 69-75.	2.3	8
56	Strengthening the quality of paediatric primary care: protocol for the process evaluation of a health systems intervention in South Africa. BMJ Global Health, 2018, 3, e000945.	4.7	8
57	Empowering frontline providers to deliver universal primary healthcare using the Practical Approach to care kit. BMJ Global Health, 2020, 3, ek4451rep.	4.7	6
58	Effect of antiretroviral treatment on the risk of tuberculosis during South Africa's programme expansion. Aids, 2015, 29, 2261-2268.	2.2	4
59	Fuzzy-set qualitative comparative analysis of implementation outcomes in an integrated mental healthcare trial in South Africa. Global Health Action, 2021, 14, 1940761.	1.9	3
60	Practical tools for improving global primary care. BMJ, The, 2015, 351, h5361.	6.0	2
61	Sustainability of task-shifting for antiretroviral treatment – Authors' reply. Lancet, The, 2012, 380, 1908.	13.7	1
62	Challenges in managing AIDS in South Africa. , 0, , 503-528.		0
63	Evaluating the effect of the Practical Approach to Care Kit on teaching medical students primary care: Quasi-experimental study. African Journal of Primary Health Care and Family Medicine, 2017, 9, e1-e8.	0.8	0
64	Addressing the quality of paediatric primary care: health worker and caregiver perspectives from a process evaluation of PACK child, a health systems intervention in South Africa. BMC Pediatrics, 2021, 21, 58.	1.7	0