

Lara R Fairall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5965702/publications.pdf>

Version: 2024-02-01

64
papers

2,965
citations

186265

28
h-index

168389

53
g-index

66
all docs

66
docs citations

66
times ranked

3447
citing authors

#	ARTICLE	IF	CITATIONS
1	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. <i>Global Health Action</i> , 2022, 15, 1987044.	1.9	11
2	Addressing the quality of paediatric primary care: health worker and caregiver perspectives from a process evaluation of PACK child, a health systems intervention in South Africa. <i>BMC Pediatrics</i> , 2021, 21, 58.	1.7	0
3	Fuzzy-set qualitative comparative analysis of implementation outcomes in an integrated mental healthcare trial in South Africa. <i>Global Health Action</i> , 2021, 14, 1940761.	1.9	3
4	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial.. <i>Journal of Affective Disorders</i> , 2021, 282, 112-121.	4.1	18
5	Implementation and Scale-Up of Integrated Depression Care in South Africa: An Observational Implementation Research Protocol. <i>Psychiatric Services</i> , 2021, 72, 1065-1075.	2.0	10
6	Empowering frontline providers to deliver universal primary healthcare using the Practical Approach to care kit. <i>BMJ Global Health</i> , 2020, 3, ek4451rep.	4.7	6
7	Addressing the quality and scope of paediatric primary care in South Africa: evaluating contextual impacts of the introduction of the Practical Approach to Care Kit for children (PACK Child). <i>BMC Health Services Research</i> , 2020, 20, 479.	2.2	10
8	Comorbidities between tuberculosis and common mental disorders: a scoping review of epidemiological patterns and person-centred care interventions from low-to-middle income and BRICS countries. <i>Infectious Diseases of Poverty</i> , 2020, 9, 4.	3.7	50
9	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Ethiopia. <i>BMJ Global Health</i> , 2019, 3, e001108.	4.7	27
10	Evaluation of a collaborative care model for integrated primary care of common mental disorders comorbid with chronic conditions in South Africa. <i>BMC Psychiatry</i> , 2019, 19, 107.	2.6	45
11	e-PC101: an electronic clinical decision support tool developed in South Africa for primary care in low-income and middle-income countries. <i>BMJ Global Health</i> , 2019, 3, e001093.	4.7	16
12	Effects of PACK guide training on the management of asthma and chronic obstructive pulmonary disease by primary care clinicians: a pragmatic cluster randomised controlled trial in Florianópolis, Brazil. <i>BMJ Global Health</i> , 2019, 4, e001921.	4.7	10
13	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2019, 6, 174-186.	7.4	72
14	Integrating primary care of chronic respiratory disease, cardiovascular disease and diabetes in Brazil: Practical Approach to Care Kit (PACK Brazil): study protocol for randomised controlled trials. <i>Journal of Thoracic Disease</i> , 2018, 10, 4667-4677.	1.4	11
15	PACK Child: the development of a practical guide to extend the scope of integrated primary care for children and young adolescents. <i>BMJ Global Health</i> , 2018, 3, e000957.	4.7	13
16	Strengthening the quality of paediatric primary care: protocol for the process evaluation of a health systems intervention in South Africa. <i>BMJ Global Health</i> , 2018, 3, e000945.	4.7	8
17	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Brazil. <i>BMJ Global Health</i> , 2018, 3, e001016.	4.7	19
18	Using a mentorship model to localise the Practical Approach to Care Kit (PACK): from South Africa to Nigeria. <i>BMJ Global Health</i> , 2018, 3, e001079.	4.7	16

#	ARTICLE	IF	CITATIONS
19	Crossing borders: the PACK experience of spreading a complex health system intervention across low-income and middle-income countries. <i>BMJ Global Health</i> , 2018, 3, e001088.	4.7	21
20	The Practical Approach to Care Kit (PACK) training programme: scaling up and sustaining support for health workers to improve primary care. <i>BMJ Global Health</i> , 2018, 3, e001124.	4.7	18
21	The Practical Approach to Care Kit (PACK) guide: developing a clinical decision support tool to simplify, standardise and strengthen primary healthcare delivery. <i>BMJ Global Health</i> , 2018, 3, e000962.	4.7	51
22	Empowering frontline providers to deliver universal primary healthcare using the Practical Approach to Care Kit. <i>BMJ: British Medical Journal</i> , 2018, 363, k4451.	2.3	10
23	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. <i>Trials</i> , 2018, 19, 193.	1.6	36
24	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. <i>Trials</i> , 2018, 19, 192.	1.6	25
25	Health workers are vital to sustainable development goals and universal health coverage. <i>BMJ: British Medical Journal</i> , 2017, 356, j1357.	2.3	9
26	Evaluating the effect of the Practical Approach to Care Kit on teaching medical students primary care: Quasi-experimental study. <i>African Journal of Primary Health Care and Family Medicine</i> , 2017, 9, e1-e8.	0.8	0
27	Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. <i>PLoS Medicine</i> , 2016, 13, e1002178.	8.4	74
28	Integrating mental health into chronic care in South Africa: The development of a district mental healthcare plan. <i>British Journal of Psychiatry</i> , 2016, 208, s29-s39.	2.8	87
29	Socioeconomic predictors and consequences of depression among primary care attenders with non-communicable diseases in the Western Cape, South Africa: cohort study within a randomised trial. <i>BMC Public Health</i> , 2015, 15, 1194.	2.9	24
30	Effect of antiretroviral treatment on the risk of tuberculosis during South Africa's programme expansion. <i>Aids</i> , 2015, 29, 2261-2268.	2.2	4
31	Multimorbidity, control and treatment of non-communicable diseases among primary healthcare attenders in the Western Cape, South Africa. <i>South African Medical Journal</i> , 2015, 105, 642.	0.6	45
32	Innovating to improve primary care in less developed countries: towards a global model: Table A1. <i>BMJ Innovations</i> , 2015, 1, 196-203.	1.7	58
33	Practical tools for improving global primary care. <i>BMJ, The</i> , 2015, 351, h5361.	6.0	2
34	Optimizing lay counsellor services for chronic care in South Africa: A qualitative systematic review. <i>Patient Education and Counseling</i> , 2014, 95, 201-210.	2.2	39
35	Supporting middle-cadre health care workers in Malawi: lessons learned during implementation of the PALM PLUS package. <i>BMC Health Services Research</i> , 2014, 14, S8.	2.2	17
36	Integration of HIV Care into Primary Care in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, e94-e100.	2.1	16

#	ARTICLE	IF	CITATIONS
37	Cost-effectiveness of nurse-led versus doctor-led antiretroviral treatment in South Africa: pragmatic cluster randomised trial. <i>Tropical Medicine and International Health</i> , 2013, 18, 769-777.	2.3	25
38	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. <i>PLoS Medicine</i> , 2012, 9, e1001359.	8.4	436
39	Task shifting of antiretroviral treatment from doctors to primary-care nurses in South Africa (STRETCH): a pragmatic, parallel, cluster-randomised trial. <i>Lancet, The</i> , 2012, 380, 889-898.	13.7	243
40	Sustainability of task-shifting for antiretroviral treatment – Authors' reply. <i>Lancet, The</i> , 2012, 380, 1908.	13.7	1
41	Implementing nurse-initiated and managed antiretroviral treatment (NIMART) in South Africa: a qualitative process evaluation of the STRETCH trial. <i>Implementation Science</i> , 2012, 7, 66.	6.9	86
42	A Morbidity Survey of South African Primary Care. <i>PLoS ONE</i> , 2012, 7, e32358.	2.5	96
43	Evaluating a streamlined clinical tool and educational outreach intervention for health care workers in Malawi: the PALM PLUS case study. <i>BMC International Health and Human Rights</i> , 2011, 11, S11.	2.5	15
44	From PALS PLUS to PALM PLUS: adapting and developing a South African guideline and training intervention to better integrate HIV/AIDS care with primary care in rural health centers in Malawi. <i>Implementation Science</i> , 2011, 6, 82.	6.9	20
45	Task shifting and integration of HIV care into primary care in South Africa: The development and content of the streamlining tasks and roles to expand treatment and care for HIV (STRETCH) intervention. <i>Implementation Science</i> , 2011, 6, 86.	6.9	29
46	Outreach education for integration of HIV/AIDS care, antiretroviral treatment, and tuberculosis care in primary care clinics in South Africa: PALS PLUS pragmatic cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d2022-d2022.	2.3	63
47	Temporal changes in programme outcomes among adult patients initiating antiretroviral therapy across South Africa, 2002–2007. <i>Aids</i> , 2010, 24, 2263-2270.	2.2	198
48	Outcomes in patients waiting for antiretroviral treatment in the Free State Province, South Africa: prospective linkage study. <i>Aids</i> , 2010, 24, 2717-2725.	2.2	78
49	Strengthening health human resources and improving clinical outcomes through an integrated guideline and educational outreach in resource-poor settings: a cluster-randomized trial. <i>Trials</i> , 2010, 11, 118.	1.6	17
50	Cost-effectiveness of educational outreach to primary care nurses to increase tuberculosis case detection and improve respiratory care: economic evaluation alongside a randomised trial. <i>Tropical Medicine and International Health</i> , 2010, 15, 277-286.	2.3	38
51	Expanding access to ART in South Africa: The role of nurse-initiated treatment. <i>South African Medical Journal</i> , 2010, 100, 210.	0.6	48
52	Differences in access and patient outcomes across antiretroviral treatment clinics in the Free State province: A prospective cohort study. <i>South African Medical Journal</i> , 2010, 100, 675.	0.6	18
53	Handheld computers for survey and trial data collection in resource-poor settings: Development and evaluation of PDACT, a PalmOS Pilot interviewing system. <i>International Journal of Medical Informatics</i> , 2009, 78, 721-731.	3.3	81
54	Systems for the management of respiratory disease in primary care – an international series: South Africa. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2009, 18, 69-75.	2.3	8

#	ARTICLE	IF	CITATIONS
55	Monitoring the South African National Antiretroviral Treatment Programme, 2003-2007: the leDEA Southern Africa collaboration. <i>South African Medical Journal</i> , 2009, 99, 653-60.	0.6	44
56	Streamlining tasks and roles to expand treatment and care for HIV: randomised controlled trial protocol. <i>Trials</i> , 2008, 9, 21.	1.6	23
57	Effectiveness of Antiretroviral Treatment in a South African Program_{title}A Cohort Study_{title}. <i>Archives of Internal Medicine</i> , 2008, 168, 86.	3.8	160
58	Development of a South African integrated syndromic respiratory disease guideline for primary care. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2008, 17, 156-163.	2.3	30
59	Methods for analyzing cost effectiveness data from cluster randomized trials. <i>Cost Effectiveness and Resource Allocation</i> , 2007, 5, 12.	1.5	35
60	Highly active antiretroviral treatment and health related quality of life in South African adults with human immunodeficiency virus infection: A cross-sectional analytical study. <i>BMC Public Health</i> , 2007, 7, 244.	2.9	63
61	Hope is the pillar of the universe: Health-care providers's experiences of delivering anti-retroviral therapy in primary health-care clinics in the Free State province of South Africa. <i>Social Science and Medicine</i> , 2007, 64, 954-964.	3.8	54
62	Diagnostic accuracy of an integrated respiratory guideline in identifying patients with respiratory symptoms requiring screening for pulmonary tuberculosis: a cross-sectional study. <i>BMC Pulmonary Medicine</i> , 2006, 6, 22.	2.0	34
63	Effect of educational outreach to nurses on tuberculosis case detection and primary care of respiratory illness: pragmatic cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2005, 331, 750-754.	2.3	133
64	Challenges in managing AIDS in South Africa. , 0, , 503-528.		0