Alasdair La Vance

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5971084/publications.pdf

Version: 2024-02-01

117625 128289 4,327 117 34 60 citations g-index h-index papers 119 119 119 6266 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Executive function and attention deficit hyperactivity disorder: stimulant medication and better executive function performance in children. Psychological Medicine, 1999, 29, 527-538. | 4.5 | 316 |
| 2 | Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5154-E5163. | 7.1 | 299 |
| 3 | Longer Term Effect of Randomized, Controlled Group Cognitive Behavioural Therapy for Internet Addiction in Adolescent Students in Shanghai. Australian and New Zealand Journal of Psychiatry, 2010, 44, 129-134. | 2.3 | 280 |
| 4 | Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. American Journal of Psychiatry, 2019, 176, 531-542. | 7.2 | 261 |
| 5 | Whiteâ€matter abnormalities in attention deficit hyperactivity disorder: A diffusion tensor imaging study. Human Brain Mapping, 2009, 30, 2757-2765. | 3.6 | 215 |
| 6 | Right parietal dysfunction in children with attention deficit hyperactivity disorder, combined type: a functional MRI study. Molecular Psychiatry, 2007, 12, 826-832. | 7.9 | 159 |
| 7 | Abnormal executive function in attention deficit hyperactivity disorder: the effect of stimulant medication and age on spatial working memory. Psychological Medicine, 2001, 31, 1107-1115. | 4.5 | 151 |
| 8 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. JAMA Psychiatry, 2021, 78, 47. | 11.0 | 136 |
| 9 | Fronto-parietal activation in attention-deficit hyperactivity disorder, combined type: Functional magnetic resonance imaging study. British Journal of Psychiatry, 2005, 187, 282-283. | 2.8 | 134 |
| 10 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. American Journal of Psychiatry, 2020, 177, 834-843. | 7.2 | 120 |
| 11 | Executive function and attention in children and adolescents with depressive disorders: a systematic review. European Child and Adolescent Psychiatry, 2015, 24, 365-384. | 4.7 | 94 |
| 12 | Randomized Double-Blind Multicentre Placebo-Controlled Clinical Trial of the Clonidine Adhesive Patch for the Treatment of Tic Disorders. Australian and New Zealand Journal of Psychiatry, 2008, 42, 807-813. | 2.3 | 75 |
| 13 | Prescribing of Psychotropic Medications for Children by Australian Pediatricians and Child Psychiatrists. Pediatrics, 2003, 111, 372-375. | 2.1 | 71 |
| 14 | Altered structural connectivity in ADHD: a network based analysis. Brain Imaging and Behavior, 2017, 11, 846-858. | 2.1 | 70 |
| 15 | How Good Is a Good Fontan? Quality of Life and Exercise Capacity of Fontans Without Arrhythmias. Annals of Thoracic Surgery, 2009, 88, 1961-1969. | 1.3 | 65 |
| 16 | Lateralized deficit of response inhibition in early-onset schizophrenia. Psychological Medicine, 2006, 36, 495-505. | 4.5 | 63 |
| 17 | Structural development of the basal ganglia in attention deficit hyperactivity disorder: A diffusion tensor imaging study. Psychiatry Research - Neuroimaging, 2009, 172, 220-225. | 1.8 | 59 |
| 18 | Measuring psychosocial risk in families caring for a child with cancer: The psychosocial assessment tool (PAT2.0). Pediatric Blood and Cancer, 2009, 53, 78-83. | 1.5 | 56 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 19 | Local–global processing in early-onset schizophrenia: Evidence for an impairment in shifting the spatial scale of attention. Brain and Cognition, 2003, 51, 48-65. | 1.8 | 55 |
| 20 | Development of a statistical approach to classifying treatment response in individual children with ADHD. Human Psychopharmacology, 2004, 19, 445-456. | 1.5 | 54 |
| 21 | Repeated Assessment of Cognition in Children and the Measurement of Performance Change. Child Neuropsychology, 2005, 11, 303-310. | 1.3 | 47 |
| 22 | Analysis of the Convergent and Discriminant Validity of the CBCL, TRF, and YSR in a Clinic-Referred Sample. Journal of Abnormal Child Psychology, 2014, 42, 1413-1425. | 3.5 | 47 |
| 23 | Abnormal asymmetry in frontostriatal white matter in children with attention deficit hyperactivity disorder. Brain Imaging and Behavior, 2016, 10, 1080-1089. | 2.1 | 47 |
| 24 | Motor imagery skills of children with Attention Deficit Hyperactivity Disorder and Developmental Coordination Disorder. Human Movement Science, 2013, 32, 121-135. | 1.4 | 45 |
| 25 | DNA Variation in the SNAP25 Gene Confers Risk to ADHD and Is Associated with Reduced Expression in Prefrontal Cortex. PLoS ONE, 2013, 8, e60274. | 2.5 | 44 |
| 26 | Predicting Suicidal Risk in a Cohort of Depressed Children and Adolescents. Crisis, 2012, 33, 13-20. | 1.2 | 43 |
| 27 | Differences in motor imagery between children with developmental coordination disorder with and without the combined type of ADHD. Developmental Medicine and Child Neurology, 2008, 50, 608-612. | 2.1 | 42 |
| 28 | Abnormal spatial asymmetry of selective attention in ADHD. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2009, 50, 1064-1072. | 5 . 2 | 41 |
| 29 | Neurocognitive Function in Attention-Deficit–Hyperactivity Disorder with and Without Comorbid Disruptive Behaviour Disorders. Australian and New Zealand Journal of Psychiatry, 2009, 43, 722-730. | 2.3 | 41 |
| 30 | Cortical morphometry in attention deficit/hyperactivity disorder: Contribution of thickness and surface area to volume. Cortex, 2016, 82, 1-10. | 2.4 | 41 |
| 31 | Olfactory Impairments in Child Attention-Deficit/Hyperactivity Disorder. Journal of Clinical Psychiatry, 2008, 69, 1462-1468. | 2.2 | 41 |
| 32 | An investigation of visuospatial memory impairment in children with attention deficit hyperactivity disorder (ADHD), combined type. Psychological Medicine, 2005, 35, 1433-1443. | 4.5 | 40 |
| 33 | Analysis of structural brain asymmetries in attentionâ€deficit/hyperactivity disorder in 39 datasets. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 1202-1219. | 5.2 | 40 |
| 34 | Magnetic Resonance Spectroscopy and Schizophrenia: What have we Learnt?. Australian and New Zealand Journal of Psychiatry, 2000, 34, 14-25. | 2.3 | 37 |
| 35 | Dysfunction in the Fronto-Parietal Network in Attention Deficit Hyperactivity Disorder (ADHD): An fMRI Study. Brain Imaging and Behavior, 2008, 2, 123-131. | 2.1 | 37 |
| 36 | Attention Deficit Hyperactivity Disorder, Combined Type: Better Executive Function Performance With Longer-Term Psychostimulant Medication. Australian and New Zealand Journal of Psychiatry, 2003, 37, 570-576. | 2.3 | 35 |

3

| # | Article | IF | CITATIONS |
|----|---|-------------|----------------|
| 37 | Contextual abnormalities of saccadic inhibition in children with attention deficit hyperactivity disorder. Experimental Brain Research, 2001, 141, 507-518. | 1.5 | 32 |
| 38 | Structure of the Wechsler Intelligence Scale for Children – Fourth Edition in a Group of Children with ADHD. Frontiers in Psychology, 2016, 7, 737. | 2.1 | 31 |
| 39 | Children's Depression Inventory: Invariance across children and adolescents with and without depressive disorders Psychological Assessment, 2012, 24, 1-10. | 1.5 | 30 |
| 40 | A high density linkage disequilibrium mapping in 14 noradrenergic genes: evidence of association between SLC6A2, ADRA1B and ADHD. Psychopharmacology, 2013, 225, 895-902. | 3.1 | 30 |
| 41 | White matter abnormalities in pediatric obsessive-compulsive disorder. Psychiatry Research - Neuroimaging, 2013, 213, 154-160. | 1.8 | 30 |
| 42 | Rare DNA variants in the brain-derived neurotrophic factor gene increase risk for attention-deficit hyperactivity disorder: a next-generation sequencing study. Molecular Psychiatry, 2017, 22, 580-584. | 7.9 | 30 |
| 43 | Global and local grey matter reductions in boys with ADHD combined type and ADHD inattentive type. Psychiatry Research - Neuroimaging, 2016, 254, 119-126. | 1.8 | 29 |
| 44 | The effect of single-dose methylphenidate on resting-state network functional connectivity in ADHD. Brain Imaging and Behavior, 2017, 11, 1422-1431. | 2.1 | 29 |
| 45 | Examination of Spatial Working Memory Performance in Children and Adolescents with Attention Deficit Hyperactivity Disorder, Combined Type (ADHD-CT) and Anxiety. Journal of Abnormal Child Psychology, 2013, 41, 891-900. | 3.5 | 27 |
| 46 | Frontoparietal function in young people with dysthymic disorder (DSM-5: Persistent depressive) Tj ETQq0 0 0 rg | gBT /Overlo | ock 10 Tf 50 3 |
| 47 | Validity of the ADHD Bifactor Model in General Community Samples of Adolescents and Adults, and a Clinic-Referred Sample of Children and Adolescents. Journal of Attention Disorders, 2018, 22, 1307-1319. | 2.6 | 26 |
| 48 | Comparison of Psychological Symptoms and Serum Levels of Neurotransmitters in Shanghai Adolescents with and without Internet Addiction Disorder: A Case-Control Study. PLoS ONE, 2013, 8, e63089. | 2.5 | 25 |
| 49 | Attention Deficit Hyperactivity Disorder: Anxiety Phenomena in Children Treated with Psychostimulant Medication for 6 Months or More. Australian and New Zealand Journal of Psychiatry, 1999, 33, 399-406. | 2.3 | 21 |
| 50 | Characteristics of Parent- and Child-Reported Anxiety in Psychostimulant Medication NaÃ-ve, Clinically Referred Children with Attention Deficit Hyperactivity Disorder, Combined Type (ADHD-CT). Australian and New Zealand Journal of Psychiatry, 2002, 36, 234-239. | 2.3 | 21 |
| 51 | A case–control genome-wide association study of ADHD discovers a novel association with the tenascin R (TNR) gene. Translational Psychiatry, 2018, 8, 284. | 4.8 | 20 |
| 52 | Developing the â€~Youth Model' in Mental Health Services. Australasian Psychiatry, 2008, 16, 22-26. | 0.7 | 19 |
| 53 | The association of visuospatial working memory with dysthymic disorder in pre-pubertal children. Psychological Medicine, 2010, 40, 253-261. | 4.5 | 19 |
| 54 | Examination of neurological subtle signs in ADHD as a clinical tool for the diagnosis and their relationship to spatial working memory. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 390-400. | 5.2 | 19 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | A pilot study of a schoolâ€based prevention and early intervention program to reduce oppositional defiant disorder/conduct disorder. Microbial Biotechnology, 2014, 8, 181-189. | 1.7 | 19 |
| 56 | Attention Deficit Hyperactivity Disorder and Comorbid Anxiety: Practitioner Problems in Treatment Planning. Child and Adolescent Mental Health, 2002, 7, 16-24. | 3.5 | 18 |
| 57 | White matter microstructure in boys with persistent depressive disorder. Journal of Affective Disorders, 2017, 221, 11-16. | 4.1 | 17 |
| 58 | Re-evaluation of the Latent Structure of Common Childhood Disorders: Is There a General Psychopathology Factor (P-Factor)?. International Journal of Mental Health and Addiction, 2019, 17, 258-278. | 7.4 | 17 |
| 59 | Dysthymic disorder contributes to oppositional defiant behaviour in children with Attention Deficit Hyperactivity Disorder, combined type (ADHD-CT). Journal of Affective Disorders, 2005, 86, 329-333. | 4.1 | 15 |
| 60 | Visuospatial working memory deficits in adolescent onset schizophrenia. Schizophrenia Research, 2006, 87, 223-227. | 2.0 | 15 |
| 61 | Parent Ratings of ADHD Symptoms: Differential Symptom Functioning Across Malaysian Malay and Chinese Children. Journal of Abnormal Child Psychology, 2008, 36, 955-967. | 3.5 | 15 |
| 62 | The COMT Val158 allele is associated with impaired delayed-match-to-sample performance in ADHD. Behavioral and Brain Functions, 2012, 8, 25. | 3.3 | 15 |
| 63 | Influence of attentional load on spatial attention in acquired and developmental disorders of attention. Neuropsychologia, 2013, 51, 1085-1093. | 1.6 | 15 |
| 64 | Gifted Children with ADHD: How Are They Different from Non-gifted Children with ADHD?. International Journal of Mental Health and Addiction, 2020, 18, 1467-1481. | 7.4 | 15 |
| 65 | Item Response Theory Analyses of Parent and Teacher Ratings of the ADHD Symptoms for Recoded Dichotomous Scores. Journal of Attention Disorders, 2011, 15, 269-285. | 2.6 | 14 |
| 66 | Maternal Ratings of the ADHD Symptoms. Journal of Attention Disorders, 2016, 20, 414-423. | 2.6 | 14 |
| 67 | Characterizing neuroanatomic heterogeneity in people with and without ADHD based on subcortical brain volumes. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 1140-1149. | 5.2 | 14 |
| 68 | Attention deficit hyperactivity disorder, combined type, dysthymic disorder and anxiety disorders: Differential patterns of neurodevelopmental deficits. Psychiatry Research, 2006, 143, 213-222. | 3.3 | 13 |
| 69 | Latent Profile Analysis of Working Memory Performance in a Sample of Children with ADHD. Journal of Abnormal Child Psychology, 2014, 42, 1367-1379. | 3.5 | 13 |
| 70 | Widespread decreased grey and white matter in paediatric obsessive-compulsive disorder (OCD): A voxel-based morphometric MRI study. Psychiatry Research - Neuroimaging, 2013, 213, 11-17. | 1.8 | 12 |
| 71 | Which Anxiety Disorders May Differentiate Attention Deficit Hyperactivity Disorder, Combined Type with Dysthymic Disorder from Attention Deficit Hyperactivity Disorder, Combined Type Alone?. Australian and New Zealand Journal of Psychiatry, 2003, 37, 563-569. | 2.3 | 11 |
| 72 | Influence of methylphenidate on spatial attention asymmetry in adolescents with attention deficit hyperactivity disorder (ADHD): preliminary findings. Neuropsychologia, 2014, 56, 178-183. | 1.6 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Differential effects of anxiety and depressive symptoms on working memory components in children and adolescents with ADHD combined type and ADHD inattentive type. European Child and Adolescent Psychiatry, 2014, 23, 1161-1173. | 4.7 | 11 |
| 74 | Identification and functional characterisation of a novel dopamine beta hydroxylase gene variant associated with attention deficit hyperactivity disorder. World Journal of Biological Psychiatry, 2015, 16, 610-618. | 2.6 | 11 |
| 75 | Psychosocial Factors Associated with Parent and Teacher Reports of Aggression in Children and Adolescents with Attention Deficit Hyperactivity Disorder. Australian and New Zealand Journal of Psychiatry, 2010, 44, 667-675. | 2.3 | 10 |
| 76 | Who has the street-smarts? The role of emotion in co-creating the city. Emotion, Space and Society, 2008, 1, 65-69. | 1.5 | 9 |
| 77 | Psychometric Properties of the Autism Spectrum Quotient: Children's Version (AQ-Child). Journal of Autism and Developmental Disorders, 2019, 49, 468-480. | 2.7 | 9 |
| 78 | Visuospatial memory deficits in adolescent onset schizophrenia. Schizophrenia Research, 2007, 93, 345-349. | 2.0 | 8 |
| 79 | Confirmatory factor analysis, latent profile analysis, and factor mixture modeling of the syndromes of the Child Behavior Checklist and Teacher Report Form Psychological Assessment, 2014, 26, 1307-1316. | 1.5 | 8 |
| 80 | The Factor Structure of Anxiety and Depressive Disorders in a Sample of Clinic-Referred Adolescents. Journal of Abnormal Child Psychology, 2014, 42, 321-332. | 3.5 | 8 |
| 81 | Single and Combined Psychotropic Medication Use in a Child and Adolescent Mental Health Service. Australian and New Zealand Journal of Psychiatry, 2004, 38, 204-211. | 2.3 | 7 |
| 82 | Separating the wheat from the chaff: systematic identification of functionally relevant noncoding variants in ADHD. Molecular Psychiatry, 2016, 21, 1589-1598. | 7.9 | 7 |
| 83 | Spatial working memory performance in children and adolescents with major depressive disorder and dysthymic disorder. Journal of Affective Disorders, 2021, 278, 470-476. | 4.1 | 7 |
| 84 | A current treatment approach for attention deficit hyperactivity disorder. Australian Prescriber, 2008, 31, 129-132. | 1.0 | 7 |
| 85 | Comparison of Psychosocial Correlates in Primary School Age Children with Attention Deficit/ Hyperactivity Disorder- Combined Type, with and without Dysthymic Disorder. Child Psychiatry and Human Development, 2006, 36, 419-426. | 1.9 | 6 |
| 86 | Management of attentionâ€deficit/hyperactivity disorder: The importance of psychosocial and medication treatments. Journal of Paediatrics and Child Health, 2012, 48, E33-7. | 0.8 | 6 |
| 87 | Bifactor model of WISC-IV: Applicability and measurement invariance in low and normal IQ groups Psychological Assessment, 2017, 29, 902-912. | 1.5 | 6 |
| 88 | Test-Retest Measurement Invariance of Clinic Referred Children's ADHD Symptoms. Journal of Psychopathology and Behavioral Assessment, 2018, 40, 194-205. | 1.2 | 6 |
| 89 | Characteristics of Internalizing and Externalizing Disorders in Medication-NaÃ ⁻ ve, Clinically Referred Children with Attention Deficit Hyperactivity Disorder, Combined Type and Dysthymic Disorder. Australian and New Zealand Journal of Psychiatry, 2005, 39, 359-365. | 2.3 | 5 |
| 90 | Mental health care for Indigenous young people: moving culture from the margins to the centre. Australasian Psychiatry, 2017 , 25 , $157-160$. | 0.7 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Irritability, Depressed Mood, Inattention and Spatial Working Memory in Children and Adolescents with Major Depressive Disorder With/Without Persistent Depressive Disorder. Child Psychiatry and Human Development, 2021, 52, 800-807. | 1.9 | 5 |
| 92 | Gender Variance in Children and Adolescents with Neurodevelopmental and Psychiatric Conditions from Australia. Archives of Sexual Behavior, 2021, 50, 863-871. | 1.9 | 5 |
| 93 | Towards an Aboriginal Knowledge Place: Cultural Practices as a Pathway to Wellness in the Context of a Tertiary Hospital. International Journal of Indigenous Health, 2016, 11, 244-261. | 0.4 | 5 |
| 94 | The Development of a Clinic to Manage Disruptive Behaviour Disorders not Responding to Conventional Psychological and Psychostimulant Treatments. Australasian Psychiatry, 2001, 9, 36-40. | 0.7 | 4 |
| 95 | Genetics of cognitive deficits in ADHD: clues for novel treatment methods. Expert Review of Neurotherapeutics, 2008, 8, 553-561. | 2.8 | 4 |
| 96 | In young people with a depressive disorder, does diagnostic specificity matter in the prediction of suicidality?. Australian E-Journal for the Advancement of Mental Health, 2008, 7, 143-149. | 0.2 | 4 |
| 97 | Single and combined psychotropic medication use in a child and adolescent mental health service. Australian and New Zealand Journal of Psychiatry, 2004, 38, 204-211. | 2.3 | 4 |
| 98 | Attention deficit hyperactivity disorder, combined type (ADHD-CT): differences in blood pressure (BP) due to posture and the child report of anxiety. European Child and Adolescent Psychiatry, 2002, 11, 24-30. | 4.7 | 3 |
| 99 | Towards an Integrative Developmental Model. Australian and New Zealand Journal of Psychiatry, 2002, 36, 485-487. | 2.3 | 3 |
| 100 | ROC Analyses of Relevant Conners 3–Short Forms, CBCL, and TRF Scales for Screening ADHD and ODD. Assessment, 2021, 28, 73-85. | 3.1 | 3 |
| 101 | Whose place? Lessons from a case study of a guardianship determination for an Australian Indigenous child. Health and Place, 2022, 73, 102739. | 3.3 | 3 |
| 102 | Distinct Neural Profiles of Frontoparietal Networks in Boys with ADHD and Boys with Persistent Depressive Disorder. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 1183-1198. | 2.0 | 3 |
| 103 | A Possible Behavioural and Cognitive Phenotype for the 47,XYY Karyotype in a Pre-Pubertal Child. Australasian Psychiatry, 2007, 15, 72-74. | 0.7 | 2 |
| 104 | Item Response Theory Analysis of the Anxiety and Mood Disorders in Clinic-Referred Children. Assessment, 2018, 25, 235-246. | 3.1 | 2 |
| 105 | Correlated Trait–Correlated Method Minus One Analysis of the Convergent and Discriminant Validity of the Conners 3 Short Forms. Assessment, 2020, 27, 1463-1475. | 3.1 | 2 |
| 106 | A â€~Holding Place': An Indigenous Typology to Mediate Hospital Care. Journal of Architectural Education, 2022, 76, 75-84. | 0.1 | 2 |
| 107 | ADHD and dysthymic disorder: Toward understanding this common comorbidity in children and adolescents. Current Attention Disorders Reports, 2009, 1, 145-151. | 0.3 | 1 |
| 108 | Undergraduate Child Psychiatry Teaching in Melbourne, Australia. Academic Psychiatry, 2010, 34, 190-194. | 0.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Item Response Theory Properties of the Internalizing Disorders in Adolescents. Journal of Childhood & Developmental Disorders, 2015, 01, . | 0.3 | 1 |
| 110 | Commentary on â€~ADHD diagnosis continues to fail the reliability and validity tests' by Martin Whitely. Australian and New Zealand Journal of Psychiatry, 2015, 49, 574-575. | 2.3 | 1 |
| 111 | Parent- and child-reported anxiety disorders differentiating major depressive disorder and dysthymic disorder in children and adolescents. Australasian Psychiatry, 2021, 29, 488-492. | 0.7 | 1 |
| 112 | Irritability and Inattention Not Sad Low Mood Predict Impulsiveness in Children and Adolescents With Major Depressive Disorder and Persistent Depressive Disorder. Journal of Nervous and Mental Disease, 2021, 209, 454-458. | 1.0 | 1 |
| 113 | Differential Diagnosis and Comorbid ADHD in Childhood. , 2011, , 121-134. | | 1 |
| 114 | Irritability, not sad low mood, predicts inattention in children and adolescents with major depressive disorder with and without persistent depressive disorder. Minerva Psychiatry, 2022, 62, . | 0.3 | 1 |
| 115 | Key demographic and mental disorder diagnostic differences between Australian First Nations and non-First Nations clinic-referred children and adolescents assessed in a culturally appropriate and safe way. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1455-1462. | 2.3 | 1 |
| 116 | Scientific Child Psychiatry: An Oxymoron?. Australasian Psychiatry, 2003, 11, 424-428. | 0.7 | 0 |
| 117 | Characteristics of internalizing and externalizing disorders in medication-naive, clinically referred children with attention deficit hyperactivity disorder, combined type and dysthymic disorder. Australian and New Zealand Journal of Psychiatry, 2005, 39, 359-365. | 2.3 | O |