

Alasdair La Vance

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5971084/publications.pdf>

Version: 2024-02-01

117
papers

4,327
citations

117625

34
h-index

128289

60
g-index

119
all docs

119
docs citations

119
times ranked

6266
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Whose place? Lessons from a case study of a guardianship determination for an Australian Indigenous child. <i>Health and Place</i> , 2022, 73, 102739. | 3.3 | 3 |
| 2 | A "Holding Place": An Indigenous Typology to Mediate Hospital Care. <i>Journal of Architectural Education</i> , 2022, 76, 75-84. | 0.1 | 2 |
| 3 | Irritability, not sad low mood, predicts inattention in children and adolescents with major depressive disorder with and without persistent depressive disorder. <i>Minerva Psychiatry</i> , 2022, 62, . | 0.3 | 1 |
| 4 | Distinct Neural Profiles of Frontoparietal Networks in Boys with ADHD and Boys with Persistent Depressive Disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2022, 22, 1183-1198. | 2.0 | 3 |
| 5 | Key demographic and mental disorder diagnostic differences between Australian First Nations and non-First Nations clinic-referred children and adolescents assessed in a culturally appropriate and safe way. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1455-1462. | 2.3 | 1 |
| 6 | Parent- and child-reported anxiety disorders differentiating major depressive disorder and dysthymic disorder in children and adolescents. <i>Australasian Psychiatry</i> , 2021, 29, 488-492. | 0.7 | 1 |
| 7 | Irritability, Depressed Mood, Inattention and Spatial Working Memory in Children and Adolescents with Major Depressive Disorder With/Without Persistent Depressive Disorder. <i>Child Psychiatry and Human Development</i> , 2021, 52, 800-807. | 1.9 | 5 |
| 8 | Spatial working memory performance in children and adolescents with major depressive disorder and dysthymic disorder. <i>Journal of Affective Disorders</i> , 2021, 278, 470-476. | 4.1 | 7 |
| 9 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47. | 11.0 | 136 |
| 10 | ROC Analyses of Relevant Conners 3 "Short Forms, CBCL, and TRF Scales for Screening ADHD and ODD. <i>Assessment</i> , 2021, 28, 73-85. | 3.1 | 3 |
| 11 | Characterizing neuroanatomic heterogeneity in people with and without ADHD based on subcortical brain volumes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1140-1149. | 5.2 | 14 |
| 12 | Gender Variance in Children and Adolescents with Neurodevelopmental and Psychiatric Conditions from Australia. <i>Archives of Sexual Behavior</i> , 2021, 50, 863-871. | 1.9 | 5 |
| 13 | Analysis of structural brain asymmetries in attention-deficit/hyperactivity disorder in 39 datasets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1202-1219. | 5.2 | 40 |
| 14 | Irritability and Inattention Not Sad Low Mood Predict Impulsiveness in Children and Adolescents With Major Depressive Disorder and Persistent Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2021, 209, 454-458. | 1.0 | 1 |
| 15 | Correlated Trait "Correlated Method Minus One Analysis of the Convergent and Discriminant Validity of the Conners 3 Short Forms. <i>Assessment</i> , 2020, 27, 1463-1475. | 3.1 | 2 |
| 16 | Gifted Children with ADHD: How Are They Different from Non-gifted Children with ADHD?. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 1467-1481. | 7.4 | 15 |
| 17 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020, 177, 834-843. | 7.2 | 120 |
| 18 | Psychometric Properties of the Autism Spectrum Quotient: Children's Version (AQ-Child). <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 468-480. | 2.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Re-evaluation of the Latent Structure of Common Childhood Disorders: Is There a General Psychopathology Factor (P-Factor)?. <i>International Journal of Mental Health and Addiction</i> , 2019, 17, 258-278. | 7.4 | 17 |
| 20 | Brain Imaging of the Cortex in ADHD: A Coordinated Analysis of Large-Scale Clinical and Population-Based Samples. <i>American Journal of Psychiatry</i> , 2019, 176, 531-542. | 7.2 | 261 |
| 21 | Validity of the ADHD Bifactor Model in General Community Samples of Adolescents and Adults, and a Clinic-Referred Sample of Children and Adolescents. <i>Journal of Attention Disorders</i> , 2018, 22, 1307-1319. | 2.6 | 26 |
| 22 | Item Response Theory Analysis of the Anxiety and Mood Disorders in Clinic-Referred Children. <i>Assessment</i> , 2018, 25, 235-246. | 3.1 | 2 |
| 23 | Test-Retest Measurement Invariance of Clinic Referred Children's ADHD Symptoms. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018, 40, 194-205. | 1.2 | 6 |
| 24 | A case-control genome-wide association study of ADHD discovers a novel association with the tenascin R (TNR) gene. <i>Translational Psychiatry</i> , 2018, 8, 284. | 4.8 | 20 |
| 25 | Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163. | 7.1 | 299 |
| 26 | Altered structural connectivity in ADHD: a network based analysis. <i>Brain Imaging and Behavior</i> , 2017, 11, 846-858. | 2.1 | 70 |
| 27 | White matter microstructure in boys with persistent depressive disorder. <i>Journal of Affective Disorders</i> , 2017, 221, 11-16. | 4.1 | 17 |
| 28 | Rare DNA variants in the brain-derived neurotrophic factor gene increase risk for attention-deficit hyperactivity disorder: a next-generation sequencing study. <i>Molecular Psychiatry</i> , 2017, 22, 580-584. | 7.9 | 30 |
| 29 | Bifactor model of WISC-IV: Applicability and measurement invariance in low and normal IQ groups.. <i>Psychological Assessment</i> , 2017, 29, 902-912. | 1.5 | 6 |
| 30 | Mental health care for Indigenous young people: moving culture from the margins to the centre. <i>Australasian Psychiatry</i> , 2017, 25, 157-160. | 0.7 | 5 |
| 31 | The effect of single-dose methylphenidate on resting-state network functional connectivity in ADHD. <i>Brain Imaging and Behavior</i> , 2017, 11, 1422-1431. | 2.1 | 29 |
| 32 | Structure of the Wechsler Intelligence Scale for Children " Fourth Edition in a Group of Children with ADHD. <i>Frontiers in Psychology</i> , 2016, 7, 737. | 2.1 | 31 |
| 33 | Cortical morphometry in attention deficit/hyperactivity disorder: Contribution of thickness and surface area to volume. <i>Cortex</i> , 2016, 82, 1-10. | 2.4 | 41 |
| 34 | Separating the wheat from the chaff: systematic identification of functionally relevant noncoding variants in ADHD. <i>Molecular Psychiatry</i> , 2016, 21, 1589-1598. | 7.9 | 7 |
| 35 | Global and local grey matter reductions in boys with ADHD combined type and ADHD inattentive type. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 119-126. | 1.8 | 29 |
| 36 | Abnormal asymmetry in frontostriatal white matter in children with attention deficit hyperactivity disorder. <i>Brain Imaging and Behavior</i> , 2016, 10, 1080-1089. | 2.1 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Maternal Ratings of the ADHD Symptoms. <i>Journal of Attention Disorders</i> , 2016, 20, 414-423. | 2.6 | 14 |
| 38 | Towards an Aboriginal Knowledge Place: Cultural Practices as a Pathway to Wellness in the Context of a Tertiary Hospital. <i>International Journal of Indigenous Health</i> , 2016, 11, 244-261. | 0.4 | 5 |
| 39 | Item Response Theory Properties of the Internalizing Disorders in Adolescents. <i>Journal of Childhood & Developmental Disorders</i> , 2015, 01, . | 0.3 | 1 |
| 40 | Commentary on "ADHD diagnosis continues to fail the reliability and validity tests" by Martin Whately. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 574-575. | 2.3 | 1 |
| 41 | Executive function and attention in children and adolescents with depressive disorders: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 365-384. | 4.7 | 94 |
| 42 | Identification and functional characterisation of a novel dopamine beta hydroxylase gene variant associated with attention deficit hyperactivity disorder. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 610-618. | 2.6 | 11 |
| 43 | Confirmatory factor analysis, latent profile analysis, and factor mixture modeling of the syndromes of the Child Behavior Checklist and Teacher Report Form.. <i>Psychological Assessment</i> , 2014, 26, 1307-1316. | 1.5 | 8 |
| 44 | A pilot study of a school-based prevention and early intervention program to reduce oppositional defiant disorder/conduct disorder. <i>Microbial Biotechnology</i> , 2014, 8, 181-189. | 1.7 | 19 |
| 45 | Influence of methylphenidate on spatial attention asymmetry in adolescents with attention deficit hyperactivity disorder (ADHD): preliminary findings. <i>Neuropsychologia</i> , 2014, 56, 178-183. | 1.6 | 11 |
| 46 | The Factor Structure of Anxiety and Depressive Disorders in a Sample of Clinic-Referred Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 321-332. | 3.5 | 8 |
| 47 | Differential effects of anxiety and depressive symptoms on working memory components in children and adolescents with ADHD combined type and ADHD inattentive type. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1161-1173. | 4.7 | 11 |
| 48 | Latent Profile Analysis of Working Memory Performance in a Sample of Children with ADHD. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 1367-1379. | 3.5 | 13 |
| 49 | Analysis of the Convergent and Discriminant Validity of the CBCL, TRF, and YSR in a Clinic-Referred Sample. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 1413-1425. | 3.5 | 47 |
| 50 | Frontoparietal function in young people with dysthymic disorder (DSM-5: Persistent depressive) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 22 | 4.1 | 26 |
| 51 | A high density linkage disequilibrium mapping in 14 noradrenergic genes: evidence of association between SLC6A2, ADRA1B and ADHD. <i>Psychopharmacology</i> , 2013, 225, 895-902. | 3.1 | 30 |
| 52 | Examination of Spatial Working Memory Performance in Children and Adolescents with Attention Deficit Hyperactivity Disorder, Combined Type (ADHD-CT) and Anxiety. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 891-900. | 3.5 | 27 |
| 53 | Influence of attentional load on spatial attention in acquired and developmental disorders of attention. <i>Neuropsychologia</i> , 2013, 51, 1085-1093. | 1.6 | 15 |
| 54 | Motor imagery skills of children with Attention Deficit Hyperactivity Disorder and Developmental Coordination Disorder. <i>Human Movement Science</i> , 2013, 32, 121-135. | 1.4 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | White matter abnormalities in pediatric obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2013, 213, 154-160. | 1.8 | 30 |
| 56 | Widespread decreased grey and white matter in paediatric obsessive-compulsive disorder (OCD): A voxel-based morphometric MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2013, 213, 11-17. | 1.8 | 12 |
| 57 | DNA Variation in the SNAP25 Gene Confers Risk to ADHD and Is Associated with Reduced Expression in Prefrontal Cortex. <i>PLoS ONE</i> , 2013, 8, e60274. | 2.5 | 44 |
| 58 | Comparison of Psychological Symptoms and Serum Levels of Neurotransmitters in Shanghai Adolescents with and without Internet Addiction Disorder: A Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e63089. | 2.5 | 25 |
| 59 | The COMT Val158 allele is associated with impaired delayed-match-to-sample performance in ADHD. <i>Behavioral and Brain Functions</i> , 2012, 8, 25. | 3.3 | 15 |
| 60 | Children's Depression Inventory: Invariance across children and adolescents with and without depressive disorders.. <i>Psychological Assessment</i> , 2012, 24, 1-10. | 1.5 | 30 |
| 61 | Examination of neurological subtle signs in ADHD as a clinical tool for the diagnosis and their relationship to spatial working memory. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012, 53, 390-400. | 5.2 | 19 |
| 62 | Management of attentionâ€ deficit/hyperactivity disorder: The importance of psychosocial and medication treatments. <i>Journal of Paediatrics and Child Health</i> , 2012, 48, E33-7. | 0.8 | 6 |
| 63 | Predicting Suicidal Risk in a Cohort of Depressed Children and Adolescents. <i>Crisis</i> , 2012, 33, 13-20. | 1.2 | 43 |
| 64 | Item Response Theory Analyses of Parent and Teacher Ratings of the ADHD Symptoms for Recoded Dichotomous Scores. <i>Journal of Attention Disorders</i> , 2011, 15, 269-285. | 2.6 | 14 |
| 65 | Differential Diagnosis and Comorbid ADHD in Childhood. , 2011, , 121-134. | | 1 |
| 66 | The association of visuospatial working memory with dysthymic disorder in pre-pubertal children. <i>Psychological Medicine</i> , 2010, 40, 253-261. | 4.5 | 19 |
| 67 | Psychosocial Factors Associated with Parent and Teacher Reports of Aggression in Children and Adolescents with Attention Deficit Hyperactivity Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 667-675. | 2.3 | 10 |
| 68 | Longer Term Effect of Randomized, Controlled Group Cognitive Behavioural Therapy for Internet Addiction in Adolescent Students in Shanghai. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 129-134. | 2.3 | 280 |
| 69 | Undergraduate Child Psychiatry Teaching in Melbourne, Australia. <i>Academic Psychiatry</i> , 2010, 34, 190-194. | 0.9 | 1 |
| 70 | Structural development of the basal ganglia in attention deficit hyperactivity disorder: A diffusion tensor imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 220-225. | 1.8 | 59 |
| 71 | Whiteâ€ matter abnormalities in attention deficit hyperactivity disorder: A diffusion tensor imaging study. <i>Human Brain Mapping</i> , 2009, 30, 2757-2765. | 3.6 | 215 |
| 72 | Measuring psychosocial risk in families caring for a child with cancer: The psychosocial assessment tool (PAT2.0). <i>Pediatric Blood and Cancer</i> , 2009, 53, 78-83. | 1.5 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Abnormal spatial asymmetry of selective attention in ADHD. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 1064-1072. | 5.2 | 41 |
| 74 | ADHD and dysthymic disorder: Toward understanding this common comorbidity in children and adolescents. <i>Current Attention Disorders Reports</i> , 2009, 1, 145-151. | 0.3 | 1 |
| 75 | Neurocognitive Function in Attention-Deficit/Hyperactivity Disorder with and Without Comorbid Disruptive Behaviour Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 722-730. | 2.3 | 41 |
| 76 | How Good Is a Good Fontan? Quality of Life and Exercise Capacity of Fontans Without Arrhythmias. <i>Annals of Thoracic Surgery</i> , 2009, 88, 1961-1969. | 1.3 | 65 |
| 77 | Parent Ratings of ADHD Symptoms: Differential Symptom Functioning Across Malaysian Malay and Chinese Children. <i>Journal of Abnormal Child Psychology</i> , 2008, 36, 955-967. | 3.5 | 15 |
| 78 | Dysfunction in the Fronto-Parietal Network in Attention Deficit Hyperactivity Disorder (ADHD): An fMRI Study. <i>Brain Imaging and Behavior</i> , 2008, 2, 123-131. | 2.1 | 37 |
| 79 | Differences in motor imagery between children with developmental coordination disorder with and without the combined type of ADHD. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 608-612. | 2.1 | 42 |
| 80 | Who has the street-smarts? The role of emotion in co-creating the city. <i>Emotion, Space and Society</i> , 2008, 1, 65-69. | 1.5 | 9 |
| 81 | Genetics of cognitive deficits in ADHD: clues for novel treatment methods. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 553-561. | 2.8 | 4 |
| 82 | Randomized Double-Blind Multicentre Placebo-Controlled Clinical Trial of the Clonidine Adhesive Patch for the Treatment of Tic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 807-813. | 2.3 | 75 |
| 83 | Developing the "Youth Model"™ in Mental Health Services. <i>Australasian Psychiatry</i> , 2008, 16, 22-26. | 0.7 | 19 |
| 84 | In young people with a depressive disorder, does diagnostic specificity matter in the prediction of suicidality?. <i>Australian E-Journal for the Advancement of Mental Health</i> , 2008, 7, 143-149. | 0.2 | 4 |
| 85 | A current treatment approach for attention deficit hyperactivity disorder. <i>Australian Prescriber</i> , 2008, 31, 129-132. | 1.0 | 7 |
| 86 | Olfactory Impairments in Child Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1462-1468. | 2.2 | 41 |
| 87 | A Possible Behavioural and Cognitive Phenotype for the 47,XYY Karyotype in a Pre-Pubertal Child. <i>Australasian Psychiatry</i> , 2007, 15, 72-74. | 0.7 | 2 |
| 88 | Visuospatial memory deficits in adolescent onset schizophrenia. <i>Schizophrenia Research</i> , 2007, 93, 345-349. | 2.0 | 8 |
| 89 | Right parietal dysfunction in children with attention deficit hyperactivity disorder, combined type: a functional MRI study. <i>Molecular Psychiatry</i> , 2007, 12, 826-832. | 7.9 | 159 |
| 90 | Visuospatial working memory deficits in adolescent onset schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 223-227. | 2.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Attention deficit hyperactivity disorder, combined type, dysthymic disorder and anxiety disorders: Differential patterns of neurodevelopmental deficits. <i>Psychiatry Research</i> , 2006, 143, 213-222. | 3.3 | 13 |
| 92 | Lateralized deficit of response inhibition in early-onset schizophrenia. <i>Psychological Medicine</i> , 2006, 36, 495-505. | 4.5 | 63 |
| 93 | Comparison of Psychosocial Correlates in Primary School Age Children with Attention Deficit/Hyperactivity Disorder- Combined Type, with and without Dysthymic Disorder. <i>Child Psychiatry and Human Development</i> , 2006, 36, 419-426. | 1.9 | 6 |
| 94 | An investigation of visuospatial memory impairment in children with attention deficit hyperactivity disorder (ADHD), combined type. <i>Psychological Medicine</i> , 2005, 35, 1433-1443. | 4.5 | 40 |
| 95 | Fronto-parietal activation in attention-deficit hyperactivity disorder, combined type: Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2005, 187, 282-283. | 2.8 | 134 |
| 96 | Characteristics of internalizing and externalizing disorders in medication-naïve, clinically referred children with attention deficit hyperactivity disorder, combined type and dysthymic disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 359-365. | 2.3 | 0 |
| 97 | Dysthymic disorder contributes to oppositional defiant behaviour in children with Attention Deficit Hyperactivity Disorder, combined type (ADHD-CT). <i>Journal of Affective Disorders</i> , 2005, 86, 329-333. | 4.1 | 15 |
| 98 | Characteristics of Internalizing and Externalizing Disorders in Medication-Naïve, Clinically Referred Children with Attention Deficit Hyperactivity Disorder, Combined Type and Dysthymic Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 359-365. | 2.3 | 5 |
| 99 | Repeated Assessment of Cognition in Children and the Measurement of Performance Change. <i>Child Neuropsychology</i> , 2005, 11, 303-310. | 1.3 | 47 |
| 100 | Single and Combined Psychotropic Medication Use in a Child and Adolescent Mental Health Service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 204-211. | 2.3 | 7 |
| 101 | Development of a statistical approach to classifying treatment response in individual children with ADHD. <i>Human Psychopharmacology</i> , 2004, 19, 445-456. | 1.5 | 54 |
| 102 | Single and combined psychotropic medication use in a child and adolescent mental health service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 204-211. | 2.3 | 4 |
| 103 | Which Anxiety Disorders May Differentiate Attention Deficit Hyperactivity Disorder, Combined Type with Dysthymic Disorder from Attention Deficit Hyperactivity Disorder, Combined Type Alone?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 563-569. | 2.3 | 11 |
| 104 | Attention Deficit Hyperactivity Disorder, Combined Type: Better Executive Function Performance With Longer-Term Psychostimulant Medication. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 570-576. | 2.3 | 35 |
| 105 | Scientific Child Psychiatry: An Oxymoron?. <i>Australasian Psychiatry</i> , 2003, 11, 424-428. | 0.7 | 0 |
| 106 | Local/global processing in early-onset schizophrenia: Evidence for an impairment in shifting the spatial scale of attention. <i>Brain and Cognition</i> , 2003, 51, 48-65. | 1.8 | 55 |
| 107 | Prescribing of Psychotropic Medications for Children by Australian Pediatricians and Child Psychiatrists. <i>Pediatrics</i> , 2003, 111, 372-375. | 2.1 | 71 |
| 108 | Attention deficit hyperactivity disorder, combined type (ADHD-CT): differences in blood pressure (BP) due to posture and the child report of anxiety. <i>European Child and Adolescent Psychiatry</i> , 2002, 11, 24-30. | 4.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Characteristics of Parent- and Child-Reported Anxiety in Psychostimulant Medication Na ⁺ ve, Clinically Referred Children with Attention Deficit Hyperactivity Disorder, Combined Type (ADHD-CT). Australian and New Zealand Journal of Psychiatry, 2002, 36, 234-239. | 2.3 | 21 |
| 110 | Towards an Integrative Developmental Model. Australian and New Zealand Journal of Psychiatry, 2002, 36, 485-487. | 2.3 | 3 |
| 111 | Attention Deficit Hyperactivity Disorder and Comorbid Anxiety: Practitioner Problems in Treatment Planning. Child and Adolescent Mental Health, 2002, 7, 16-24. | 3.5 | 18 |
| 112 | Abnormal executive function in attention deficit hyperactivity disorder: the effect of stimulant medication and age on spatial working memory. Psychological Medicine, 2001, 31, 1107-1115. | 4.5 | 151 |
| 113 | Contextual abnormalities of saccadic inhibition in children with attention deficit hyperactivity disorder. Experimental Brain Research, 2001, 141, 507-518. | 1.5 | 32 |
| 114 | The Development of a Clinic to Manage Disruptive Behaviour Disorders not Responding to Conventional Psychological and Psychostimulant Treatments. Australasian Psychiatry, 2001, 9, 36-40. | 0.7 | 4 |
| 115 | Magnetic Resonance Spectroscopy and Schizophrenia: What have we Learnt?. Australian and New Zealand Journal of Psychiatry, 2000, 34, 14-25. | 2.3 | 37 |
| 116 | Attention Deficit Hyperactivity Disorder: Anxiety Phenomena in Children Treated with Psychostimulant Medication for 6 Months or More. Australian and New Zealand Journal of Psychiatry, 1999, 33, 399-406. | 2.3 | 21 |
| 117 | Executive function and attention deficit hyperactivity disorder: stimulant medication and better executive function performance in children. Psychological Medicine, 1999, 29, 527-538. | 4.5 | 316 |