
## Manasmita Das

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5973051/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Chemogenetic stimulation of tonic locus coeruleus activity strengthens the default mode network. Science Advances, 2022, 8, eabm9898.	10.3	36
2	One-pot synthesis of carboxymethyl-dextran coated iron oxide nanoparticles (CION) for preclinical fMRI and MRA applications. NeuroImage, 2021, 238, 118213.	4.2	19
3	Mitochondriotropic lanthanide nanorods: implications for multimodal imaging. Chemical Communications, 2020, 56, 7945-7948.	4.1	12
4	A subset of noradrenergic (NE) neurons defined by developmental expression of Hoxb1 have a distinct role in attenuating the behavioral response to acute stress. Molecular Psychiatry, 2019, 24, 625-625.	7.9	0
5	Genetic identification of a population of noradrenergic neurons implicated in attenuation of stress-related responses. Molecular Psychiatry, 2019, 24, 710-725.	7.9	24
6	Coordination of Brain-Wide Activity Dynamics by Dopaminergic Neurons. Neuropsychopharmacology, 2017, 42, 615-627.	5.4	59
7	Does the targeted delivery of theranostic carbon nanotubes have potential as a valid anticancer strategy?. Therapeutic Delivery, 2014, 5, 1-5.	2.2	3
8	Trienediynes on a 1,3,5-trisubstituted benzene template: a new approach for enhancement of reactivity. RSC Advances, 2014, 4, 28041.	3.6	3
9	Macromolecular Bipill of Gemcitabine and Methotrexate Facilitates Tumor-Specific Dual Drug Therapy with Higher Benefit-to-Risk Ratio. Bioconjugate Chemistry, 2014, 25, 501-509.	3.6	31
10	Combinatorial bio-conjugation of gemcitabine and curcumin enables dual drug delivery with synergistic anticancer efficacy and reduced toxicity. RSC Advances, 2014, 4, 29193-29201.	3.6	38
11	Intranuclear Drug Delivery and Effective in Vivo Cancer Therapy via Estradiol–PEG-Appended Multiwalled Carbon Nanotubes. Molecular Pharmaceutics, 2013, 10, 3404-3416.	4.6	50
12	Surface Chemistry Dependent "Switch―Regulates the Trafficking and Therapeutic Performance of Drug-Loaded Carbon Nanotubes. Bioconjugate Chemistry, 2013, 24, 626-639.	3.6	38
13	Mathematical models for the oxidative functionalization of multiwalled carbon nanotubes. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2013, 419, 156-165.	4.7	10
14	Augmented Anticancer Activity of a Targeted, Intracellularly Activatable, Theranostic Nanomedicine Based on Fluorescent and Radiolabeled, Methotrexate-Folic Acid-Multiwalled Carbon Nanotube Conjugate. Molecular Pharmaceutics, 2013, 10, 2543-2557.	4.6	110
15	Orthogonal biofunctionalization of magnetic nanoparticles via "clickable―poly(ethylene glycol) silanes: a "universal ligand―strategy to design stealth and target-specific nanocarriers. Journal of Materials Chemistry, 2012, 22, 24652.	6.7	24
16	Hyaluronate Tethered, "Smart―Multiwalled Carbon Nanotubes for Tumor-Targeted Delivery of Doxorubicin. Bioconjugate Chemistry, 2012, 23, 2201-2213.	3.6	127
17	Functionalization Density Dependent Toxicity of Oxidized Multiwalled Carbon Nanotubes in a Murine Macrophage Cell Line. Chemical Research in Toxicology, 2012, 25, 2127-2137.	3.3	53
18	<i>In situ</i> gel systems as â€~smart' carriers for sustained ocular drug delivery. Expert Opinion on Drug Delivery, 2012, 9, 383-402.	5.0	162

MANASMITA DAS

#	Article	IF	CITATIONS
19	Augmented Anticancer Efficacy of Doxorubicin-Loaded Polymeric Nanoparticles after Oral Administration in a Breast Cancer Induced Animal Model. Molecular Pharmaceutics, 2011, 8, 1140-1151.	4.6	81
20	Folate receptor targeted, carboxymethyl chitosan functionalized iron oxide nanoparticles: a novel ultradispersed nanoconjugates for bimodal imaging. Nanoscale, 2011, 3, 1653.	5.6	115
21	Solid lipid nanoparticles: an oral bioavailability enhancer vehicle. Expert Opinion on Drug Delivery, 2011, 8, 1407-1424.	5.0	221
22	Oral bioavailability, therapeutic efficacy and reactive oxygen species scavenging properties of coenzyme Q10-loaded polymeric nanoparticles. Biomaterials, 2011, 32, 6860-6874.	11.4	137
23	Toxicity of Multiwalled Carbon Nanotubes with End Defects Critically Depends on Their Functionalization Density. Chemical Research in Toxicology, 2011, 24, 2028-2039.	3.3	153
24	Dielectric and impedance spectroscopy study of Ba0.8Bi2.133Nb1.6Ta0.4O9 ferroelectric ceramics, prepared by chemical route. Journal of Materials Science: Materials in Electronics, 2011, 22, 1750-1760.	2.2	23
25	Synthesis, characterization, and in vitro biological evaluation of highly stable diversely functionalized superparamagnetic iron oxide nanoparticles. Journal of Nanoparticle Research, 2011, 13, 4173-4188.	1.9	30
26	Biofunctionalized, Phosphonateâ€Grafted, Ultrasmall Iron Oxide Nanoparticles for Combined Targeted Cancer Therapy and Multimodal Imaging. Small, 2009, 5, 2883-2893.	10.0	157
27	Impedance spectroscopy study of LaMnO3 modified BaTiO3 ceramics. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2009, 164, 165-171.	3.5	99
28	Bio-functionalization of magnetite nanoparticles using an aminophosphonic acid coupling agent: new, ultradispersed, iron-oxide folate nanoconjugates for cancer-specific targeting. Nanotechnology, 2008, 19, 415101.	2.6	122