

Godfrey D Pearlson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5996638/publications.pdf>

Version: 2024-02-01

514
papers

40,500
citations

2696

98
h-index

4622

176
g-index

529
all docs

529
docs citations

529
times ranked

32984
citing authors

#	ARTICLE	IF	CITATIONS
1	Common and <scp>genderâ€specific</scp> associations with cocaine use on gray matter volume: Data from the <scp>ENIGMA</scp> addiction working group. <i>Human Brain Mapping</i> , 2022, 43, 543-554.	1.9	13
2	Antisaccade error rates and gap effects in psychosis syndromes from bipolar-schizophrenia network for intermediate phenotypes 2 (B-SNIP2). <i>Psychological Medicine</i> , 2022, 52, 2692-2701.	2.7	7
3	Mapping relationships among schizophrenia, bipolar and schizoaffective disorders: A deep classification and clustering framework using fMRI time series. <i>Schizophrenia Research</i> , 2022, 245, 141-150.	1.1	25
4	Autistic Traits Moderate Reappraisal Success for Depression and Anxiety Symptoms. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 1435-1443.	1.7	5
5	Tri-Clustering Dynamic Functional Network Connectivity Identifies Significant Schizophrenia Effects Across Multiple States in Distinct Subgroups of Individuals. <i>Brain Connectivity</i> , 2022, 12, 61-73.	0.8	9
6	Psychosis Biotypes: Replication and Validation from the B-SNIP Consortium. <i>Schizophrenia Bulletin</i> , 2022, 48, 56-68.	2.3	38
7	Impact of polygenic risk for coronary artery disease and cardiovascular medication burden on cognitive impairment in psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110464.	2.5	3
8	Atypical dynamic functional network connectivity state engagement during socialâ€emotional processing in schizophrenia and autism. <i>Cerebral Cortex</i> , 2022, 32, 3406-3422.	1.6	6
9	Dynamic structural equation modeling of the relationship between alcohol habit and drinking variability. <i>Drug and Alcohol Dependence</i> , 2022, 233, 109202.	1.6	1
10	Real-time facial emotion recognition deficits across the psychosis spectrum: A B-SNIP Study. <i>Schizophrenia Research</i> , 2022, 243, 489-499.	1.1	3
11	Using psychosis biotypes and the Framingham model for parsing psychosis biology. <i>Schizophrenia Research</i> , 2022, 242, 132-134.	1.1	3
12	Personality as a mediator of autistic traits and internalizing symptoms in two community samples. <i>BMC Psychology</i> , 2022, 10, 81.	0.9	3
13	Consensus paper of the WFSBP task force on cannabis, cannabinoids and psychosis. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 719-742.	1.3	40
14	Inflammation subtypes in psychosis and their relationships with genetic risk for psychiatric and cardiometabolic disorders. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100459.	1.3	8
15	Multiframe Evolving Dynamic Functional Connectivity (EVOdFNC): A Method for Constructing and Investigating Functional Brain Motifs. <i>Frontiers in Neuroscience</i> , 2022, 16, 770468.	1.4	5
16	A new multimodality fusion classification approach to explore the uniqueness of schizophrenia and autism spectrum disorder. <i>Human Brain Mapping</i> , 2022, 43, 3887-3903.	1.9	10
17	P436. Multivariate Associations Between White Matter Microstructure Development and Normative Gains in Three Executive Function Domains. <i>Biological Psychiatry</i> , 2022, 91, S264.	0.7	0
18	P181. Cortical Similarities Between Bipolar I Disorder and Schizophrenia: A Multivariate Approach. <i>Biological Psychiatry</i> , 2022, 91, S160.	0.7	0

#	ARTICLE	IF	CITATIONS
19	P555. Early and Steady-State Visual Neuro-Oscillations Across the Psychosis Spectrum. <i>Biological Psychiatry</i> , 2022, 91, S313-S314.	0.7	0
20	P495. Using Excitation/Inhibition Ratio to Optimize the Classification of Autism Spectrum Disorder and Schizophrenia. <i>Biological Psychiatry</i> , 2022, 91, S288-S289.	0.7	0
21	Multivariate relationships between peripheral inflammatory marker subtypes and cognitive and brain structural measures in psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 3430-3443.	4.1	75
22	Searching for Imaging Biomarkers of Psychotic Dysconnectivity. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1135-1144.	1.1	2
23	GWAS significance thresholds for deep phenotyping studies can depend upon minor allele frequencies and sample size. <i>Molecular Psychiatry</i> , 2021, 26, 2048-2055.	4.1	24
24	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	1.1	28
25	Altered cerebral perfusion in bipolar disorder: A pCASL MRI study. <i>Bipolar Disorders</i> , 2021, 23, 130-140.	1.1	15
26	Dynamic state with covarying brain activity-connectivity: On the pathophysiology of schizophrenia. <i>NeuroImage</i> , 2021, 224, 117385.	2.1	52
27	Biotyping in psychosis: using multiple computational approaches with one data set. <i>Neuropsychopharmacology</i> , 2021, 46, 143-155.	2.8	25
28	Elucidating the relationship between white matter structure, demographic, and clinical variables in schizophrenia—a multicenter harmonized diffusion tensor imaging study. <i>Molecular Psychiatry</i> , 2021, 26, 5357-5370.	4.1	17
29	White matter microstructure across brain-based biotypes for psychosis — findings from the bipolar-schizophrenia network for intermediate phenotypes. <i>Psychiatry Research - Neuroimaging</i> , 2021, 308, 111234.	0.9	14
30	Binges, Brains, Birthdays, and BACs. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 54-55.	1.4	0
31	Dynamic functional network reconfiguration underlying the pathophysiology of schizophrenia and autism spectrum disorder. <i>Human Brain Mapping</i> , 2021, 42, 80-94.	1.9	27
32	Investigating Sexual Dimorphism of Human White Matter in a Harmonized, Multisite Diffusion Magnetic Resonance Imaging Study. <i>Cerebral Cortex</i> , 2021, 31, 201-212.	1.6	19
33	Multiple overlapping dynamic patterns of the visual sensory network in schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 103-111.	1.1	25
34	Regression dynamic causal modeling for resting-state fMRI. <i>Human Brain Mapping</i> , 2021, 42, 2159-2180.	1.9	52
35	Reduced white matter microstructure in bipolar disorder with and without psychosis. <i>Bipolar Disorders</i> , 2021, 23, 801-809.	1.1	3
36	Effects of weather and season on human brain volume. <i>PLoS ONE</i> , 2021, 16, e0236303.	1.1	8

#	ARTICLE	IF	CITATIONS
37	Aberrant Dynamic Functional Connectivity of Default Mode Network in Schizophrenia and Links to Symptom Severity. <i>Frontiers in Neural Circuits</i> , 2021, 15, 649417.	1.4	42
38	Biomarker Profiles in Psychosis Risk Groups Within Unaffected Relatives Based on Familiarity and Age. <i>Schizophrenia Bulletin</i> , 2021, 47, 1058-1067.	2.3	3
39	Neural Processing of Repeated Emotional Scenes in Schizophrenia, Schizoaffective Disorder, and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1473-1481.	2.3	2
40	Brain Density Clustering Analysis: A New Approach to Brain Functional Dynamics. <i>Frontiers in Neuroscience</i> , 2021, 15, 621716.	1.4	2
41	Mapping data-driven individualized neurobehavioral phenotypes in heavy alcohol drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 841-853.	1.4	3
42	Hierarchical Cluster Analysis for Gray Matter and Symptom Subtype in Schizophrenia. <i>Biological Psychiatry</i> , 2021, 89, S183-S184.	0.7	1
43	Data-driven approaches to neuroimaging biomarkers for neurological and psychiatric disorders: emerging approaches and examples. <i>Current Opinion in Neurology</i> , 2021, 34, 469-479.	1.8	11
44	Effects of Medication on Intrinsic EEG Activity: A BSNIP Study. <i>Biological Psychiatry</i> , 2021, 89, S348.	0.7	1
45	Anterior Default Mode Network Mediates the Relationship Between Systemic Inflammation and Cognition in Idiopathic Psychosis. <i>Biological Psychiatry</i> , 2021, 89, S259.	0.7	0
46	Antisaccade Speed-Performance Tradeoff in Bipolar Disorder. <i>Biological Psychiatry</i> , 2021, 89, S311.	0.7	0
47	Imaging Genetics Reveals Shared Mechanisms Behind Psychotic Symptom Profiles in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2021, 89, S184.	0.7	0
48	Longitudinal Stability of Psychosis Biomarkers: Findings From the Bipolar-Schizophrenia Network for Intermediate Phenotypes (B-SNIP). <i>Biological Psychiatry</i> , 2021, 89, S124.	0.7	0
49	Peripheral Inflammatory Markers Are Associated With Neural Activity During the Auditory Oddball Task. <i>Biological Psychiatry</i> , 2021, 89, S164.	0.7	0
50	Morphometric Attention and Language Brain Correlates in Early Psychosis With Cannabis Use and Polygenic Risk Score: A BSNIP Study. <i>Biological Psychiatry</i> , 2021, 89, S242-S243.	0.7	1
51	Genome-wide association study accounting for anticholinergic burden to examine cognitive dysfunction in psychotic disorders. <i>Neuropsychopharmacology</i> , 2021, 46, 1802-1810.	2.8	17
52	Improving the predictive potential of diffusion MRI in schizophrenia using normative models—Towards subject-level classification. <i>Human Brain Mapping</i> , 2021, 42, 4658-4670.	1.9	18
53	A Diagnosis and Biotype Comparison Across the Psychosis Spectrum: Investigating Volume and Shape Amygdala-Hippocampal Differences from the B-SNIP Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1706-1717.	2.3	10
54	Individual differences in the associations between risk factors for alcohol use disorder and alcohol use-related outcomes. <i>Psychology of Addictive Behaviors</i> , 2021, 35, 501-513.	1.4	1

#	ARTICLE	IF	CITATIONS
55	Cannabis and Driving. <i>Frontiers in Psychiatry</i> , 2021, 12, 689444.	1.3	36
56	Predictors of social functioning and quality of life in schizophrenia and autism spectrum disorder. <i>Psychiatry Research</i> , 2021, 303, 114087.	1.7	8
57	Effects of the Fyn kinase inhibitor saracatinib on ventral striatal activity during performance of an fMRI monetary incentive delay task in individuals family history positive or negative for alcohol use disorder. A pilot randomised trial. <i>Neuropsychopharmacology</i> , 2021, , .	2.8	2
58	Evidence of shared and distinct functional and structural brain signatures in schizophrenia and autism spectrum disorder. <i>Communications Biology</i> , 2021, 4, 1073.	2.0	19
59	Multi-model Order ICA: A Data-driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. <i>Brain Connectivity</i> , 2021, , .	0.8	7
60	Auditory Oddball Responses Across the Schizophrenia-Bipolar Spectrum and Their Relationship to Cognitive and Clinical Features. <i>American Journal of Psychiatry</i> , 2021, 178, 952-964.	4.0	15
61	Deficits in generalized cognitive ability, visual sensorimotor function, and inhibitory control represent discrete domains of neurobehavioral deficit in psychotic disorders. <i>Schizophrenia Research</i> , 2021, 236, 54-60.	1.1	2
62	Anterior-posterior axis of hippocampal subfields across psychoses: A B-SNIP study. <i>Biomarkers in Neuropsychiatry</i> , 2021, 5, 100037.	0.7	5
63	Associations of cannabis use disorder with cognition, brain structure, and brain function in African Americans. <i>Human Brain Mapping</i> , 2021, 42, 1727-1741.	1.9	9
64	Multivariate alterations in insula - Medial prefrontal cortex linked to genetics in 12q24 in schizophrenia. <i>Psychiatry Research</i> , 2021, 306, 114237.	1.7	4
65	Brain responses to anticipatory cues and milkshake taste in obesity, and their relationship to bariatric surgery outcome. <i>NeuroImage</i> , 2021, 245, 118623.	2.1	2
66	Cognitive impairment from early to middle adulthood in patients with affective and nonaffective psychotic disorders. <i>Psychological Medicine</i> , 2020, 50, 48-57.	2.7	13
67	The synergistic benefits of physical and cognitive exercise in schizophrenia: Promoting motivation to enhance community effectiveness. <i>Schizophrenia Research: Cognition</i> , 2020, 19, 100147.	0.7	5
68	Abnormal perfusion fluctuation and perfusion connectivity in bipolar disorder measured by dynamic arterial spin labeling. <i>Bipolar Disorders</i> , 2020, 22, 401-410.	1.1	8
69	Electrophysiological correlates of emotional scene processing in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2020, 120, 83-90.	1.5	11
70	Characterizing functional regional homogeneity (ReHo) as a B-SNIP psychosis biomarker using traditional and machine learning approaches. <i>Schizophrenia Research</i> , 2020, 215, 430-438.	1.1	30
71	White matter abnormalities across the lifespan of schizophrenia: a harmonized multi-site diffusion MRI study. <i>Molecular Psychiatry</i> , 2020, 25, 3208-3219.	4.1	115
72	The Association of Impulsivity and Family History of Alcohol Use Disorder on Alcohol Use and Consequences. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 159-167.	1.4	17

#	ARTICLE	IF	CITATIONS
73	Smooth pursuit eye movement deficits as a biomarker for psychotic features in bipolar disorder—Findings from the PARDIP study. <i>Bipolar Disorders</i> , 2020, 22, 602-611.	1.1	12
74	Subcortical surface morphometry in substance dependence: An ENIGMA addiction working group study. <i>Addiction Biology</i> , 2020, 25, e12830.	1.4	33
75	Relationship of prolonged acoustic startle latency to diagnosis and biotype in the bipolar-schizophrenia network on intermediate phenotypes (B-SNIP) cohort. <i>Schizophrenia Research</i> , 2020, 216, 357-366.	1.1	12
76	Brain gray matter network organization in psychotic disorders. <i>Neuropsychopharmacology</i> , 2020, 45, 666-674.	2.8	37
77	Associating Psychotic Symptoms with Altered Brain Anatomy in Psychotic Disorders Using Multidimensional Item Response Theory Models. <i>Cerebral Cortex</i> , 2020, 30, 2939-2947.	1.6	6
78	No connectivity alterations for striatum, default mode, or salience network in association with self-reported antipsychotic medication dose in a large chronic patient group. <i>Schizophrenia Research</i> , 2020, 223, 359-360.	1.1	2
79	Effects of Stimulus Repetition on Emotional Processing in Psychosis Biotypes: Findings From Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Consortium. <i>Biological Psychiatry</i> , 2020, 87, S389.	0.7	1
80	Resting state auditory-language cortex connectivity is associated with hallucinations in clinical and biological subtypes of psychotic disorders. <i>NeuroImage: Clinical</i> , 2020, 27, 102358.	1.4	8
81	Distinguishing patterns of impairment on inhibitory control and general cognitive ability among bipolar with and without psychosis, schizophrenia, and schizoaffective disorder. <i>Schizophrenia Research</i> , 2020, 223, 148-157.	1.1	16
82	Default mode network modulation by mentalizing in young adults with autism spectrum disorder or schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 27, 102343.	1.4	23
83	Intrinsic Activity Networks Differentiate Psychosis Biotypes. <i>Biological Psychiatry</i> , 2020, 87, S406-S407.	0.7	0
84	O3.4. PSYCHOSIS PHENOTYPES FROM B-SNIP FOR CLINICAL ADVANCES: BIOTYPE CHARACTERISTICS AND TARGETS. <i>Schizophrenia Bulletin</i> , 2020, 46, S7-S7.	2.3	1
85	Cognitive Impairment and Diminished Neural Responses Constitute a Biomarker Signature of Negative Symptoms in Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 1269-1281.	2.3	12
86	Catechol-O-methyltransferase genotype differentially contributes to the flexibility and stability of cognitive sets in patients with psychotic disorders and their first-degree relatives. <i>Schizophrenia Research</i> , 2020, 223, 236-241.	1.1	1
87	Structural Brain Architectures Match Intrinsic Functional Networks and Vary across Domains: A Study from 15,000+ Individuals. <i>Cerebral Cortex</i> , 2020, 30, 5460-5470.	1.6	28
88	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	2.1	135
89	Identifying commonality and specificity across psychosis sub-groups via classification based on features from dynamic connectivity analysis. <i>NeuroImage: Clinical</i> , 2020, 27, 102284.	1.4	26
90	Addressing Inaccurate Nosology in Mental Health: A Multilabel Data Cleansing Approach for Detecting Label Noise From Structural Magnetic Resonance Imaging Data in Mood and Psychosis Disorders. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 819-832.	1.1	8

#	ARTICLE	IF	CITATIONS
91	Do neurobiological differences exist between paranoid and non-paranoid schizophrenia? Findings from the bipolar schizophrenia network on intermediate phenotypes study. <i>Schizophrenia Research</i> , 2020, 223, 96-104.	1.1	2
92	Thalamic Nuclei Reductions Across the Psychosis Spectrum: A BSNIP Study. <i>Biological Psychiatry</i> , 2020, 87, S343-S344.	0.7	0
93	Neural correlates of non-specific skin conductance responses during resting state fMRI. <i>NeuroImage</i> , 2020, 214, 116721.	2.1	11
94	Retinal layer abnormalities and their association with clinical and brain measures in psychotic disorders: A preliminary study. <i>Psychiatry Research - Neuroimaging</i> , 2020, 299, 111061.	0.9	24
95	Covarying structural alterations in laterality of the temporal lobe in schizophrenia: A case for source-based laterality. <i>NMR in Biomedicine</i> , 2020, 33, e4294.	1.6	6
96	Imaging local genetic influences on cortical folding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 7430-7436.	3.3	24
97	Auditory paired-stimuli responses across the psychosis and bipolar spectrum and their relationship to clinical features. <i>Biomarkers in Neuropsychiatry</i> , 2020, 3, 100014.	0.7	8
98	NMDA receptor antibody seropositivity in psychosis: A pilot study from the Bipolar-Schizophrenia Network for Intermediate Phenotypes (B-SNIP). <i>Schizophrenia Research</i> , 2020, 218, 318-320.	1.1	2
99	Testing Psychosis Phenotypes From Bipolar-Schizophrenia Network for Intermediate Phenotypes for Clinical Application: Biotype Characteristics and Targets. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 808-818.	1.1	27
100	Weighted average of shared trajectory: A new estimator for dynamic functional connectivity efficiently estimates both rapid and slow changes over time. <i>Journal of Neuroscience Methods</i> , 2020, 334, 108600.	1.3	22
101	The Impact of Cognitive Reserve on Symptom Severity and Illness Onset Across the Psychosis Spectrum. <i>Biological Psychiatry</i> , 2020, 87, S450.	0.7	1
102	Longitudinal Stability of EEG Psychosis Biomarkers: Findings From the Bipolar-Schizophrenia Network for Intermediate Phenotypes (B-SNIP). <i>Biological Psychiatry</i> , 2020, 87, S409-S410.	0.7	0
103	Machine learning improved classification of psychoses using clinical and biological stratification: Update from the bipolar-schizophrenia network for intermediate phenotypes (B-SNIP). <i>Schizophrenia Research</i> , 2019, 214, 60-69.	1.1	22
104	Dynamic functional connectivity in schizophrenia and autism spectrum disorder: Convergence, divergence and classification. <i>NeuroImage: Clinical</i> , 2019, 24, 101966.	1.4	88
105	A preliminary study of association between adolescent estradiol level and dorsolateral prefrontal cortex activity during emotion regulation. <i>Psychoneuroendocrinology</i> , 2019, 109, 104398.	1.3	15
106	Relationships between drinking quantity and frequency and behavioral and hippocampal BOLD responses during working memory performance involving allocentric spatial navigation in college students. <i>Drug and Alcohol Dependence</i> , 2019, 201, 236-243.	1.6	4
107	Auditory steady-state EEG response across the schizo-bipolar spectrum. <i>Schizophrenia Research</i> , 2019, 209, 218-226.	1.1	39
108	Altered Domain Functional Network Connectivity Strength and Randomness in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 499.	1.3	6

#	ARTICLE	IF	CITATIONS
109	Intrinsic neural activity differences in psychosis biotypes: Findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) consortium. <i>Biomarkers in Neuropsychiatry</i> , 2019, 1, 100002.	0.7	12
110	O9.1. PROSPECTIVE MEMORY AND THE RELATIONSHIP TO SOCIAL FUNCTION AND NEGATIVE SYMPTOMS IN CLINICAL HIGH RISK, FIRST EPISODE PSYCHOSIS, AND SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019, 45, S186-S187.	2.3	0
111	Schizophrenia Exhibits Bi-directional Brain-Wide Alterations in Cortico-Striato-Cerebellar Circuits. <i>Cerebral Cortex</i> , 2019, 29, 4463-4487.	1.6	27
112	Association of Choroid Plexus Enlargement With Cognitive, Inflammatory, and Structural Phenotypes Across the Psychosis Spectrum. <i>American Journal of Psychiatry</i> , 2019, 176, 564-572.	4.0	82
113	Structural Covariance Reveals Alterations in Control and Salience Network Integrity in Chronic Schizophrenia. <i>Cerebral Cortex</i> , 2019, 29, 5269-5284.	1.6	29
114	Autoconnectivity: A new perspective on human brain function. <i>Journal of Neuroscience Methods</i> , 2019, 323, 68-76.	1.3	12
115	Multivariate Analyses Reveal Biological Components Related to Neuronal Signaling and Immunity Mediating Electroencephalograms Abnormalities in Alcohol-Dependent Individuals from the Collaborative Study on the Genetics of Alcoholism Cohort. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1462-1477.	1.4	2
116	The spatial chronnectome reveals a dynamic interplay between functional segregation and integration. <i>Human Brain Mapping</i> , 2019, 40, 3058-3077.	1.9	67
117	A method for building a genome-connectome bipartite graph model. <i>Journal of Neuroscience Methods</i> , 2019, 320, 64-71.	1.3	1
118	Increased ventromedial prefrontal cortex activity and connectivity predict poor sertraline treatment outcome in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 730-737.	1.3	17
119	174. Pre-Surgical fMRI Brain Activation Predicts 12-Month Post-Bariatric Surgery Outcomes. <i>Biological Psychiatry</i> , 2019, 85, S72.	0.7	0
120	S162. Widespread Amygdala Nuclei Reductions Across the Psychosis Spectrum and in Their First-Degree Relatives: A BSNIP Study. <i>Biological Psychiatry</i> , 2019, 85, S359-S360.	0.7	0
121	T170. Effective Multiple Test Correction (MTC) for GWAS With Large Numbers of Correlated Genotypes and Phenotypes. <i>Biological Psychiatry</i> , 2019, 85, S195.	0.7	0
122	Whole brain polarity regime dynamics are significantly disrupted in schizophrenia and correlate strongly with network connectivity measures. <i>PLoS ONE</i> , 2019, 14, e0224744.	1.1	12
123	Alterations in intrinsic fronto-thalamo-parietal connectivity are associated with cognitive control deficits in psychotic disorders. <i>Human Brain Mapping</i> , 2019, 40, 163-174.	1.9	17
124	Spatial dynamics within and between brain functional domains: A hierarchical approach to study time-varying brain function. <i>Human Brain Mapping</i> , 2019, 40, 1969-1986.	1.9	52
125	Transdiagnostic dimensions of psychosis in the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP). <i>World Psychiatry</i> , 2019, 18, 67-76.	4.8	96
126	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019, 85, e35-e39.	0.7	5

#	ARTICLE	IF	CITATIONS
127	Functional connectivity predictors of acute depression treatment outcome. <i>International Psychogeriatrics</i> , 2019, 31, 1831-1835.	0.6	10
128	Mega-Analysis of Gray Matter Volume in Substance Dependence: General and Substance-Specific Regional Effects. <i>American Journal of Psychiatry</i> , 2019, 176, 119-128.	4.0	190
129	Clinical correlates of subsyndromal depression in African American individuals with psychosis: The relationship with positive symptoms and comorbid substance dependence. <i>Schizophrenia Research</i> , 2019, 206, 333-346.	1.1	2
130	Contrasting contributions of anhedonia to obsessive-compulsive, hoarding, and post-traumatic stress disorders. <i>Journal of Psychiatric Research</i> , 2019, 109, 202-213.	1.5	21
131	A framework for linking resting-state connectome/genome features in schizophrenia: A pilot study. <i>NeuroImage</i> , 2019, 184, 843-854.	2.1	24
132	Should I Stay or Should I Go? fMRI Study of Response Inhibition in Early Illness Schizophrenia and Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 158-168.	2.3	27
133	Shared Genetic Risk of Schizophrenia and Gray Matter Reduction in 6p22.1. <i>Schizophrenia Bulletin</i> , 2019, 45, 222-232.	2.3	31
134	Spatiospectral Decomposition of Multi-subject EEG: Evaluating Blind Source Separation Algorithms on Real and Realistic Simulated Data. <i>Brain Topography</i> , 2018, 31, 47-61.	0.8	28
135	Methodological factors as a potential source of discordance between self-report and behavioral measures of impulsivity and related constructs. <i>Addictive Behaviors</i> , 2018, 84, 126-130.	1.7	14
136	Associations between adolescent cannabis use and brain structure in psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 276, 53-64.	0.9	18
137	Relationship between fMRI response during a nonverbal memory task and marijuana use in college students. <i>Drug and Alcohol Dependence</i> , 2018, 188, 71-78.	1.6	7
138	Application of Graph Theory to Assess Static and Dynamic Brain Connectivity: Approaches for Building Brain Graphs. <i>Proceedings of the IEEE</i> , 2018, 106, 886-906.	16.4	53
139	Multivariate Relationships Between Cognition and Brain Anatomy Across the Psychosis Spectrum. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 992-1002.	1.1	21
140	Longitudinal Effects of Alcohol Consumption on the Hippocampus and Parahippocampus in College Students. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 610-617.	1.1	28
141	Genetic analysis of deep phenotyping projects in common disorders. <i>Schizophrenia Research</i> , 2018, 195, 51-57.	1.1	11
142	Functional Neuroimaging Evidence for Distinct Neurobiological Pathways in Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 675-685.	1.1	25
143	Psychosis subgroups differ in intrinsic neural activity but not task-specific processing. <i>Schizophrenia Research</i> , 2018, 195, 222-230.	1.1	10
144	The effect of high-dose atorvastatin on neural activity and cognitive function. <i>American Heart Journal</i> , 2018, 197, 166-174.	1.2	9

#	ARTICLE	IF	CITATIONS
145	P1â€œ47: COGNITIVE BEHAVIORAL THERAPY TO ENHANCE MEMORY TRAINING EFFICACY IN PEOPLE WITH DEMENTIA: 1â€œYEAR FOLLOWâ€œUP. <i>Alzheimer's and Dementia</i> , 2018, 14, P285.	0.4	1
146	How Music Impacts Visual Attention Training in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 968-970.	0.5	4
147	Resting State Brain Patterns, Cognitive Ability, and Meritocracy. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 824-825.	1.1	0
148	108. Consolidation Across Multiple Levels of Analysis for Parsing Biological Heterogeneity in Psychosis. <i>Biological Psychiatry</i> , 2018, 83, S44-S45.	0.7	0
149	148. Auditory and Visual EEG Validators of Psychosis Biotypes, Findings From Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Consortium. <i>Biological Psychiatry</i> , 2018, 83, S60-S61.	0.7	3
150	VEGFA GENE variation influences hallucinations and frontotemporal morphology in psychotic disorders: a B-SNIP study. <i>Translational Psychiatry</i> , 2018, 8, 215.	2.4	11
151	Physical exercise increases involvement of motor networks as a compensatory mechanism during a cognitively challenging task. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1153-1159.	1.3	19
152	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	0.7	627
153	Reading the (functional) writing on the (structural) wall: Multimodal fusion of brain structure and function via a deep neural network based translation approach reveals novel impairments in schizophrenia. <i>NeuroImage</i> , 2018, 181, 734-747.	2.1	45
154	The effect of age and smoking on the hippocampus and memory in late middle age. <i>Hippocampus</i> , 2018, 28, 846-849.	0.9	9
155	A New Measure for Neural Compensation Is Positively Correlated With Working Memory and Gait Speed. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 71.	1.7	8
156	Peripheral oxytocin and vasopressin modulates regional brain activity differently in men and women with schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 173-179.	1.1	20
157	145. Diagnosis and Biotype Comparisons Across the Psychosis Spectrum: Investigating Amygdala-Hippocampal Differences From the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Study. <i>Biological Psychiatry</i> , 2018, 83, S59.	0.7	0
158	Relating neural processing of reward and loss prospect to risky decision-making in individuals with and without gambling disorder. <i>International Gambling Studies</i> , 2018, 18, 269-285.	1.3	52
159	Altered Global Signal Topography in Schizophrenia. <i>Cerebral Cortex</i> , 2017, 27, 5156-5169.	1.6	61
160	Impaired Context Processing is Attributable to Global Neuropsychological Impairment in Schizophrenia and Psychotic Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw081.	2.3	26
161	Identifying dynamic functional connectivity biomarkers using GIGâ€œCA: Application to schizophrenia, schizoaffective disorder, and psychotic bipolar disorder. <i>Human Brain Mapping</i> , 2017, 38, 2683-2708.	1.9	111
162	Hyperinsulinemia and elevated systolic blood pressure independently predict white matter hyperintensities with associated cognitive decrement in the middle-aged offspring of dementia patients. <i>Metabolic Brain Disease</i> , 2017, 32, 849-857.	1.4	18

#	ARTICLE	IF	CITATIONS
163	Intrinsic neural activity differences among psychotic illnesses. <i>Psychophysiology</i> , 2017, 54, 1223-1238.	1.2	15
164	Negative Affectivity, Aging, and Depression: Results From the Neurobiology of Late-Life Depression (NBOLD) Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1135-1149.	0.6	31
165	Inferring pathobiology from structural MRI in schizophrenia and bipolar disorder: Modeling head motion and neuroanatomical specificity. <i>Human Brain Mapping</i> , 2017, 38, 3757-3770.	1.9	18
166	Transdiagnostic Associations Between Functional Brain Network Integrity and Cognition. <i>JAMA Psychiatry</i> , 2017, 74, 605.	6.0	110
167	Sex differences in associations of arginine vasopressin and oxytocin with resting-state functional brain connectivity. <i>Journal of Neuroscience Research</i> , 2017, 95, 576-586.	1.3	26
168	Effects of drinking patterns on prospective memory performance in college students.. <i>Neuropsychology</i> , 2017, 31, 191-199.	1.0	8
169	Resting-State Functional MRI Correlates of Negative Urgency in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, S117-S118.	0.6	0
170	Cognitive burden of anticholinergic medications in psychotic disorders. <i>Schizophrenia Research</i> , 2017, 190, 129-135.	1.1	71
171	Composite impulsivity-related domains in college students. <i>Journal of Psychiatric Research</i> , 2017, 90, 118-125.	1.5	8
172	627. Default Mode Network Functional Connectivity Similarities in Schizophrenia and Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2017, 81, S254.	0.7	1
173	Comparing brain graphs in which nodes are regions of interest or independent components: A simulation study. <i>Journal of Neuroscience Methods</i> , 2017, 291, 61-68.	1.3	47
174	Decisional Informatics for Psychosocial Rehabilitation. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 867-872.	0.5	3
175	965. Investigating Brain Structure Across Bipolar Disorder Subtypes: Findings from the Psychosis Affective Research Domain Intermediate Phenotypes (PARDIP) Study. <i>Biological Psychiatry</i> , 2017, 81, S390-S391.	0.7	0
176	822. Abnormal Resting State Functional Connectivity in Bipolar Disorder with and without Psychosis. <i>Biological Psychiatry</i> , 2017, 81, S333-S334.	0.7	0
177	850. Identification of Biotypes in Psychosis using Biomarkers and iPSCs. <i>Biological Psychiatry</i> , 2017, 81, S344.	0.7	0
178	Novel gene-brain structure relationships in psychotic disorder revealed using parallel independent component analyses. <i>Schizophrenia Research</i> , 2017, 182, 74-83.	1.1	9
179	Neural complexity as a potential translational biomarker for psychosis. <i>Journal of Affective Disorders</i> , 2017, 216, 89-99.	2.0	46
180	Brain Structure Biomarkers in the Psychosis Biotypes: Findings From the Bipolar-Schizophrenia Network for Intermediate Phenotypes. <i>Biological Psychiatry</i> , 2017, 82, 26-39.	0.7	118

#	ARTICLE	IF	CITATIONS
181	The Interplay Between Risky Sexual Behaviors and Alcohol Dependence: Genome-Wide Association and Neuroimaging Support for LHPP as a Risk Gene. <i>Neuropsychopharmacology</i> , 2017, 42, 598-605.	2.8	40
182	Strategies for Advancing Disease Definition Using Biomarkers and Genetics: The Bipolar and Schizophrenia Network for Intermediate Phenotypes. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 20-27.	1.1	42
183	Effect of trait anxiety on cognitive test performance in adolescents with and without attention-deficit/hyperactivity disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 434-448.	0.8	21
184	Pupillometer-based neurofeedback cognitive training to improve processing speed and social functioning in individuals at clinical high risk for psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2017, 40, 33-42.	0.8	43
185	Independent component analysis of SNPs reflects polygenic risk scores for schizophrenia. <i>Schizophrenia Research</i> , 2017, 181, 83-85.	1.1	6
186	92. Peripheral Oxytocin and Vasopressin Modulates Regional Brain Activity Differently in Men and Women With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, S50-S50.	2.3	1
187	Heavy Drinking in College Students Is Associated with Accelerated Gray Matter Volumetric Decline over a 2 Year Period. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 176.	1.0	21
188	S100A10 identified in a genome-wide gene \times cannabis dependence interaction analysis of risky sexual behaviours. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 252-261.	1.4	9
189	NMDA Glutamate Receptor Antagonism and the Heritable Risk for Alcoholism: New Insights from a Study of Nitrous Oxide. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 351-353.	1.0	2
190	Longitudinal influence of alcohol and marijuana use on academic performance in college students. <i>PLoS ONE</i> , 2017, 12, e0172213.	1.1	74
191	Genetic imaging consortium for addiction medicine. <i>Progress in Brain Research</i> , 2016, 224, 203-223.	0.9	22
192	Building an EEG-fMRI Multi-Modal Brain Graph: A Concurrent EEG-fMRI Study. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 476.	1.0	35
193	Higher Dimensional Meta-State Analysis Reveals Reduced Resting fMRI Connectivity Dynamism in Schizophrenia Patients. <i>PLoS ONE</i> , 2016, 11, e0149849.	1.1	148
194	Multivariate Imaging Genetics Study of MRI Gray Matter Volume and SNPs Reveals Biological Pathways Correlated with Brain Structural Differences in Attention Deficit Hyperactivity Disorder. <i>Frontiers in Psychiatry</i> , 2016, 7, 128.	1.3	18
195	RANDOMIZED TRIAL OF D-CYCLOSERINE ENHANCEMENT OF COGNITIVE-BEHAVIORAL THERAPY FOR PANIC DISORDER. <i>Depression and Anxiety</i> , 2016, 33, 737-745.	2.0	62
196	Cognitive Function in Individuals With Psychosis: Moderation by Adolescent Cannabis Use. <i>Schizophrenia Bulletin</i> , 2016, 42, 1496-1503.	2.3	24
197	Does Biology Transcend the Symptom-based Boundaries of Psychosis?. <i>Psychiatric Clinics of North America</i> , 2016, 39, 165-174.	0.7	29
198	Late-Life Major Depression and Neuroticism: A Preliminary Functional Connectivity Study. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, S158-S159.	0.6	0

#	ARTICLE	IF	CITATIONS
199	Classification of schizophrenia and bipolar patients using static and dynamic resting-state fMRI brain connectivity. <i>NeuroImage</i> , 2016, 134, 645-657.	2.1	294
200	Large-scale functional network overlap is a general property of brain functional organization: Reconciling inconsistent fMRI findings from general-linear-model-based analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 71, 83-100.	2.9	50
201	Constance E. Lieber, Theodore R. Stanley, and the Enduring Impact of Philanthropy on Psychiatry Research. <i>Biological Psychiatry</i> , 2016, 80, 84-86.	0.7	2
202	Examining Functional Resting-State Connectivity in Psychosis and Its Subgroups in the Bipolar-Schizophrenia Network on Intermediate Phenotypes Cohort. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 488-497.	1.1	22
203	A Preliminary Prospective Study of an Escalation in "Maximum Daily Drinks"™, Fronto-Parietal Circuitry and Impulsivity-Related Domains in Young Adult Drinkers. <i>Neuropsychopharmacology</i> , 2016, 41, 1637-1647.	2.8	36
204	Neurofunctional Reward Processing Changes in Cocaine Dependence During Recovery. <i>Neuropsychopharmacology</i> , 2016, 41, 2112-2121.	2.8	38
205	Impulsivity across the psychosis spectrum: Correlates of cortical volume, suicidal history, and social and global function. <i>Schizophrenia Research</i> , 2016, 170, 80-86.	1.1	40
206	Callosal Abnormalities Across the Psychosis Dimension: Bipolar Schizophrenia Network on Intermediate Phenotypes. <i>Biological Psychiatry</i> , 2016, 80, 627-635.	0.7	31
207	Identification of Distinct Psychosis Biotypes Using Brain-Based Biomarkers. <i>American Journal of Psychiatry</i> , 2016, 173, 373-384.	4.0	552
208	Interaction among subsystems within default mode network diminished in schizophrenia patients: A dynamic connectivity approach. <i>Schizophrenia Research</i> , 2016, 170, 55-65.	1.1	197
209	Polygenic risk for type 2 diabetes mellitus among individuals with psychosis and their relatives. <i>Journal of Psychiatric Research</i> , 2016, 77, 52-58.	1.5	22
210	Sex and Diagnosis-Specific Associations Between DNA Methylation of the Oxytocin Receptor Gene With Emotion Processing and Temporal-Limbic and Prefrontal Brain Volumes in Psychotic Disorders. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 141-151.	1.1	45
211	Multivariate Genetic Correlates of the Auditory Paired Stimuli-Based P2 Event-Related Potential in the Psychosis Dimension From the BSNIP Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 851-862.	2.3	10
212	Neuroimaging measures of error-processing: Extracting reliable signals from event-related potentials and functional magnetic resonance imaging. <i>NeuroImage</i> , 2016, 132, 247-260.	2.1	61
213	Functional hierarchy underlies preferential connectivity disturbances in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E219-28.	3.3	115
214	A preliminary study of the effects of working memory training on brain function. <i>Brain Imaging and Behavior</i> , 2016, 10, 387-407.	1.1	49
215	Neuroimaging data sharing on the neuroinformatics database platform. <i>NeuroImage</i> , 2016, 124, 1089-1092.	2.1	15
216	Integrating acquired preparedness and dual process models of risk for heavy drinking and related problems.. <i>Psychology of Addictive Behaviors</i> , 2015, 29, 864-874.	1.4	21

#	ARTICLE	IF	CITATIONS
217	An introductory review of parallel independent component analysis (p-ICA) and a guide to applying p-ICA to genetic data and imaging phenotypes to identify disease-associated biological pathways and systems in common complex disorders. <i>Frontiers in Genetics</i> , 2015, 6, 276.	1.1	79
218	Genetic markers of white matter integrity in schizophrenia revealed by parallel ICA. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 100.	1.0	11
219	Multidimensional frequency domain analysis of full-volume fMRI reveals significant effects of age, gender, and mental illness on the spatiotemporal organization of resting-state brain activity. <i>Frontiers in Neuroscience</i> , 2015, 9, 203.	1.4	14
220	Functional Network Overlap as Revealed by fMRI Using sICA and Its Potential Relationships with Functional Heterogeneity, Balanced Excitation and Inhibition, and Sparseness of Neuron Activity. <i>PLoS ONE</i> , 2015, 10, e0117029.	1.1	19
221	Joint Coupling of Awake EEG Frequency Activity and MRI Gray Matter Volumes in the Psychosis Dimension: A BSNIP Study. <i>Frontiers in Psychiatry</i> , 2015, 6, 162.	1.3	10
222	Large-Scale Fusion of Gray Matter and Resting-State Functional MRI Reveals Common and Distinct Biological Markers across the Psychosis Spectrum in the B-SNIP Cohort. <i>Frontiers in Psychiatry</i> , 2015, 6, 174.	1.3	25
223	Frequency-Specific Neural Signatures of Spontaneous Low-Frequency Resting State Fluctuations in Psychosis: Evidence From Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Consortium. <i>Schizophrenia Bulletin</i> , 2015, 41, 1336-1348.	2.3	97
224	Increased cardiometabolic dysfunction in first-degree relatives of patients with psychotic disorders. <i>Schizophrenia Research</i> , 2015, 165, 103-107.	1.1	32
225	Genetic Sources of Subcomponents of Event-Related Potential in the Dimension of Psychosis Analyzed From the B-SNIP Study. <i>American Journal of Psychiatry</i> , 2015, 172, 466-478.	4.0	23
226	In Search of Multimodal Neuroimaging Biomarkers of Cognitive Deficits in Schizophrenia. <i>Biological Psychiatry</i> , 2015, 78, 794-804.	0.7	158
227	Working memory impairment in probands with schizoaffective disorder and first degree relatives of schizophrenia probands extend beyond deficits predicted by generalized neuropsychological impairment. <i>Schizophrenia Research</i> , 2015, 166, 310-315.	1.1	23
228	Pursuit eye movements as an intermediate phenotype across psychotic disorders: Evidence from the B-SNIP study. <i>Schizophrenia Research</i> , 2015, 169, 326-333.	1.1	56
229	Correlations Between Brain Structure and Symptom Dimensions of Psychosis in Schizophrenia, Schizoaffective, and Psychotic Bipolar I Disorders. <i>Schizophrenia Bulletin</i> , 2015, 41, 154-162.	2.3	100
230	Hippocampal Volume Is Reduced in Schizophrenia and Schizoaffective Disorder But Not in Psychotic Bipolar I Disorder Demonstrated by Both Manual Tracing and Automated Parcellation (FreeSurfer). <i>Schizophrenia Bulletin</i> , 2015, 41, 233-249.	2.3	83
231	Etiologic, Phenomenologic, and Endophenotypic Overlap of Schizophrenia and Bipolar Disorder. <i>Annual Review of Clinical Psychology</i> , 2015, 11, 251-281.	6.3	127
232	Patterns of Gray Matter Abnormalities in Schizophrenia Based on an International Mega-analysis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1133-1142.	2.3	183
233	A group ICA based framework for evaluating resting fMRI markers when disease categories are unclear: application to schizophrenia, bipolar, and schizoaffective disorders. <i>NeuroImage</i> , 2015, 122, 272-280.	2.1	130
234	Alterations in hippocampal connectivity across the psychosis dimension. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 148-157.	0.9	74

#	ARTICLE	IF	CITATIONS
235	Ventral Anterior Cingulate Connectivity Distinguished Nonpsychotic Bipolar Illness From Psychotic Bipolar Disorder and Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 133-143.	2.3	73
236	Specific default mode subnetworks support mentalizing as revealed through opposing network recruitment by social and semantic fMRI tasks. <i>Human Brain Mapping</i> , 2015, 36, 3047-3063.	1.9	54
237	Multivariate analysis of subjective responses to d-amphetamine in healthy volunteers finds novel genetic pathway associations. <i>Psychopharmacology</i> , 2015, 232, 2781-2794.	1.5	7
238	Identifying brain dynamic network states via GIG-ICA: Application to schizophrenia, bipolar and schizoaffective disorders. , 2015, , .		7
239	Shared Genetic Factors Influence Amygdala Volumes and Risk for Alcoholism. <i>Neuropsychopharmacology</i> , 2015, 40, 412-420.	2.8	43
240	Using Biomarker Batteries. <i>Biological Psychiatry</i> , 2015, 77, 90-92.	0.7	15
241	Assessing dynamic brain graphs of time-varying connectivity in fMRI data: Application to healthy controls and patients with schizophrenia. <i>NeuroImage</i> , 2015, 107, 345-355.	2.1	194
242	Event-Related Potential and Time-Frequency Endophenotypes for Schizophrenia and Psychotic Bipolar Disorder. <i>Biological Psychiatry</i> , 2015, 77, 127-136.	0.7	69
243	Testing the Acquired Preparedness Model: Predicting College Student Gambling Frequency and Symptomatology. <i>Journal of Gambling Studies</i> , 2015, 31, 907-919.	1.1	7
244	College Student Beliefs About Wagering: An Evaluation of the Adolescent Gambling Expectancies Survey. <i>Journal of Gambling Studies</i> , 2015, 31, 161-171.	1.1	10
245	Regressing to Prior Response Preference After Set Switching Implicates Striatal Dysfunction Across Psychotic Disorders: Findings From the B-SNIP Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 940-950.	2.3	15
246	The Moderating Effect of Gender on the Relation Between Expectancies and Gambling Frequency Among College Students. <i>Journal of Gambling Studies</i> , 2015, 31, 173-182.	1.1	12
247	Opposite Modulation of Brain Functional Networks Implicated at Low vs. High Demand of Attention and Working Memory. <i>PLoS ONE</i> , 2014, 9, e87078.	1.1	24
248	Relationships between Reward Sensitivity, Risk-Taking and Family History of Alcoholism during an Interactive Competitive fMRI Task. <i>PLoS ONE</i> , 2014, 9, e88188.	1.1	18
249	Moods as ups and downs of the motivation pendulum: revisiting reinforcement sensitivity theory (RST) in bipolar disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 378.	1.0	3
250	Dynamic connectivity states estimated from resting fMRI Identify differences among Schizophrenia, bipolar disorder, and healthy control subjects. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 897.	1.0	384
251	Thalamic Fractional Anisotropy Predicts Accrual of Cerebral White Matter Damage in Older Subjects with Small-Vessel Disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1321-1327.	2.4	13
252	Psychometrically improved, abbreviated versions of three classic measures of impulsivity and self-control.. <i>Psychological Assessment</i> , 2014, 26, 1003-1020.	1.2	132

#	ARTICLE	IF	CITATIONS
253	Bipolar and Schizophrenia Network for Intermediate Phenotypes: Outcomes Across the Psychosis Continuum. <i>Schizophrenia Bulletin</i> , 2014, 40, S131-S137.	2.3	158
254	A pilot study linking reduced fronto-striatal recruitment during reward processing to persistent bingeing following treatment for binge-eating disorder. <i>International Journal of Eating Disorders</i> , 2014, 47, 376-384.	2.1	79
255	Save the Global: Global Signal Connectivity as a Tool for Studying Clinical Populations with Functional Magnetic Resonance Imaging. <i>Brain Connectivity</i> , 2014, 4, 395-403.	0.8	160
256	Elevated Antisaccade Error Rate as an Intermediate Phenotype for Psychosis Across Diagnostic Categories. <i>Schizophrenia Bulletin</i> , 2014, 40, 1011-1021.	2.3	78
257	Prefrontal Brain Network Connectivity Indicates Degree of Both Schizophrenia Risk and Cognitive Dysfunction. <i>Schizophrenia Bulletin</i> , 2014, 40, 653-664.	2.3	69
258	Medial Temporal Lobe Structures and Hippocampal Subfields in Psychotic Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 769.	6.0	167
259	Characterizing Thalamo-Cortical Disturbances in Schizophrenia and Bipolar Illness. <i>Cerebral Cortex</i> , 2014, 24, 3116-3130.	1.6	415
260	Mediodorsal and Visual Thalamic Connectivity Differ in Schizophrenia and Bipolar Disorder With and Without Psychosis History. <i>Schizophrenia Bulletin</i> , 2014, 40, 1227-1243.	2.3	84
261	Exploring a Multidimensional Approach to Impulsivity in Predicting College Student Gambling. <i>Journal of Gambling Studies</i> , 2014, 30, 521-536.	1.1	21
262	Distinguishing Between Schizophrenia and Other Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 501-503.	2.3	14
263	Prolonged hemodynamic response during incidental facial emotion processing in inter-episode bipolar I disorder. <i>Brain Imaging and Behavior</i> , 2014, 8, 73-86.	1.1	7
264	Error processing in current and former cocaine users. <i>Brain Imaging and Behavior</i> , 2014, 8, 87-96.	1.1	32
265	Multivariate analysis reveals genetic associations of the resting default mode network in psychotic bipolar disorder and schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2066-75.	3.3	207
266	Altered global brain signal in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7438-7443.	3.3	347
267	Diagnostic specificity and familiarity of early versus late evoked potentials to auditory paired stimuli across the schizophrenia-bipolar psychosis spectrum. <i>Psychophysiology</i> , 2014, 51, 348-357.	1.2	32
268	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
269	The Chronnectome: Time-Varying Connectivity Networks as the Next Frontier in fMRI Data Discovery. <i>Neuron</i> , 2014, 84, 262-274.	3.8	1,143
270	Reduced Levels of Vasopressin and Reduced Behavioral Modulation of Oxytocin in Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1374-1384.	2.3	82

#	ARTICLE	IF	CITATIONS
271	Behavioral response inhibition in psychotic disorders: Diagnostic specificity, familiarity and relation to generalized cognitive deficit. <i>Schizophrenia Research</i> , 2014, 159, 491-498.	1.1	58
272	Patients with schizophrenia demonstrate reduced cortical sensitivity to auditory oddball regularities. <i>Schizophrenia Research</i> , 2014, 158, 189-194.	1.1	12
273	Emotion recognition deficits in schizophrenia-spectrum disorders and psychotic bipolar disorder: Findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. <i>Schizophrenia Research</i> , 2014, 158, 105-112.	1.1	77
274	fMRI response during figural memory task performance in college drinkers. <i>Psychopharmacology</i> , 2014, 231, 167-179.	1.5	14
275	Functional magnetic resonance imaging (<scp>fMRI)</scp> response to alcohol pictures predicts subsequent transition to heavy drinking in college students. <i>Addiction</i> , 2014, 109, 585-595.	1.7	83
276	Thalamus and posterior temporal lobe show greater inter-network connectivity at rest and across sensory paradigms in schizophrenia. <i>NeuroImage</i> , 2014, 97, 117-126.	2.1	151
277	Brain Potentials Measured During a Go/NoGo Task Predict Completion of Substance Abuse Treatment. <i>Biological Psychiatry</i> , 2014, 76, 75-83.	0.7	55
278	A large scale (N=102) functional neuroimaging study of error processing in a Go/NoGo task. <i>Behavioural Brain Research</i> , 2014, 268, 127-138.	1.2	25
279	Local Gyrfication Index in Probands with Psychotic Disorders and Their First-Degree Relatives. <i>Biological Psychiatry</i> , 2014, 76, 447-455.	0.7	70
280	Resting State Electroencephalogram Oscillatory Abnormalities in Schizophrenia and Psychotic Bipolar Patients and Their Relatives from the Bipolar and Schizophrenia Network on Intermediate Phenotypes Study. <i>Biological Psychiatry</i> , 2014, 76, 456-465.	0.7	99
281	Functional network connectivity during rest and task conditions: A comparative study. <i>Human Brain Mapping</i> , 2013, 34, 2959-2971.	1.9	99
282	Neuroinformatics Database (NiDB) – A Modular, Portable Database for the Storage, Analysis, and Sharing of Neuroimaging Data. <i>Neuroinformatics</i> , 2013, 11, 495-505.	1.5	27
283	Genetic influences of resting state fMRI activity in language-related brain regions in healthy controls and schizophrenia patients: a pilot study. <i>Brain Imaging and Behavior</i> , 2013, 7, 15-27.	1.1	21
284	Neural Correlates of Impulsivity in Healthy Males and Females with Family Histories of Alcoholism. <i>Neuropsychopharmacology</i> , 2013, 38, 1854-1863.	2.8	65
285	A person-centered approach to understanding negative reinforcement drinking among first year college students. <i>Addictive Behaviors</i> , 2013, 38, 2937-2944.	1.7	14
286	Task-related concurrent but opposite modulations of overlapping functional networks as revealed by spatial ICA. <i>NeuroImage</i> , 2013, 79, 62-71.	2.1	69
287	Figural memory performance and functional magnetic resonance imaging activity across the adult lifespan. <i>Neurobiology of Aging</i> , 2013, 34, 110-127.	1.5	7
288	Glycine treatment of the risk syndrome for psychosis: Report of two pilot studies. <i>European Neuropsychopharmacology</i> , 2013, 23, 931-940.	0.3	54

#	ARTICLE	IF	CITATIONS
289	Guided exploration of genomic risk for gray matter abnormalities in schizophrenia using parallel independent component analysis with reference. <i>NeuroImage</i> , 2013, 83, 384-396.	2.1	48
290	State-related functional integration and functional segregation brain networks in schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 450-458.	1.1	37
291	Semantic association fMRI impairments represent a potential schizophrenia biomarker. <i>Schizophrenia Research</i> , 2013, 145, 20-26.	1.1	12
292	Disrupted correlation between low frequency power and connectivity strength of resting state brain networks in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 165-171.	1.1	70
293	Robust Changes in Reward Circuitry During Reward Loss in Current and Former Cocaine Users During Performance of a Monetary Incentive Delay Task. <i>Biological Psychiatry</i> , 2013, 74, 529-537.	0.7	56
294	Is Aberrant Functional Connectivity A Psychosis Endophenotype? A Resting State Functional Magnetic Resonance Imaging Study. <i>Biological Psychiatry</i> , 2013, 74, 458-466.	0.7	202
295	Mentalizing and motivation neural function during social interactions in autism spectrum disorders. <i>NeuroImage: Clinical</i> , 2013, 3, 321-331.	1.4	55
296	Impairment in Semantic Retrieval is Associated with Symptoms in Schizophrenia but not Bipolar Disorder. <i>Biological Psychiatry</i> , 2013, 73, 555-564.	0.7	25
297	Are structural brain abnormalities associated with suicidal behavior in patients with psychotic disorders?. <i>Journal of Psychiatric Research</i> , 2013, 47, 1389-1395.	1.5	97
298	Global Prefrontal and Fronto-Amygdala Dysconnectivity in Bipolar I Disorder with Psychosis History. <i>Biological Psychiatry</i> , 2013, 73, 565-573.	0.7	240
299	Monetary Reward Processing in Obese Individuals With and Without Binge Eating Disorder. <i>Biological Psychiatry</i> , 2013, 73, 877-886.	0.7	180
300	Default mode network activity and white matter integrity in healthy middle-aged ApoE4 carriers. <i>Brain Imaging and Behavior</i> , 2013, 7, 60-67.	1.1	54
301	A large scale (N=102) functional neuroimaging study of response inhibition in a Go/NoGo task. <i>Behavioural Brain Research</i> , 2013, 256, 529-536.	1.2	92
302	Reimagining psychoses: An agnostic approach to diagnosis. <i>Schizophrenia Research</i> , 2013, 146, 10-16.	1.1	77
303	Confirmatory factor analysis reveals a latent cognitive structure common to bipolar disorder, schizophrenia, and normal controls. <i>Bipolar Disorders</i> , 2013, 15, 422-433.	1.1	39
304	Three-way (N-way) fusion of brain imaging data based on mCCA+jICA and its application to discriminating schizophrenia. <i>NeuroImage</i> , 2013, 66, 119-132.	2.1	154
305	Mobility impairment is associated with reduced microstructural integrity of the inferior and superior cerebellar peduncles in elderly with no clinical signs of cerebellar dysfunction. <i>NeuroImage: Clinical</i> , 2013, 2, 332-340.	1.4	21
306	Gray Matter Volume as an Intermediate Phenotype for Psychosis: Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP). <i>American Journal of Psychiatry</i> , 2013, 170, 1285-1296.	4.0	148

#	ARTICLE	IF	CITATIONS
307	Reduced White Matter Integrity in Sibling Pairs Discordant for Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2013, 170, 1317-1325.	4.0	46
308	Influence of Alcohol Use on Neural Response to Go/No-Go Task in College Drinkers. <i>Neuropsychopharmacology</i> , 2013, 38, 2197-2208.	2.8	85
309	Neuropsychological Impairments in Schizophrenia and Psychotic Bipolar Disorder: Findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Study. <i>American Journal of Psychiatry</i> , 2013, 170, 1275-1284.	4.0	320
310	Diffusion Tensor Imaging White Matter Endophenotypes in Patients With Schizophrenia or Psychotic Bipolar Disorder and Their Relatives. <i>American Journal of Psychiatry</i> , 2013, 170, 886-898.	4.0	176
311	Clinical Phenotypes of Psychosis in the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP). <i>American Journal of Psychiatry</i> , 2013, 170, 1263-1274.	4.0	282
312	Family history of psychosis moderates early auditory cortical response abnormalities in non-psychotic bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 774-786.	1.1	18
313	Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2013, 4, 92.	1.3	62
314	Combination of Resting State fMRI, DTI, and sMRI Data to Discriminate Schizophrenia by N-way MCCA+ICA. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 235.	1.0	90
315	Functional brain networks associated with cognitive control, cocaine dependence, and treatment outcome.. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 477-488.	1.4	78
316	Brain Connectivity Networks in Schizophrenia Underlying Resting State Functional Magnetic Resonance Imaging. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 2415-2425.	1.0	125
317	Semantic Clustering of Category Fluency in Schizophrenia Examined with Singular Value Decomposition. <i>Journal of the International Neuropsychological Society</i> , 2012, 18, 565-575.	1.2	26
318	Examining the effect of psychopathic traits on gray matter volume in a community substance abuse sample. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 91-100.	0.9	51
319	Total white matter hyperintensity volume in bipolar disorder patients and their healthy relatives. <i>Bipolar Disorders</i> , 2012, 14, 888-893.	1.1	34
320	Diminished Frontostriatal Activity During Processing of Monetary Rewards and Losses in Pathological Gambling. <i>Biological Psychiatry</i> , 2012, 71, 749-757.	0.7	268
321	Differences in Resting-State Functional Magnetic Resonance Imaging Functional Network Connectivity Between Schizophrenia and Psychotic Bipolar Probands and Their Unaffected First-Degree Relatives. <i>Biological Psychiatry</i> , 2012, 71, 881-889.	0.7	246
322	Neural Activations During Auditory Oddball Processing Discriminating Schizophrenia and Psychotic Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 72, 766-774.	0.7	60
323	Attending to Striatal Ups and Downs in Addictions. <i>Biological Psychiatry</i> , 2012, 72, e25-e26.	0.7	20
324	A large scale multivariate parallel ICA method reveals novel imaging-genetic relationships for Alzheimer's disease in the ADNI cohort. <i>NeuroImage</i> , 2012, 60, 1608-1621.	2.1	111

#	ARTICLE	IF	CITATIONS
325	Multifaceted genomic risk for brain function in schizophrenia. <i>NeuroImage</i> , 2012, 61, 866-875.	2.1	42
326	Cortical structural abnormalities in deficit versus nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2012, 136, 51-54.	1.1	52
327	Constrained Source-Based Morphometry Identifies Structural Networks Associated with Default Mode Network. <i>Brain Connectivity</i> , 2012, 2, 33-43.	0.8	29
328	A Selective Review of Multimodal Fusion Methods in Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 27.	1.0	58
329	High Classification Accuracy for Schizophrenia with Rest and Task fMRI Data. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 145.	1.0	100
330	White matter integrity and behavioral activation in healthy subjects. <i>Human Brain Mapping</i> , 2012, 33, 994-1002.	1.9	25
331	Imaging human reward processing with positron emission tomography and functional magnetic resonance imaging. <i>Psychopharmacology</i> , 2012, 221, 67-77.	1.5	44
332	D-Cycloserine for Treatment Nonresponders With Obsessive-Compulsive Disorder: A Case Report. <i>Cognitive and Behavioral Practice</i> , 2012, 19, 338-345.	0.9	4
333	Prefrontal cortical response to emotional faces in individuals with major depressive disorder in remission. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 30-37.	0.9	42
334	Reward-Related Dorsal Striatal Activity Differences between Former and Current Cocaine Dependent Individuals during an Interactive Competitive Game. <i>PLoS ONE</i> , 2012, 7, e34917.	1.1	34
335	Individuals Family History Positive for Alcoholism Show Functional Magnetic Resonance Imaging Differences in Reward Sensitivity That Are Related to Impulsivity Factors. <i>Biological Psychiatry</i> , 2011, 69, 675-683.	0.7	154
336	An Initial Study of Neural Responses to Monetary Incentives as Related to Treatment Outcome in Cocaine Dependence. <i>Biological Psychiatry</i> , 2011, 70, 553-560.	0.7	130
337	Discriminating schizophrenia and bipolar disorder by fusing fMRI and DTI in a multimodal CCA+ joint ICA model. <i>NeuroImage</i> , 2011, 57, 839-855.	2.1	218
338	Characterization of groups using composite kernels and multi-source fMRI analysis data: Application to schizophrenia. <i>NeuroImage</i> , 2011, 58, 526-536.	2.1	73
339	A dimensional approach to the psychosis spectrum between bipolar disorder and schizophrenia: The Schizo-Bipolar Scale. <i>Schizophrenia Research</i> , 2011, 133, 250-254.	1.1	183
340	A Data-Driven Investigation of Gray Matter Function Correlations in Schizophrenia during a Working Memory Task. <i>Frontiers in Human Neuroscience</i> , 2011, 5, 71.	1.0	22
341	A Baseline for the Multivariate Comparison of Resting-State Networks. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 2.	1.2	1,159
342	Components of Cross-Frequency Modulation in Health and Disease. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 59.	1.2	85

#	ARTICLE	IF	CITATIONS
343	ICA-fNORM: Spatial Normalization of fMRI Data Using Intrinsic Group-ICA Networks. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 93.	1.2	28
344	Altered Small-World Brain Networks in Temporal Lobe in Patients with Schizophrenia Performing an Auditory Oddball Task. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 7.	1.2	63
345	Age and Gender but Not Common Chronic Illnesses Predict Odor Identification in Older African Americans. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 777-782.	0.6	17
346	Functional Imaging of Cognitive Control During Acute Alcohol Intoxication. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 156-165.	1.4	72
347	Lateral differences in the default mode network in healthy controls and patients with schizophrenia. <i>Human Brain Mapping</i> , 2011, 32, 654-664.	1.9	62
348	Effect of Exercise Training on Hippocampal Volume in Humans. <i>Research Quarterly for Exercise and Sport</i> , 2011, 82, 585-591.	0.8	12
349	Source-Based Morphometry Analysis of Group Differences in Fractional Anisotropy in Schizophrenia. <i>Brain Connectivity</i> , 2011, 1, 133-145.	0.8	53
350	Average Daily Blood Pressure, Not Office Blood Pressure, Is Associated With Progression of Cerebrovascular Disease and Cognitive Decline in Older People. <i>Circulation</i> , 2011, 124, 2312-2319.	1.6	104
351	Mini-Mental State Exam Performance of Older African Americans: Effect of Age, Gender, Education, Hypertension, Diabetes, and the Inclusion of Serial 7s Subtraction Versus "World" Backward on Score. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 645-652.	0.3	20
352	Altered Topological Properties of Functional Network Connectivity in Schizophrenia during Resting State: A Small-World Brain Network Study. <i>PLoS ONE</i> , 2011, 6, e25423.	1.1	139
353	A Morphometric Analysis of Neuroanatomic Abnormalities in Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010, 22, 173-181.	0.9	17
354	Sex, Drugs, and Cognition: Effects of Marijuana. <i>Journal of Psychoactive Drugs</i> , 2010, 42, 413-424.	1.0	54
355	A method for evaluating dynamic functional network connectivity and task-modulation: application to schizophrenia. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2010, 23, 351-366.	1.1	544
356	Decreased prefrontal cortex activity in mild traumatic brain injury during performance of an auditory oddball task. <i>Brain Imaging and Behavior</i> , 2010, 4, 232-247.	1.1	73
357	Disruptions in Functional Network Connectivity During Alcohol Intoxicated Driving. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 479-487.	1.4	30
358	White Matter Hyperintensities Predict Functional Decline in Voiding, Mobility, and Cognition in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 275-281.	1.3	96
359	Aberrant processing of deviant stimuli in schizophrenia revealed by fusion of fMRI and EEG data. <i>Acta Neuropsychiatrica</i> , 2010, 22, 127-138.	1.0	77
360	A Hybrid Machine Learning Method for Fusing fMRI and Genetic Data: Combining both Improves Classification of Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2010, 4, 192.	1.0	167

#	ARTICLE	IF	CITATIONS
361	Cranial Volume, Mild Cognitive Deficits, and Functional Limitations Associated with Diabetes in a Community Sample. Archives of Clinical Neuropsychology, 2010, 25, 49-59.	0.3	42
362	A neuropsychological study of personality: Trait openness in relation to intelligence, fluency, and executive functioning. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 1068-1073.	0.8	45
363	Efficacy of D-Cycloserine for Enhancing Response to Cognitive-Behavior Therapy for Panic Disorder. Biological Psychiatry, 2010, 67, 365-370.	0.7	249
364	Brain Connectivity Is Not Only Lower but Different in Schizophrenia: A Combined Anatomical and Functional Approach. Biological Psychiatry, 2010, 68, 61-69.	0.7	424
365	Genetic Associations of Brain Structural Networks in Schizophrenia: A Preliminary Study. Biological Psychiatry, 2010, 68, 657-666.	0.7	49
366	Gray-matter abnormalities in deficit schizophrenia. Schizophrenia Research, 2010, 120, 63-70.	1.1	84
367	A CCA+ICA based model for multi-task brain imaging data fusion and its application to schizophrenia. NeuroImage, 2010, 51, 123-134.	2.1	86
368	Abnormal functional connectivity of default mode sub-networks in autism spectrum disorder patients. NeuroImage, 2010, 53, 247-256.	2.1	590
369	Sex Differences in the Effects of Marijuana on Simulated Driving Performance. Journal of Psychoactive Drugs, 2010, 42, 19-30.	1.0	54
370	Does function follow form?: Methods to fuse structural and functional brain images show decreased linkage in schizophrenia. NeuroImage, 2010, 49, 2626-2637.	2.1	44
371	Anomalous neural circuit function in schizophrenia during a virtual Morris water task. NeuroImage, 2010, 49, 3373-3384.	2.1	65
372	A pilot multivariate parallel ICA study to investigate differential linkage between neural networks and genetic profiles in schizophrenia. NeuroImage, 2010, 53, 1007-1015.	2.1	50
373	Accounting for estimated IQ in neuropsychological test performance with regression-based techniques. Journal of the International Neuropsychological Society, 2009, 15, 1012-1022.	1.2	75
374	White Matter Abnormalities and Cognition in a Community Sample. Archives of Clinical Neuropsychology, 2009, 24, 209-217.	0.3	52
375	Molecular neurodevelopment: An <i>in vivo</i> ³¹ P- ¹ H MRSI study. Journal of the International Neuropsychological Society, 2009, 15, 671-683.	1.2	21
376	Multisite Collaborations and Large Databases in Psychiatric Neuroimaging: Advantages, Problems, and Challenges. Schizophrenia Bulletin, 2009, 35, 1-2.	2.3	48
377	Brain network dynamics during error commission. Human Brain Mapping, 2009, 30, 24-37.	1.9	101
378	Combining fMRI and SNP data to investigate connections between brain function and genetics using parallel ICA. Human Brain Mapping, 2009, 30, 241-255.	1.9	237

#	ARTICLE	IF	CITATIONS
379	Alcohol dose effects on brain circuits during simulated driving: An fMRI study. <i>Human Brain Mapping</i> , 2009, 30, 1257-1270.	1.9	71
380	fMRI evidence for multisensory recruitment associated with rapid eye movements during sleep. <i>Human Brain Mapping</i> , 2009, 30, 1705-1722.	1.9	95
381	Changes in the interaction of resting-state neural networks from adolescence to adulthood. <i>Human Brain Mapping</i> , 2009, 30, 2356-2366.	1.9	230
382	A method for accurate group difference detection by constraining the mixing coefficients in an ICA framework. <i>Human Brain Mapping</i> , 2009, 30, 2953-2970.	1.9	47
383	Population admixture modulates risk for alcohol dependence. <i>Human Genetics</i> , 2009, 125, 605-613.	1.8	8
384	Brain Activity Dissociates Mentalization from Motivation During an Interpersonal Competitive Game. <i>Brain Imaging and Behavior</i> , 2009, 3, 24-37.	1.1	41
385	Effects of Alcohol on Performance on a Distraction Task During Simulated Driving. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 617-625.	1.4	49
386	Estudio a gran escala (n = 400) de las diferencias de la sustancia gris en la esquizofrenia mediante morfometr�a optimizada basada en v�xels. <i>Psiquiatria Biologica</i> , 2009, 16, 22-31.	0.0	0
387	Temporal sequence of hemispheric network activation during semantic processing: A functional network connectivity analysis. <i>Brain and Cognition</i> , 2009, 70, 238-246.	0.8	29
388	Absence of established sex differences in patients with schizophrenia on a two-dimensional object array task. <i>Psychiatry Research</i> , 2009, 166, 158-165.	1.7	9
389	Endophenotypes in schizophrenia: A selective review. <i>Schizophrenia Research</i> , 2009, 109, 24-37.	1.1	179
390	Treating Dementia: Progress and Promise. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 723-725.	0.6	1
391	Joint source based morphometry identifies linked gray and white matter group differences. <i>NeuroImage</i> , 2009, 44, 777-789.	2.1	70
392	An ICA-based method for the identification of optimal fMRI features and components using combined group-discriminative techniques. <i>NeuroImage</i> , 2009, 46, 73-86.	2.1	105
393	Investigation of relationships between fMRI brain networks in the spectral domain using ICA and Granger causality reveals distinct differences between schizophrenia patients and healthy controls. <i>NeuroImage</i> , 2009, 46, 419-431.	2.1	122
394	Genetic determinants of target and novelty-related event-related potentials in the auditory oddball response. <i>NeuroImage</i> , 2009, 46, 809-816.	2.1	56
395	Age-related cognitive gains are mediated by the effects of white matter development on brain network integration. <i>NeuroImage</i> , 2009, 48, 738-746.	2.1	64
396	Source-based morphometry: The use of independent component analysis to identify gray matter differences with application to schizophrenia. <i>Human Brain Mapping</i> , 2009, 30, 711-724.	1.9	311

#	ARTICLE	IF	CITATIONS
397	Investigating the behavioral and self-report constructs of impulsivity domains using principal component analysis. <i>Behavioural Pharmacology</i> , 2009, 20, 390-399.	0.8	172
398	Evidence for Anomalous Network Connectivity during Working Memory Encoding in Schizophrenia: An ICA Based Analysis. <i>PLoS ONE</i> , 2009, 4, e7911.	1.1	108
399	Polymorphism of DCDC2 Reveals Differences in Cortical Morphology of Healthy Individualsâ€”A Preliminary Voxel Based Morphometry Study. <i>Brain Imaging and Behavior</i> , 2008, 2, 21-26.	1.1	51
400	Physiogenomic Analysis of Localized fMRI Brain Activity in Schizophrenia. <i>Annals of Biomedical Engineering</i> , 2008, 36, 877-888.	1.3	18
401	Temporal lobe and â€œdefaultâ€ hemodynamic brain modes discriminate between schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2008, 29, 1265-1275.	1.9	314
402	Modulation of temporally coherent brain networks estimated using ICA at rest and during cognitive tasks. <i>Human Brain Mapping</i> , 2008, 29, 828-838.	1.9	532
403	Neuropsychological impairment in deficit vs. non-deficit schizophrenia. <i>Journal of Psychiatric Research</i> , 2008, 42, 930-937.	1.5	33
404	Patterns of cranial, brain and sulcal CSF volumes in male and female deficit and nondeficit patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008, 162, 91-100.	0.9	24
405	A large scale (N=400) investigation of gray matter differences in schizophrenia using optimized voxel-based morphometry. <i>Schizophrenia Research</i> , 2008, 101, 95-105.	1.1	110
406	An fMRI study of working memory in first-degree unaffected relatives of schizophrenia patients. <i>Schizophrenia Research</i> , 2008, 104, 85-95.	1.1	53
407	Endophenotypes, Dimensions, Risks: Is Psychosis Analogous to Common Inherited Medical Illnesses?. <i>Clinical EEG and Neuroscience</i> , 2008, 39, 73-77.	0.9	20
408	A method for functional network connectivity among spatially independent resting-state components in schizophrenia. <i>NeuroImage</i> , 2008, 39, 1666-1681.	2.1	861
409	Measuring brain connectivity: Diffusion tensor imaging validates resting state temporal correlations. <i>NeuroImage</i> , 2008, 43, 554-561.	2.1	409
410	Augmentation of Behavior Therapy With<sc>d</sc>-Cycloserine for Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 2008, 165, 335-341.	4.0	359
411	Frequency and bases of abnormal performance by healthy adults on neuropsychological testing. <i>Journal of the International Neuropsychological Society</i> , 2008, 14, 436-445.	1.2	179
412	Aberrant â€œDefault Modeâ€ Functional Connectivity in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 450-457.	4.0	1,004
413	Schizophrenia, Psychiatric Genetics, and Darwinian Psychiatry: An Evolutionary Framework. <i>Schizophrenia Bulletin</i> , 2007, 34, 722-733.	2.3	67
414	A Virtual Reality Apartment as a Measure of Medication Management Skills in Patients With Schizophrenia: A Pilot Study. <i>Schizophrenia Bulletin</i> , 2007, 33, 1162-1170.	2.3	59

#	ARTICLE	IF	CITATIONS
415	An fMRI Auditory Oddball Study of Combined-Subtype Attention Deficit Hyperactivity Disorder. <i>American Journal of Psychiatry</i> , 2007, 164, 1737-1749.	4.0	69
416	Structural and Functional Magnetic Resonance Imaging in Psychiatric Disorders. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 158-166.	0.9	33
417	Serum uric acid and cognitive function in community-dwelling older adults.. <i>Neuropsychology</i> , 2007, 21, 136-140.	1.0	100
418	The relationship of recency discrimination to explicit memory and executive functioning. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 710-5.	1.2	3
419	Functional neural networks underlying response inhibition in adolescents and adults. <i>Behavioural Brain Research</i> , 2007, 181, 12-22.	1.2	210
420	Are brain structural abnormalities useful as endophenotypes in schizophrenia?. <i>International Review of Psychiatry</i> , 2007, 19, 397-406.	1.4	47
421	Neuropsychological Functioning in Bipolar Disorder and Schizophrenia. <i>Biological Psychiatry</i> , 2007, 62, 179-186.	0.7	226
422	Functional neural circuits for mental timekeeping. <i>Human Brain Mapping</i> , 2007, 28, 394-408.	1.9	133
423	Somatic complications of psychotropic medications in a patient with multiple CYP2 drug metabolism deficiencies. <i>Connecticut Medicine</i> , 2007, 71, 197-200.	0.2	6
424	Abnormal Object Recall and Anterior Cingulate Overactivation Correlate with Formal Thought Disorder in Schizophrenia. <i>Biological Psychiatry</i> , 2006, 59, 452-459.	0.7	64
425	A Functional Magnetic Resonance Imaging Study of Working Memory Abnormalities in Schizophrenia. <i>Biological Psychiatry</i> , 2006, 60, 11-21.	0.7	119
426	Simulated Driving and Brain Imaging: <i>Combining Behavior, Brain Activity, and Virtual Reality</i>. <i>CNS Spectrums</i> , 2006, 11, 52-62.	0.7	33
427	The vulnerability to alcohol and substance abuse in individuals diagnosed with schizophrenia. <i>Neurotoxicity Research</i> , 2006, 10, 235-252.	1.3	65
428	DtiStudio: Resource program for diffusion tensor computation and fiber bundle tracking. <i>Computer Methods and Programs in Biomedicine</i> , 2006, 81, 106-116.	2.6	910
429	Neural correlates of the object-recall process in semantic memory. <i>Psychiatry Research - Neuroimaging</i> , 2006, 147, 115-126.	0.9	75
430	A method for multitask fMRI data fusion applied to schizophrenia. <i>Human Brain Mapping</i> , 2006, 27, 598-610.	1.9	149
431	Decreased frontal white-matter volume in chronic substance abuse. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 147.	1.0	94
432	The use of word-reading to estimate "premorbid" ability in cognitive domains other than intelligence. <i>Journal of the International Neuropsychological Society</i> , 2005, 11, 784-7.	1.2	54

#	ARTICLE	IF	CITATIONS
433	Source density-driven independent component analysis approach for fMRI data. <i>Human Brain Mapping</i> , 2005, 25, 297-307.	1.9	17
434	fMRI Hippocampal Activity During a Virtual Radial Arm Maze. <i>Applied Psychophysiology Biofeedback</i> , 2005, 30, 307-317.	1.0	53
435	An adaptive reflexive processing model of neurocognitive function: supporting evidence from a large scale (n = 100) fMRI study of an auditory oddball task. <i>NeuroImage</i> , 2005, 25, 899-915.	2.1	229
436	Hippocampal and ventricular volumes in psychotic and nonpsychotic bipolar patients compared with schizophrenia patients and community control subjects: A pilot study. <i>Biological Psychiatry</i> , 2005, 57, 633-639.	0.7	162
437	Diffusion Tensor Imaging in Schizophrenia. <i>Biological Psychiatry</i> , 2005, 58, 921-929.	0.7	305
438	Driving Simulator Performance in Schizophrenia. <i>Schizophrenia Research</i> , 2005, 74, 121-122.	1.1	17
439	Voxel-based morphometry versus region of interest: a comparison of two methods for analyzing gray matter differences in schizophrenia. <i>Schizophrenia Research</i> , 2005, 74, 135-147.	1.1	235
440	Alternative Forms of the Rey Auditory Verbal Learning Test: A Review. <i>Behavioural Neurology</i> , 2004, 15, 99-107.	1.1	55
441	Prefrontal Cortex, Structural Analysis: Segmenting the Prefrontal Cortex. <i>American Journal of Psychiatry</i> , 2004, 161, 1978-1978.	4.0	1
442	Alcohol Intoxication Effects on Simulated Driving: Exploring Alcohol-Dose Effects on Brain Activation Using Functional MRI. <i>Neuropsychopharmacology</i> , 2004, 29, 2097-2107.	2.8	169
443	Neuroanatomic Variation in Monozygotic Twin Pairs Discordant for the Narrow Phenotype for Autism. <i>American Journal of Psychiatry</i> , 2004, 161, 539-546.	4.0	127
444	Functional MRI study of a serial reaction time task in Huntington's disease. <i>Psychiatry Research - Neuroimaging</i> , 2004, 131, 23-30.	0.9	84
445	Alcohol intoxication effects on visual perception: An fMRI study. <i>Human Brain Mapping</i> , 2004, 21, 15-26.	1.9	66
446	Aberrant localization of synchronous hemodynamic activity in auditory cortex reliably characterizes schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 842-849.	0.7	89
447	How well does IQ predict neuropsychological test performance in normal adults?. <i>Journal of the International Neuropsychological Society</i> , 2004, 10, 82-90.	1.2	83
448	Morphometric Assessment of the Heteromodal Association Cortex in Schizophrenia. <i>American Journal of Psychiatry</i> , 2004, 161, 322-331.	4.0	92
449	Prodromal Assessment With the Structured Interview for Prodromal Syndromes and the Scale of Prodromal Symptoms: Predictive Validity, Interrater Reliability, and Training to Reliability. <i>Schizophrenia Bulletin</i> , 2003, 29, 703-715.	2.3	1,492
450	Examining the range of normal intraindividual variability in neuropsychological test performance. <i>Journal of the International Neuropsychological Society</i> , 2003, 9, 864-870.	1.2	132

#	ARTICLE	IF	CITATIONS
451	MRI parcellation of the frontal lobe in boys with attention deficit hyperactivity disorder or Tourette syndrome. <i>Psychiatry Research - Neuroimaging</i> , 2002, 116, 63-81.	0.9	149
452	Different activation dynamics in multiple neural systems during simulated driving. <i>Human Brain Mapping</i> , 2002, 16, 158-167.	1.9	235
453	Regional cortical white matter reductions in velocardiofacial syndrome: a volumetric MRI analysis. <i>Biological Psychiatry</i> , 2001, 49, 677-684.	0.7	159
454	Diffusion Tensor Imaging and Axonal Tracking in the Human Brainstem. <i>NeuroImage</i> , 2001, 14, 723-735.	2.1	484
455	Cerebral blood flow in obsessive-compulsive patients with major depression: effect of treatment with sertraline or desipramine on treatment responders and non-responders. <i>Psychiatry Research - Neuroimaging</i> , 2001, 108, 89-100.	0.9	40
456	The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. <i>American Journal of Psychiatry</i> , 2001, 158, 1258-1264.	4.0	138
457	Elucidating the contributions of processing speed, executive ability, and frontal lobe volume to normal age-related differences in fluid intelligence. <i>Journal of the International Neuropsychological Society</i> , 2000, 6, 52-61.	1.2	176
458	MRI findings differentiate between late-onset schizophrenia and late-life mood disorder. <i>International Journal of Geriatric Psychiatry</i> , 2000, 15, 954-960.	1.3	32
459	White matter hyperintensity volume in late-onset and early-onset schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2000, 15, 1085-1089.	1.3	34
460	Measurement of the planum temporale (PT) on magnetic resonance imaging scans: temporal PT alone and with parietal extension. <i>Psychiatry Research - Neuroimaging</i> , 2000, 98, 103-116.	0.9	21
461	New insights on the neuroanatomy of schizophrenia. <i>Current Psychiatry Reports</i> , 1999, 1, 41-45.	2.1	5
462	Structural brain imaging in schizophrenia: a selective review. <i>Biological Psychiatry</i> , 1999, 46, 627-649.	0.7	156
463	SCHIZOPHRENIA IN LATE LIFE: RECENT ADVANCES. <i>American Journal of Geriatric Psychiatry</i> , 1999, 7, 11.	0.6	0
464	Structural and functional brain changes in bipolar disorder: a selective review. <i>Schizophrenia Research</i> , 1999, 39, 133-140.	1.1	37
465	Lack of normal pattern of cerebral asymmetry in familial schizophrenic patients and their relatives – The Maudsley Family Study. <i>Schizophrenia Research</i> , 1999, 40, 111-120.	1.1	82
466	SPECT brain blood flow changes with continuous ligand infusion during previously-learned WCST performance. <i>Psychiatry Research - Neuroimaging</i> , 1998, 82, 47-52.	0.9	16
467	Mesial temporal lobe measurements on magnetic resonance imaging scans. <i>Psychiatry Research - Neuroimaging</i> , 1998, 83, 85-94.	0.9	50
468	Structural Evaluation of the Prefrontal Cortex in Schizophrenia. <i>American Journal of Psychiatry</i> , 1998, 155, 1049-1055.	4.0	295

#	ARTICLE	IF	CITATIONS
469	Site of Opioid Action in the Human Brain: Mu and Kappa Agonists' Subjective and Cerebral Blood Flow Effects. <i>American Journal of Psychiatry</i> , 1998, 155, 470-473.	4.0	137
470	Brain changes in schizophrenia. <i>British Journal of Psychiatry</i> , 1998, 173, 132-138.	1.7	102
471	Quantitative MRI volume changes in late onset schizophrenia and Alzheimer's disease compared to normal controls. <i>Psychiatry Research - Neuroimaging</i> , 1997, 68, 65-75.	0.9	62
472	Basal ganglia volume in adults with Down syndrome. <i>Psychiatry Research - Neuroimaging</i> , 1997, 74, 73-82.	0.9	40
473	Measurement of frontal lobe volume on magnetic resonance imaging scans. <i>Psychiatry Research - Neuroimaging</i> , 1997, 75, 23-30.	0.9	29
474	Medial and superior temporal gyral volumes and cerebral asymmetry in schizophrenia versus bipolar disorder. <i>Biological Psychiatry</i> , 1997, 41, 1-14.	0.7	384
475	Superior temporal gyrus and planum temporale in schizophrenia: A selective review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1997, 21, 1203-1229.	2.5	129
476	Neuroimaging in Affective Disorders: Accomplishments and Shortfalls. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1997, 6, 413-430.	1.0	2
477	Quantification of Neuroreceptors in the Living Human Brain: IV. Effect of Aging and Elevations of D2-Like Receptors in Schizophrenia and Bipolar Illness. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 331-342.	2.4	117
478	Exploratory factor analysis of MRI brain structure measures in schizophrenia. <i>Schizophrenia Research</i> , 1996, 19, 93-101.	1.1	44
479	Striatal dopamine D2 receptor quantification and superior temporal gyrus: Volume determination in 14 chronic schizophrenic subjects. <i>Psychiatry Research - Neuroimaging</i> , 1996, 67, 155-158.	0.9	36
480	Major Depression in Alzheimer's Disease. <i>Psychosomatics</i> , 1996, 37, 380-384.	2.5	52
481	Schizophrenia, the heteromodal association neocortex and development: potential for a neurogenetic approach. <i>Trends in Neurosciences</i> , 1996, 19, 171-176.	4.2	147
482	CT measurement of suprasellar cistern predicts rate of cognitive decline in Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 1996, 2, 89-95.	1.2	3
483	Eye Movements and Psychopathology in Schizophrenia and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 1996, 184, 331-338.	0.5	69
484	Cingulate gyrus in schizophrenic patients and normal volunteers. <i>Psychiatry Research - Neuroimaging</i> , 1995, 61, 201-208.	0.9	79
485	Structural differences in the cerebral cortex of healthy female and male subjects: a magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 1995, 61, 129-135.	0.9	194
486	Asymmetry of the planum temporale: methodological considerations and clinical associations. <i>Psychiatry Research - Neuroimaging</i> , 1995, 61, 137-150.	0.9	56

#	ARTICLE	IF	CITATIONS
487	Posterior superior temporal gyrus in schizophrenia: grey matter changes and clinical correlates. <i>Schizophrenia Research</i> , 1995, 16, 127-135.	1.1	138
488	Mapping of SPECT regional cerebral perfusion abnormalities in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 1994, 1, 237-248.	1.9	16
489	MRI-guided region of interest placement on emission computed tomograms. <i>Psychiatry Research - Neuroimaging</i> , 1993, 50, 57-63.	0.9	12
490	Dopamine D2 receptor density estimates in schizophrenia: A positron emission tomography study with ¹¹ C-N-methylspiperone. <i>Psychiatry Research</i> , 1993, 49, 219-237.	1.7	111
491	Dr. Aylward and Colleagues Reply. <i>American Journal of Psychiatry</i> , 1993, 150, 846-a-847.	4.0	3
492	Magnetic resonance imaging in autism: measurement of the cerebellum, pons, and fourth ventricle. <i>Biological Psychiatry</i> , 1992, 31, 491-504.	0.7	222
493	Cortical circumferential profile of SPECT cerebral perfusion in Alzheimer's disease. <i>Psychiatry Research - Neuroimaging</i> , 1991, 40, 167-180.	0.9	31
494	Disengagement of attention in schizophrenia. <i>Psychiatry Research</i> , 1991, 37, 139-146.	1.7	58
495	User-friendly method for rapid brain and CSF volume calculation using transaxial MRI images. <i>Psychiatry Research - Neuroimaging</i> , 1991, 40, 61-68.	0.9	41
496	Effects of Substance Abuse on Ventricular and Sulcal Measures Assessed by Computerised Tomography. <i>British Journal of Psychiatry</i> , 1991, 159, 217-221.	1.7	26
497	Centrum semiovale white matter CT changes associated with normal ageing, Alzheimer's disease and late life depression with and without reversible dementia. <i>Psychological Medicine</i> , 1991, 21, 321-328.	2.7	27
498	Suprasellar cistern measures as a reflection of dementia in Alzheimer's disease but not Huntington's disease. <i>Journal of Psychiatric Research</i> , 1991, 25, 31-47.	1.5	13
499	PET Scans in Schizophrenia: What Have We Learned?. <i>Annals of Clinical Psychiatry</i> , 1991, 3, 97-101.	0.6	2
500	Language performance deficits in elderly depressed patients. <i>Aphasiology</i> , 1990, 4, 197-205.	1.4	3
501	Demonstration of naturalistic methods for cocaine smoking by human volunteers. <i>Drug and Alcohol Dependence</i> , 1990, 26, 145-154.	1.6	63
502	Handbook of Schizophrenia, vol. 1: The Neurology of Schizophrenia. <i>American Journal of Psychiatry</i> , 1990, 147, 248-a-249.	4.0	43
503	Structural brain CT changes and cognitive deficits in elderly depressives with and without reversible dementia (â€œpseudodementiaâ€™). <i>Psychological Medicine</i> , 1989, 19, 573-584.	2.7	148
504	Marijuana and cocaine interactions in humans: Cardiovascular consequences. <i>Pharmacology Biochemistry and Behavior</i> , 1987, 28, 459-464.	1.3	79

#	ARTICLE	IF	CITATIONS
505	Schizophrenia: An Integrative View. American Journal of Psychiatry, 1987, 144, 955-956.	4.0	1
506	Cerebral ventricular size and cerebrospinal fluid acetylcholinesterase levels in senile dementia of the Alzheimer type. Psychiatry Research, 1986, 17, 23-29.	1.7	22
507	Normal Aging, Alzheimer's Disease, and Senile Dementia: Aspects on Etiology, Pathogenesis, Diagnosis and Treatment. American Journal of Psychiatry, 1986, 143, 1302-1302.	4.0	3
508	Lateral ventricular enlargement associated with persistent unemployment and negative symptoms in both schizophrenia and bipolar disorder. Psychiatry Research, 1984, 12, 1-9.	1.7	140
509	Effect of anterior-posterior lesion location on the asymmetrical behavioral and biochemical response to cortical suction ablations in the rat. Brain Research, 1984, 293, 241-250.	1.1	31
510	Mood Change following Bilateral Hemisphere Brain Injury. British Journal of Psychiatry, 1983, 143, 266-273.	1.7	121
511	Use of CT scanning in psychiatry. Psychosomatics, 1982, 23, 993-1004.	2.5	2
512	Intracortical kainic acid induces an assymetrical behavioral response in the rat. Brain Research, 1982, 239, 303-309.	1.1	21
513	CT scan and neuropsychological correlates of Alzheimer's Disease and Huntington's Disease. Brain and Cognition, 1982, 1, 177-184.	0.8	8
514	Suction lesions of the frontal cerebral cortex in the rat induce asymmetrical behavioral and catecholaminergic responses. Brain Research, 1981, 218, 233-242.	1.1	105