## Jose L Ayuso-Mateos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6005940/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global burden of depressive disorders in the year 2000. British Journal of Psychiatry, 2004, 184, 386-392.	2.8	1,440
2	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. Clinical Practice and Epidemiology in Mental Health, 2007, 3, 5.	1.2	605
3	Innovations and changes in the ICDâ€1 1 classification of mental, behavioural and neurodevelopmental disorders. World Psychiatry, 2019, 18, 3-19.	10.4	505
4	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. Bipolar Disorders, 2007, 9, 103-113.	1.9	497
5	Depressive disorders in Europe: prevalence figures from the ODIN study. British Journal of Psychiatry, 2001, 179, 308-316.	2.8	459
6	Negative life events, social support and gender difference in depression. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 444-451.	3.1	451
7	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 205-214.	3.6	404
8	Functioning and Disability in Bipolar Disorder: An Extensive Review. Psychotherapy and Psychosomatics, 2009, 78, 285-297.	8.8	348
9	The use of the Beck Depression Inventory to screen for depression in the general population: a preliminary analysis. Journal of Affective Disorders, 2000, 57, 261-265.	4.1	324
10	Association of loneliness with all-cause mortality: A meta-analysis. PLoS ONE, 2018, 13, e0190033.	2.5	321
11	Reducing the global burden of depression. British Journal of Psychiatry, 2004, 184, 393-403.	2.8	318
12	Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. Health and Quality of Life Outcomes, 2010, 8, 51.	2.4	318
13	The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). BMC Public Health, 2016, 16, 1098.	2.9	278
14	Loneliness and depression in the elderly: the role of social network. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 381-390.	3.1	274
15	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. American Journal of Psychiatry, 2013, 170, 852-859.	7.2	269
16	The Continuum of Psychotic Symptoms in the General Population: A Cross-national Study. Schizophrenia Bulletin, 2012, 38, 475-485.	4.3	266
17	From depressive symptoms to depressive disorders: the relevance of thresholds. British Journal of Psychiatry, 2010, 196, 365-371.	2.8	247
18	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations, PLoS Medicine, 2011, 8, e1001122	8.4	246

Jose L Ayuso-Mateos

#	Article	IF	CITATIONS
19	Definitions and factors associated with subthreshold depressive conditions: a systematic review. BMC Psychiatry, 2012, 12, 181.	2.6	217
20	Estimating the global burden of disease of mild mental retardation and cardiovascular diseases from environmental lead exposure. Environmental Research, 2004, 94, 120-133.	7.5	206
21	Are loneliness and social isolation associated with cognitive decline?. International Journal of Geriatric Psychiatry, 2019, 34, 1613-1622.	2.7	202
22	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. BMC Medicine, 2015, 13, 79.	5.5	190
23	Suicide-Related Events in Patients Treated with Antiepileptic Drugs. New England Journal of Medicine, 2010, 363, 542-551.	27.0	186
24	Efficacy of antidepressants and benzodiazepines in minor depression: systematic review and meta-analysis. British Journal of Psychiatry, 2011, 198, 11-16.	2.8	182
25	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multiâ€continent study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 312-321.	7.3	182
26	Problem solving treatment and group psychoeducation for depression: multicentre randomised controlled trial. BMJ: British Medical Journal, 2000, 321, 1450-1450.	2.3	180
27	Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. PLoS ONE, 2014, 9, e114742.	2.5	163
28	The Impact of Subjective Well-being on Mortality: A Meta-Analysis of Longitudinal Studies in the General Population. Psychosomatic Medicine, 2017, 79, 565-575.	2.0	161
29	Mental health research priorities for Europe. Lancet Psychiatry, the, 2015, 2, 1036-1042.	7.4	158
30	Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. Journal of Affective Disorders, 2012, 136, 650-659.	4.1	156
31	Developing a science of clinical utility in diagnostic classification systems: Field study strategies for ICD-11 mental and behavioral disorders American Psychologist, 2016, 71, 3-16.	4.2	140
32	Depressive disorders and suicide: Epidemiology, risk factors, and burden. Neuroscience and Biobehavioral Reviews, 2013, 37, 2372-2374.	6.1	131
33	A systematic review of cognitive remediation for schizo-affective and affective disorders. Journal of Affective Disorders, 2012, 142, 13-21.	4.1	130
34	Estimating psychological treatment effects from a randomised controlled trial with both non-compliance and loss to follow-up. British Journal of Psychiatry, 2003, 183, 323-331.	2.8	127
35	Impact of Multimorbidity on Disability and Quality of Life in the Spanish Older Population. PLoS ONE, 2014, 9, e111498.	2.5	122
36	Loneliness, Social Networks, and Health: A Cross-Sectional Study in Three Countries. PLoS ONE, 2016, 11, e0145264.	2.5	121

3

#	Article	IF	CITATIONS
37	Factors associated with suicidal ideation in the general population. British Journal of Psychiatry, 2006, 189, 410-415.	2.8	117
38	Quality of life in bipolar disorder patients: a comparison with a general population sample. Bipolar Disorders, 2008, 10, 625-634.	1.9	112
39	The efficacy of psychotherapy, pharmacotherapy and their combination on functioning and quality of life in depression: a meta-analysis. Psychological Medicine, 2017, 47, 414-425.	4.5	110
40	ROAMER: roadmap for mental health research in Europe. International Journal of Methods in Psychiatric Research, 2014, 23, 1-14.	2.1	109
41	Built Environment and Elderly Population Health: A Comprehensive Literature Review. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 103-115.	1.2	106
42	Towards a clinical staging for bipolar disorder: Defining patient subtypes based on functional outcome. Journal of Affective Disorders, 2013, 144, 65-71.	4.1	105
43	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. Acta Psychiatrica Scandinavica, 2016, 133, 386-398.	4.5	103
44	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. British Journal of Psychiatry, 2016, 208, 87-93.	2.8	95
45	Can adjustment disorder and depressive episode be distinguished? Results from ODIN. Journal of Affective Disorders, 2006, 92, 291-297.	4.1	94
46	Validation of an instrument to evaluate quality of life in the aging population: WHOQOL-AGE. Health and Quality of Life Outcomes, 2013, 11, 177.	2.4	89
47	Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. World Psychiatry, 2013, 12, 251-257.	10.4	89
48	The ICDâ€11 developmental field study of reliability of diagnoses of highâ€burden mental disorders: results among adult patients in mental health settings of 13 countries. World Psychiatry, 2018, 17, 174-186.	10.4	89
49	Identification of personal factors that determine work outcome for adults with intellectual disability. Journal of Intellectual Disability Research, 2008, 52, 1091-1101.	2.0	83
50	Latent class analysis of multimorbidity patterns and associated outcomes in Spanish older adults: a prospective cohort study. BMC Geriatrics, 2017, 17, 186.	2.7	82
51	Schizophrenia treatment in the developing world: an interregional and multinational cost-effectiveness analysis. Bulletin of the World Health Organization, 2008, 86, 542-551.	3.3	81
52	Factors associated with suicidal ideation and attempts in Spain for different age groups. Prevalence before and after the onset of the economic crisis. Journal of Affective Disorders, 2014, 163, 1-9.	4.1	81
53	The prevalence of suicidal ideation in the general population: results from the Outcome of Depression International Network (ODIN) study. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 299-304.	3.1	78
54	Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. Journal of Affective Disorders, 2010, 121, 52-58.	4.1	78

#	Article	lF	CITATIONS
55	Mental Health Professionals' Natural Taxonomies of Mental Disorders: Implications for the Clinical Utility of the ICDâ€11 and the DSMâ€5. Journal of Clinical Psychology, 2013, 69, 1191-1212.	1.9	77
56	Advanced analytical methodologies for measuring healthy ageing and its determinants, using factor analysis and machine learning techniques: the ATHLOS project. Scientific Reports, 2017, 7, 43955.	3.3	77
57	Education and wealth inequalities in healthy ageing in eight harmonised cohorts in the ATHLOS consortium: a population-based study. Lancet Public Health, The, 2020, 5, e386-e394.	10.0	77
58	Cost-effectiveness of clinical interventions for reducing the global burden of bipolar disorder. British Journal of Psychiatry, 2005, 187, 559-567.	2.8	74
59	Multimorbidity Patterns in a National Representative Sample of the Spanish Adult Population. PLoS ONE, 2014, 9, e84794.	2.5	73
60	The association between socioeconomic status and depression among older adults in Finland, Poland and Spain: A comparative cross-sectional study of distinct measures and pathways. Journal of Affective Disorders, 2018, 241, 311-318.	4.1	73
61	Measuring health status in psychiatric community surveys: internal and external validity of the Spanish version of the SF-36. Acta Psychiatrica Scandinavica, 1999, 99, 26-32.	4.5	72
62	Determinants of Health and Disability in Ageing Population: The COURAGE in Europe Project (Collaborative Research on Ageing in Europe). Clinical Psychology and Psychotherapy, 2014, 21, 193-198.	2.7	70
63	Functional Impairment in Patients with Remitted Bipolar Disorder. Psychotherapy and Psychosomatics, 2008, 77, 390-392.	8.8	68
64	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 1-8.	1.8	68
65	The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. BMC Medical Research Methodology, 2010, 10, 45.	3.1	67
66	Machine learning methodologies versus cardiovascular risk scores, in predicting disease risk. BMC Medical Research Methodology, 2018, 18, 179.	3.1	67
67	Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. Journal of Clinical Psychiatry, 2009, 70, 1120-1127.	2.2	67
68	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. International Journal of Geriatric Psychiatry, 2016, 31, 858-867.	2.7	63
69	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. Experimental Gerontology, 2015, 69, 27-35.	2.8	62
70	Clinical utility of ICDâ€11 diagnostic guidelines for highâ€burden mental disorders: results from mental health settings in 13 countries. World Psychiatry, 2018, 17, 306-315.	10.4	62
71	Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. Journal of Affective Disorders, 2006, 96, 9-20.	4.1	60
72	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. Acta Psychiatrica Scandinavica, 2018, 138, 145-154.	4.5	60

#	Article	IF	CITATIONS
73	WHO's Global Clinical Practice Network for mental health. Lancet Psychiatry,the, 2015, 2, 379-380.	7.4	58
74	The effect of exposure to long working hours on depression: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. Environment International, 2021, 155, 106629.	10.0	58
75	Factors associated with neuropsychological performance in HIV-seropositive subjects without AIDS. Psychological Medicine, 2000, 30, 205-217.	4.5	57
76	The association between obesity and back pain in nine countries: a cross-sectional study. BMC Public Health, 2015, 15, 123.	2.9	57
77	Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. Experimental Gerontology, 2015, 64, 70-77.	2.8	56
78	Health and happiness: cross-sectional household surveys in Finland, Poland and Spain. Bulletin of the World Health Organization, 2014, 92, 716-725.	3.3	54
79	Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. International Journal of Environmental Research and Public Health, 2021, 18, 7067.	2.6	53
80	Mental Health in Adults With Mild and Moderate Intellectual Disabilities. Journal of Nervous and Mental Disease, 2009, 197, 182-186.	1.0	52
81	A global clinicians' map of mental disorders to improve ICD-11: Analysing meta-structure to enhance clinical utility. International Review of Psychiatry, 2012, 24, 578-590.	2.8	52
82	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. European Neuropsychopharmacology, 2015, 25, 257-264.	0.7	52
83	Use of the terms "Wellbeing" and "Quality of Life" in health sciences: a conceptual framework. European Journal of Psychiatry, 2014, 28, 50-65.	1.3	52
84	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. Journal of Affective Disorders, 2017, 208, 621-627.	4.1	51
85	Relationship of Somatic Symptoms With Depression Severity, Quality of Life, and Health Resources Utilization in Patients With Major Depressive Disorder Seeking Primary Health Care in Spain. Primary Care Companion To the Journal of Clinical Psychiatry, 2008, 10, 355-362.	0.6	49
86	Population prevalence of depression and mean Beck Depression Inventory score. British Journal of Psychiatry, 2009, 195, 516-519.	2.8	48
87	Psychosocial features of depression: A systematic literature review. Journal of Affective Disorders, 2012, 141, 22-33.	4.1	47
88	The role of unhealthy lifestyles in the incidence and persistence of depression: a longitudinal general population study in four emerging countries. Globalization and Health, 2017, 13, 18.	4.9	47
89	Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. Bipolar Disorders, 2007, 9, 16-24.	1.9	46
90	Understanding the Impact of Brain Disorders: Towards a â€~Horizontal Epidemiology' of Psychosocial Difficulties and Their Determinants. PLoS ONE, 2015, 10, e0136271.	2.5	46

#	Article	IF	CITATIONS
91	Differential impact of transient and chronic loneliness on health status. A longitudinal study. Psychology and Health, 2020, 35, 177-195.	2.2	45
92	Changes in depression and suicidal ideation under severe lockdown restrictions during the first wave of the COVID-19 pandemic in Spain: a longitudinal study in the general population. Epidemiology and Psychiatric Sciences, 2021, 30, e49.	3.9	44
93	Evaluation of thyroid function in lithium-naive bipolar patients. European Psychiatry, 1999, 14, 341-345.	0.2	43
94	Urban-rural differences in the occurrence of female depressive disorder in Europe. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 283-289.	3.1	43
95	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. Psychological Medicine, 2016, 46, 291-301.	4.5	43
96	Regional cerebral blood flow in obsessive-compulsive patients with and without a chronic tic disorder. A SPECT study European Archives of Psychiatry and Clinical Neuroscience, 1999, 249, 156-161.	3.2	42
97	Evidence for the early clinical relevance of hallucinatoryâ€delusional states in the general population. Acta Psychiatrica Scandinavica, 2013, 127, 482-493.	4.5	42
98	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. BMJ Open, 2015, 5, e007313-e007313.	1.9	42
99	Cross-cultural equivalence of the Beck Depression Inventory: A five-country analysis from the ODIN study. Journal of Affective Disorders, 2009, 114, 156-162.	4.1	40
100	Cohort Profile: The Ageing Trajectories of Health – Longitudinal Opportunities and Synergies (ATHLOS) project. International Journal of Epidemiology, 2019, 48, 1052-1053i.	1.9	39
101	Health service use by adults with depression: community survey in five European countries. British Journal of Psychiatry, 2006, 189, 161-167.	2.8	38
102	Visual impairment and multimorbidity in a representative sample of the Spanish population. BMC Public Health, 2014, 14, 815.	2.9	38
103	Lithium and venlafaxine interaction: a case of serotonin syndrome. Journal of Clinical Pharmacy and Therapeutics, 2006, 31, 397-400.	1.5	37
104	Increased Risk of Diabetes Mellitus Among Persons With Psychotic Symptoms. Journal of Clinical Psychiatry, 2011, 72, 1592-1599.	2.2	37
105	Effects of transient and chronic loneliness on major depression in older adults: A longitudinal study. International Journal of Geriatric Psychiatry, 2021, 36, 76-85.	2.7	37
106	Determinants of Health Trajectories in England and the United States: An Approach to Identify Different Patterns of Healthy Aging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1512-1518.	3.6	36
107	Relationship between subjective well-being and healthy lifestyle behaviours in older adults: a longitudinal study. Aging and Mental Health, 2020, 24, 611-619.	2.8	36
108	HIV infection in psychiatric patients: An unlinked anonymous study. British Journal of Psychiatry, 1997, 170, 181-185.	2.8	35

#	Article	IF	CITATIONS
109	Gender-related differences in the multi-pathway effect of social determinants on quality of life in older age—the COURAGE in Europe project. Quality of Life Research, 2017, 26, 1865-1878.	3.1	34
110	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on depression. Environment International, 2019, 125, 515-528.	10.0	34
111	Role of access to personal protective equipment, treatment prioritization decisions, and changes in job functions on health workers' mental health outcomes during the initial outbreak of the COVID-19 pandemic Journal of Affective Disorders, 2021, 295, 405-409.	4.1	34
112	Estimating the prevalence of schizophrenia in Spain using a disease model. Schizophrenia Research, 2006, 86, 194-201.	2.0	33
113	Usefulness of the Beck Depression Inventory as a screening method for depression among the general population of Finland. Scandinavian Journal of Public Health, 2009, 37, 28-34.	2.3	33
114	The role and impact of contextual factors on functioning in patients with bipolar disorder. Disability and Rehabilitation, 2010, 32, S94-S104.	1.8	33
115	Long-term trajectories of depressive symptoms in old age: Relationships with sociodemographic and health-related factors. Journal of Affective Disorders, 2019, 246, 329-337.	4.1	33
116	Longitudinal Relationships Between Positive Affect, Loneliness, and Suicide Ideation: Ageâ€Specific Factors in a General Population. Suicide and Life-Threatening Behavior, 2019, 49, 90-103.	1.9	33
117	Prevalence, Characteristics, and Attribution of Somatic Symptoms in Spanish Patients With Major Depressive Disorder Seeking Primary Health Care. Psychosomatics, 2008, 49, 520-529.	2.5	32
118	Is cognitive impairment associated with suicidality? A population-based study. European Neuropsychopharmacology, 2015, 25, 203-213.	0.7	32
119	Loneliness and depression among older European adults: The role of perceived neighborhood built environment. Health and Place, 2020, 62, 102280.	3.3	32
120	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. International Journal of Epidemiology, 2021, 50, 880-892.	1.9	32
121	Personality disorder, depression and functioning: results from the ODIN study. Journal of Affective Disorders, 2004, 82, 277-283.	4.1	31
122	Cognitive reserve is associated with quality of life: A population-based study. Experimental Gerontology, 2017, 87, 67-73.	2.8	31
123	Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. Aging and Mental Health, 2020, 24, 1533-1542.	2.8	31
124	Validation of a Measure of Subjective Well-Being: An Abbreviated Version of the Day Reconstruction Method. PLoS ONE, 2012, 7, e43887.	2.5	31
125	Multi-Country Evaluation of Affective Experience: Validation of an Abbreviated Version of the Day Reconstruction Method in Seven Countries. PLoS ONE, 2013, 8, e61534.	2.5	31
126	PARADISE 24: A Measure to Assess the Impact of Brain Disorders on People's Lives. PLoS ONE, 2015, 10, e0132410.	2.5	31

#	Article	IF	CITATIONS
127	Quality of life in early phases of panic disorder: Predictive factors. Journal of Affective Disorders, 2006, 94, 127-134.	4.1	30
128	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness―and severity in Spanish primary care patients. Quality of Life Research, 2010, 19, 97-101.	3.1	30
129	Factors associated with active aging in Finland, Poland, and Spain. International Psychogeriatrics, 2014, 26, 1363-1375.	1.0	30
130	Mobility Difficulties, Physical Activity, and All-cause Mortality Risk in a Nationally representative Sample of Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1272-1279.	3.6	30
131	Cost-effectiveness of different clinical interventions for reducing the burden of schizophrenia in Spain. Acta Psychiatrica Scandinavica, 2006, 114, 29-38.	4.5	29
132	Functioning and disability in bipolar disorders: a systematic review of literature using the ICF as a reference. Bipolar Disorders, 2010, 12, 473-482.	1.9	29
133	The Impact of Depression on the Development of Mild Cognitive Impairment over 3 Years of Follow-Up: A Population-Based Study. Dementia and Geriatric Cognitive Disorders, 2017, 43, 155-169.	1.5	29
134	Emotional Distress and Occupational Burnout in Health Care Professionals Serving HIV-Infected Patients: A Comparison with Oncology and Internal Medicine Services. Psychotherapy and Psychosomatics, 1999, 68, 348-356.	8.8	28
135	The International Classification of Functioning, Disability and Health: development of capacity and performance scales. Journal of Clinical Epidemiology, 2011, 64, 1400-1411.	5.0	28
136	Development of the International Classification of Functioning, Disability and Health core sets for bipolar disorders: results of an international consensus process. Disability and Rehabilitation, 2013, 35, 2138-2146.	1.8	28
137	Mediterranean diet and wellbeing: evidence from a nationwide survey. Psychology and Health, 2019, 34, 321-335.	2.2	28
138	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. European Neuropsychopharmacology, 2017, 27, 350-359.	0.7	26
139	Diagnostic classification of irritability and oppositionality in youth: a global field study comparing ICDâ€l 1 with ICDâ€l 0 and DSMâ€5. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 303-312.	5.2	26
140	An international survey examining the impact of the COVID-19 pandemic on telehealth use among mental health professionals. Journal of Psychiatric Research, 2022, 148, 188-196.	3.1	26
141	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. BJPsych Open, 2019, 5, e73.	0.7	25
142	A framework for evidence-based mental health care and policy. Acta Psychiatrica Scandinavica, 2006, 114, 5-11.	4.5	24
143	Financial crisis, austerity, and health in Europe. Lancet, The, 2013, 382, 391-392.	13.7	24
144	Social determinants, health status and 10-year mortality among 10,906 older adults from the English longitudinal study of aging: the ATHLOS project. BMC Public Health, 2018, 18, 1357.	2.9	24

#	Article	IF	CITATIONS
145	Stability of clinically relevant depression symptoms in oldâ€age across 11 cohorts: a multiâ€state study. Acta Psychiatrica Scandinavica, 2019, 140, 541-551.	4.5	24
146	The estimated incidence of depressive disorder and its determinants in the Finnish ODIN sample. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 778-784.	3.1	23
147	Differences Between Younger and Older Adults in the Structure of Suicidal Intent and Its Correlates. American Journal of Geriatric Psychiatry, 2010, 18, 839-847.	1.2	23
148	The Effect of Exclusive Olive Oil Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDIS Epidemiological Studies. Foods, 2019, 8, 25.	4.3	23
149	Predicting long-term recovery from depression in community settings in Western Europe: evidence from ODIN. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 119-126.	3.1	22
150	Psychosocial difficulties from the perspective of persons with neuropsychiatric disorders. Disability and Rehabilitation, 2016, 38, 1134-1145.	1.8	22
151	Sociodemographic Indicators of Health Status Using a Machine Learning Approach and Data from the English Longitudinal Study of Aging (ELSA). Medical Science Monitor, 2019, 25, 1994-2001.	1.1	22
152	Predictors of compliance with psychological interventions offered in the community. Psychological Medicine, 2007, 37, 717.	4.5	21
153	Validation of the Subjective and Objective Family Burden Interview (SOFBI/ECFOS) in primary caregivers to adults with intellectual disabilities living in the community. Journal of Intellectual Disability Research, 2007, 51, 892-901.	2.0	21
154	Associations of Lifestyle Behaviour and Healthy Ageing in Five Latin American and the Caribbean Countries—A 10/66 Population-Based Cohort Study. Nutrients, 2018, 10, 1593.	4.1	21
155	Longitudinal Associations of Sensory and Cognitive Functioning: A Structural Equation Modeling Approach. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2019, 74, 1308-1316.	3.9	21
156	Diagnosis delay in first episodes of major depression: A study of primary care patients in Spain. Journal of Affective Disorders, 2013, 150, 1247-1250.	4.1	20
157	Association of experienced and evaluative well-being with health in nine countries with different income levels: a cross-sectional study. Globalization and Health, 2017, 13, 65.	4.9	20
158	Open trial of fluvoxamine in the treatment of bulimia nervosa. International Journal of Eating Disorders, 1994, 15, 245-249.	4.0	19
159	Hacia una clasificación Internacional de los Trastornos Mentales de la OMS de mayor utilidad clÃnica. Revista De PsiquiatrÃa Y Salud Mental, 2011, 4, 113-116.	1.8	19
160	The state of the art on European well-being research within the area of mental health. International Journal of Clinical and Health Psychology, 2015, 15, 171-179.	5.1	19
161	Predicting suicidal behaviour after first episode of non-affective psychosis: The role of neurocognitive functioning. European Psychiatry, 2018, 53, 52-57.	0.2	19
162	Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. Neuroscience and Biobehavioral Reviews, 2019, 97, 38-46.	6.1	19

#	Article	IF	CITATIONS
163	Exploring the effect of loneliness on all-cause mortality: Are there differences between older adults and younger and middle-aged adults?. Social Science and Medicine, 2020, 258, 113087.	3.8	19
164	Predictors of neurocognitive impairment at 3years after a first episode non-affective psychosis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 43, 23-28.	4.8	18
165	Prevalence of Alcohol Consumption and Pattern of Use among the Elderly in the WHO European Region. European Addiction Research, 2015, 21, 88-96.	2.4	18
166	How much do we know about the functional effectiveness of interventions for depression? A systematic review. Journal of Affective Disorders, 2015, 188, 89-96.	4.1	18
167	Genetic underpinnings of sociability in the general population. Neuropsychopharmacology, 2021, 46, 1627-1634.	5.4	18
168	The Role of Suicide Risk in the Decision for Psychiatric Hospitalization After a Suicide Attempt. Crisis, 2011, 32, 65-73.	1.2	18
169	Calidad de los informes médicos sobre personas que han intentado suicidarse. Revista De PsiquiatrÃa Y Salud Mental, 2010, 3, 13-18.	1.8	17
170	Depresión subclÃnica en España: prevalencia e impacto sobre la salud. Revista De PsiquiatrÃa Y Salud Mental, 2011, 4, 144-149.	1.8	17
171	Categories That Should Be Removed From Mental Disorders Classifications: Perspectives and Rationales of Clinicians From Eight Countries. Journal of Clinical Psychology, 2015, 71, 267-281.	1.9	17
172	Epidemiology of panic attacks, panic disorder and the moderating role of age: Results from a population-based study. Journal of Affective Disorders, 2018, 241, 627-633.	4.1	17
173	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. BJPsych Open, 2019, 5, e67.	0.7	17
174	Pain rates in general population for the period 1991–2015 and 10-years prediction: results from a multi-continent age-period-cohort analysis. Journal of Headache and Pain, 2020, 21, 52.	6.0	17
175	Association between perceived discrimination and mental health outcomes among health workers during the initial COVID-19 outbreak. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	17
176	Course of depression and cognitive decline at 3-year follow-up: The role of age of onset Psychology and Aging, 2019, 34, 475-485.	1.6	17
177	Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. Frontiers in Psychology, 2016, 7, 1342.	2.1	16
178	Implementing the ICF in a psychiatric rehabilitation setting for People with Serious Mental Illness in the Lombardy region of Italy. Disability and Rehabilitation, 2009, 31, S170-S173.	1.8	15
179	Integrating research into policy planning: MHADIE policy recommendations. Disability and Rehabilitation, 2010, 32, S139-S147.	1.8	15
180	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. BMC Psychiatry, 2013, 13, 71.	2.6	15

#	Article	IF	CITATIONS
181	Housing conditions and limitations in physical function among older adults. Journal of Epidemiology and Community Health, 2016, 70, 954-960.	3.7	15
182	Impact of severity and type of depression on quality of life in cases identified in the community. Psychological Medicine, 2010, 40, 2069-2077.	4.5	14
183	Slowed Reaction Time in HIV-1-Seropositive Intravenous Drug Users without AIDS. European Neurology, 2000, 44, 72-78.	1.4	13
184	Estimating depression prevalence from the Beck Depression Inventory: is season of administration a moderator?. Psychiatry Research, 2004, 129, 99-106.	3.3	13
185	Positive Affect Is Inversely Associated with Mortality in Individuals without Depression. Frontiers in Psychology, 2016, 7, 1040.	2.1	13
186	Measurement invariance of the WHOQOL-AGE questionnaire across three European countries. Quality of Life Research, 2018, 27, 1015-1025.	3.1	13
187	Fruit and Vegetable Consumption and Potential Moderators Associated with All-Cause Mortality in a Representative Sample of Spanish Older Adults. Nutrients, 2019, 11, 1794.	4.1	13
188	Mediators of the socioeconomic status and life satisfaction relationship in older adults: a multi-country structural equation modeling approach. Aging and Mental Health, 2021, 25, 585-592.	2.8	13
189	CIE-11 y la despatologización de la condición transgénero. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 65-67.	1.8	13
190	Factors Related to Social Support in Neurological and Mental Disorders. PLoS ONE, 2016, 11, e0149356.	2.5	13
191	The course of depression in late life: a longitudinal perspective. Epidemiology and Psychiatric Sciences, 2020, 29, e147.	3.9	12
192	The psychosocial difficulties in brain disorders that explain short term changes in health outcomes. BMC Psychiatry, 2013, 13, 78.	2.6	11
193	The efficacy of psychotherapy, pharmacotherapy and their combination on functioning and quality of life in depression: a meta-analysis. Psychological Medicine, 2017, 47, 1337-1337.	4.5	11
194	WHO-mhGAP Training in Mexico: Increasing Knowledge and Readiness for the Identification and Management of Depression and Suicide Risk in Primary Care. Archives of Medical Research, 2019, 50, 558-566.	3.3	11
195	Understanding the direct and indirect costs of a first episode of psychosis program: Insights from PAFIP of Cantabria, Spain, during the first year of intervention. Microbial Biotechnology, 2019, 13, 1182-1190.	1.7	11
196	Determinants of Subjective Wellbeing Trajectories in Older Adults: A Growth Mixture Modeling Approach. Journal of Happiness Studies, 2021, 22, 709-726.	3.2	11
197	Episodic Memory and Verbal Fluency Tasks: Normative Data from Nine Nationally Representative Samples. Journal of the International Neuropsychological Society, 2021, 27, 89-98.	1.8	11
198	The interplay between functioning problems and symptoms in first episode of psychosis: An approach from network analysis. Journal of Psychiatric Research, 2021, 136, 265-273.	3.1	11

#	Article	IF	CITATIONS
199	Coping with COVID: risk and resilience factors for mental health in a German representative panel study. Psychological Medicine, 2023, 53, 3897-3907.	4.5	11
200	The Madrid Declaration: why we need a coordinated Europe-wide effort in mental health research. British Journal of Psychiatry, 2011, 198, 253-255.	2.8	10
201	Work Disability and Depressive Disorders. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S62-S68.	1.4	10
202	Inflammatory and metabolic disturbances are associated with more severe trajectories of late-life depression. Psychoneuroendocrinology, 2019, 110, 104443.	2.7	10
203	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. BJPsych Open, 2019, 5, e72.	0.7	10
204	Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110463.	4.8	10
205	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. Experimental Gerontology, 2016, 76, 39-45.	2.8	9
206	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). European Neuropsychopharmacology, 2018, 28, 185-194.	0.7	9
207	Are younger cohorts in the USA and England ageing better?. International Journal of Epidemiology, 2019, 48, 1906-1913.	1.9	9
208	Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. Journal of Psychiatric Research, 2022, 145, 302-308.	3.1	9
209	Predictors of pain in general ageing populations: results from a multi-country analysis based on ATHLOS harmonized database. Journal of Headache and Pain, 2020, 21, 45.	6.0	9
210	From childhood financial hardship to late-life depression: socioeconomic pathways. Aging and Mental Health, 2021, 25, 86-93.	2.8	9
211	Informing the response to COVID-19 in Spain: priorities for mental health research. Revista De PsiquiatrĂa Y Salud Mental, 2021, 14, 79-82.	1.8	9
212	A global field study of the international classification of diseases (ICD-11) mood disorders clinical descriptions and diagnostic guidelines. Journal of Affective Disorders, 2021, 295, 1138-1150.	4.1	9
213	The effect of loneliness and social support on the course of major depressive disorder among adults aged 50 years and older: A longitudinal study. Depression and Anxiety, 2022, 39, 147-155.	4.1	9
214	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. Archives of Public Health, 2022, 80, 142.	2.4	9
215	Explaining functional outcomes in depression treatment: a multilevel modelling approach. Disability and Rehabilitation, 2010, 32, S105-S115.	1.8	8
216	The Patients' Perspective on Relevant Areas and Problems in the Bipolar Spectrum Disorder. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S181-S188.	1.4	8

#	Article	IF	CITATIONS
217	Risk factors for incidence and persistence of disability in chronic major depression and alcohol use disorders: Longitudinal analyses of a population-based study. Health and Quality of Life Outcomes, 2014, 12, 186.	2.4	8
218	Measurement Invariance of the Day Reconstruction Method: Results from the COURAGE in Europe Project. Journal of Happiness Studies, 2016, 17, 1769-1787.	3.2	8
219	Housing conditions and risk of physical function limitations: a prospective study of community-dwelling older adults. Journal of Public Health, 2018, 40, e252-e259.	1.8	8
220	The impact of socioeconomic status on the association between biomedical and psychosocial well-being and all-cause mortality in older Spanish adults. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 259-268.	3.1	8
221	Metabolic dysregulation in older adults with depression and loneliness: The ATHLOS study. Psychoneuroendocrinology, 2021, 123, 104918.	2.7	8
222	Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimer's disease. World Journal of Biological Psychiatry, 2022, 23, 264-277.	2.6	8
223	Distinct quality of depressed mood: an attempt to develop an objective measure. Journal of Affective Disorders, 1987, 13, 241-248.	4.1	7
224	Evaluation of Affect in Mexico and Spain: Psychometric Properties and Usefulness of an Abbreviated Version of the Day Reconstruction Method. Journal of Happiness Studies, 2014, 15, 915-935.	3.2	7
225	Determinants of the components of arterial pressure among older adults – The role of anthropometric and clinical factors: A multi-continent study. Atherosclerosis, 2015, 238, 240-249.	0.8	7
226	Cross ultural comparison of symptom networks in lateâ€life major depressive disorder: Yoruba Africans and the Spanish Population. International Journal of Geriatric Psychiatry, 2020, 35, 1060-1068.	2.7	7
227	Is there a combined effect of depression and cognitive reserve on cognitive function? Findings from a population-based study. Psychology and Health, 2022, 37, 1132-1147.	2.2	7
228	Face mask exemptions, psychiatric patients, and COVID-19. European Psychiatry, 2021, 64, e6.	0.2	7
229	Research in psychopathology in patients with HIV/AIDS and psychiatric services in Spain. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1996, 8, 233-240.	1.2	6
230	The role of personality disorder in †difficult to reach' patients with depression: Findings from the ODIN study. European Psychiatry, 2007, 22, 153-159.	0.2	6
231	Desarrollo profesional en investigación traslacional en neurociencias y salud mental: educación y formación dentro del Centro de Investigación Biomédica en Red en Salud Mental. Revista De PsiquiatrÃa Y Salud Mental, 2015, 8, 65-74.	1.8	6
232	Development of a Combined Sensory-Cognitive Measure Based on the Common Cause Hypothesis: Heterogeneous Trajectories and Associated Risk Factors. Gerontologist, The, 2020, 60, e357-e366.	3.9	6
233	The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. Journal of Affective Disorders, 2020, 266, 424-428.	4.1	6
234	Ageing trajectories of health—longitudinal opportunities and synergies (ATHLOS) Healthy Ageing Scale in adults from 16 international cohorts representing 38 countries worldwide. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-214496.	3.7	6

#	Article	IF	CITATIONS
235	Cognitive function associated with different diagnoses of anxiety disorders over the lifespan: Results from a Spanish representative sample. Journal of Anxiety Disorders, 2020, 75, 102296.	3.2	6
236	Alcohol Drinking and Health in Ageing: A Global Scale Analysis of Older Individual Data through the Harmonised Dataset of ATHLOS. Nutrients, 2020, 12, 1746.	4.1	6
237	AIDS dementia complex: incidence, clinical profile and impact of zidovudine treatment*. European Journal of Neurology, 1996, 3, 191-197.	3.3	5
238	Letter. Psychiatric Services, 2009, 60, 994-994.	2.0	5
239	Prototype diagnosis of psychiatric syndromes and the ICDâ $\in$ 1. World Psychiatry, 2012, 11, 30-31.	10.4	5
240	Analysing Psychosocial Difficulties in Depression: A Content Comparison between Systematic Literature Review and Patient Perspective. BioMed Research International, 2014, 2014, 1-11.	1.9	5
241	What makes the difference in people's lives when they have a mental disorder?. International Journal of Public Health, 2018, 63, 57-67.	2.3	5
242	CIBERSAM: Ten years of collaborative translational research in mental disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 1-8.	0.3	5
243	Suicide prevention: towards an evidence-based policy. Epidemiology and Psychiatric Sciences, 2019, 28, 467-468.	3.9	5
244	Informing the response to COVID-19 in Spain: priorities for mental health research. Revista De PsiquiatrAa Y Salud Mental (English Edition), 2021, 14, 79-82.	0.3	5
245	Cohort Profile: The Spanish Longitudinal Study on Ageing and Health ( <i>Edad Con Salud</i> ). International Journal of Epidemiology, 2022, 51, e189-e199.	1.9	5
246	Subclinical depression in Spain: Prevalence and health impact. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2011, 4, 144-149.	0.3	4
247	Research Recommendations for Improving Measurement of Treatment Effectiveness in Depression. Frontiers in Psychology, 2017, 8, 356.	2.1	4
248	Identifying the Employment Needs of People With Chronic Health Conditions in Europe. Journal of Occupational and Environmental Medicine, 2018, 60, e618-e624.	1.7	4
249	ICD-11 and the depathologisation of the transgender condition. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 65-67.	0.3	4
250	To be happy and behave in a healthier way. A longitudinal study about gender differences in the older population. Psychology and Health, 2021, , 1-17.	2.2	4
251	Are retired people higher in experiential wellbeing than working older adults? A time use approach Emotion, 2020, 20, 1411-1422.	1.8	4
252	Relationship between Dietary Macronutrients Intake and the ATHLOS Healthy Ageing Scale: Results from the Polish Arm of the HAPIEE Study. Nutrients, 2022, 14, 2454.	4.1	4

#	Article	IF	CITATIONS
253	Disability multilevel modelling in first episodes of psychosis at 3-year follow-up. Schizophrenia Research, 2017, 185, 101-106.	2.0	3
254	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. Experimental Gerontology, 2018, 106, 137-144.	2.8	3
255	Validity of the PARADISE24 questionnaire in people with substance use disorders: A measure to assess psychosocial difficulties. Drug and Alcohol Dependence, 2018, 187, 66-71.	3.2	3
256	Functioning profiles in a nationally representative cohort of Spanish older adults: A latent class study. Health and Social Care in the Community, 2020, 28, 2190-2198.	1.6	3
257	Trajectories of Immediate and Delayed Verbal Memory in the Spanish General Population of Middle-aged and Older Adults. Brain Sciences, 2020, 10, 249.	2.3	3
258	A network analysis approach to functioning problems in first psychotic episodes and their relationship with duration of untreated illness: Findings from the PAFIP cohort. Journal of Psychiatric Research, 2021, 136, 483-491.	3.1	3
259	La Convención de Naciones Unidas sobre los Derechos de las Personas con Discapacidad: los efectos del debate. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 230-231.	1.8	3
260	A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project. Health Information Science and Systems, 2022, 10, 6.	5.2	3
261	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimer's disease patients. PLoS ONE, 2022, 17, e0263769.	2.5	3
262	Neurocognitive deficits in patients with human immunodeficiency virus infection. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2012, 106, 589-605.	1.8	2
263	Multidisciplinary Research and Training Network on Health and Disability in Europe. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S1-S4.	1.4	2
264	Recommendations for the prevention and management of suicidal behaviour. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 8-23.	0.3	2
265	Longitudinal properties of the PARADISE24fin questionnaire in treatment of substance use disorders. Addictive Behaviors, 2019, 95, 125-128.	3.0	2
266	The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. Epidemiology and Psychiatric Sciences, 2021, 30, e17.	3.9	2
267	From epidemiology to intervention for depressive disorders in the general population: the ODIN study. World Psychiatry, 2002, 1, 169-74.	10.4	2
268	Late-life disability trajectories in Yoruba Nigerians and the Spanish population: a state space model in continuous time. Aging and Mental Health, 2022, 26, 2447-2453.	2.8	2
269	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQqI	. 1@ <b>3</b> 843	141rgBT /Ov
270	Determinants of Processing Speed Trajectories among Middle Aged or Older Adults, and Their Association with Chronic Illnesses: The English Longitudinal Study of Aging. Life, 2021, 11, 357.	2.4	1

#	Article	IF	CITATIONS
271	Determinants of verbal fluency trajectories among older adults from the English Longitudinal Study of Aging. Applied Neuropsychology Adult, 2021, , 1-10.	1.2	1
272	Documentation of Suicide Risk Assessment in Clinical Records. Psychiatric Services, 2009, 60, 994-994.	2.0	1
273	United Nations Convention on the Rights of Persons with Disabilities: The effects of the debate. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 230-231.	0.3	1
274	HLA and panic disorder. American Journal of Psychiatry, 1993, 150, 838-839.	7.2	0
275	Fluoxetine challenge test and personality dimesions in normal volunteers. European Neuropsychopharmacology, 1994, 4, 319.	0.7	0
276	Conventional antiepileptic drugs are not associated with an increased risk of suicidal behaviour or self-harm. Evidence-Based Mental Health, 2011, 14, 2-2.	4.5	0
277	Enhancing the Human Health Status Prediction: The ATHLOS Project. Applied Artificial Intelligence, 2021, 35, 834-856.	3.2	0
278	Depression in late life: Linking the immunometabolic dysregulation with clinical features. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 181-185.	1.8	0
279	Depression in late life: Linking the immunometabolic dysregulation with clinical features. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 181-185.	0.3	0
280	Methodological challenges in harmonisation of the variables used as indicators of social capital in epidemiological studies of ageing – results of the ATHLOS project. Ageing and Society, 0, , 1-28.	1.7	0