

Jose L Ayuso-Mateos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6005940/publications.pdf>

Version: 2024-02-01

280
papers

17,647
citations

17440

63
h-index

17592

121
g-index

291
all docs

291
docs citations

291
times ranked

20499
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Coping with COVID: risk and resilience factors for mental health in a German representative panel study. <i>Psychological Medicine</i> , 2023, 53, 3897-3907. | 4.5 | 11 |
| 2 | Effect of disease related biases on the subjective assessment of social functioning in Alzheimer's disease and schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2022, 145, 302-308. | 3.1 | 9 |
| 3 | Is there a combined effect of depression and cognitive reserve on cognitive function? Findings from a population-based study. <i>Psychology and Health</i> , 2022, 37, 1132-1147. | 2.2 | 7 |
| 4 | Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimer's disease. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 264-277. | 2.6 | 8 |
| 5 | Relationships between social withdrawal and facial emotion recognition in neuropsychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110463. | 4.8 | 10 |
| 6 | Late-life disability trajectories in Yoruba Nigerians and the Spanish population: a state space model in continuous time. <i>Aging and Mental Health</i> , 2022, 26, 2447-2453. | 2.8 | 2 |
| 7 | The effect of loneliness and social support on the course of major depressive disorder among adults aged 50 years and older: A longitudinal study. <i>Depression and Anxiety</i> , 2022, 39, 147-155. | 4.1 | 9 |
| 8 | An international survey examining the impact of the COVID-19 pandemic on telehealth use among mental health professionals. <i>Journal of Psychiatric Research</i> , 2022, 148, 188-196. | 3.1 | 26 |
| 9 | A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project. <i>Health Information Science and Systems</i> , 2022, 10, 6. | 5.2 | 3 |
| 10 | Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and Alzheimer's disease patients. <i>PLoS ONE</i> , 2022, 17, e0263769. | 2.5 | 3 |
| 11 | The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. <i>Archives of Public Health</i> , 2022, 80, 142. | 2.4 | 9 |
| 12 | Relationship between Dietary Macronutrients Intake and the ATHLOS Healthy Ageing Scale: Results from the Polish Arm of the HAPIEE Study. <i>Nutrients</i> , 2022, 14, 2454. | 4.1 | 4 |
| 13 | Cohort Profile: The Spanish Longitudinal Study on Ageing and Health (<i>Edad Con Salud</i>). <i>International Journal of Epidemiology</i> , 2022, 51, e189-e199. | 1.9 | 5 |
| 14 | Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. <i>International Journal of Epidemiology</i> , 2021, 50, 880-892. | 1.9 | 32 |
| 15 | Determinants of Subjective Wellbeing Trajectories in Older Adults: A Growth Mixture Modeling Approach. <i>Journal of Happiness Studies</i> , 2021, 22, 709-726. | 3.2 | 11 |
| 16 | Diagnostic classification of irritability and oppositionality in youth: a global field study comparing ICD-11 with ICD-10 and DSM-5. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 303-312. | 5.2 | 26 |
| 17 | Effects of transient and chronic loneliness on major depression in older adults: A longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 76-85. | 2.7 | 37 |
| 18 | Metabolic dysregulation in older adults with depression and loneliness: The ATHLOS study. <i>Psychoneuroendocrinology</i> , 2021, 123, 104918. | 2.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A network analysis approach to functioning problems in first psychotic episodes and their relationship with duration of untreated illness: Findings from the PAFIP cohort. <i>Journal of Psychiatric Research</i> , 2021, 136, 483-491. | 3.1 | 3 |
| 20 | Episodic Memory and Verbal Fluency Tasks: Normative Data from Nine Nationally Representative Samples. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 89-98. | 1.8 | 11 |
| 21 | From childhood financial hardship to late-life depression: socioeconomic pathways. <i>Aging and Mental Health</i> , 2021, 25, 86-93. | 2.8 | 9 |
| 22 | Mediators of the socioeconomic status and life satisfaction relationship in older adults: a multi-country structural equation modeling approach. <i>Aging and Mental Health</i> , 2021, 25, 585-592. | 2.8 | 13 |
| 23 | Changes in depression and suicidal ideation under severe lockdown restrictions during the first wave of the COVID-19 pandemic in Spain: a longitudinal study in the general population. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e49. | 3.9 | 44 |
| 24 | The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e17. | 3.9 | 2 |
| 25 | La Convención de Naciones Unidas sobre los Derechos de las Personas con Discapacidad: los efectos del debate. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 230-231. | 1.8 | 3 |
| 26 | Informing the response to COVID-19 in Spain: priorities for mental health research. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 79-82. | 0.3 | 5 |
| 27 | Informing the response to COVID-19 in Spain: priorities for mental health research. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 79-82. | 1.8 | 9 |
| 28 | The interplay between functioning problems and symptoms in first episode of psychosis: An approach from network analysis. <i>Journal of Psychiatric Research</i> , 2021, 136, 265-273. | 3.1 | 11 |
| 29 | Determinants of Processing Speed Trajectories among Middle Aged or Older Adults, and Their Association with Chronic Illnesses: The English Longitudinal Study of Aging. <i>Life</i> , 2021, 11, 357. | 2.4 | 1 |
| 30 | Genetic underpinnings of sociability in the general population. <i>Neuropsychopharmacology</i> , 2021, 46, 1627-1634. | 5.4 | 18 |
| 31 | Determinants of verbal fluency trajectories among older adults from the English Longitudinal Study of Aging. <i>Applied Neuropsychology Adult</i> , 2021, , 1-10. | 1.2 | 1 |
| 32 | Enhancing the Human Health Status Prediction: The ATHLOS Project. <i>Applied Artificial Intelligence</i> , 2021, 35, 834-856. | 3.2 | 0 |
| 33 | Association between perceived discrimination and mental health outcomes among health workers during the initial COVID-19 outbreak. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, , . | 1.8 | 17 |
| 34 | Depression in late life: Linking the immunometabolic dysregulation with clinical features. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 181-185. | 1.8 | 0 |
| 35 | Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7067. | 2.6 | 53 |
| 36 | To be happy and behave in a healthier way. A longitudinal study about gender differences in the older population. <i>Psychology and Health</i> , 2021, , 1-17. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | The effect of exposure to long working hours on depression: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 155, 106629. | 10.0 | 58 |
| 38 | A global field study of the international classification of diseases (ICD-11) mood disorders clinical descriptions and diagnostic guidelines. <i>Journal of Affective Disorders</i> , 2021, 295, 1138-1150. | 4.1 | 9 |
| 39 | Role of access to personal protective equipment, treatment prioritization decisions, and changes in job functions on health workers's mental health outcomes during the initial outbreak of the COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2021, 295, 405-409. | 4.1 | 34 |
| 40 | Face mask exemptions, psychiatric patients, and COVID-19. <i>European Psychiatry</i> , 2021, 64, e6. | 0.2 | 7 |
| 41 | Depression in late life: Linking the immunometabolic dysregulation with clinical features. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2021, 14, 181-185. | 0.3 | 0 |
| 42 | United Nations Convention on the Rights of Persons with Disabilities: The effects of the debate. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2021, 14, 230-231. | 0.3 | 1 |
| 43 | Relationship between subjective well-being and healthy lifestyle behaviours in older adults: a longitudinal study. <i>Aging and Mental Health</i> , 2020, 24, 611-619. | 2.8 | 36 |
| 44 | Development of a Combined Sensory-Cognitive Measure Based on the Common Cause Hypothesis: Heterogeneous Trajectories and Associated Risk Factors. <i>Gerontologist, The</i> , 2020, 60, e357-e366. | 3.9 | 6 |
| 45 | Differential impact of transient and chronic loneliness on health status. A longitudinal study. <i>Psychology and Health</i> , 2020, 35, 177-195. | 2.2 | 45 |
| 46 | Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. <i>Aging and Mental Health</i> , 2020, 24, 1533-1542. | 2.8 | 31 |
| 47 | Loneliness and depression among older European adults: The role of perceived neighborhood built environment. <i>Health and Place</i> , 2020, 62, 102280. | 3.3 | 32 |
| 48 | The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. <i>Journal of Affective Disorders</i> , 2020, 266, 424-428. | 4.1 | 6 |
| 49 | Education and wealth inequalities in healthy ageing in eight harmonised cohorts in the ATHLOS consortium: a population-based study. <i>Lancet Public Health, The</i> , 2020, 5, e386-e394. | 10.0 | 77 |
| 50 | The course of depression in late life: a longitudinal perspective. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e147. | 3.9 | 12 |
| 51 | Ageing trajectories of health longitudinal opportunities and synergies (ATHLOS) Healthy Ageing Scale in adults from 16 international cohorts representing 38 countries worldwide. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-214496. | 3.7 | 6 |
| 52 | Cognitive function associated with different diagnoses of anxiety disorders over the lifespan: Results from a Spanish representative sample. <i>Journal of Anxiety Disorders</i> , 2020, 75, 102296. | 3.2 | 6 |
| 53 | Predictors of pain in general ageing populations: results from a multi-country analysis based on ATHLOS harmonized database. <i>Journal of Headache and Pain</i> , 2020, 21, 45. | 6.0 | 9 |
| 54 | Cross cultural comparison of symptom networks in late life major depressive disorder: Yoruba Africans and the Spanish Population. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1060-1068. | 2.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Pain rates in general population for the period 1991–2015 and 10-years prediction: results from a multi-continent age-period-cohort analysis. <i>Journal of Headache and Pain</i> , 2020, 21, 52. | 6.0 | 17 |
| 56 | Functioning profiles in a nationally representative cohort of Spanish older adults: A latent class study. <i>Health and Social Care in the Community</i> , 2020, 28, 2190-2198. | 1.6 | 3 |
| 57 | Exploring the effect of loneliness on all-cause mortality: Are there differences between older adults and younger and middle-aged adults?. <i>Social Science and Medicine</i> , 2020, 258, 113087. | 3.8 | 19 |
| 58 | Alcohol Drinking and Health in Ageing: A Global Scale Analysis of Older Individual Data through the Harmonised Dataset of ATHLOS. <i>Nutrients</i> , 2020, 12, 1746. | 4.1 | 6 |
| 59 | Trajectories of Immediate and Delayed Verbal Memory in the Spanish General Population of Middle-aged and Older Adults. <i>Brain Sciences</i> , 2020, 10, 249. | 2.3 | 3 |
| 60 | Are retired people higher in experiential wellbeing than working older adults? A time use approach.. <i>Emotion</i> , 2020, 20, 1411-1422. | 1.8 | 4 |
| 61 | Working definitions, subjective and objective assessments and experimental paradigms in a study exploring social withdrawal in schizophrenia and Alzheimer's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 38-46. | 6.1 | 19 |
| 62 | Fruit and Vegetable Consumption and Potential Moderators Associated with All-Cause Mortality in a Representative Sample of Spanish Older Adults. <i>Nutrients</i> , 2019, 11, 1794. | 4.1 | 13 |
| 63 | Are loneliness and social isolation associated with cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1613-1622. | 2.7 | 202 |
| 64 | ICD-11 and the depathologisation of the transgender condition. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 65-67. | 0.3 | 4 |
| 65 | Cohort Profile: The Ageing Trajectories of Health – Longitudinal Opportunities and Synergies (ATHLOS) project. <i>International Journal of Epidemiology</i> , 2019, 48, 1052-1053i. | 1.9 | 39 |
| 66 | Inflammatory and metabolic disturbances are associated with more severe trajectories of late-life depression. <i>Psychoneuroendocrinology</i> , 2019, 110, 104443. | 2.7 | 10 |
| 67 | Stability of clinically relevant depression symptoms in old-age across 11 cohorts: a multi-state study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 541-551. | 4.5 | 24 |
| 68 | Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. <i>BJPsych Open</i> , 2019, 5, e67. | 0.7 | 17 |
| 69 | Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e72. | 0.7 | 10 |
| 70 | Are younger cohorts in the USA and England ageing better?. <i>International Journal of Epidemiology</i> , 2019, 48, 1906-1913. | 1.9 | 9 |
| 71 | CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 1-8. | 0.3 | 5 |
| 72 | Longitudinal properties of the PARADISE24fin questionnaire in treatment of substance use disorders. <i>Addictive Behaviors</i> , 2019, 95, 125-128. | 3.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Suicide prevention: towards an evidence-based policy. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 467-468. | 3.9 | 5 |
| 74 | The Effect of Exclusive Olive Oil Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDIS Epidemiological Studies. <i>Foods</i> , 2019, 8, 25. | 4.3 | 23 |
| 75 | WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on depression. <i>Environment International</i> , 2019, 125, 515-528. | 10.0 | 34 |
| 76 | WHO-mhGAP Training in Mexico: Increasing Knowledge and Readiness for the Identification and Management of Depression and Suicide Risk in Primary Care. <i>Archives of Medical Research</i> , 2019, 50, 558-566. | 3.3 | 11 |
| 77 | Long-term trajectories of depressive symptoms in old age: Relationships with sociodemographic and health-related factors. <i>Journal of Affective Disorders</i> , 2019, 246, 329-337. | 4.1 | 33 |
| 78 | Longitudinal Associations of Sensory and Cognitive Functioning: A Structural Equation Modeling Approach. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2019, 74, 1308-1316. | 3.9 | 21 |
| 79 | Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. <i>World Psychiatry</i> , 2019, 18, 3-19. | 10.4 | 505 |
| 80 | Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 1-8. | 1.8 | 68 |
| 81 | Understanding the direct and indirect costs of a first episode of psychosis program: Insights from PAFIP of Cantabria, Spain, during the first year of intervention. <i>Microbial Biotechnology</i> , 2019, 13, 1182-1190. | 1.7 | 11 |
| 82 | Mediterranean diet and wellbeing: evidence from a nationwide survey. <i>Psychology and Health</i> , 2019, 34, 321-335. | 2.2 | 28 |
| 83 | CIE-11 y la despatologización de la condición transgénero. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 65-67. | 1.8 | 13 |
| 84 | Course of depression and cognitive decline at 3-year follow-up: The role of age of onset. <i>Psychology and Aging</i> , 2019, 34, 475-485. | 1.6 | 17 |
| 85 | Longitudinal Relationships Between Positive Affect, Loneliness, and Suicide Ideation: Age-Specific Factors in a General Population. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 90-103. | 1.9 | 33 |
| 86 | Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. <i>BJPsych Open</i> , 2019, 5, e73. | 0.7 | 25 |
| 87 | Sociodemographic Indicators of Health Status Using a Machine Learning Approach and Data from the English Longitudinal Study of Aging (ELSA). <i>Medical Science Monitor</i> , 2019, 25, 1994-2001. | 1.1 | 22 |
| 88 | Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. <i>Experimental Gerontology</i> , 2018, 106, 137-144. | 2.8 | 3 |
| 89 | Determinants of Health Trajectories in England and the United States: An Approach to Identify Different Patterns of Healthy Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1512-1518. | 3.6 | 36 |
| 90 | Housing conditions and risk of physical function limitations: a prospective study of community-dwelling older adults. <i>Journal of Public Health</i> , 2018, 40, e252-e259. | 1.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | The impact of socioeconomic status on the association between biomedical and psychosocial well-being and all-cause mortality in older Spanish adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 259-268. | 3.1 | 8 |
| 92 | Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154. | 4.5 | 60 |
| 93 | Validity of the PARADISE24 questionnaire in people with substance use disorders: A measure to assess psychosocial difficulties. <i>Drug and Alcohol Dependence</i> , 2018, 187, 66-71. | 3.2 | 3 |
| 94 | Mobility Difficulties, Physical Activity, and All-cause Mortality Risk in a Nationally representative Sample of Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1272-1279. | 3.6 | 30 |
| 95 | A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194. | 0.7 | 9 |
| 96 | What makes the difference in people's lives when they have a mental disorder?. <i>International Journal of Public Health</i> , 2018, 63, 57-67. | 2.3 | 5 |
| 97 | Measurement invariance of the WHOQOL-AGE questionnaire across three European countries. <i>Quality of Life Research</i> , 2018, 27, 1015-1025. | 3.1 | 13 |
| 98 | Machine learning methodologies versus cardiovascular risk scores, in predicting disease risk. <i>BMC Medical Research Methodology</i> , 2018, 18, 179. | 3.1 | 67 |
| 99 | Social determinants, health status and 10-year mortality among 10,906 older adults from the English longitudinal study of aging: the ATHLOS project. <i>BMC Public Health</i> , 2018, 18, 1357. | 2.9 | 24 |
| 100 | Associations of Lifestyle Behaviour and Healthy Ageing in Five Latin American and the Caribbean Countries: A 10/66 Population-Based Cohort Study. <i>Nutrients</i> , 2018, 10, 1593. | 4.1 | 21 |
| 101 | Clinical utility of ICD-11 diagnostic guidelines for high-burden mental disorders: results from mental health settings in 13 countries. <i>World Psychiatry</i> , 2018, 17, 306-315. | 10.4 | 62 |
| 102 | Identifying the Employment Needs of People With Chronic Health Conditions in Europe. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e618-e624. | 1.7 | 4 |
| 103 | The ICD-11 developmental field study of reliability of diagnoses of high-burden mental disorders: results among adult patients in mental health settings of 13 countries. <i>World Psychiatry</i> , 2018, 17, 174-186. | 10.4 | 89 |
| 104 | Epidemiology of panic attacks, panic disorder and the moderating role of age: Results from a population-based study. <i>Journal of Affective Disorders</i> , 2018, 241, 627-633. | 4.1 | 17 |
| 105 | The association between socioeconomic status and depression among older adults in Finland, Poland and Spain: A comparative cross-sectional study of distinct measures and pathways. <i>Journal of Affective Disorders</i> , 2018, 241, 311-318. | 4.1 | 73 |
| 106 | Predicting suicidal behaviour after first episode of non-affective psychosis: The role of neurocognitive functioning. <i>European Psychiatry</i> , 2018, 53, 52-57. | 0.2 | 19 |
| 107 | Association of loneliness with all-cause mortality: A meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0190033. | 2.5 | 321 |
| 108 | Disability multilevel modelling in first episodes of psychosis at 3-year follow-up. <i>Schizophrenia Research</i> , 2017, 185, 101-106. | 2.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Loneliness and depression in the elderly: the role of social network. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 381-390. | 3.1 | 274 |
| 110 | Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359. | 0.7 | 26 |
| 111 | Advanced analytical methodologies for measuring healthy ageing and its determinants, using factor analysis and machine learning techniques: the ATHLOS project. <i>Scientific Reports</i> , 2017, 7, 43955. | 3.3 | 77 |
| 112 | The Impact of Depression on the Development of Mild Cognitive Impairment over 3 Years of Follow-Up: A Population-Based Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 43, 155-169. | 1.5 | 29 |
| 113 | Gender-related differences in the multi-pathway effect of social determinants on quality of life in older ageâ€”the COURAGE in Europe project. <i>Quality of Life Research</i> , 2017, 26, 1865-1878. | 3.1 | 34 |
| 114 | The Impact of Subjective Well-being on Mortality: A Meta-Analysis of Longitudinal Studies in the General Population. <i>Psychosomatic Medicine</i> , 2017, 79, 565-575. | 2.0 | 161 |
| 115 | The role of unhealthy lifestyles in the incidence and persistence of depression: a longitudinal general population study in four emerging countries. <i>Globalization and Health</i> , 2017, 13, 18. | 4.9 | 47 |
| 116 | The efficacy of psychotherapy, pharmacotherapy and their combination on functioning and quality of life in depression: a meta-analysis. <i>Psychological Medicine</i> , 2017, 47, 1337-1337. | 4.5 | 11 |
| 117 | The efficacy of psychotherapy, pharmacotherapy and their combination on functioning and quality of life in depression: a meta-analysis. <i>Psychological Medicine</i> , 2017, 47, 414-425. | 4.5 | 110 |
| 118 | Cognitive reserve is associated with quality of life: A population-based study. <i>Experimental Gerontology</i> , 2017, 87, 67-73. | 2.8 | 31 |
| 119 | High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627. | 4.1 | 51 |
| 120 | Research Recommendations for Improving Measurement of Treatment Effectiveness in Depression. <i>Frontiers in Psychology</i> , 2017, 8, 356. | 2.1 | 4 |
| 121 | Latent class analysis of multimorbidity patterns and associated outcomes in Spanish older adults: a prospective cohort study. <i>BMC Geriatrics</i> , 2017, 17, 186. | 2.7 | 82 |
| 122 | Association of experienced and evaluative well-being with health in nine countries with different income levels: a cross-sectional study. <i>Globalization and Health</i> , 2017, 13, 65. | 4.9 | 20 |
| 123 | Positive Affect Is Inversely Associated with Mortality in Individuals without Depression. <i>Frontiers in Psychology</i> , 2016, 7, 1040. | 2.1 | 13 |
| 124 | Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. <i>Frontiers in Psychology</i> , 2016, 7, 1342. | 2.1 | 16 |
| 125 | Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 858-867. | 2.7 | 63 |
| 126 | Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398. | 4.5 | 103 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Housing conditions and limitations in physical function among older adults. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 954-960. | 3.7 | 15 |
| 128 | Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301. | 4.5 | 43 |
| 129 | Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-continent study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 312-321. | 7.3 | 182 |
| 130 | The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). <i>BMC Public Health</i> , 2016, 16, 1098. | 2.9 | 278 |
| 131 | The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. <i>Experimental Gerontology</i> , 2016, 76, 39-45. | 2.8 | 9 |
| 132 | Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93. | 2.8 | 95 |
| 133 | Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 205-214. | 3.6 | 404 |
| 134 | Measurement Invariance of the Day Reconstruction Method: Results from the COURAGE in Europe Project. <i>Journal of Happiness Studies</i> , 2016, 17, 1769-1787. | 3.2 | 8 |
| 135 | Psychosocial difficulties from the perspective of persons with neuropsychiatric disorders. <i>Disability and Rehabilitation</i> , 2016, 38, 1134-1145. | 1.8 | 22 |
| 136 | Developing a science of clinical utility in diagnostic classification systems: Field study strategies for ICD-11 mental and behavioral disorders.. <i>American Psychologist</i> , 2016, 71, 3-16. | 4.2 | 140 |
| 137 | Loneliness, Social Networks, and Health: A Cross-Sectional Study in Three Countries. <i>PLoS ONE</i> , 2016, 11, e0145264. | 2.5 | 121 |
| 138 | Factors Related to Social Support in Neurological and Mental Disorders. <i>PLoS ONE</i> , 2016, 11, e0149356. | 2.5 | 13 |
| 139 | Understanding the Impact of Brain Disorders: Towards a "Horizontal Epidemiology" of Psychosocial Difficulties and Their Determinants. <i>PLoS ONE</i> , 2015, 10, e0136271. | 2.5 | 46 |
| 140 | The state of the art on European well-being research within the area of mental health. <i>International Journal of Clinical and Health Psychology</i> , 2015, 15, 171-179. | 5.1 | 19 |
| 141 | The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e007313-e007313. | 1.9 | 42 |
| 142 | Desarrollo profesional en investigación traslacional en neurociencias y salud mental: educación y formación dentro del Centro de Investigación Biomédica en Red en Salud Mental. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 65-74. | 1.8 | 6 |
| 143 | Categories That Should Be Removed From Mental Disorders Classifications: Perspectives and Rationales of Clinicians From Eight Countries. <i>Journal of Clinical Psychology</i> , 2015, 71, 267-281. | 1.9 | 17 |
| 144 | The association between obesity and back pain in nine countries: a cross-sectional study. <i>BMC Public Health</i> , 2015, 15, 123. | 2.9 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Prevalence of Alcohol Consumption and Pattern of Use among the Elderly in the WHO European Region. <i>European Addiction Research</i> , 2015, 21, 88-96. | 2.4 | 18 |
| 146 | The role of muscle mass and body fat on disability among older adults: A cross-national analysis. <i>Experimental Gerontology</i> , 2015, 69, 27-35. | 2.8 | 62 |
| 147 | Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatría Y Salud Mental (English)</i> Tj ETQq1 10.784314rgBT /O | | |
| 148 | WHO's Global Clinical Practice Network for mental health. <i>Lancet Psychiatry</i> , 2015, 2, 379-380. | 7.4 | 58 |
| 149 | Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. <i>Experimental Gerontology</i> , 2015, 64, 70-77. | 2.8 | 56 |
| 150 | Strengthening mental health systems in low- and middle-income countries: the Emerald programme. <i>BMC Medicine</i> , 2015, 13, 79. | 5.5 | 190 |
| 151 | Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015, 2, 1036-1042. | 7.4 | 158 |
| 152 | How much do we know about the functional effectiveness of interventions for depression? A systematic review. <i>Journal of Affective Disorders</i> , 2015, 188, 89-96. | 4.1 | 18 |
| 153 | Determinants of the components of arterial pressure among older adults – The role of anthropometric and clinical factors: A multi-continent study. <i>Atherosclerosis</i> , 2015, 238, 240-249. | 0.8 | 7 |
| 154 | Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264. | 0.7 | 52 |
| 155 | Is cognitive impairment associated with suicidality? A population-based study. <i>European Neuropsychopharmacology</i> , 2015, 25, 203-213. | 0.7 | 32 |
| 156 | PARADISE 24: A Measure to Assess the Impact of Brain Disorders on People's Lives. <i>PLoS ONE</i> , 2015, 10, e0132410. | 2.5 | 31 |
| 157 | Multimorbidity Patterns in a National Representative Sample of the Spanish Adult Population. <i>PLoS ONE</i> , 2014, 9, e84794. | 2.5 | 73 |
| 158 | Impact of Multimorbidity on Disability and Quality of Life in the Spanish Older Population. <i>PLoS ONE</i> , 2014, 9, e111498. | 2.5 | 122 |
| 159 | Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. <i>PLoS ONE</i> , 2014, 9, e114742. | 2.5 | 163 |
| 160 | Built Environment and Elderly Population Health: A Comprehensive Literature Review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 103-115. | 1.2 | 106 |
| 161 | Factors associated with active aging in Finland, Poland, and Spain. <i>International Psychogeriatrics</i> , 2014, 26, 1363-1375. | 1.0 | 30 |
| 162 | Risk factors for incidence and persistence of disability in chronic major depression and alcohol use disorders: Longitudinal analyses of a population-based study. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 186. | 2.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Analysing Psychosocial Difficulties in Depression: A Content Comparison between Systematic Literature Review and Patient Perspective. <i>BioMed Research International</i> , 2014, 2014, 1-11. | 1.9 | 5 |
| 164 | Health and happiness: cross-sectional household surveys in Finland, Poland and Spain. <i>Bulletin of the World Health Organization</i> , 2014, 92, 716-725. | 3.3 | 54 |
| 165 | Determinants of Health and Disability in Ageing Population: The COURAGE in Europe Project (Collaborative Research on Ageing in Europe). <i>Clinical Psychology and Psychotherapy</i> , 2014, 21, 193-198. | 2.7 | 70 |
| 166 | ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14. | 2.1 | 109 |
| 167 | Evaluation of Affect in Mexico and Spain: Psychometric Properties and Usefulness of an Abbreviated Version of the Day Reconstruction Method. <i>Journal of Happiness Studies</i> , 2014, 15, 915-935. | 3.2 | 7 |
| 168 | Visual impairment and multimorbidity in a representative sample of the Spanish population. <i>BMC Public Health</i> , 2014, 14, 815. | 2.9 | 38 |
| 169 | Factors associated with suicidal ideation and attempts in Spain for different age groups. Prevalence before and after the onset of the economic crisis. <i>Journal of Affective Disorders</i> , 2014, 163, 1-9. | 4.1 | 81 |
| 170 | Use of the terms "Wellbeing" and "Quality of Life" in health sciences: a conceptual framework. <i>European Journal of Psychiatry</i> , 2014, 28, 50-65. | 1.3 | 52 |
| 171 | The psychosocial difficulties in brain disorders that explain short term changes in health outcomes. <i>BMC Psychiatry</i> , 2013, 13, 78. | 2.6 | 11 |
| 172 | Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013, 13, 71. | 2.6 | 15 |
| 173 | Depressive disorders and suicide: Epidemiology, risk factors, and burden. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2372-2374. | 6.1 | 131 |
| 174 | Diagnosis delay in first episodes of major depression: A study of primary care patients in Spain. <i>Journal of Affective Disorders</i> , 2013, 150, 1247-1250. | 4.1 | 20 |
| 175 | Towards a clinical staging for bipolar disorder: Defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013, 144, 65-71. | 4.1 | 105 |
| 176 | Predictors of neurocognitive impairment at 3years after a first episode non-affective psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 43, 23-28. | 4.8 | 18 |
| 177 | Financial crisis, austerity, and health in Europe. <i>Lancet, The</i> , 2013, 382, 391-392. | 13.7 | 24 |
| 178 | Evidence for the early clinical relevance of hallucinatory and delusional states in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 482-493. | 4.5 | 42 |
| 179 | Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859. | 7.2 | 269 |
| 180 | Development of the International Classification of Functioning, Disability and Health core sets for bipolar disorders: results of an international consensus process. <i>Disability and Rehabilitation</i> , 2013, 35, 2138-2146. | 1.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Validation of an instrument to evaluate quality of life in the aging population: WHOQOL-AGE. Health and Quality of Life Outcomes, 2013, 11, 177. | 2.4 | 89 |
| 182 | Mental Health Professionalsâ€™ Natural Taxonomies of Mental Disorders: Implications for the Clinical Utility of the ICD-11 and the DSM-5. Journal of Clinical Psychology, 2013, 69, 1191-1212. | 1.9 | 77 |
| 183 | Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. World Psychiatry, 2013, 12, 251-257. | 10.4 | 89 |
| 184 | Multi-Country Evaluation of Affective Experience: Validation of an Abbreviated Version of the Day Reconstruction Method in Seven Countries. PLoS ONE, 2013, 8, e61534. | 2.5 | 31 |
| 185 | A global cliniciansâ€™ map of mental disorders to improve ICD-11: Analysing meta-structure to enhance clinical utility. International Review of Psychiatry, 2012, 24, 578-590. | 2.8 | 52 |
| 186 | Neurocognitive deficits in patients with human immunodeficiency virus infection. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2012, 106, 589-605. | 1.8 | 2 |
| 187 | The Continuum of Psychotic Symptoms in the General Population: A Cross-national Study. Schizophrenia Bulletin, 2012, 38, 475-485. | 4.3 | 266 |
| 188 | The Patientsâ€™ Perspective on Relevant Areas and Problems in the Bipolar Spectrum Disorder. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S181-S188. | 1.4 | 8 |
| 189 | Work Disability and Depressive Disorders. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S62-S68. | 1.4 | 10 |
| 190 | Multidisciplinary Research and Training Network on Health and Disability in Europe. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S1-S4. | 1.4 | 2 |
| 191 | A systematic review of cognitive remediation for schizo-affective and affective disorders. Journal of Affective Disorders, 2012, 142, 13-21. | 4.1 | 130 |
| 192 | Prototype diagnosis of psychiatric syndromes and the ICD-11. World Psychiatry, 2012, 11, 30-31. | 10.4 | 5 |
| 193 | Recommendations for the prevention and management of suicidal behaviour. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 8-23. | 0.3 | 2 |
| 194 | Psychosocial features of depression: A systematic literature review. Journal of Affective Disorders, 2012, 141, 22-33. | 4.1 | 47 |
| 195 | Definitions and factors associated with subthreshold depressive conditions: a systematic review. BMC Psychiatry, 2012, 12, 181. | 2.6 | 217 |
| 196 | Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. Journal of Affective Disorders, 2012, 136, 650-659. | 4.1 | 156 |
| 197 | Validation of a Measure of Subjective Well-Being: An Abbreviated Version of the Day Reconstruction Method. PLoS ONE, 2012, 7, e43887. | 2.5 | 31 |
| 198 | Efficacy of antidepressants and benzodiazepines in minor depression: systematic review and meta-analysis. British Journal of Psychiatry, 2011, 198, 11-16. | 2.8 | 182 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Hacia una clasificaci3n Internacional de los Trastornos Mentales de la OMS de mayor utilidad cl3nica. Revista De Psiquiatr3a Y Salud Mental, 2011, 4, 113-116. | 1.8 | 19 |
| 200 | Depresi3n subcl3nica en Espa3a: prevalencia e impacto sobre la salud. Revista De Psiquiatr3a Y Salud Mental, 2011, 4, 144-149. | 1.8 | 17 |
| 201 | Subclinical depression in Spain: Prevalence and health impact. Revista De Psiquiatr3a Y Salud Mental (English Edition), 2011, 4, 144-149. | 0.3 | 4 |
| 202 | The International Classification of Functioning, Disability and Health: development of capacity and performance scales. Journal of Clinical Epidemiology, 2011, 64, 1400-1411. | 5.0 | 28 |
| 203 | The Madrid Declaration: why we need a coordinated Europe-wide effort in mental health research. British Journal of Psychiatry, 2011, 198, 253-255. | 2.8 | 10 |
| 204 | Increased Risk of Diabetes Mellitus Among Persons With Psychotic Symptoms. Journal of Clinical Psychiatry, 2011, 72, 1592-1599. | 2.2 | 37 |
| 205 | Predicting long-term recovery from depression in community settings in Western Europe: evidence from ODIN. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 119-126. | 3.1 | 22 |
| 206 | Conventional antiepileptic drugs are not associated with an increased risk of suicidal behaviour or self-harm. Evidence-Based Mental Health, 2011, 14, 2-2. | 4.5 | 0 |
| 207 | Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. PLoS Medicine, 2011, 8, e1001122. | 8.4 | 246 |
| 208 | The Role of Suicide Risk in the Decision for Psychiatric Hospitalization After a Suicide Attempt. Crisis, 2011, 32, 65-73. | 1.2 | 18 |
| 209 | From depressive symptoms to depressive disorders: the relevance of thresholds. British Journal of Psychiatry, 2010, 196, 365-371. | 2.8 | 247 |
| 210 | Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness" and severity in Spanish primary care patients. Quality of Life Research, 2010, 19, 97-101. | 3.1 | 30 |
| 211 | The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. BMC Medical Research Methodology, 2010, 10, 45. | 3.1 | 67 |
| 212 | Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. Health and Quality of Life Outcomes, 2010, 8, 51. | 2.4 | 318 |
| 213 | Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. Journal of Affective Disorders, 2010, 121, 52-58. | 4.1 | 78 |
| 214 | Functioning and disability in bipolar disorders: a systematic review of literature using the ICF as a reference. Bipolar Disorders, 2010, 12, 473-482. | 1.9 | 29 |
| 215 | Impact of severity and type of depression on quality of life in cases identified in the community. Psychological Medicine, 2010, 40, 2069-2077. | 4.5 | 14 |
| 216 | The role and impact of contextual factors on functioning in patients with bipolar disorder. Disability and Rehabilitation, 2010, 32, S94-S104. | 1.8 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Integrating research into policy planning: MHADIE policy recommendations. <i>Disability and Rehabilitation</i> , 2010, 32, S139-S147. | 1.8 | 15 |
| 218 | Explaining functional outcomes in depression treatment: a multilevel modelling approach. <i>Disability and Rehabilitation</i> , 2010, 32, S105-S115. | 1.8 | 8 |
| 219 | Differences Between Younger and Older Adults in the Structure of Suicidal Intent and Its Correlates. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 839-847. | 1.2 | 23 |
| 220 | Calidad de los informes médicos sobre personas que han intentado suicidarse. <i>Revista De Psiquiatría Y Salud Mental</i> , 2010, 3, 13-18. | 1.8 | 17 |
| 221 | Suicide-Related Events in Patients Treated with Antiepileptic Drugs. <i>New England Journal of Medicine</i> , 2010, 363, 542-551. | 27.0 | 186 |
| 222 | Usefulness of the Beck Depression Inventory as a screening method for depression among the general population of Finland. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 28-34. | 2.3 | 33 |
| 223 | Implementing the ICF in a psychiatric rehabilitation setting for People with Serious Mental Illness in the Lombardy region of Italy. <i>Disability and Rehabilitation</i> , 2009, 31, S170-S173. | 1.8 | 15 |
| 224 | Cross-cultural equivalence of the Beck Depression Inventory: A five-country analysis from the ODIN study. <i>Journal of Affective Disorders</i> , 2009, 114, 156-162. | 4.1 | 40 |
| 225 | Functioning and Disability in Bipolar Disorder: An Extensive Review. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 285-297. | 8.8 | 348 |
| 226 | Mental Health in Adults With Mild and Moderate Intellectual Disabilities. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 182-186. | 1.0 | 52 |
| 227 | Letter. <i>Psychiatric Services</i> , 2009, 60, 994-994. | 2.0 | 5 |
| 228 | Population prevalence of depression and mean Beck Depression Inventory score. <i>British Journal of Psychiatry</i> , 2009, 195, 516-519. | 2.8 | 48 |
| 229 | Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1120-1127. | 2.2 | 67 |
| 230 | Documentation of Suicide Risk Assessment in Clinical Records. <i>Psychiatric Services</i> , 2009, 60, 994-994. | 2.0 | 1 |
| 231 | The prevalence of suicidal ideation in the general population: results from the Outcome of Depression International Network (ODIN) study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 299-304. | 3.1 | 78 |
| 232 | Quality of life in bipolar disorder patients: a comparison with a general population sample. <i>Bipolar Disorders</i> , 2008, 10, 625-634. | 1.9 | 112 |
| 233 | Identification of personal factors that determine work outcome for adults with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2008, 52, 1091-1101. | 2.0 | 83 |
| 234 | Prevalence, Characteristics, and Attribution of Somatic Symptoms in Spanish Patients With Major Depressive Disorder Seeking Primary Health Care. <i>Psychosomatics</i> , 2008, 49, 520-529. | 2.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Functional Impairment in Patients with Remitted Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 390-392. | 8.8 | 68 |
| 236 | Schizophrenia treatment in the developing world: an interregional and multinational cost-effectiveness analysis. <i>Bulletin of the World Health Organization</i> , 2008, 86, 542-551. | 3.3 | 81 |
| 237 | Relationship of Somatic Symptoms With Depression Severity, Quality of Life, and Health Resources Utilization in Patients With Major Depressive Disorder Seeking Primary Health Care in Spain. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2008, 10, 355-362. | 0.6 | 49 |
| 238 | Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5. | 1.2 | 605 |
| 239 | Predictors of compliance with psychological interventions offered in the community. <i>Psychological Medicine</i> , 2007, 37, 717. | 4.5 | 21 |
| 240 | The role of personality disorder in "difficult to reach" patients with depression: Findings from the ODIN study. <i>European Psychiatry</i> , 2007, 22, 153-159. | 0.2 | 6 |
| 241 | Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. <i>Bipolar Disorders</i> , 2007, 9, 16-24. | 1.9 | 46 |
| 242 | Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007, 9, 103-113. | 1.9 | 497 |
| 243 | Validation of the Subjective and Objective Family Burden Interview (SOFBI/ECFOS) in primary caregivers to adults with intellectual disabilities living in the community. <i>Journal of Intellectual Disability Research</i> , 2007, 51, 892-901. | 2.0 | 21 |
| 244 | Estimating the prevalence of schizophrenia in Spain using a disease model. <i>Schizophrenia Research</i> , 2006, 86, 194-201. | 2.0 | 33 |
| 245 | Health service use by adults with depression: community survey in five European countries. <i>British Journal of Psychiatry</i> , 2006, 189, 161-167. | 2.8 | 38 |
| 246 | Factors associated with suicidal ideation in the general population. <i>British Journal of Psychiatry</i> , 2006, 189, 410-415. | 2.8 | 117 |
| 247 | Lithium and venlafaxine interaction: a case of serotonin syndrome. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006, 31, 397-400. | 1.5 | 37 |
| 248 | Negative life events, social support and gender difference in depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 444-451. | 3.1 | 451 |
| 249 | A framework for evidence-based mental health care and policy. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 5-11. | 4.5 | 24 |
| 250 | Cost-effectiveness of different clinical interventions for reducing the burden of schizophrenia in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 29-38. | 4.5 | 29 |
| 251 | Can adjustment disorder and depressive episode be distinguished? Results from ODIN. <i>Journal of Affective Disorders</i> , 2006, 92, 291-297. | 4.1 | 94 |
| 252 | Quality of life in early phases of panic disorder: Predictive factors. <i>Journal of Affective Disorders</i> , 2006, 94, 127-134. | 4.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 253 | Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. <i>Journal of Affective Disorders</i> , 2006, 96, 9-20. | 4.1 | 60 |
| 254 | The estimated incidence of depressive disorder and its determinants in the Finnish ODIN sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 778-784. | 3.1 | 23 |
| 255 | Cost-effectiveness of clinical interventions for reducing the global burden of bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 559-567. | 2.8 | 74 |
| 256 | Personality disorder, depression and functioning: results from the ODIN study. <i>Journal of Affective Disorders</i> , 2004, 82, 277-283. | 4.1 | 31 |
| 257 | Global burden of depressive disorders in the year 2000. <i>British Journal of Psychiatry</i> , 2004, 184, 386-392. | 2.8 | 1,440 |
| 258 | Reducing the global burden of depression. <i>British Journal of Psychiatry</i> , 2004, 184, 393-403. | 2.8 | 318 |
| 259 | Estimating depression prevalence from the Beck Depression Inventory: is season of administration a moderator?. <i>Psychiatry Research</i> , 2004, 129, 99-106. | 3.3 | 13 |
| 260 | Estimating the global burden of disease of mild mental retardation and cardiovascular diseases from environmental lead exposure. <i>Environmental Research</i> , 2004, 94, 120-133. | 7.5 | 206 |
| 261 | Urban-rural differences in the occurrence of female depressive disorder in Europe. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 283-289. | 3.1 | 43 |
| 262 | Estimating psychological treatment effects from a randomised controlled trial with both non-compliance and loss to follow-up. <i>British Journal of Psychiatry</i> , 2003, 183, 323-331. | 2.8 | 127 |
| 263 | From epidemiology to intervention for depressive disorders in the general population: the ODIN study. <i>World Psychiatry</i> , 2002, 1, 169-74. | 10.4 | 2 |
| 264 | Depressive disorders in Europe: prevalence figures from the ODIN study. <i>British Journal of Psychiatry</i> , 2001, 179, 308-316. | 2.8 | 459 |
| 265 | Problem solving treatment and group psychoeducation for depression: multicentre randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2000, 321, 1450-1450. | 2.3 | 180 |
| 266 | Factors associated with neuropsychological performance in HIV-seropositive subjects without AIDS. <i>Psychological Medicine</i> , 2000, 30, 205-217. | 4.5 | 57 |
| 267 | The use of the Beck Depression Inventory to screen for depression in the general population: a preliminary analysis. <i>Journal of Affective Disorders</i> , 2000, 57, 261-265. | 4.1 | 324 |
| 268 | Slowed Reaction Time in HIV-1-Seropositive Intravenous Drug Users without AIDS. <i>European Neurology</i> , 2000, 44, 72-78. | 1.4 | 13 |
| 269 | Regional cerebral blood flow in obsessive-compulsive patients with and without a chronic tic disorder. A SPECT study.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1999, 249, 156-161. | 3.2 | 42 |
| 270 | Measuring health status in psychiatric community surveys: internal and external validity of the Spanish version of the SF-36. <i>Acta Psychiatrica Scandinavica</i> , 1999, 99, 26-32. | 4.5 | 72 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Evaluation of thyroid function in lithium-naive bipolar patients. <i>European Psychiatry</i> , 1999, 14, 341-345. | 0.2 | 43 |
| 272 | Emotional Distress and Occupational Burnout in Health Care Professionals Serving HIV-Infected Patients: A Comparison with Oncology and Internal Medicine Services. <i>Psychotherapy and Psychosomatics</i> , 1999, 68, 348-356. | 8.8 | 28 |
| 273 | HIV infection in psychiatric patients: An unlinked anonymous study. <i>British Journal of Psychiatry</i> , 1997, 170, 181-185. | 2.8 | 35 |
| 274 | AIDS dementia complex: incidence, clinical profile and impact of zidovudine treatment*. <i>European Journal of Neurology</i> , 1996, 3, 191-197. | 3.3 | 5 |
| 275 | Research in psychopathology in patients with HIV/AIDS and psychiatric services in Spain. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1996, 8, 233-240. | 1.2 | 6 |
| 276 | Open trial of fluvoxamine in the treatment of bulimia nervosa. <i>International Journal of Eating Disorders</i> , 1994, 15, 245-249. | 4.0 | 19 |
| 277 | Fluoxetine challenge test and personality dimesions in normal volunteers. <i>European Neuropsychopharmacology</i> , 1994, 4, 319. | 0.7 | 0 |
| 278 | HLA and panic disorder. <i>American Journal of Psychiatry</i> , 1993, 150, 838-839. | 7.2 | 0 |
| 279 | Distinct quality of depressed mood: an attempt to develop an objective measure. <i>Journal of Affective Disorders</i> , 1987, 13, 241-248. | 4.1 | 7 |
| 280 | Methodological challenges in harmonisation of the variables used as indicators of social capital in epidemiological studies of ageing " results of the ATHLOS project. <i>Ageing and Society</i> , 0, , 1-28. | 1.7 | 0 |