

Jai L Shah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6008261/publications.pdf>

Version: 2024-02-01

73
papers

1,475
citations

430442

18
h-index

395343

33
g-index

77
all docs

77
docs citations

77
times ranked

1733
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamic association of the first identifiable symptom with rapidity of progression to first-episode psychosis. <i>Psychological Medicine</i> , 2023, 53, 2008-2016.	2.7	6
2	A polymorphism in the glutamate metabotropic receptor 7 is associated with cognitive deficits in the early phases of psychosis. <i>Schizophrenia Research</i> , 2022, 249, 56-62.	1.1	10
3	Unpacking the phenomenon of declining transition rates to first episode psychosis: The dyad of science and service reform in action. <i>Schizophrenia Research</i> , 2022, 243, 300-301.	1.1	3
4	Exploring Empathy and Compassion Using Digital Narratives (the Learning to Care Project): Protocol for a Multiphase Mixed Methods Study. <i>JMIR Research Protocols</i> , 2022, 11, e33525.	0.5	5
5	Whose responsibility? Part 1 of 2: A scale to assess how stakeholders apportion responsibilities for addressing the needs of persons with mental health problems. <i>International Journal of Mental Health Systems</i> , 2022, 16, 1.	1.1	11
6	The effects of childhood adversity on treatment delays and its components in first-episode psychosis. <i>Psychiatry Research</i> , 2022, 308, 114341.	1.7	2
7	Whose responsibility? Part 2 of 2: views of patients, families, and clinicians about responsibilities for addressing the needs of persons with mental health problems in Chennai, India and Montreal, Canada. <i>International Journal of Mental Health Systems</i> , 2022, 16, 2.	1.1	2
8	Gaming My Way to Recovery: A Systematic Scoping Review of Digital Game Interventions for Young People's Mental Health Treatment and Promotion. <i>Frontiers in Digital Health</i> , 2022, 4, 814248.	1.5	8
9	Pragmatic implementation of the Clinical Global Impression Scale of Severity as a tool for measurement-based care in a first-episode psychosis program. <i>Schizophrenia Research</i> , 2022, 243, 147-153.	1.1	3
10	Measurement Based Care in a first episode psychosis program: Development of an algorithm of care based on the Clinical Global Impressions Scale. <i>Journal of Psychiatric Research</i> , 2022, 150, 8-16.	1.5	1
11	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry</i> , 2022, 9, 413-422.	3.7	36
12	Clinical high at-risk mental state in young subjects accessing a mental disorder prevention service in Italy. <i>Psychiatry Research</i> , 2022, 316, 114710.	1.7	1
13	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	1.1	28
14	Adipose tissue dysregulation at the onset of psychosis: Adipokines and social determinants of health. <i>Psychoneuroendocrinology</i> , 2021, 123, 104915.	1.3	7
15	Delusional content at initial presentation to a catchment-based early intervention service for psychosis. <i>British Journal of Psychiatry</i> , 2021, 218, 217-223.	1.7	5
16	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , 2021, 51, 212-218.	2.7	26
17	Timing, Distribution, and Relationship Between Nonpsychotic and Subthreshold Psychotic Symptoms Prior to Emergence of a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 604-614.	2.3	18
18	Understanding Components of Duration of Untreated Psychosis and Relevance for Early Intervention Services in the Canadian Context: Comprendre les Composantes de la Durée de la Psychose Non Traitée et la Pertinence de Services d'Intervention Précoce Dans le Contexte Canadien. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 878-886.	0.9	8

#	ARTICLE	IF	CITATIONS
19	Mental Health Services Research Targeting the Clinical High-Risk State for Psychosis: Lessons, Future Directions and Integration with Patient Perspectives. <i>Current Psychiatry Reports</i> , 2021, 23, 11.	2.1	7
20	The Canadian Network for Research in Schizophrenia and Psychoses: A Nationally Focused Approach to Psychosis and Schizophrenia Research. <i>Canadian Journal of Psychiatry</i> , 2021, , 070674372110091.	0.9	2
21	Impact of childhood trauma on positive and negative symptom remission in first episode psychosis. <i>Schizophrenia Research</i> , 2021, 231, 82-89.	1.1	15
22	First help-seeking attempt before and after psychosis onset: measures of delay and aversive pathways to care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1359-1369.	1.6	18
23	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.	3.7	9
24	Cities, Psychosis, and Social Defeat. , 2020, , 450-460.		0
25	Cover Image, Volume 30, Issue 10. <i>Hippocampus</i> , 2020, 30, C1.	0.9	0
26	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1095-1103.	1.6	13
27	Moving From Islands of Order to a Sea of Chaos: Transitions out of Early Intervention Services for Psychosis. <i>Psychiatric Services</i> , 2020, 71, 514-515.	1.1	1
28	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242.	4.8	153
29	Altered hippocampal centrality and dynamic anatomical covariance of intracortical microstructure in first episode psychosis. <i>Hippocampus</i> , 2020, 30, 1058-1072.	0.9	6
30	Pre-onset sub-threshold psychotic symptoms and cortical organization in the first episode of psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 100, 109879.	2.5	4
31	Digital Game Interventions for Youth Mental Health Services (Gaming My Way to Recovery): Protocol for a Scoping Review. <i>JMIR Research Protocols</i> , 2020, 9, e13834.	0.5	15
32	Gender differences in childhood trauma in first episode psychosis: Association with symptom severity over two years. <i>Schizophrenia Research</i> , 2019, 205, 30-37.	1.1	45
33	Transforming youth mental health care in a semi-urban and rural region of Canada: A service description of ACCESS Open Minds Chatham-Kent. <i>Microbial Biotechnology</i> , 2019, 13, 48-55.	0.9	12
34	Transforming youth mental health services in a large urban centre: ACCESS Open Minds Edmonton. <i>Microbial Biotechnology</i> , 2019, 13, 14-19.	0.9	15
35	Improving youth mental wellness services in an Indigenous context in Ulukhaktok, Northwest Territories: ACCESS Open Minds Project. <i>Microbial Biotechnology</i> , 2019, 13, 35-41.	0.9	13
36	Improving mental health services for homeless youth in downtown Montreal, Canada: Partnership between a local network and ACCESS Esprits ouverts (Open Minds), a National Services Transformation Research Initiative. <i>Microbial Biotechnology</i> , 2019, 13, 20-28.	0.9	13

#	ARTICLE	IF	CITATIONS
37	ACCESS Open Minds at the University of Alberta: Transforming student mental health services in a large Canadian postsecondary educational institution. <i>Microbial Biotechnology</i> , 2019, 13, 56-64.	0.9	13
38	Improving the Detection of Individuals at Clinical Risk for Psychosis in the Community, Primary and Secondary Care: An Integrated Evidence-Based Approach. <i>Frontiers in Psychiatry</i> , 2019, 10, 774.	1.3	57
39	A minimum evaluation protocol and stepped-wedge cluster randomized trial of ACCESS Open Minds, a large Canadian youth mental health services transformation project. <i>BMC Psychiatry</i> , 2019, 19, 273.	1.1	21
40	Bringing Clinical Staging to Youth Mental Health. <i>JAMA Psychiatry</i> , 2019, 76, 1121.	6.0	16
41	Early intervention in psychiatry: scotomas, representativeness, and the lens of clinical populations. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1019-1021.	1.6	5
42	Caught in the "NEET Trap": The Intersection Between Vocational Inactivity and Disengagement From an Early Intervention Service for Psychosis. <i>Psychiatric Services</i> , 2019, 70, 302-308.	1.1	21
43	Medication adherence in first episode psychosis: the role of pre-onset subthreshold symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 336-347.	2.2	12
44	Canadian response to need for transformation of youth mental health services: ACCESS Open Minds (Esprits ouverts). <i>Microbial Biotechnology</i> , 2019, 13, 697-706.	0.9	67
45	The Trier Social Stress Test in first episode psychosis patients: Impact of perceived stress, protective factors and childhood trauma. <i>Psychoneuroendocrinology</i> , 2019, 105, 155-163.	1.3	23
46	Anxiety in youth at clinical high risk for psychosis: A case study and conceptual model. <i>Schizophrenia Research</i> , 2019, 208, 441-446.	1.1	4
47	Does an integrated outreach intervention targeting multiple stages of early psychosis improve the identification of individuals at clinical high risk?. <i>Microbial Biotechnology</i> , 2019, 13, 989-992.	0.9	5
48	Cognitive capacity similarly predicts insight into symptoms in first- and multiple-episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 236-243.	1.1	6
49	An approach to sample size calculation for research on duration of untreated psychosis. <i>Schizophrenia Research</i> , 2019, 206, 466-467.	1.1	0
50	Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 61.	6.0	33
51	Gaming With Stigma: Analysis of Messages About Mental Illnesses in Video Games. <i>JMIR Mental Health</i> , 2019, 6, e12418.	1.7	14
52	Youth Mental Health Should Be a Top Priority for Health Care in Canada. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 216-222.	0.9	124
53	Description, evaluation and scalability potential of a model for rapid access to early intervention for psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 1222-1228.	0.9	12
54	Predictors of "all-cause discontinuation" of initial oral antipsychotic medication in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 201, 287-293.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Baby or bathwater? Referrals of "non-cases" in a targeted early identification intervention for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 757-761.	1.6	9
56	Outcome in patients converting to psychosis following a treated clinical high risk state. <i>Microbial Biotechnology</i> , 2018, 12, 715-719.	0.9	9
57	Disengagement in immigrant groups receiving services for a first episode of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 399-405.	1.1	46
58	A NEET distinction: youths not in employment, education or training follow different pathways to illness and care in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1401-1411.	1.6	27
59	Enhancing the Engagement of Immigrant and Ethnocultural Minority Clients in Canadian Early Intervention Services for Psychosis. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 740-747.	0.9	2
60	The Clinic for Assessment of Youth at Risk (CAYR): 10 years of service delivery and research targeting the prevention of psychosis in Montreal, Canada. <i>Microbial Biotechnology</i> , 2017, 11, 177-184.	0.9	27
61	Is the Clinical High-Risk State a Valid Concept? Retrospective Examination in a First-Episode Psychosis Sample. <i>Psychiatric Services</i> , 2017, 68, 1046-1052.	1.1	60
62	Advances and challenges in early intervention in psychosis. <i>World Psychiatry</i> , 2017, 16, 274-275.	4.8	7
63	The "polyenviromic risk score": Aggregating environmental risk factors predicts conversion to psychosis in familial high-risk subjects. <i>Schizophrenia Research</i> , 2017, 181, 17-22.	1.1	67
64	Neuroanatomical and Symptomatic Sex Differences in Individuals at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017, 8, 291.	1.3	17
65	Employee Health in the Mental Health Workplace: Clinical, Administrative, and Organizational Perspectives. <i>Journal of Behavioral Health Services and Research</i> , 2016, 43, 330-338.	0.6	4
66	Dynamic endophenotypes and longitudinal trajectories: capturing changing aspects of development in early psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 148-151.	1.4	8
67	Concepts and misconceptions regarding clinical staging models. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, E83-E84.	1.4	7
68	Pituitary volume and clinical trajectory in young relatives at risk for schizophrenia. <i>Psychological Medicine</i> , 2015, 45, 2813-2824.	2.7	16
69	Much ado about much: Stress, dynamic biomarkers and HPA axis dysregulation along the trajectory to psychosis. <i>Schizophrenia Research</i> , 2015, 162, 253-260.	1.1	60
70	Sub-threshold mental illness in adolescents: within and beyond DSM™s boundaries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 675-677.	1.6	8
71	Psychosis prediction and clinical utility in familial high-risk studies: selective review, synthesis, and implications for early detection and intervention. <i>Microbial Biotechnology</i> , 2013, 7, 345-360.	0.9	15
72	Attenuated psychosis and the schizophrenia prodrome: current status of risk identification and psychosis prevention. <i>Neuropsychiatry</i> , 2012, 2, 345-353.	0.4	48

#	ARTICLE	IF	CITATIONS
73	Is Early Intervention for Psychosis Feasible and Effective?. Psychiatric Clinics of North America, 2012, 35, 613-631.	0.7	68