

# Brenda M Birmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6008698/publications.pdf>

Version: 2024-02-01

70  
papers

3,064  
citations

218677

26  
h-index

168389

53  
g-index

70  
all docs

70  
docs citations

70  
times ranked

5664  
citing authors

#	ARTICLE	IF	CITATIONS
1	Menstrual cycle characteristics and incident cancer: a prospective cohort study. <i>Human Reproduction</i> , 2022, 37, 341-351.	0.9	7
2	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	2.5	4
3	Willingness to receive an annual COVID-19 booster vaccine in the German-speaking D-A-CH region in Europe: A cross-sectional study. <i>Lancet Regional Health - Europe</i> , The, 2022, 18, 100414.	5.6	17
4	Anthropometric traits and risk of multiple myeloma: a pooled prospective analysis. <i>British Journal of Cancer</i> , 2022, 127, 1296-1303.	6.4	2
5	Association between yogurt consumption and plasma soluble CD14 in two prospective cohorts of US adults. <i>European Journal of Nutrition</i> , 2021, 60, 929-938.	3.9	6
6	Circulating Biomarkers of Inflammation and Ovarian Cancer Risk in the Nurses' Health Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 710-718.	2.5	9
7	Comment on Alley, S.J., et al. As the Pandemic Progresses, How Does Willingness to Vaccinate against COVID-19 Evolve? <i>Int. J. Environ. Res. Public Health</i> 2021, 18, 797. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2809.	2.6	4
8	Statin use and survival in 16% patients with non-Hodgkin lymphoma or chronic lymphocytic leukaemia treated in the rituximab era. <i>British Journal of Haematology</i> , 2021, 195, 552-560.	2.5	4
9	Regular Aspirin Use and Mortality in Multiple Myeloma Patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.EPI-21-0946-E.2021.	2.5	1
10	Trends in cause of death among patients with multiple myeloma in Puerto Rico and the United States SEER population, 1987-2013. <i>International Journal of Cancer</i> , 2020, 146, 35-43.	5.1	14
11	Inherited variants at 3q13.33 and 3p24.1 are associated with risk of diffuse large B-cell lymphoma and implicate immune pathways. <i>Human Molecular Genetics</i> , 2020, 29, 70-79.	2.9	17
12	Red blood cell membrane trans fatty acid levels and risk of non-Hodgkin lymphoma: a prospective nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1576-1583.	4.7	5
13	Association Between Intake of Fruits and Vegetables by Pesticide Residue Status and Total Cancer Risk. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa044_048.	0.3	1
14	Personal use of permanent hair dyes and cancer risk and mortality in US women: prospective cohort study. <i>BMJ</i> , The, 2020, 370, m2942.	6.0	23
15	Statin use is associated with improved survival in multiple myeloma: A Swedish population-based study of 4315 patients. <i>American Journal of Hematology</i> , 2020, 95, 652-661.	4.1	23
16	Rotating Nightshift Work and Hematopoietic Cancer Risk in US Female Nurses. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz106.	2.9	5
17	Assessment of polygenic architecture and risk prediction based on common variants across fourteen cancers. <i>Nature Communications</i> , 2020, 11, 3353.	12.8	75
18	Prediagnosis dietary pattern and survival in patients with multiple myeloma. <i>International Journal of Cancer</i> , 2020, 147, 1823-1830.	5.1	27

#	ARTICLE	IF	CITATIONS
19	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	2.5	13
20	Dissecting racial disparities in multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 19.	6.2	79
21	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	1.3	28
22	Elucidating Under-Studied Aspects of the Link Between Obesity and Multiple Myeloma: Weight Pattern, Body Shape Trajectory, and Body Fat Distribution. <i>JNCI Cancer Spectrum</i> , 2019, 3, pkz044.	2.9	15
23	Rising cancer incidence in younger adults: is obesity to blame?. <i>Lancet Public Health</i> , The, 2019, 4, e119-e120.	10.0	5
24	Dietary Pattern and Risk of Multiple Myeloma in Two Large Prospective US Cohort Studies. <i>JNCI Cancer Spectrum</i> , 2019, 3, pkz025.	2.9	33
25	Presentation and survival of multiple myeloma patients in Ghana: a review of 9 cases. <i>Ghana Medical Journal</i> , 2019, 53, 52.	0.4	17
26	A Network Analysis of Biomarkers for Type 2 Diabetes. <i>Diabetes</i> , 2019, 68, 281-290.	0.6	28
27	Risk factors for Burkitt lymphoma: a nested case-control study in the <sc>UK</sc> Clinical Practice Research Datalink. <i>British Journal of Haematology</i> , 2018, 181, 505-514.	2.5	11
28	Body mass index throughout adulthood, physical activity, and risk of multiple myeloma: a prospective analysis in three large cohorts. <i>British Journal of Cancer</i> , 2018, 118, 1013-1019.	6.4	42
29	A prospective analysis of circulating saturated and monounsaturated fatty acids and risk of non-Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2018, 143, 1914-1922.	5.1	9
30	Pre-diagnosis plasma immune markers and risk of non-Hodgkin lymphoma in two prospective cohort studies. <i>Haematologica</i> , 2018, 103, 1679-1687.	3.5	10
31	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 876-885.	2.5	33
32	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	12.8	75
33	Elevated Serum Levels of sCD30 and IL6 and Detectable IL10 Precede Classical Hodgkin Lymphoma Diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1114-1123.	2.5	20
34	Circulating resistin levels and risk of multiple myeloma in three prospective cohorts. <i>British Journal of Cancer</i> , 2017, 117, 1241-1245.	6.4	12
35	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	2.7	15
36	Dietary fat intake and risk of non-Hodgkin lymphoma in 2 large prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 650-656.	4.7	19

#	ARTICLE	IF	CITATIONS
37	Periodontal disease and risk of non-Hodgkin lymphoma in the Health Professionals Follow-Up Study. <i>International Journal of Cancer</i> , 2017, 140, 1020-1026.	5.1	29
38	Epidemiology of Hematologic Malignancies. , 2017, , 543-569.		9
39	Influence of Dietary Patterns on Plasma Soluble CD14, a Surrogate Marker of Gut Barrier Dysfunction. <i>Current Developments in Nutrition</i> , 2017, 1, e001396.	0.3	32
40	A Meta-analysis of Multiple Myeloma Risk Regions in African and European Ancestry Populations Identifies Putatively Functional Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1609-1618.	2.5	18
41	Nurses' Health Study Contributions on the Epidemiology of Less Common Cancers: Endometrial, Ovarian, Pancreatic, and Hematologic. <i>American Journal of Public Health</i> , 2016, 106, 1608-1615.	2.7	15
42	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
43	Low Levels of Circulating Adiponectin Are Associated with Multiple Myeloma Risk in Overweight and Obese Individuals. <i>Cancer Research</i> , 2016, 76, 1935-1941.	0.9	30
44	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
45	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	12.8	58
46	A Pooled Analysis of Cigarette Smoking and Risk of Multiple Myeloma from the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 631-634.	2.5	17
47	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	3.4	54
48	Dietary Pattern and Risk of Hodgkin Lymphoma in a Population-Based Case-Control Study. <i>American Journal of Epidemiology</i> , 2015, 182, 405-416.	3.4	17
49	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. <i>British Journal of Haematology</i> , 2014, 166, 667-676.	2.5	90
50	Regular Aspirin Use and Risk of Multiple Myeloma: A Prospective Analysis in the Health Professionals Follow-up Study and Nurses' Health Study. <i>Cancer Prevention Research</i> , 2014, 7, 33-41.	1.5	27
51	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
52	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	21.4	147
53	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Sporadic Burkitt Lymphoma/Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 106-114.	2.1	32
54	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96

#	ARTICLE	IF	CITATIONS
55	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
56	Temporal Stability of Serum Concentrations of Cytokines and Soluble Receptors Measured Across Two Years in Low-Risk HIV-Seronegative Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2009-2015.	2.5	43
57	A Pooled Analysis of Alcohol Consumption and Risk of Multiple Myeloma in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1620-1627.	2.5	19
58	A Prospective Analysis of Body Size during Childhood, Adolescence, and Adulthood and Risk of Non-Hodgkin Lymphoma. <i>Cancer Prevention Research</i> , 2013, 6, 864-873.	1.5	41
59	Body mass index, height and risk of lymphoid neoplasms in a large United States cohort. <i>Leukemia and Lymphoma</i> , 2013, 54, 1221-1227.	1.3	41
60	Prediagnosis biomarkers of insulin-like growth factor-1, insulin, and interleukin-6 dysregulation and multiple myeloma risk in the Multiple Myeloma Cohort Consortium. <i>Blood</i> , 2012, 120, 4929-4937.	1.4	41
61	Consumption of artificial sweetener and sugar-containing soda and risk of lymphoma and leukemia in men and women. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1419-1428.	4.7	105
62	Antibody titers against EBNA1 and EBNA2 in relation to Hodgkin lymphoma and history of infectious mononucleosis. <i>International Journal of Cancer</i> , 2012, 130, 2886-2891.	5.1	18
63	Recreational physical activity, leisure sitting time and risk of non-Hodgkin lymphoid neoplasms in the American Cancer Society Cancer Prevention Study II Cohort. <i>International Journal of Cancer</i> , 2012, 131, 1912-1920.	5.1	25
64	Insulin-like Growth Factor-1- and Interleukin-6-related Gene Variation and Risk of Multiple Myeloma: Table 1.. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 282-288.	2.5	37
65	Population differences in immune marker profiles associated with human T-lymphotropic virus type I infection in Japan and Jamaica. <i>International Journal of Cancer</i> , 2009, 124, 614-621.	5.1	20
66	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008, 111, 4029-4038.	1.4	508
67	Body Mass Index, Physical Activity, and Risk of Multiple Myeloma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1474-1478.	2.5	79
68	Patterns of serum type 1 and type 2 immune markers in healthy carriers of HTLV-I. <i>Journal of Medical Virology</i> , 2006, 78, 847-852.	5.0	6
69	<i>Infectious Agents.</i> , 2006, , 507-548.		8
70	Serologic assessment of type 1 and type 2 immunity in healthy Japanese adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1385-91.	2.5	4