## Vassilios Liakopoulos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6015202/publications.pdf

Version: 2024-02-01

398 papers 6,383 citations

38 h-index 62 g-index

405 all docs 405 docs citations

405 times ranked 7785 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Favorable effects of peritoneal dialysis in patients with refractory heart failure and overhydration. Peritoneal Dialysis International, 2022, 42, 48-56.                                 | 1.1 | 6         |
| 2  | Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. Patient Education and Counseling, 2022, 105, 243-245.                     | 1.0 | 2         |
| 3  | COVID-19 and the kidney: time to take a closer look. International Urology and Nephrology, 2022, 54, 1053-1057.   | 0.6 | 20        |
| 4  | Novel Therapeutic Strategies for Cardiorenal Protection in Patients with Type 2 Diabetes and Chronic Kidney Disease. Current Vascular Pharmacology, 2022, 20, 117-120.                    | 0.8 | 1         |
| 5  | Patient-centred approaches for the management of unpleasant symptoms in kidney disease. Nature Reviews Nephrology, 2022, 18, 185-198.   | 4.1 | 60        |
| 6  | Kidney health for all: bridging the gap in kidney health education and literacy. Kidney International, 2022, 101, 432-440.  | 2.6 | 6         |
| 7  | Kidney health for all: bridging the gap in kidney health education and literacy. Nephrology Dialysis<br>Transplantation, 2022, 37, 605-612.   | 0.4 | 1         |
| 8  | Kidney Health for All: Bridging the Gap in Kidney Health Education and Literacy. Kidney International Reports, 2022, 7, 351-358.  | 0.4 | 0         |
| 9  | Epidemiology of Hypertension among Patients on Peritoneal Dialysis Using Standardized Office and Ambulatory Blood Pressure Recordings. American Journal of Nephrology, 2022, 53, 139-147. | 1.4 | 5         |
| 10 | Kidney health for all: bridging the gap in kidney health education and literacy. CKJ: Clinical Kidney Journal, 2022, 15, 603-610.   | 1.4 | 2         |
| 11 | Evidence for Cardiorenal Protection with SGLT-2 Inhibitors and GLP-1 Receptor Agonists in Patients with Diabetic Kidney Disease. Journal of Personalized Medicine, 2022, 12, 223.         | 1.1 | 5         |
| 12 | Vitamin K Supplementation in Chronic Kidney Disease Patients: Where is the Evidence?. Current Vascular Pharmacology, 2022, 20, 121-126.   | 0.8 | 4         |
| 13 | Prevalence, recurrence and seasonal variation of hyperkalemia among patients on hemodialysis. International Urology and Nephrology, 2022, , $1.$  | 0.6 | 4         |
| 14 | Kidney Health for All: Bridging the Gap in Kidney Health Education and Literacy. American Journal of Nephrology, 2022, 53, 87-95.   | 1.4 | 0         |
| 15 | Kidney Health for All: Bridging the Gap in Kidney Health Education and Literacy. Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812210850.                                 | 0.6 | 2         |
| 16 | OUP accepted manuscript. American Journal of Hypertension, 2022, 35, 470-477.   | 1.0 | 1         |
| 17 | Kidney health for all: Bridging the gap in kidney health education and literacy. Nephrology, 2022, 27, 299-306.   | 0.7 | O         |
| 18 | Kidney Health for All: Bridging the Gap in Kidney Health Education and Literacy., 2022, 32, 633-640.  |     | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Vitamin K Supplementation for Prevention of Vascular Calcification in Chronic Kidney Disease Patients: Are We There Yet?. Nutrients, 2022, 14, 925.  | 1.7 | 13        |
| 20 | Kidney Health for All $\hat{a} \in Bridging$ the Gap in Kidney Health Education and Literacy. Internal Medicine Journal, 2022, , .   | 0.5 | 0         |
| 21 | Kidney health for all: bridging the gap in kidney health education and literacy. Journal of Nephrology, 2022, , 1.   | 0.9 | 0         |
| 22 | Kidney health for all: Bridging the gap in kidney health education and literacy. Journal of Renal Care, 2022, 48, 76-83.   | 0.6 | 1         |
| 23 | Kidney Health For All: Bridging the Gap in Kidney Health Education and Literacy. Kidney Medicine, 2022, 4, 100436.   | 1.0 | 0         |
| 24 | Feeding during Dialysis Increases Intradialytic Blood Pressure Variability and Reduces Dialysis Adequacy. Nutrients, 2022, 14, 1357.   | 1.7 | 3         |
| 25 | Kidney health for all: Bridging the gap in kidney health education and literacy. Nefrologia, 2022, 42, 113-121.  | 0.2 | 0         |
| 26 | Kidney Health for All: Bridging the Gap in Kidney Health Education and Literacy. Nephron, 2022, , 1-9.   | 0.9 | 0         |
| 27 | Should We Use Dialyzable β-Blockers in Hemodialysis?. Kidney Medicine, 2022, 4, 100468.  | 1.0 | 0         |
| 28 | Kidney Health for All: bridging the gap in kidney health education and literacy., 2022, 28, 106.e1-106.e8.   |     | 0         |
| 29 | MO908: The Impact of The COVID-19 Pandemic on Hospitalization Rate of Patients With ESKD in a Tertiary University Hospital of Thessaloniki, Greece. Nephrology Dialysis Transplantation, 2022, 37, . | 0.4 | 0         |
| 30 | MO879: Prevalence, Recurrence and Seasonal Variation of Hyperkalaemia in Patients Receiving Thrice-Weekly Haemodialysis. Nephrology Dialysis Transplantation, 2022, 37, .                            | 0.4 | 0         |
| 31 | MO705: Factors Associated with Uncontrolled Ambulatory Hypertension in Peritoneal Dialysis<br>Patients. Nephrology Dialysis Transplantation, 2022, 37, .   | 0.4 | 0         |
| 32 | MO741: Poor Agreement between Physical Examination and Bioimpedance Spectroscopy in the Detection of Hypervolemia in Haemodialysis Patients. Nephrology Dialysis Transplantation, 2022, 37, .        | 0.4 | 0         |
| 33 | MO639: Evaluation of Glycemic Control and Interday Glucose Variability Using Continuous Glucose<br>Monitoring in Diabetic Hemodialysis Patients. Nephrology Dialysis Transplantation, 2022, 37, .    | 0.4 | 0         |
| 34 | Kidney health for all: bridging the gap in kidney health education and literacy. Brazilian Journal of Medical and Biological Research, 2022, 55, e12161.   | 0.7 | 0         |
| 35 | The effect of a 6-month intradialytic exercise program on hemodialysis adequacy and body composition: a randomized controlled trial. International Urology and Nephrology, 2022, 54, 2983-2993.      | 0.6 | 8         |
| 36 | Kidney health for all: Bridging the gap in kidney health education and literacy. Nefrologia, 2022, 42, 113-121.  | 0.2 | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Kidney health for all: bridging the gap in kidney health education and literacy. Jornal Brasileiro De<br>Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2022, 44, 134-142.                   | 0.4 | O         |
| 38 | Saúde dos rins para todos: preenchendo a lacuna de educação e conhecimento sobre a saúde renal.<br>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De<br>Nefrologia, 2022, 44, 134-142. | 0.4 | 0         |
| 39 | Editorial for the Special Issue "Vitamin K in Chronic Disease and Human Health― Nutrients, 2022, 14, 2595.   | 1.7 | O         |
| 40 | Evaluation of Subclinical Vascular Disease in Diabetic Kidney Disease: A Tool for Personalization of Management of a High-Risk Population. Journal of Personalized Medicine, 2022, 12, 1139.                                       | 1.1 | 5         |
| 41 | The impact of OSA and CPAP treatment on cell adhesion molecules' night-morning variation. Sleep and Breathing, 2021, 25, 1301-1307.  | 0.9 | 4         |
| 42 | Kidney Health for Everyone Everywhere $\hat{a} \in \mathbb{C}$ From Prevention to Detection and Equitable Access to Care. Blood Purification, 2021, 50, 1-8.   | 0.9 | 12        |
| 43 | Association between relative fat mass, uric acid, and insulin resistance in children with chronic kidney disease. Pediatric Nephrology, 2021, 36, 425-434.   | 0.9 | 10        |
| 44 | The Effects of Nebivolol and Irbesartan on Ambulatory Aortic Blood Pressure and Arterial Stiffness in Hemodialysis Patients with Intradialytic Hypertension. Blood Purification, 2021, 50, 73-83.                                  | 0.9 | 4         |
| 45 | APD or CAPD: one glove does not fit all. International Urology and Nephrology, 2021, 53, 1149-1160.  | 0.6 | 10        |
| 46 | Living well with kidney disease by patient and care-partner empowerment: kidney health for everyone everywhere. Kidney International, 2021, 99, 278-284.   | 2.6 | 36        |
| 47 | Tracking hydration status changes by bioimpedance spectroscopy in children on peritoneal dialysis.<br>Peritoneal Dialysis International, 2021, 41, 217-225.  | 1.1 | 8         |
| 48 | Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. Indian Journal of Nephrology, 2021, 31, 83.  | 0.2 | 0         |
| 49 | Living Well with Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. Nephron, 2021, 145, 205-211.   | 0.9 | 3         |
| 50 | Living Well with Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. American Journal of Nephrology, 2021, 52, 1-7.   | 1.4 | 3         |
| 51 | Living well with kidney disease by patient and care-partner empowerment: kidney health for everyone everywhere. Brazilian Journal of Medical and Biological Research, 2021, 54, e11098.  | 0.7 | 1         |
| 52 | Prognostic Factors of Fatal and Nonfatal Cardiovascular Events in Patients With Type 2 Diabetes: The Role of Renal Function Biomarkers. Clinical Diabetes, 2021, 39, 188-196.  | 1.2 | 2         |
| 53 | Living Well With Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. Canadian Journal of Kidney Health and Disease, 2021, 8, 205435812199527.   | 0.6 | 3         |
| 54 | Living well with kidney disease by patient and careâ€partner empowerment: Kidney health for everyone everywhere. Nephrology, 2021, 26, 211-216.  | 0.7 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | A Role for Human Renal Tubular Epithelial Cells in Direct Allo-Recognition by CD4+ T-Cells and the Effect of Ischemia-Reperfusion. International Journal of Molecular Sciences, 2021, 22, 1733.   | 1.8 | 4         |
| 56 | Living Well With Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. American Journal of Hypertension, 2021, 34, 220-225.  | 1.0 | 3         |
| 57 | AGREEing on Nutritional Management of Patients with CKD $\hat{a}\in$ "A Quality Appraisal of the Available Guidelines. Nutrients, 2021, 13, 624.  | 1.7 | 7         |
| 58 | The Endothelial Glycocalyx as a Target of Ischemia and Reperfusion Injury in Kidney<br>Transplantationâ€"Where Have We Gone So Far?. International Journal of Molecular Sciences, 2021, 22,<br>2157.  | 1.8 | 17        |
| 59 | Incretin based therapies and SGLT-2 inhibitors in kidney transplant recipients with diabetes: A systematic review and meta-analysis. Diabetes Research and Clinical Practice, 2021, 172, 108604.  | 1.1 | 10        |
| 60 | Living well with kidney disease by patient and careâ€partner empowerment: kidney health for everyone everywhere. Internal Medicine Journal, 2021, 51, 163-168.  | 0.5 | 0         |
| 61 | Living well with kidney disease by patient and careâ€partner empowerment: Kidney health for everyone everywhere. Journal of Renal Care, 2021, 47, 3-8.  | 0.6 | 1         |
| 62 | Letter to the Editor regarding $\hat{a} \in \infty$ Six months vitamin K treatment does not affect systemic arterial calcification or bone mineral density in diabetes mellitus $2\hat{a} \in \mathbb{R}$ European Journal of Nutrition, 2021, 60, 1701-1702. | 1.8 | 3         |
| 63 | Living well with kidney disease by patient and care partner empowerment: kidney health for everyone everywhere. CKJ: Clinical Kidney Journal, 2021, 14, 476-481.  | 1.4 | 0         |
| 64 | Association between insulin growth factor-1, bone mineral density, and frailty phenotype in children with chronic kidney disease. Pediatric Nephrology, 2021, 36, 1861-1870.  | 0.9 | 11        |
| 65 | Living Well With Kidney Disease by Patient and Care Partner Empowerment: Kidney Health for Everyone Everywhere. Kidney International Reports, 2021, 6, 553-556.   | 0.4 | 0         |
| 66 | Living Well with Kidney Disease by patient and care-partner empowerment: Kidney Health for Everyone Everywhere. Journal of Nephrology, 2021, 34, 381-388.   | 0.9 | 2         |
| 67 | Physical examination for the detection of hypervolemia among patients on chronic dialysis: A diagnosticâ€test study. Hemodialysis International, 2021, 25, 391-398.   | 0.4 | 2         |
| 68 | Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. Nefrologia, 2021, 41, 95-101.   | 0.2 | 2         |
| 69 | Age dependence of brachial cuff-based ambulatory PWV in end-stage kidney disease patients undergoing long-term peritoneal dialysis. Peritoneal Dialysis International, 2021, , 089686082199692.   | 1.1 | 0         |
| 70 | Living well with kidney disease by patient and care partner empowerment: kidney health for everyone everywhere. Transplant International, 2021, 34, 391-397.  | 0.8 | 5         |
| 71 | Living well with kidney disease by patient and care-partner empowerment: kidney health for everyone everywhere. Clinical and Experimental Nephrology, 2021, 25, 567-573.  | 0.7 | 2         |
| 72 | A call to optimize haemodialysis vascular access care in healthcare disrupted by COVID-19 pandemic. Journal of Nephrology, 2021, 34, 365-368.   | 0.9 | 6         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | A comparative analysis of ambulatory BP profile and arterial stiffness between CAPD and APD. Journal of Human Hypertension, 2021, , .  | 1.0 | 1         |
| 74 | Mutual effect modification between adiponectin and HDL as risk factors of cardiovascular events in Type 2 diabetes individuals: a cohort study. International Urology and Nephrology, 2021, 53, 2583-2591.                                   | 0.6 | 2         |
| 75 | Living Well With Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. Kidney Medicine, 2021, 3, 153-158.   | 1.0 | 1         |
| 76 | Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. Nefrologia, 2021, 41, 95-101.  | 0.2 | 2         |
| 77 | Anti-PD1 Immunotherapy for Metastatic Renal Cancer Boosted Humoral Immunity In a Hemodialysis Patient. Journal of Immunotherapy, 2021, 44, 164-166.  | 1.2 | 1         |
| 78 | The effect of antiâ€'HLA classÂl antibodies on the immunological properties of human glomerular endothelial cells and theirÂmodification by mTOR inhibition or GCN2 kinase activation. Molecular Medicine Reports, 2021, 23, .               | 1.1 | 6         |
| 79 | Thyroid hormone status in patients with impaired kidney function. International Urology and Nephrology, 2021, 53, 2349-2358.   | 0.6 | 10        |
| 80 | Nomenclature in nephrology: preserving â€renal' and â€nephro' in the glossary of kidney health and disease. Journal of Nephrology, 2021, 34, 639-648.  | 0.9 | 11        |
| 81 | Living well with kidney disease by patient and care-partner empowerment: kidney health for everyone everywhere. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 142-149. | 0.4 | 1         |
| 82 | World Kidney Day 2021: Living Well With Kidney Disease by Patient and Care Partner Empowermentâ€"Kidney Health for Everyone Everywhere. American Journal of Kidney Diseases, 2021, 77, 474-477.  | 2.1 | 4         |
| 83 | Role of indoleamine 2,3-dioxygenase in ischemia-reperfusion injury of renal tubular epithelial cells.<br>Molecular Medicine Reports, 2021, 23, .   | 1.1 | 18        |
| 84 | On the Increased Event Rate of Urinary Tract Infection and Pneumonia in CKD Patients Treated with Roxadustat for Anemia. Journal of the American Society of Nephrology: JASN, 2021, 32, 1537-1537.   | 3.0 | 5         |
| 85 | Mechanisms for Cardiorenal Protection of SGLT-2 Inhibitors. Current Pharmaceutical Design, 2021, 27, 1043-1050.  | 0.9 | 8         |
| 86 | Association of rs11780592 Polymorphism in the Human Soluble Epoxide Hydrolase Gene (EPHX2) with Oxidized LDL and Mortality in Patients with Diabetic Chronic Kidney Disease. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-8.     | 1.9 | 13        |
| 87 | MO522BIOMARKERS OF KIDNEY FUNCTION AS POTENTIAL PROGNOSTIC FACTORS FOR CARDIOVASCULAR DISEASE IN TYPE 2 DIABETIC PATIENTS. Nephrology Dialysis Transplantation, 2021, 36, .  | 0.4 | 0         |
| 88 | Oxidized LDL Modifies the Association between Proteinuria and Deterioration of Kidney Function in Proteinuric Diabetic Kidney Disease. Life, 2021, 11, 504.  | 1.1 | 8         |
| 89 | Living Well With Kidney Disease by Patient and Carepartner Empowerment: Kidney Health for Everyone Everywhere., 2021, 31, 233-238.   |     | 3         |
| 90 | MO474PCSK9 LEVELS AND MARKERS OF INFLAMMATION, OXIDATIVE STRESS AND ENDOTHELIAL DYSFUNCTION IN A POPULATION OF NON-DIALYSIS CHRONIC KIDNEY DISEASE PATIENTS: IS THERE AN ASSOCIATION?. Nephrology Dialysis Transplantation, 2021, 36, .      | 0.4 | 0         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | MO627ASSOCIATION OF OXIDIZED LDL CHOLESTEROL WITH MORTALITY AND PROGRESSION OF PROTEINURIC DIABETIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2021, 36, .  | 0.4 | O         |
| 92  | The Relation of Clinic and Ambulatory BP with the Risk of Cardiovascular Events and All-Cause Mortality among Patients on Peritoneal Dialysis. Journal of Clinical Medicine, 2021, 10, 2232.  | 1.0 | 2         |
| 93  | Living Well with Kidney Disease by Patient and Care-Partner Empowerment: Kidney Health for Everyone Everywhere. Kidney Diseases (Basel, Switzerland), 2021, 7, 1-7.   | 1.2 | 2         |
| 94  | High-Sensitivity Cardiac Troponin T Assessment to Improve Cardiovascular Risk Prognostication in Patients with Chronic Kidney Disease: Ready for Prime Time?. Angiology, 2021, , 000331972110327.   | 0.8 | 0         |
| 95  | Association between PCSK9 Levels and Markers of Inflammation, Oxidative Stress, and Endothelial Dysfunction in a Population of Nondialysis Chronic Kidney Disease Patients. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-8.                                     | 1.9 | 12        |
| 96  | Association Between Secondary Hyperparathyroidism and Body Composition in Pediatric Patients With Moderate and Advanced Chronic Kidney Disease. Frontiers in Pediatrics, 2021, 9, 702778.   | 0.9 | 3         |
| 97  | Oxidative Stress Genes in Diabetes Mellitus Type 2: Association with Diabetic Kidney Disease. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-10.  | 1.9 | 15        |
| 98  | Assessment of Hyperglycemia, Hypoglycemia and Inter-Day Glucose Variability Using Continuous Glucose Monitoring among Diabetic Patients on Chronic Hemodialysis. Journal of Clinical Medicine, 2021, 10, 4116.  | 1.0 | 6         |
| 99  | Living well with kidney disease by patient and care partner empowerment: kidney health for everyone everywhere. Nephrology Dialysis Transplantation, 2021, 36, 197-201.   | 0.4 | 1         |
| 100 | The Role of Indoleamine 2,3-Dioxygenase in Renal Tubular Epithelial Cells Senescence under Anoxia or Reoxygenation. Biomolecules, 2021, 11, 1522.   | 1.8 | 10        |
| 101 | Association between Biomarkers of Oxidative Stress and Inflammation with Cardiac Necrosis and Heart Failure in Non-ST Segment Elevation Myocardial Infarction Patients and Various Degrees of Kidney Function. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-12. | 1.9 | 12        |
| 102 | Living Well With Kidney Disease by Patient and Care Partner Empowerment: Kidney Health for Everyone Everywhere., 2021, 31, 554-559.   |     | 3         |
| 103 | Reoxygenation induces reactive oxygen species production and ferroptosis in renal tubular epithelial cells by activating aryl hydrocarbon receptor. Molecular Medicine Reports, 2021, 23, .   | 1.1 | 4         |
| 104 | Oxidized LDL Is Associated with eGFR Decline in Proteinuric Diabetic Kidney Disease: A Cohort Study. Oxidative Medicine and Cellular Longevity, 2021, 2021, 2968869.  | 1.9 | 1         |
| 105 | Oxidized LDL Is Associated with eGFR Decline in Proteinuric Diabetic Kidney Disease: A Cohort Study. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-9.  | 1.9 | 9         |
| 106 | Living well with kidney disease by patient and care-partner empowerment: Kidney health for everyone everywhere. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2021, 32, 289.   | 0.4 | 0         |
| 107 | Wave reflections and systemic vascular resistance are stronger determinants of pulse pressure amplification than aortic stiffness in drug-na $\tilde{A}$ -ve hypertensives. Clinical and Experimental Hypertension, 2020, 42, 287-293.                                      | 0.5 | 3         |
| 108 | Hypertension in Chronic Kidney Disease: Novel Insights. Current Hypertension Reviews, 2020, 16, 45-54.  | 0.5 | 14        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | A cohort of fat enough but malnourished hemodialysis patients. Clinical Nutrition, 2020, 39, 320-321.   | 2.3 | O         |
| 110 | In Mixed Lymphocyte Reaction, the Hypoxia-Inducible Factor Prolyl-Hydroxylase Inhibitor Roxadustat Suppresses Cellular and Humoral Alloimmunity. Archivum Immunologiae Et Therapiae Experimentalis, 2020, 68, 31. | 1.0 | 6         |
| 111 | Red Blood Cell Distribution Width Is Associated with Deterioration of Renal Function and Cardiovascular Morbidity and Mortality in Patients with Diabetic Kidney Disease. Life, 2020, 10, 301.                    | 1.1 | 12        |
| 112 | P1459PREVALENCE AND CONTROL OF HYPERTENSION AMONG PATIENTS ON HEMODIALYSIS USING PREDIALYSIS, POSTDIALYSIS AND HOME BP RECORDINGS. Nephrology Dialysis Transplantation, 2020, 35, .                               | 0.4 | 0         |
| 113 | P1014INCRETIN BASED THERAPIES IN DIABETIC KIDNEY TRANSPLANT RECIPIENTS: A SYSTEMATIC REVIEW AND META-ANALYSIS. Nephrology Dialysis Transplantation, 2020, 35, .   | 0.4 | 0         |
| 114 | The Association of dp-ucMGP with Cardiovascular Morbidity and Decreased Renal Function in Diabetic Chronic Kidney Disease. International Journal of Molecular Sciences, 2020, 21, 6035.                           | 1.8 | 21        |
| 115 | Expression of Circulating MicroRNAs Linked to Bone Metabolism in Chronic Kidney Disease-Mineral and Bone Disorder. Biomedicines, 2020, 8, 601.  | 1.4 | 8         |
| 116 | Editorial: Nutrition Management for Chronic Kidney Disease. Nutrients, 2020, 12, 3852.  | 1.7 | 0         |
| 117 | P1216EPIDEMIOLOGY OF HYPERTENSION IN PERITONEAL DIALYSIS USING CLINIC AND AMBULATORY BLOOD PRESSURE MONITORING. Nephrology Dialysis Transplantation, 2020, 35, .  | 0.4 | 0         |
| 118 | Unfavorable Effects of Peritoneal Dialysis Solutions on the Peritoneal Membrane: The Role of Oxidative Stress. Biomolecules, 2020, 10, 768.   | 1.8 | 38        |
| 119 | Vascular Calcification in Chronic Kidney Disease: The Role of Vitamin K- Dependent Matrix Gla Protein.<br>Frontiers in Medicine, 2020, 7, 154.  | 1.2 | 30        |
| 120 | Blood pressure targets in patients with chronic kidney disease: A critical evaluation of clinicalâ€trial evidence and guideline recommendations. Journal of Clinical Hypertension, 2020, 22, 924-928.             | 1.0 | 4         |
| 121 | Prevalence and control of hypertension among patients on haemodialysis. European Journal of Clinical Investigation, 2020, 50, e13292.   | 1.7 | 2         |
| 122 | Eating during the Hemodialysis Session: A Practice Improving Nutritional Status or a Risk Factor for Intradialytic Hypotension and Reduced Dialysis Adequacy?. Nutrients, 2020, 12, 1703.                         | 1.7 | 21        |
| 123 | Kidney Health for Everyone Everywhere – From Prevention to Detection and Equitable Access to Care.<br>Kidney Diseases (Basel, Switzerland), 2020, 6, 136-143.   | 1.2 | 2         |
| 124 | Kidney Health for Everyone Everywhere – From Prevention to Detection and Equitable Access to Care. American Journal of Nephrology, 2020, 51, 255-262.   | 1.4 | 2         |
| 125 | Kidney Health for Everyone Everywhereâ€"From Prevention to Detection and Equitable Access to Care.<br>Kidney International Reports, 2020, 5, 245-251.   | 0.4 | 1         |
| 126 | Kidney Health for Everyone, Everywhereâ€"from prevention to detection and equitable access to care. Nephrology Dialysis Transplantation, 2020, 35, 367-374.   | 0.4 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Kidney health for everyone everywhere - from prevention to detection and equitable access to care. Archivos Argentinos De Pediatria, 2020, 118, e148.  | 0.3 | 1         |
| 128 | Kidney Health for Everyone Everywhere: From Prevention to Detection and Equitable Access to Care. Canadian Journal of Kidney Health and Disease, 2020, 7, 205435812091056.                         | 0.6 | 3         |
| 129 | Kidney Health for Everyone Everywhere: From Prevention to Detection and Equitable Access to Care.<br>American Journal of Hypertension, 2020, 33, 282-289.  | 1.0 | 5         |
| 130 | Kidney Health for Everyone Everywhere – From Prevention to Detection and Equitable Access to Care. Nephron, 2020, 144, 162-169.  | 0.9 | 0         |
| 131 | Reprint of: Kidney health for everyone everywhere—from prevention to detection and equitable access to care. Nephrologie Et Therapeutique, 2020, 16, 211-216.                                      | 0.2 | 0         |
| 132 | Kidney Health for Everyone Everywhere – From prevention to detection and equitable access to care. Nefrologia, 2020, 40, 133-141.  | 0.2 | 1         |
| 133 | Kidney health for everyone everywhere—from prevention to detection and equitable access to care. Pediatric Nephrology, 2020, 35, 1801-1810.  | 0.9 | 4         |
| 134 | Kidney health for everyone everywhereâ€"From prevention to detection and equitable access to care. Nephrology, 2020, 25, 195-201.  | 0.7 | 0         |
| 135 | Kidney Health for Everyone Everywhereâ€"From Prevention to Detection and Equitable Access to Care.<br>Kidney Medicine, 2020, 2, 5-11.  | 1.0 | 2         |
| 136 | Kidney Health for Everyone Everywhere – From prevention to detection and equitable access to care. Nefrologia, 2020, 40, 133-141.  | 0.2 | 5         |
| 137 | Kidney Health for Everyone Everywhere—From Prevention to Detection and Equitable Access to Care.<br>Journal of Renal Care, 2020, 46, 4-12.   | 0.6 | 8         |
| 138 | Kidney health for everyone everywhereâ€"from prevention to detection and equitable access to care. Kidney International, 2020, 97, 226-232.  | 2.6 | 80        |
| 139 | Urate crystals trigger B-cell receptor signal transduction and induce B-cell proliferation. Journal of Basic and Clinical Physiology and Pharmacology, 2020, 31, .                                 | 0.7 | 3         |
| 140 | A unifying model of glucotoxicity in human renal proximal tubular epithelial cells and the effect of the SGLT2 inhibitor dapagliflozin. International Urology and Nephrology, 2020, 52, 1179-1189. | 0.6 | 25        |
| 141 | Unexpected restoration of an arteriovenous graft function: the significance of vascular access surveillance. CEN Case Reports, 2020, 9, 291-293.   | 0.5 | 0         |
| 142 | Kidney health for everyone everywhere: from prevention to detection and equitable access to care. Journal of Nephrology, 2020, 33, 201-210.  | 0.9 | 5         |
| 143 | Thrombophilia in hemodialysis patients: Transfer to peritoneal dialysis is life saving. Seminars in Dialysis, 2020, 33, 338-342.   | 0.7 | 1         |
| 144 | 10-year-long survival in a PD patient with severe calcifying encapsulating peritoneal sclerosis treated with tamoxifen: a case-report. BMC Nephrology, 2020, 21, 110.                              | 0.8 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Biomarkers of vascular calcification in serum. Advances in Clinical Chemistry, 2020, 98, 91-147.   | 1.8 | 28        |
| 146 | Vitamin K for the Treatment of Cardiovascular Disease in End-Stage Renal Disease Patients: Is there Hope?. Current Vascular Pharmacology, 2020, 19, 77-90.   | 0.8 | 9         |
| 147 | Pulse Wave Velocity Assessment for Cardiovascular Risk Prognostication in ESKD: Weighting Recent Evidence. Current Vascular Pharmacology, 2020, 19, 4-11.  | 0.8 | 7         |
| 148 | Kidney Health for Everyone Everywhere - from Prevention to Detection and Equitable Access to Care. Turkish Journal of Nephrology, 2020, 29, 99-107.  | 0.1 | 0         |
| 149 | Mistimed H <sub>2</sub> S upregulation, Nrf2 activation and antioxidant proteins levels in renal tubular epithelial cells subjected to anoxia and reoxygenation. Biomedical Reports, 2020, 13, 3.  | 0.9 | 5         |
| 150 | Exploring the High Burden of Cardiovascular Disease Among Patients with End-Stage Renal Disease. Current Vascular Pharmacology, 2020, 19, 1-3.   | 0.8 | 0         |
| 151 | Kidney health for everyone everywhere— from prevention to detection and equitable access to care. , 2020, 26, 8-9.   |     | 4         |
| 152 | Kidney health for everyone everywhere - From prevention to detection and equitable access to care. Indian Journal of Nephrology, 2020, 30, 63.   | 0.2 | 1         |
| 153 | Kidney health for everyone everywhere - from prevention to detection and equitable access to care.<br>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for<br>Organ Transplantation, Saudi Arabia, 2020, 31, 298. | 0.4 | 0         |
| 154 | Kidney health for everyone everywhere $\hat{a}\in$ from prevention to detection and equitable access to care. Brazilian Journal of Medical and Biological Research, 2020, 53, e9614.   | 0.7 | 6         |
| 155 | Kidney health for everyone, everywhere: from prevention to detection and equitable access to care. Internal Medicine Journal, 2020, 50, 145-150.   | 0.5 | 0         |
| 156 | Kidney health for everyone everywhere $\hat{a} \in \text{``from prevention to detection and equitable access to care.}$ Clinical Nephrology, 2020, 93, 111-122.  | 0.4 | 10        |
| 157 | Reoxygenation induces reactive oxygen species production and ferroptosis in renal tubular epithelial cells by activating aryl hydrocarbon receptor. Molecular Medicine Reports, 2020, 23, 1-1.   | 1.1 | 23        |
| 158 | Clinic and Home Blood Pressure Monitoring for the Detection of Ambulatory Hypertension Among Patients on Peritoneal Dialysis. Hypertension, 2019, 74, 998-1004.  | 1.3 | 11        |
| 159 | Optimal diastolic blood pressure range in intensive systolic targets: Resolving the controversy between observational and intentionâ€toâ€treat analyses. Journal of Clinical Hypertension, 2019, 21, 919-921.  | 1.0 | 0         |
| 160 | SP054SHORT-TERM BLOOD PRESSURE VARIABILITY IS REDUCED AFTER NEBIVOLOL COMPARED TO IRBESARTAN TREATMENT IN PATIENTS WITH INTRADIALYTIC HYPERTENSION. Nephrology Dialysis Transplantation, 2019, 34, .   | 0.4 | 0         |
| 161 | Dietary Antioxidant Supplements and Uric Acid in Chronic Kidney Disease: A Review. Nutrients, 2019, 11, 1911.  | 1.7 | 72        |
| 162 | In-Depth Bioinformatic Study of the CLDN16 Gene and Protein: Prediction of Subcellular Localization to Mitochondria. Medicina (Lithuania), 2019, 55, 409.  | 0.8 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Oxidative Stress in the Pathogenesis and Evolution of Chronic Kidney Disease: Untangling Ariadne's Thread. International Journal of Molecular Sciences, 2019, 20, 3711.   | 1.8 | 207       |
| 164 | SP544A COMPARATIVE STUDY OF SHORT-TERM BP VARIABILITY IN HEMODIALYSIS PATIENTS WITH AND WITHOUT INTRADIALYTIC HYPERTENSION. Nephrology Dialysis Transplantation, 2019, 34, .  | 0.4 | 0         |
| 165 | FP571A COMPARATIVE STUDY OF BRACHIAL AND AORTIC AMBULATORY BLOOD PRESSURE PROFILE BETWEEN CONTINUOUS AMBULATORY AND AUTOMATED PERITONEAL DIALYSIS. Nephrology Dialysis Transplantation, 2019, 34, .                                 | 0.4 | 0         |
| 166 | FP582DETERMINANTS OF AMBULATORY PULSE WAVE VELOCITY AMONG PATIENTS ON LONG-TERM PERITONEAL DIALYSIS. Nephrology Dialysis Transplantation, 2019, 34, .   | 0.4 | 0         |
| 167 | The H2S–Nrf2–Antioxidant Proteins Axis Protects Renal Tubular Epithelial Cells of the Native Hibernator Syrian Hamster from Reoxygenation-Induced Cell Death. Biology, 2019, 8, 74.   | 1.3 | 6         |
| 168 | Crystalline silica activates the T-cell and the B-cell antigen receptor complexes and induces T-cell and B-cell proliferation. Autoimmunity, 2019, 52, 136-143.   | 1.2 | 19        |
| 169 | Attitudes of hemodialysis patients, medical and nursing staff towards patients' physical activity.<br>International Urology and Nephrology, 2019, 51, 1249-1260.  | 0.6 | 19        |
| 170 | Indoleamine 2,3â€'dioxygenase suppresses humoral alloimmunity via pathways that different to those associated with its effects on T cells. Biomedical Reports, 2019, 1, 1-5.  | 0.9 | 11        |
| 171 | Is oxidative stress an issue in peritoneal dialysis?. Seminars in Dialysis, 2019, 32, 463-466.  | 0.7 | 42        |
| 172 | Predictors of Outcomes of Living Kidney Donation: Impact of Sex, Age and Preexistent Hypertension. Transplantation Proceedings, 2019, 51, 396-404.  | 0.3 | 5         |
| 173 | Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. Lancet, The, 2019, 393, 1937-1947.   | 6.3 | 408       |
| 174 | Factors that May Protect the Native Hibernator Syrian Hamster Renal Tubular Epithelial Cells from Ferroptosis Due to Warm Anoxia-Reoxygenation. Biology, 2019, 8, 22.   | 1.3 | 12        |
| 175 | Phosphorus nutritional knowledge among dialysis health care providers and patients: A multicenter observational study. Clinical Nutrition ESPEN, 2019, 31, 33-37.   | 0.5 | 7         |
| 176 | Association of the Inactive Circulating Matrix Gla Protein with Vitamin K Intake, Calcification, Mortality, and Cardiovascular Disease: A Review. International Journal of Molecular Sciences, 2019, 20, 628.                       | 1.8 | 80        |
| 177 | Encapsulating Peritoneal Sclerosis: Pathophysiology and Current Treatment Options. International Journal of Molecular Sciences, 2019, 20, 5765.   | 1.8 | 54        |
| 178 | Activation of General Control Nonderepressible-2 Kinase Ameliorates Glucotoxicity in Human Peritoneal Mesothelial Cells, Preserves Their Integrity, and Prevents Mesothelial to Mesenchymal Transition. Biomolecules, 2019, 9, 832. | 1.8 | 3         |
| 179 | Weak within-individual association of blood pressure and pulse wave velocity in hemodialysis is related to adverse outcomes. Journal of Hypertension, 2019, 37, 2200-2208.  | 0.3 | 10        |
| 180 | The association of interdialytic blood pressure variability with cardiovascular events and all-cause mortality in haemodialysis patients. Nephrology Dialysis Transplantation, 2019, 34, 515-523.                                   | 0.4 | 40        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | The effects of nebivolol and irbesartan on postdialysis and ambulatory blood pressure in patients with intradialytic hypertension. Journal of Hypertension, 2019, 37, 432-442.   | 0.3 | 10        |
| 182 | Lowâ€dose combination therapy to control sustained ambulatory hypertensionâ€"Basic principles and future directions. Journal of Clinical Hypertension, 2019, 21, 249-251.  | 1.0 | 0         |
| 183 | Antioxidant Supplementation in Renal Replacement Therapy Patients: Is There Evidence?. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-23.  | 1.9 | 52        |
| 184 | Nebivolol reduces short-term blood pressure variability more potently than irbesartan in patients with intradialytic hypertension. Hypertension Research, 2019, 42, 1001-1010.   | 1.5 | 13        |
| 185 | Assessment and Management of Hypertension among Patients on Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 297-305.   | 2.2 | 37        |
| 186 | Oxidative stress in hemodialysis: Causative mechanisms, clinical implications, and possible therapeutic interventions. Seminars in Dialysis, 2019, 32, 58-71.  | 0.7 | 80        |
| 187 | SGLT-2 inhibitors in Diabetic Kidney Disease: What Lies Behind their Renoprotective Properties?.<br>Current Medicinal Chemistry, 2019, 26, 5564-5578.  | 1.2 | 5         |
| 188 | Acute Kidney Injury in theÂElderly. , 2019, , 123-131.   |     | 1         |
| 189 | Remission of nephrotic syndrome after resolution of renal artery stenosis in a patient with a single functional kidney. Clinical Nephrology, 2019, 91, 265-267.  | 0.4 | 1         |
| 190 | The Importance of Icodextrin Use for Technique and Patient Survival in Peritoneal Dialysis. American Journal of Kidney Diseases, 2018, 72, 309.  | 2.1 | 2         |
| 191 | Home blood pressure–guided antihypertensive therapy in chronic kidney disease: more data are needed.<br>Journal of the American Society of Hypertension, 2018, 12, 242-247.  | 2.3 | 3         |
| 192 | Comparison of Glycemic Markers in Chronic Hemodialysis Using Continuous Glucose Monitoring. American Journal of Nephrology, 2018, 47, 21-29.   | 1.4 | 30        |
| 193 | The sirtuin1 gene associates with left ventricular myocardial hypertrophy and remodeling in two chronic kidney disease cohorts. Journal of Hypertension, 2018, 36, 1705-1711.  | 0.3 | 6         |
| 194 | Arterial stiffness in end-stage renal diseaseâ€"pathogenesis, clinical epidemiology, and therapeutic potentials. Hypertension Research, 2018, 41, 309-319.   | 1.5 | 17        |
| 195 | Sleep apnea syndrome, inflammation and oxidative stress in hemodialysis patients. Hemodialysis International, 2018, 22, 209-216.   | 0.4 | 6         |
| 196 | Uric acid increases cellular and humoral alloimmunity in primary human peripheral blood mononuclear cells. Nephrology, 2018, 23, 610-615.  | 0.7 | 6         |
| 197 | Allopurinol protects human glomerular endothelial cells from high glucose-induced reactive oxygen species generation, p53 overexpression and endothelial dysfunction. International Urology and Nephrology, 2018, 50, 179-186. | 0.6 | 25        |
| 198 | Lateâ€onset Pompe's disease in a hemodialysis patient: A first case report. Hemodialysis International, 2018, 22, E23-E25.   | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | SP505EXPLORING THE DIAGNOSTIC ACCURACY OF BP MONITORING TECHNIQUES IN PERITONEAL DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2018, 33, i518-i519.  | 0.4 | O         |
| 200 | Icodextrin-associated generalized exfoliative skin rash in a CAPD patient: a case-report. BMC Nephrology, 2018, 19, 293.   | 0.8 | 3         |
| 201 | Cell Death Patterns Due to Warm Ischemia or Reperfusion in Renal Tubular Epithelial Cells<br>Originating from Human, Mouse, or the Native Hibernator Hamster. Biology, 2018, 7, 48.  | 1.3 | 27        |
| 202 | Screening for renal cell carcinoma in dialysis patients. Kidney International, 2018, 94, 1238.   | 2.6 | 5         |
| 203 | Energy handling in renal tubular epithelial cells of the hamster, a native hibernator, under warm anoxia or reoxygenation. Biomedical Reports, 2018, 9, 503-510.   | 0.9 | 3         |
| 204 | Hemodialysis-related changes in phenotypical features of monocytes. Scientific Reports, 2018, 8, 13964.  | 1.6 | 26        |
| 205 | IDO decreases glycolysis and glutaminolysis by activating GCN2K, while it increases fatty acid oxidation by activating AhR, thus preserving CD4+ Tâ€'cell survival and proliferation. International Journal of Molecular Medicine, 2018, 42, 557-568.              | 1.8 | 23        |
| 206 | The contribution of genetic variants of SLC2A1 gene in T2DM and T2DM-nephropathy: association study and meta-analysis. Renal Failure, 2018, 40, 561-576.   | 0.8 | 20        |
| 207 | Oxidative Stress and the Kidney in the Space Environment. International Journal of Molecular Sciences, 2018, 19, 3176.   | 1.8 | 38        |
| 208 | A Comparative Study of Short-Term Blood Pressure Variability in Hemodialysis Patients with and without Intradialytic Hypertension. American Journal of Nephrology, 2018, 48, 295-305.  | 1.4 | 21        |
| 209 | Unrecognized juvenile nephropathic cystinosis. Kidney International, 2018, 94, 1027.   | 2.6 | 2         |
| 210 | Xanthine oxidase inhibitors may prevent or slow chronic kidney disease even in the absence of hyperuricemia. Kidney International, 2018, 94, 830-831.  | 2.6 | 2         |
| 211 | Uric acid and cellular and humoral alloimmunity. Journal of Heart and Lung Transplantation, 2018, 37, 1388.  | 0.3 | 0         |
| 212 | Renal tubular epithelial cells of the native hibernator Syrian hamster recover more rapidly from endoplasmic reticulum stress compared to those of human or mouse following warm anoxia-reoxygenation, possibly due to increased proteasomal function., 2018,,.    |     | 1         |
| 213 | Indoleamine 2, 3-dioxygenase Up-regulates Hypoxia-inducible Factor-1α Expression by Degrading<br>L-tryptophan but Not Its Activity in Human Alloreactive T-cells. Iranian Journal of Allergy, Asthma and<br>Immunology, 2018, 17, 56-67.                           | 0.3 | 1         |
| 214 | Accuracy of a Newly-Introduced Oscillometric Device for the Estimation of Arterial Stiffness Indices in Patients on Peritoneal Dialysis: A Preliminary Validation Study. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2018, 34, 24-31.       | 0.1 | 5         |
| 215 | Tryptophan depletion under conditions that imitate insulin resistance enhances fatty acid oxidation and induces endothelial dysfunction through reactive oxygen species-dependent and independent pathways. Molecular and Cellular Biochemistry, 2017, 428, 41-56. | 1.4 | 9         |
| 216 | Preconditioning of primary human renal proximal tubular epithelial cells without tryptophan increases survival under hypoxia by inducing autophagy. International Urology and Nephrology, 2017, 49, 1297-1307.   | 0.6 | 12        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Ambulatory Pulse Wave Velocity Is a Stronger Predictor of Cardiovascular Events and All-Cause<br>Mortality Than Office and Ambulatory Blood Pressure in Hemodialysis Patients. Hypertension, 2017, 70,<br>148-157.       | 1.3  | 96        |
| 218 | In human cell cultures, everolimus is inferior to tacrolimus in inhibiting cellular alloimmunity, but equally effective as regards humoral alloimmunity. International Urology and Nephrology, 2017, 49, 1691-1697.      | 0.6  | 7         |
| 219 | Bone Quality Assessment as Measured by Trabecular Bone Score in Patients With End-Stage Renal Disease on Dialysis. Journal of Clinical Densitometry, 2017, 20, 490-497.  | 0.5  | 29        |
| 220 | Evaluation of the tolerability and efficacy of sodium polystyrene sulfonate for long-term management of hyperkalemia in patients with chronic kidney disease. International Urology and Nephrology, 2017, 49, 2217-2221. | 0.6  | 21        |
| 221 | Blood pressure variability is increasing from the first to the second day of the interdialytic interval in hemodialysis patients. Journal of Hypertension, 2017, 35, 2517-2526.  | 0.3  | 28        |
| 222 | Single-Nephron Glomerular Filtration Rate in Healthy Adults. New England Journal of Medicine, 2017, 377, 1202-1204.  | 13.9 | 14        |
| 223 | Quiz. American Journal of Kidney Diseases, 2017, 70, A13-A15.  | 2.1  | 2         |
| 224 | Blood pressure and target-organ damage in hemodialysis. Journal of Hypertension, 2017, 35, 2552-2553.  | 0.3  | 2         |
| 225 | A comparative analysis between proteasome and immunoproteasome inhibition in cellular and humoral alloimmunity. International Immunopharmacology, 2017, 50, 48-54.   | 1.7  | 10        |
| 226 | Peritoneal dialysis-related infections recommendations: 2016 update. What is new?. International Urology and Nephrology, 2017, 49, 2177-2184.  | 0.6  | 22        |
| 227 | Comparison of the effect of the aerobic glycolysis inhibitor dichloroacetate and of the Krebs cycle inhibitor LW6 on cellular and humoral alloimmunity. Biomedical Reports, 2017, 7, 439-444.                            | 0.9  | 10        |
| 228 | Oxidative Stress and Acute Kidney Injury in Critical Illness: Pathophysiologic<br>Mechanisms—Biomarkers—Interventions, and Future Perspectives. Oxidative Medicine and Cellular<br>Longevity, 2017, 2017, 1-11.          | 1.9  | 101       |
| 229 | Oxidative Stress in Hemodialysis Patients: A Review of the Literature. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-22.  | 1.9  | 147       |
| 230 | Oxidative Stress in Patients Undergoing Peritoneal Dialysis: A Current Review of the Literature. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-14.  | 1.9  | 71        |
| 231 | Chronic Kidney Disease and Disproportionally Increased Cardiovascular Damage: Does Oxidative Stress Explain the Burden?. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-15.                                    | 1.9  | 75        |
| 232 | Urate crystals directly activate the T-cell receptor complex and induce T-cell proliferation. Biomedical Reports, 2017, 7, 365-369.  | 0.9  | 10        |
| 233 | Mineralocorticoid Antagonists in ESRD: An Overview of Clinical Trial Evidence. Current Vascular<br>Pharmacology, 2017, 15, 599-606.  | 0.8  | 13        |
| 234 | Cytochrome c as a Potentially Clinical Useful Marker of Mitochondrial and Cellular Damage. Frontiers in Immunology, 2016, 7, 279.  | 2.2  | 134       |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 235 | SP112DIURNAL VARIATION OF CENTRAL AORTIC PRESSURE AND AORTIC-TO-BRACHIAL PULSE PRESSURE AMPLIFICATION IN HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i122-i123.   | 0.4 | O         |
| 236 | Indoleamine 2,3-dioxygenase downregulates T-cell receptor complex ζ-chain and c-Myc, and reduces proliferation, lactate dehydrogenase levels and mitochondrial glutaminase in human T-cells. Molecular Medicine Reports, 2016, 13, 925-932.                                       | 1.1 | 19        |
| 237 | Angiogenin is upregulated during the alloreactive immune response and has no effect on the T-cell expansion phase, whereas it affects the contraction phase by inhibiting CD4+ T-cell apoptosis. Experimental and Therapeutic Medicine, 2016, 12, 3471-3475.                      | 0.8 | 7         |
| 238 | Differential effects of the two amino acid sensing systems, the GCN2 kinase and the mTOR complex 1, on primary human alloreactive CD4+ T-cells. International Journal of Molecular Medicine, 2016, 37, 1412-1420.   | 1.8 | 26        |
| 239 | Indoleamine 2,3-dioxygenase, by degrading L-tryptophan, enhances carnitine palmitoyltransferase I activity and fatty acid oxidation, and exerts fatty acid-dependent effects in human alloreactive CD4+T-cells. International Journal of Molecular Medicine, 2016, 38, 1605-1613. | 1.8 | 20        |
| 240 | Activation of general control nonderepressible 2 kinase protects human glomerular endothelial cells from harmful high-glucose-induced molecular pathways. International Urology and Nephrology, 2016, 48, 1731-1739.  | 0.6 | 16        |
| 241 | Mineralocorticoid Receptor Antagonism for Cardiovascular Protection in Endâ€Stage Renal Disease:<br>New Data But the Controversy Continues. Journal of Clinical Hypertension, 2016, 18, 197-199.  | 1.0 | 4         |
| 242 | Twenty-Four-Hour Intraocular Pressure Monitoring in Normotensive Patients Undergoing Chronic Hemodialysis. European Journal of Ophthalmology, 2016, 26, 24-29.  | 0.7 | 3         |
| 243 | In human alloreactive CD4+ T-cells, dichloroacetate inhibits aerobic glycolysis, induces apoptosis and favors differentiation towards the regulatory T-cell subset instead of effector T-cell subsets.  Molecular Medicine Reports, 2016, 13, 3370-3376.                          | 1.1 | 15        |
| 244 | Hemodialysis patients with intradialytic rise in blood pressure display higher baseline aortic stiffness and negligible drop in augmentation index with dialysis. International Urology and Nephrology, 2016, 48, 601-608.  | 0.6 | 11        |
| 245 | Kynurenine, by activating aryl hydrocarbon receptor, decreases erythropoietin and increases hepcidin production in HepG2 cells: A new mechanism for anemia of inflammation. Experimental Hematology, 2016, 44, 60-67.e1.  | 0.2 | 27        |
| 246 | Restless legs syndrome and mortality in hemodialysis patients. Sleep Medicine, 2016, 22, 103.   | 0.8 | 3         |
| 247 | Proteasome or immunoproteasome inhibitors cause apoptosis in human renal tubular epithelial cells under normoxic and hypoxic conditions. International Urology and Nephrology, 2016, 48, 907-915.   | 0.6 | 5         |
| 248 | Malate dehydrogenase-2 inhibitor LW6 promotes metabolic adaptations and reduces proliferation and apoptosis in activated human T-cells. Experimental and Therapeutic Medicine, 2015, 10, 1959-1966.   | 0.8 | 19        |
| 249 | The Use of Calcimimetics for the Treatment of Secondary Hyperparathyroidism: A 10 Year Evidence Review. Seminars in Dialysis, 2015, 28, 497-507.  | 0.7 | 23        |
| 250 | Indoleamine 2,3â€dioxygenase depletes tryptophan, activates general control nonâ€derepressible 2 kinase and downâ€regulates key enzymes involved in fatty acid synthesis in primary human <scp>CD</scp> 4 <sup>+</sup> T cells. Immunology, 2015, 146, 292-300.                   | 2.0 | 43        |
| 251 | Improvements in the Management of Diabetic Nephropathy. Review of Diabetic Studies, 2015, 12, 119-133.  | 0.5 | 65        |
| 252 | Animal models in peritoneal dialysis. Frontiers in Physiology, 2015, 6, 244.  | 1.3 | 13        |

| #   | Article  | lF  | Citations |
|-----|--|-----|-----------|
| 253 | Osteoporosis after renal transplantation. International Urology and Nephrology, 2015, 47, 503-511.   | 0.6 | 20        |
| 254 | Restless legs syndrome does not affect 3-year mortality in hemodialysis patients. Sleep Medicine, 2015, 16, 1131-1138.   | 0.8 | 27        |
| 255 | Ambulatory Recording of Wave Reflections and Arterial Stiffness during Intra- and Interdialytic Periods in Patients Treated with Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 630-638.   | 2.2 | 67        |
| 256 | Intraocular pressure changes during hemodialysis. International Urology and Nephrology, 2015, 47, 1685-1690.   | 0.6 | 15        |
| 257 | Ambulatory aortic blood pressure, wave reflections and pulse wave velocity are elevated during the third in comparison to the second interdialytic day of the long interval in chronic haemodialysis patients. Nephrology Dialysis Transplantation, 2015, 30, 2046-2053. | 0.4 | 35        |
| 258 | Arterial Stiffness: A Novel Risk Factor for Kidney Injury Progression?. American Journal of Hypertension, 2015, 28, 958-965.   | 1.0 | 53        |
| 259 | Automated Peritoneal Dialysis: An alternative to Continuous Ambulatory or a First Choice Treatment?. BANTAO Journal, 2014, 12, 77-83.  | 0.1 | 0         |
| 260 | Factors affecting effectiveness of vaccination against hepatitis B virus in hemodialysis patients. World Journal of Gastroenterology, 2014, 20, 12018.   | 1.4 | 30        |
| 261 | Sternal instability in a hemodialysis patient with secondary hyperparathyroidism. Hemodialysis International, 2014, 18, 708-711.   | 0.4 | 0         |
| 262 | Late onset of clinically apparent central vein stenosis due to previous central venous catheter in a patient with inherited thrombophilia. Hemodialysis International, 2014, 18, 540-543.  | 0.4 | 3         |
| 263 | Evaluation of a Novel Brachial Cuff-Based Oscillometric Method for Estimating Central Systolic Pressure in Hemodialysis Patients. American Journal of Nephrology, 2014, 40, 242-250.   | 1.4 | 60        |
| 264 | Hemodiafiltration Does Not Have Additional Benefits over Hemodialysis on Arterial Stiffness, Wave Reflections and Central Aortic Pressures. Blood Purification, 2014, 37, 18-26.   | 0.9 | 9         |
| 265 | Indoleamine 2,3-dioxygenase increases p53 levels in alloreactive human T cells, and both indoleamine 2,3-dioxygenase and p53 suppress glucose uptake, glycolysis and proliferation. International Immunology, 2014, 26, 673-684.   | 1.8 | 43        |
| 266 | Ferroportin in monocytes of hemodialysis patients and its associations with hepcidin, inflammation, markers of iron status and resistance to erythropoietin. International Urology and Nephrology, 2014, 46, 161-167.  | 0.6 | 14        |
| 267 | Damage-associated molecular patterns derived from mitochondria may contribute to the hemodialysis-associated inflammation. International Urology and Nephrology, 2014, 46, 107-112.  | 0.6 | 17        |
| 268 | Vascular access for hemodialysis: postoperative evaluation and function monitoring. International Urology and Nephrology, 2014, 46, 403-409.   | 0.6 | 22        |
| 269 | VEGF increases the permeability of sheep pleura ex vivo through VEGFR2 stimulation. Cytokine, 2014, 69, 284-288.   | 1.4 | 6         |
| 270 | Serum copper and ferroportin in monocytes of hemodialysis patients are both decreased but unassociated. International Urology and Nephrology, 2014, 46, 1825-1831.   | 0.6 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Melatonin secretion is impaired in women with preeclampsia and an abnormal circadian blood pressure rhythm. Renal Failure, 2014, 36, 1001-1007.  | 0.8 | 32        |
| 272 | Can a single inflammatory marker adequately predict resistance to erythropoiesisâ€stimulating agents in hemodialysis patients?. Hemodialysis International, 2013, 17, 130-131.   | 0.4 | 1         |
| 273 | Serum osteoprotegerin is markedly increased and may contribute to decreased blood T cell count in hemodialysis patients. International Urology and Nephrology, 2013, 45, 1671-1677.  | 0.6 | 2         |
| 274 | Inhibition of Indoleamine 2,3â€Dioxygenase Not Only Blocks Autoreactive B Cell Activation, But It Also Reduces Production of Antibodies in General: Comment on the Article by Pigott and Mandikâ€Nayak. Arthritis and Rheumatism, 2013, 65, 1951-1952. | 6.7 | 1         |
| 275 | Dichloroacetate at therapeutic concentration alters glucose metabolism and induces regulatory<br>T-cell differentiation in alloreactive human lymphocytes. Journal of Basic and Clinical Physiology and<br>Pharmacology, 2013, 24, 271-276.            | 0.7 | 40        |
| 276 | Increased Plasma Angiogenin Level is Associated and May Contribute to Decreased T ell Zeta hain Expression in Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2013, 17, 48-54.  | 0.4 | 2         |
| 277 | Inhibition of indoleamine 2,3-dioxygenase in mixed lymphocyte reaction affects glucose influx and enzymes involved in aerobic glycolysis and glutaminolysis in alloreactive T-cells. Human Immunology, 2013, 74, 1501-1509.                            | 1.2 | 26        |
| 278 | Restless legs syndrome in hemodialysis patients: an epidemiologic survey in Greece. Sleep Medicine, 2013, 14, 1381-1386.   | 0.8 | 41        |
| 279 | Plasma vascular endothelial growth factor and angiogenin are positively related to erythropoietin dose in hemodialysis patients. Advances in Medical Sciences, 2013, 58, 143-149.  | 0.9 | 3         |
| 280 | The Renal Endothelium in Diabetic Nephropathy. Renal Failure, 2013, 35, 592-599.   | 0.8 | 47        |
| 281 | Increased visfatin in hemodialysis patients is associated with decreased demands for recombinant human erythropoietin. Renal Failure, 2013, 35, 1399-1403.   | 0.8 | 1         |
| 282 | CD8+ T-cell auto-reactivity is dependent on the expression of the immunoproteasome subunit LMP7 in exposed to lipopolysaccharide antigen presenting cells and epithelial target cells. Autoimmunity, 2013, 46, 439-445.                                | 1.2 | 7         |
| 283 | Endothelinâ€1 Acutely Reduces the Permeability of Visceral Sheep Peritoneum In Vitro Through Both Endothelinâ€∢scp>A and Endothelinâ€∢scp>B Receptors. Artificial Organs, 2013, 37, 308-312.   | 1.0 | 7         |
| 284 | Decreasing High Failure Rate of Vaccinations in Patients With Chronic Kidney Disease; not Just a Matter of Quantity. Hepatitis Monthly, 2012, 12, 465-466.   | 0.1 | 0         |
| 285 | Intermittent Intraperitoneal Dose of Teicoplanin in Peritoneal Dialysis–Related Peritonitis. Peritoneal Dialysis International, 2012, 32, 365-366.   | 1.1 | 3         |
| 286 | Toll-Like Receptors and their Role in Renal Pathologies. Inflammation and Allergy: Drug Targets, 2012, 11, 464-477.  | 1.8 | 43        |
| 287 | Renal-limited 'lupus-like' nephritis. Nephrology Dialysis Transplantation, 2012, 27, 2337-2342.  | 0.4 | 50        |
| 288 | Plasma Indoleamine 2,3-Dioxygenase and Arginase Type I May Contribute to Decreased Blood T-Cell Count in Hemodialysis Patients. Renal Failure, 2012, 34, 1118-1122.  | 0.8 | 17        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 289 | The Peritoneal Equilibration Test Should be Included in Routine Monitoring of Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2012, 32, 222-223.  | 1.1 | 1         |
| 290 | The Indoleamine 2,3-dioxygenase Inhibitor 1-methyl-tryptophan Suppresses Mitochondrial Function, Induces Aerobic Glycolysis and Decreases Interleukin-10 Production in Human Lymphocytes. Immunological Investigations, 2012, 41, 507-520. | 1.0 | 18        |
| 291 | Pharmacological management of hypertensive emergencies and urgencies: focus on newer agents. Expert Opinion on Investigational Drugs, 2012, 21, 1089-1106.   | 1.9 | 26        |
| 292 | The kidney in space. International Urology and Nephrology, 2012, 44, 1893-1901.  | 0.6 | 25        |
| 293 | Plasma Indoleamine 2,3-Dioxygenase Concentration is Increased in Hemodialysis Patients and May Contribute to the Pathogenesis of Coronary Heart Disease. Renal Failure, 2012, 34, 68-72.   | 0.8 | 17        |
| 294 | Fibrates: Therapeutic potential for diabetic nephropathy?. European Journal of Internal Medicine, 2012, 23, 309-316.   | 1.0 | 39        |
| 295 | Peritoneal dialysis-related infections recommendations: 2010 update. What is new?. International Urology and Nephrology, 2012, 44, 593-600.  | 0.6 | 10        |
| 296 | Perilipinâ€1 in Hemodialyzed Patients: Association With History of Coronary Heart Disease and Lipid Profile. Therapeutic Apheresis and Dialysis, 2012, 16, 355-360.  | 0.4 | 4         |
| 297 | Inverse association of serum 25-hydroxyvitamin D with markers of inflammation and suppression of osteoclastic activity in hemodialysis patients. Iranian Journal of Kidney Diseases, 2012, 6, 129-35.                                      | 0.1 | 25        |
| 298 | Plasma angiogenin and vascular endothelial growth factor a among hemodialysis patients. Iranian Journal of Kidney Diseases, 2012, 6, 209-15.   | 0.1 | 9         |
| 299 | Indoleamine 2,3-dioxygenase is increased in hemodialysis patients and affects immune response to hepatitis B vaccination. Vaccine, 2011, 29, 2242-2247.  | 1.7 | 41        |
| 300 | Evidence of Increased Muscle Atrophy and Impaired Quality of Life Parameters in Patients with Uremic Restless Legs Syndrome. PLoS ONE, 2011, 6, e25180.  | 1.1 | 48        |
| 301 | Postmortem Image Analysis of Sheep Cortical Leptomeningeal Space and Vasculature: Theoretical Implications on Brain Surface Dialysis. ASAIO Journal, 2011, 57, 388-394.  | 0.9 | О         |
| 302 | Arginase type I as a marker of coronary heart disease in hemodialysis patients. International Urology and Nephrology, 2011, 43, 1187-1194.   | 0.6 | 12        |
| 303 | Simultaneous clinical resolution of focal segmental glomerulosclerosis associated with chronic lymphocytic leukaemia treated with fludarabine, cyclophosphamide and rituximab. BMC Nephrology, 2011, 12, 33.                               | 0.8 | 5         |
| 304 | Epigenetic Mechanisms and Kidney Diseases. Current Medicinal Chemistry, 2011, 18, 1733-1739.   | 1.2 | 11        |
| 305 | Distal renal tubular acidosis (dRTA) and bone histomorphometry. Kidney International, 2011, 80, 431.   | 2.6 | 2         |
| 306 | Like total ghrelin, acylated ghrelin is also lower in HD patients with cardiovascular disease. Kidney International, 2011, 80, 783.  | 2.6 | 1         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 307 | Familial collapsing focal segmental glomerulosclerosis. Clinical Nephrology, 2011, 75, 362-368.   | 0.4 | 18        |
| 308 | Paricalcitol reduces basal and lipopolysaccharide-induced (LPS) TNF-α and IL-8 production by human peripheral blood mononuclear cells. International Urology and Nephrology, 2010, 42, 181-185.           | 0.6 | 33        |
| 309 | Peritoneal dialysis glossary 2009. International Urology and Nephrology, 2010, 42, 417-423.   | 0.6 | 8         |
| 310 | No need for an â€~â€~expiry date'' in chronic peritoneal dialysis to prevent encapsulating peritoneal sclerosis: comments from around the world. International Urology and Nephrology, 2010, 42, 239-249. | 0.6 | 5         |
| 311 | Pivotal Role of Paricalcitol in the Treatment of Calcific Uremic Arteriolopathy in the Presence of a Parathyroid Adenoma. American Journal of Kidney Diseases, 2010, 55, 144-147.                         | 2.1 | 14        |
| 312 | Quality of life score is primarily affected by the mental rather than the physical component in patients with restless legs syndrome. Movement Disorders, 2010, 25, 135-136.                              | 2.2 | 3         |
| 313 | Alphaâ€Tocopherol Administration Decreases Serum Urate Levels in Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2010, 14, 605-606.  | 0.4 | 2         |
| 314 | Non-Pharmacological Management of Periodic Limb Movements During Hemodialysis Session in Patients With Uremic Restless Legs Syndrome. ASAIO Journal, 2010, 56, 538-542.                                   | 0.9 | 30        |
| 315 | Which is the best way for estimating transferrin saturation?. Renal Failure, 2010, 32, 1022-1023.   | 0.8 | 25        |
| 316 | Vitamin D receptor activators and response to injury in kidney diseases. Journal of Nephrology, 2010, 23, 514-24.   | 0.9 | 9         |
| 317 | Patient Selection for Automated Peritoneal Dialysis: For Whom, When?. Peritoneal Dialysis International, 2009, 29, 102-107.   | 1.1 | 15        |
| 318 | The Effect of Paricalcitol on Osteoprotegerin Production by Human Peripheral Blood Mononuclear Cells. Journal of Rheumatology, 2009, 36, 856-856.   | 1.0 | 3         |
| 319 | Renal physiology in elderly persons with severe immobility syndrome. International Urology and Nephrology, 2009, 41, 437-441.   | 0.6 | 18        |
| 320 | Dexamethasone decreases the transmesothelial electrical resistance of the parietal and visceral pleura. Journal of Physiological Sciences, 2009, 59, 335-339.   | 0.9 | 5         |
| 321 | Decreased CD3+CD16+ natural killerâ€ike Tâ€cell percentage and zetaâ€chain expression accompany chronic inflammation in haemodialysis patients. Nephrology, 2009, 14, 471-475.                            | 0.7 | 10        |
| 322 | The Role of Hepcidin in Iron Homeostasis and Anemia in Hemodialysis Patients. Seminars in Dialysis, 2009, 22, 70-77.  | 0.7 | 64        |
| 323 | Acute Renal Failure: A Rare Presentation of Hypothyroidism. Renal Failure, 2009, 31, 323-326.   | 0.8 | 11        |
| 324 | Patient selection for automated peritoneal dialysis: for whom, when?. Peritoneal Dialysis International, 2009, 29 Suppl 2, S102-7.  | 1.1 | 3         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 325 | Spironolactone increases permeability of visceral sheep peritoneum. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2009, 25, 16-9.  | 0.1 | 3         |
| 326 | Effect of cimetidine on the electrophysiologic profile of isolated visceral sheep peritoneum. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2009, 25, 20-3.  | 0.1 | 2         |
| 327 | Psoas abscess in a dialysis patient with dialysis-related amyloidosis. International Urology and Nephrology, 2008, 40, 543-546.   | 0.6 | 9         |
| 328 | A Case Report of Recurrent Vascular Access Thrombosis in a Hemodialysis Patient Reveals Combined Acquired and Inherited Thrombophilia. Therapeutic Apheresis and Dialysis, 2008, 12, 190-192.   | 0.4 | 11        |
| 329 | Effect of One-year Oral α-Tocopherol Administration on the Antioxidant Defense System in Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2008, 12, 237-242.  | 0.4 | 28        |
| 330 | About the Role of Prohepcidin as an Indicator of Iron Status in Dialysis Patients. Therapeutic Apheresis and Dialysis, 2008, 12, 421-422.   | 0.4 | 0         |
| 331 | A Case Report of Osteomyelitis Pubis in a Hemodialysis Patient With Diabetes Mellitus. Therapeutic Apheresis and Dialysis, 2008, 12, 409-412.   | 0.4 | 1         |
| 332 | The Impact of Chronic Inflammation on Bone Turnover in Hemodialysis Patients. Renal Failure, 2008, 30, 431-437.   | 0.8 | 20        |
| 333 | Chronic Inflammation and CD16+ Natural Killer Cell Zeta-Chain Downregulation in Hemodialysis Patients. Blood Purification, 2008, 26, 317-321.   | 0.9 | 33        |
| 334 | Sleep quality and dialysis efficacy affect functional capacity in patients receiving haemodialysis therapy. Nephrology Dialysis Transplantation, 2008, 23, 2703-2704.   | 0.4 | 3         |
| 335 | Clonal relatedness of methicillin-resistant coagulase-negative staphylococci in the haemodialysis unit of a single university centre in Greece. Nephrology Dialysis Transplantation, 2008, 23, 2599-2603.   | 0.4 | 19        |
| 336 | About the effect of low-molecular-weight heparin on platelet function in haemodialysis patients. Nephrology Dialysis Transplantation, 2008, 24, 1063-1064.  | 0.4 | 0         |
| 337 | Intradialytic Aerobic Exercise Training Ameliorates Symptoms of Restless Legs Syndrome and Improves Functional Capacity in Patients on Hemodialysis. ASAIO Journal, 2008, 54, 185-190.  | 0.9 | 97        |
| 338 | Chronic Inflammation and T Cell Zeta-Chain Downregulation in Hemodialysis Patients. American Journal of Nephrology, 2008, 28, 152-157.  | 1.4 | 31        |
| 339 | Nocturnal Hypertension Is Associated with an Exacerbation of the Endothelial Damage in Preeclampsia. American Journal of Nephrology, 2008, 28, 424-430.   | 1.4 | 21        |
| 340 | Liver fat, visceral adiposity, and sleep disturbances contribute to the development of insulin resistance and glucose intolerance in nondiabetic dialysis patients. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2008, 295, R1721-R1729. | 0.9 | 22        |
| 341 | Serum Levels of Adipokine Retinol-Binding Protein-4 in Relation to Renal Function. Diabetes Care, 2008, 31, e23-e23.  | 4.3 | 2         |
| 342 | Factors Affecting Quality of Sleep in Dialysis Patients: Preliminary Polysomnographic Evidence. Renal Failure, 2008, 30, 475-476.   | 0.8 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Acute renal failure after antibiotic-impregnated bone cement treatment of an infected total knee arthroplasty. Clinical Nephrology, 2008, 69, 207-212.   | 0.4 | 82        |
| 344 | A case of membranous nephropathy associated with Sj $\tilde{A}$ $\P$ gren syndrome, polymyositis and autoimmune hepatitis. Clinical Nephrology, 2008, 70, 245-250.   | 0.4 | 32        |
| 345 | Rapid effect of dexamethasone on the permeability of visceral sheep peritoneum. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2008, 24, 2-6.  | 0.1 | 4         |
| 346 | Haemodialysis patients with sleep apnoea syndrome experience increased central adiposity and altered muscular composition and functionality. Nephrology Dialysis Transplantation, 2007, 23, 336-344.   | 0.4 | 27        |
| 347 | Corticosteroids and Ciclosporin A in Idiopathic Membranous Nephropathy: Higher Remission Rates of Nephrotic Syndrome and Less Adverse Reactions than after Traditional Treatment with Cytotoxic Drugs. American Journal of Nephrology, 2007, 27, 226-231.            | 1.4 | 30        |
| 348 | The Diabetic Foot in End Stage Renal Disease. Renal Failure, 2007, 29, 519-528.  | 0.8 | 32        |
| 349 | Adrenergic Influence on the Permeability of Sheep Diaphragmatic Parietal Pleura. Respiration, 2007, 74, 118-120.   | 1.2 | 9         |
| 350 | Development of an Egg-white Bioassay for Monitoring Biotin Levels in Urine and Serum. Analytical Sciences, 2007, 23, 593-595.  | 0.8 | 1         |
| 351 | Amiloride-Sensitive Sodium Channels on the Parietal Human Peritoneum: Evidence by Ussing-Type Chamber Experiments. ASAIO Journal, 2007, 53, 335-338.   | 0.9 | 19        |
| 352 | Imaging Modalities for Renal Artery Stenosis in Suspected Renovascular Hypertension: Prospective Intraindividual Comparison of Color Doppler US, CT Angiography, GD-Enhanced MR Angiography, and Digital Substraction Angiography. Renal Failure, 2007, 29, 295-302. | 0.8 | 145       |
| 353 | Thirty-Month Follow-Up of Coronary Artery Calcification in Hemodialysis Patients: Different Roles for Inflammation and Abnormal Calcium-Phosphorous Metabolism?. Renal Failure, 2007, 29, 623-629.   | 0.8 | 10        |
| 354 | Letter To The Editor: "ls There Any Benefit from Oral A-Tocopherol Administration in Hemodialysis Patients?― Renal Failure, 2007, 29, 245-246.   | 0.8 | 0         |
| 355 | POLYSOMNOGRAPHIC EVIDENCE OF SLEEP APNOEA DISORDERS IN LEAN AND OVERWEIGHT HAEMODIALYSIS PATIENTS. Journal of Renal Care, 2007, 33, 159-164.   | 0.6 | 5         |
| 356 | Basic Science and Dialysis: Disturbances of Acquired Immunity in Hemodialysis Patients. Seminars in Dialysis, 2007, 20, 440-451.   | 0.7 | 282       |
| 357 | Can Serological Tests Tell Us Something About Latent Tuberculosis in Hemodialysis Patients?.<br>Therapeutic Apheresis and Dialysis, 2007, 11, 78-79.   | 0.4 | 1         |
| 358 | Coronary Artery Calcification, Coronary Artery Stenosis and Hyperphosphatemia in Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2007, 11, 81-81.   | 0.4 | 2         |
| 359 | Acute renal failure in the elderly: particular characteristics. International Urology and Nephrology, 2007, 38, 787-793.   | 0.6 | 38        |
| 360 | No effect of serum parathyroid hormone level on antigen presenting cell-dependent T-cell reactivity in hemodialysis patients. International Urology and Nephrology, 2007, 39, 595-597.   | 0.6 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | mu-Opioid stimulation of isolated parietal sheep peritoneum decreases peritoneal permeability in vitro.<br>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2007, 23, 34-7.                           | 0.1 | 3         |
| 362 | Effect of endothelin-1 on the transmesothelial resistance of isolated visceral sheep peritoneum. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2007, 23, 38-42.                                    | 0.1 | 2         |
| 363 | Effect of sodium-potassium pump inhibition by ouabain on the permeability of isolated visceral sheep peritoneum. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2007, 23, 43-7.                     | 0.1 | 4         |
| 364 | Tubulointerstitial Nephritis and Uveitis (TINU) Syndrome in a 52-Year-Old Female: A Case Report and Review of the Literature. Renal Failure, 2006, 28, 355-359.   | 0.8 | 17        |
| 365 | Adaptation of Renal Function in Heart Failure. Renal Failure, 2006, 28, 527-535.  | 0.8 | 7         |
| 366 | Expression of Transforming Growth Factor-1² Receptor II mRNA in Cyclosporine-Induced Gingival Overgrowth. Transplantation Proceedings, 2006, 38, 2905-2908.   | 0.3 | 4         |
| 367 | T-Cell Zeta Chain Expression, Phosphorylation and Degradation and their Role in T-Cell Signal Transduction and Immune Response Regulation in Health And Disease. Current Signal Transduction Therapy, 2006, 1, 191-208. | 0.3 | 9         |
| 368 | Propyl gallate-induced platelet aggregation in patients with end-stage renal disease: The influence of the haemodialysis procedure. Nephrology, 2006, 11, 3-8.  | 0.7 | 6         |
| 369 | Is there a link between inflammation, plasma resistin levels, and protein malnutrition in hemodialysis patients?. Kidney International, 2006, 70, 1371-1372.  | 2.6 | 6         |
| 370 | Aquaporin-1 and sodium transport in the peritoneal membrane $\hat{a}\in$ " need for more research?. Kidney International, 2006, 70, 1663.   | 2.6 | 2         |
| 371 | Age and underdialysis as predictors of sleep disorders in peritoneal dialysis patients. International Urology and Nephrology, 2006, 38, 359-360.  | 0.6 | 6         |
| 372 | Transtubular potassium concentration gradient: comparison between healthy old people and chronic renal failure patients. International Urology and Nephrology, 2006, 38, 387-390.                                       | 0.6 | 30        |
| 373 | Major histocompatibility complex class I restricted T-cell autoreactivity in human peripheral blood mononuclear cells. Cellular Immunology, 2006, 240, 62-67.   | 1.4 | 4         |
| 374 | Gastric Antral Vascular Ectasia (Watermelon Stomach) in Patients With ESRD. American Journal of Kidney Diseases, 2006, 47, e77-e82.   | 2.1 | 28        |
| 375 | Can We Expect Something from Prohepcidin Measurement in Hemodialysis Patients?. Blood Purification, 2006, 24, 538-539.  | 0.9 | 1         |
| 376 | Does Hepcidin Affect Erythropoiesis in Hemodialysis Patients?. Acta Haematologica, 2006, 116, 238-244.  | 0.7 | 31        |
| 377 | Aortic Stiffness in Patients Undergoing Hemodialysis is Positively Related to Antigen Presenting Cell-Dependent T-Lymphocyte Reactivity. Renal Failure, 2006, 28, 63-68.  | 0.8 | 1         |
| 378 | Inhibition by mercuric chloride of aquaporin-1 in the parietal sheep peritoneum: an electrophysiologic study. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2006, 22, 7-10.                        | 0.1 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Gross calcification of the small bowel in a continuous ambulatory peritoneal dialysis patient with sclerosing peritonitis. Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2006, 22, 104-7. | 0.1 | 3         |
| 380 | Enhancement of the Transmesothelial Resistance of the Parietal Sheep Peritoneum by Epinephrine In Vitro: Ussing-type Chamber Experiments Artificial Organs, 2005, 29, 919-922.                                 | 1.0 | 10        |
| 381 | The Value of Serum Antilipoarabinomannan Antibody Detection in the Diagnosis of Latent<br>Tuberculosis in Hemodialysis Patients. American Journal of Kidney Diseases, 2005, 46, 706-712.                       | 2.1 | 21        |
| 382 | Diagnostic Discordance for Hepatitis C Virus Infection in Hemodialysis: Correlations with Clinical and Laboratory Features. American Journal of Kidney Diseases, 2005, 46, 992-993.                            | 2.1 | 1         |
| 383 | Hemodialysis Procedure Does Not Affect the Levels of sICAM-1 and sVCAM-1 in Patients with End Stage Renal Disease. Renal Failure, 2005, 27, 315-321.   | 0.8 | 4         |
| 384 | Effect of 1-Year Oral α-Tocopherol Administration on Anticardiolipin Antibodies in Hemodialysis Patients. Renal Failure, 2005, 27, 193-198.  | 0.8 | 2         |
| 385 | Estradiol and leptin as conditional prognostic IVF markers. Reproduction, 2005, 129, 531-534.  | 1.1 | 40        |
| 386 | Serum and follicular fluid leptin levels are correlated with human embryo quality. Reproduction, 2005, 130, 917-921.   | 1.1 | 43        |
| 387 | Resistin Serum Levels Are Increased but Not Correlated with Insulin Resistance in Chronic Hemodialysis Patients. Blood Purification, 2005, 23, 421-428.  | 0.9 | 45        |
| 388 | The Value of Computed Tomography-Derived Coronary Artery Calcification Score in Coronary Artery Disease Detection in Asymptomatic Hemodialysis Patients. Renal Failure, 2005, 27, 683-688.                     | 0.8 | 16        |
| 389 | Endothelin-1 Plasma Levels in Hemodialysis Treatmentâ€"The Influence of Type 2 Diabetes. Renal Failure, 2005, 27, 515-522.   | 0.8 | 6         |
| 390 | Fungal Colonization of Peritoneal Catheter with Persistently Sterile Cloudy Effluent, in the Absence of Clinical Findings of Fungal Peritonitis. Peritoneal Dialysis International, 2004, 24, 81-84.           | 1.1 | 6         |
| 391 | Improvement in uremic symptoms after increasing daily dialysate volume in patients on chronic peritoneal dialysis with declining renal function. International Urology and Nephrology, 2004, 36, 437-443.      | 0.6 | 28        |
| 392 | Hepatitis E Virus Antibodies in Hemodialysis Patients: An Epidemiological Survey in Central Greece.<br>International Journal of Artificial Organs, 2004, 27, 842-847.  | 0.7 | 45        |
| 393 | Plasma Endothelin-1 in Hemodialysis Treatment - the Influence of Hypertension. Journal of Cardiovascular Pharmacology, 2004, 44, S43-S48.  | 0.8 | 18        |
| 394 | Fungal colonization of peritoneal catheter with persistently sterile cloudy effluent, in the absence of clinical findings of fungal peritonitis. Peritoneal Dialysis International, 2004, 24, 81-4.            | 1.1 | 5         |
| 395 | Effect of adrenaline on the electrophysiologic profile of isolated visceral sheep peritoneum.<br>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis, 2004, 20, 23-6.                            | 0.1 | 3         |
| 396 | Renal cell carcinoma in peritoneal dialysis patients. International Urology and Nephrology, 2003, 35, 263-265.   | 0.6 | 17        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Fatigue in chronic peritoneal dialysis patients. International Urology and Nephrology, 2003, 35, 535-541.        | 0.6 | 42        |
| 398 | The Effect of Convective Dialytic Modalities on Arterial Stiffness in End-Stage Renal Disease Patients. , 0, , . |     | 0         |